Gateway Documentation - Mortgage Service

Oracle FLEXCUBE Universal Banking

Release FCUBS_12.0.87.1.0

[August] [2014]

Table Of Contents

1. BACKGROUND **1**

2. FCUBSMOService **2**

2.1. AuthCLAdhoc **2**

2.1.1. MO-Auth-Adhoc-Req-Msg.xsd *2*

2.1.2. MO-Auth-Adhoc-Res-PK-MSG.xsd *9*

2.2. AuthDisbursement **19**

2.2.1. MO-Auth-Disbursement-Req-IO-Msg.xsd *19*

2.2.2. MO-Auth-Disbursement-Res-PK-MSG.xsd *26*

2.3. AuthInstStatChg **36**

2.3.1. MO-Auth-InstStatChg-Req-Msg.xsd *36*

2.3.2. MO-Auth-InstStatChg-Res-PK-MSG.xsd *44*

2.4. AuthStatusChange **56**

2.4.1. MO-Auth-StatusChange-Req-IO-Msg.xsd *56*

2.4.2. MO-Auth-StatusChange-Res-PK-MSG.xsd *63*

2.5. AuthVami **74**

2.5.1. MO-Auth-Vami-Req-Full-MSG.xsd *74*

2.5.2. MO-Auth-Vami-Req-IO-Msg.xsd *82*

2.5.3. MO-Auth-Vami-Res-PK-MSG.xsd *89*

2.5.4. MO-Auth-Vami-Res-full-Msg.xsd *198*

2.6. AuthorizeAccTrfr **423**

2.6.1. MO-AuthorizeAccTrfr-Req-Full-MSG.xsd *423*

2.6.2. MO-AuthorizeAccTrfr-Req-IO-MSG.xsd *434*

2.6.3. MO-AuthorizeAccTrfr-Res-Full-MSG.xsd *441*

2.6.4. MO-AuthorizeAccTrfr-Res-PK-MSG.xsd *453*

2.7. AuthorizeMortgage **462**

2.7.1. MO-AuthorizeMortgage-Req-Full-MSG.xsd *462*

2.7.2. MO-AuthorizeMortgage-Req-IO-MSG.xsd *785*

2.7.3. MO-AuthorizeMortgage-Res-Full-MSG.xsd *792*

2.7.4. MO-AuthorizeMortgage-Res-PK-MSG.xsd *1116*

2.8. AuthorizeNotaryConfirm **1125**

2.8.1. MO-AuthorizeNotaryConfirm-Req-Full-MSG.xsd *1125*

2.8.2. MO-AuthorizeNotaryConfirm-Req-IO-MSG.xsd *1134*

2.8.3. MO-AuthorizeNotaryConfirm-Res-Full-MSG.xsd *1140*

2.8.4. MO-AuthorizeNotaryConfirm-Res-PK-MSG.xsd *1151*

2.9. AuthorizeProdTrfr **1160**

2.9.1. MO-AuthorizeProdTrfr-Req-Full-MSG.xsd *1160*

2.9.2. MO-AuthorizeProdTrfr-Req-IO-MSG.xsd *1170*

2.9.3. MO-AuthorizeProdTrfr-Res-Full-MSG.xsd *1178*

2.9.4. MO-AuthorizeProdTrfr-Res-PK-MSG.xsd *1189*

2.10. AuthorizeProduct **1199**

2.10.1. MO-AuthorizeProduct-Req-Full-MSG.xsd *1199*

2.10.2. MO-AuthorizeProduct-Req-IO-MSG.xsd *1338*

2.10.3. MO-AuthorizeProduct-Res-Full-MSG.xsd *1345*

2.10.4. MO-AuthorizeProduct-Res-PK-MSG.xsd *1486*

2.11. QueryAutosuspInfo **1496**

2.11.1. MO-AutosuspInfo-Qry-Req-Msg.xsd *1496*

2.11.2. MO-AutosuspInfo-Qry-Res-FULL-Msg.xsd *1503*

2.12. CloseAccTrfr **1516**

2.12.1. MO-CloseAccTrfr-Req-Full-MSG.xsd *1516*

2.12.2. MO-CloseAccTrfr-Req-IO-MSG.xsd *1527*

2.12.3. MO-CloseAccTrfr-Res-Full-MSG.xsd *1534*

2.12.4. MO-CloseAccTrfr-Res-PK-MSG.xsd *1546*

2.13. CloseProdTrfr **1555**

2.13.1. MO-CloseProdTrfr-Req-Full-MSG.xsd *1555*

2.13.2. MO-CloseProdTrfr-Req-IO-MSG.xsd *1565*
2.13.3. MO-CloseProdTrfr-Res-Full-MSG.xsd *1573*
2.13.4. MO-CloseProdTrfr-Res-PK-MSG.xsd *1584*
2.14. CreateAccTrfr **1594**
2.14.1. MO-CreateAccTrfr-Req-Full-MSG.xsd *1594*
2.14.2. MO-CreateAccTrfr-Req-IO-MSG.xsd *1605*
2.14.3. MO-CreateAccTrfr-Res-Full-MSG.xsd *1614*
2.14.4. MO-CreateAccTrfr-Res-PK-MSG.xsd *1626*
2.15. CreateNotaryConfirm **1637**
2.15.1. MO-CreateNotaryConfirm-Req-Full-MSG.xsd *1637*
2.15.2. MO-CreateNotaryConfirm-Req-IO-MSG.xsd *1646*
2.15.3. MO-CreateNotaryConfirm-Res-Full-MSG.xsd *1653*
2.15.4. MO-CreateNotaryConfirm-Res-PK-MSG.xsd *1664*
2.16. CreateProdTrfr **1673**
2.16.1. MO-CreateProdTrfr-Req-Full-MSG.xsd *1673*
2.16.2. MO-CreateProdTrfr-Req-IO-MSG.xsd *1683*
2.16.3. MO-CreateProdTrfr-Res-Full-MSG.xsd *1690*
2.16.4. MO-CreateProdTrfr-Res-PK-MSG.xsd *1701*
2.17. CreateProduct **1710**
2.17.1. MO-CreateProduct-Req-Full-MSG.xsd *1710*
2.17.2. MO-CreateProduct-Req-IO-MSG.xsd *1849*
2.17.3. MO-CreateProduct-Res-Full-MSG.xsd *1983*
2.17.4. MO-CreateProduct-Res-PK-MSG.xsd *2124*
2.18. QueryCustSum **2260**
2.18.1. MO-Custsum-Qry-Req-Msg.xsd *2260*
2.18.2. MO-Custsum-Qry-Res-FULL-Msg.xsd *2267*
2.19. DeleteVami **2279**
2.19.1. MO-Del-Vami-Req-Full-Msg.xsd *2279*
2.19.2. MO-Del-Vami-Req-IO-Msg.xsd *2286*
2.19.3. MO-Del-Vami-Res-PK-MSG.xsd *2293*
2.19.4. MO-Del-Vami-Res-full-Msg.xsd *2304*
2.20. DeleteCLAdhoc **2315**
2.20.1. MO-Delete-Adhoc-Req-Msg.xsd *2315*
2.20.2. MO-Delete-Adhoc-Res-PK-MSG.xsd *2322*
2.21. DeleteDisbursement **2332**
2.21.1. MO-Delete-Disbursement-Req-IO-MSG.xsd *2332*
2.21.2. MO-Delete-Disbursement-Res-PK-MSG.xsd *2339*
2.22. DeleteInstStatChg **2349**
2.22.1. MO-Delete-InstStatChg-Req-Msg.xsd *2349*
2.22.2. MO-Delete-InstStatChg-Res-PK-MSG.xsd *2357*
2.23. DeleteStatusChange **2368**
2.23.1. MO-Delete-StatusChange-Req-IO-Msg.xsd *2368*
2.23.2. MO-Delete-StatusChange-Res-PK-MSG.xsd *2375*
2.24. DeleteAccTrfr **2384**
2.24.1. MO-DeleteAccTrfr-Req-Full-MSG.xsd *2384*
2.24.2. MO-DeleteAccTrfr-Req-IO-MSG.xsd *2395*
2.24.3. MO-DeleteAccTrfr-Res-Full-MSG.xsd *2401*
2.24.4. MO-DeleteAccTrfr-Res-PK-MSG.xsd *2413*
2.25. DeleteMortgage **2422**
2.25.1. MO-DeleteMortgage-Req-Full-MSG.xsd *2422*
2.25.2. MO-DeleteMortgage-Req-IO-MSG.xsd *2745*
2.25.3. MO-DeleteMortgage-Res-Full-MSG.xsd *2752*
2.25.4. MO-DeleteMortgage-Res-PK-MSG.xsd *3076*
2.26. DeleteNotaryConfirm **3085**
2.26.1. MO-DeleteNotaryConfirm-Req-Full-MSG.xsd *3085*
2.26.2. MO-DeleteNotaryConfirm-Req-IO-MSG.xsd *3094*
2.26.3. MO-DeleteNotaryConfirm-Res-Full-MSG.xsd *3100*

2.26.4. MO-DeleteNotaryConfirm-Res-PK-MSG.xsd 3111
2.27. DeleteProdTrfr 3120
2.27.1. MO-DeleteProdTrfr-Req-Full-MSG.xsd 3120
2.27.2. MO-DeleteProdTrfr-Req-IO-MSG.xsd 3130
2.27.3. MO-DeleteProdTrfr-Res-Full-MSG.xsd 3137
2.27.4. MO-DeleteProdTrfr-Res-PK-MSG.xsd 3148
2.28. DeleteProduct 3158
2.28.1. MO-DeleteProduct-Req-Full-MSG.xsd 3158
2.28.2. MO-DeleteProduct-Req-IO-MSG.xsd 3297
2.28.3. MO-DeleteProduct-Res-Full-MSG.xsd 3303
2.28.4. MO-DeleteProduct-Res-PK-MSG.xsd 3444
2.29. QueryMOEvents 3453
2.29.1. MO-EVENTS-QUERY-REQ-IO-MSG.xsd 3453
2.29.2. MO-EVENTS-QUERY-RES-Full-MSG.xsd 3460
2.30. QueryMOInfo 3471
2.30.1. MO-Info-Qry-Req-Msg.xsd 3471
2.30.2. MO-Info-Qry-Res-FULL-Msg.xsd 3480
2.31. ModifyAccTrfr 3589
2.31.1. MO-ModifyAccTrfr-Req-Full-MSG.xsd 3589
2.31.2. MO-ModifyAccTrfr-Req-IO-MSG.xsd 3600
2.31.3. MO-ModifyAccTrfr-Res-Full-MSG.xsd 3608
2.31.4. MO-ModifyAccTrfr-Res-PK-MSG.xsd 3620
2.32. ModifyMortgage 3630
2.32.1. MO-ModifyMortgage-Req-Full-MSG.xsd 3630
2.32.2. MO-ModifyMortgage-Req-IO-MSG.xsd 3953
2.32.3. MO-ModifyMortgage-Res-Full-MSG.xsd 4084
2.32.4. MO-ModifyMortgage-Res-PK-MSG.xsd 4408
2.33. ModifyProdTrfr 4541
2.33.1. MO-ModifyProdTrfr-Req-Full-MSG.xsd 4541
2.33.2. MO-ModifyProdTrfr-Req-IO-MSG.xsd 4551
2.33.3. MO-ModifyProdTrfr-Res-Full-MSG.xsd 4560
2.33.4. MO-ModifyProdTrfr-Res-PK-MSG.xsd 4571
2.34. SaveVami 4582
2.34.1. MO-Amnd-Req-Full-Msg.xsd 4582
2.34.2. MO-Amnd-Req-IO-Msg.xsd 4714
2.34.3. MO-Amnd-Res-PK-MSG.xsd 4734
2.34.4. MO-Amnd-Res-full-Msg.xsd 4743
2.35. ModifyProduct 5009
2.35.1. MO-ModifyProduct-Res-Full-MSG.xsd 5009
2.35.2. MO-ModifyProduct-Res-PK-MSG.xsd 5150
2.35.3. MO-ModifyProduct-Req-Full-MSG.xsd 5279
2.35.4. MO-ModifyProduct-Req-IO-MSG.xsd 5418
2.36. QueryPmntSch 5545
2.36.1. MO-PMNTSch-Qry-Req-Msg.xsd 5545
2.36.2. MO-PMNTSch-Qry-Res-FULL-Msg.xsd 5553
2.37. QueryPayment 5586
2.37.1. MO-Payment-Qry-Req-Msg.xsd 5586
2.37.2. MO-Payment-Qry-Res-FULL-Msg.xsd 5593
2.38. AuthPayment 5618
2.38.1. MO-Pmnt-Auth-Req-IO-MSG.xsd 5618
2.38.2. MO-Pmnt-Auth-Res-PK-MSG.xsd 5625
2.39. DelPayment 5634
2.39.1. MO-Pmnt-Del-Req-IO-MSG.xsd 5634
2.39.2. MO-Pmnt-Del-Res-PK-MSG.xsd 5644
2.40. RevPayment 5654
2.40.1. MO-Pmnt-Rev-Req-IO-MSG.xsd 5654
2.40.2. MO-Pmnt-Rev-Res-PK-MSG.xsd 5661

2.41. QueryVami **5672**
2.41.1. MO-Query-Vami-Req-IO-Msg.xsd *5672*
2.41.2. MO-Query-Vami-Res-full-Msg.xsd *5679*
2.42. QueryAccTrfr **5806**
2.42.1. MO-QueryAccTrfr-Req-IO-MSG.xsd *5806*
2.42.2. MO-QueryAccTrfr-Res-Full-MSG.xsd *5812*
2.43. QueryMortgage **5825**
2.43.1. MO-QueryMortgage-Req-IO-MSG.xsd *5825*
2.43.2. MO-QueryMortgage-Res-Full-MSG.xsd *5833*
2.44. QueryNotaryConfirm **6160**
2.44.1. MO-QueryNotaryConfirm-Req-IO-MSG.xsd *6160*
2.44.2. MO-QueryNotaryConfirm-Res-Full-MSG.xsd *6167*
2.45. QueryProdTrfr **6178**
2.45.1. MO-QueryProdTrfr-Req-IO-MSG.xsd *6178*
2.45.2. MO-QueryProdTrfr-Res-Full-MSG.xsd *6184*
2.46. QueryProduct **6196**
2.46.1. MO-QueryProduct-Req-IO-MSG.xsd *6196*
2.46.2. MO-QueryProduct-Res-Full-MSG.xsd *6202*
2.47. AuthRenog **6344**
2.47.1. MO-RENOG-AUTH-Req-Msg.xsd *6344*
2.47.2. MO-RENOG-AUTH-Res-PK-Msg.xsd *6351*
2.48. DeleteRenog **6362**
2.48.1. MO-RENOG-DEL-Req-Msg.xsd *6362*
2.48.2. MO-RENOG-DEL-Res-PK-Msg.xsd *6369*
2.49. QueryRenog **6379**
2.49.1. MO-RENOG-QRY-Req-IO-Msg.xsd *6379*
2.49.2. MO-RENOG-QRY-Res-Full-Msg.xsd *6386*
2.50. ReverseRenog **6582**
2.50.1. MO-RENOG-REV-Req-IO-Msg.xsd *6582*
2.50.2. MO-RENOG-REV-Req-Msg.xsd *6590*
2.50.3. MO-RENOG-REV-Res-Full-Msg.xsd *6598*
2.50.4. MO-RENOG-REV-Res-PK-Msg.xsd *6613*
2.51. SaveRenog **6628**
2.51.1. MO-RENOG-Req-Full-Msg.xsd *6628*
2.51.2. MO-RENOG-Req-IO-Msg.xsd *6763*
2.51.3. MO-RENOG-Res-Full-Msg.xsd *6787*
2.51.4. MO-RENOG-Res-PK-Msg.xsd *7158*
2.52. ActiveRollover **7318**
2.52.1. MO-ROLLOVER-ACT-Req-IO-Msg.xsd *7318*
2.52.2. MO-ROLLOVER-ACT-Res-PK-Msg.xsd *7325*
2.53. AuthRollover **7339**
2.53.1. MO-ROLLOVER-AUTH-Req-Msg.xsd *7339*
2.53.2. MO-ROLLOVER-AUTH-Res-PK-Msg.xsd *7346*
2.54. DeleteRollover **7357**
2.54.1. MO-ROLLOVER-DEL-Req-Msg.xsd *7357*
2.54.2. MO-ROLLOVER-DEL-Res-PK-Msg.xsd *7364*
2.55. QueryRollover **7374**
2.55.1. MO-ROLLOVER-QRY-Req-IO-Msg.xsd *7374*
2.55.2. MO-ROLLOVER-QRY-Res-Full-Msg.xsd *7381*
2.56. ReverseRollover **7582**
2.56.1. MO-ROLLOVER-REV-Req-IO-Msg.xsd *7582*
2.56.2. MO-ROLLOVER-REV-Req-Msg.xsd *7590*
2.56.3. MO-ROLLOVER-REV-Res-Full-Msg.xsd *7598*
2.56.4. MO-ROLLOVER-REV-Res-PK-Msg.xsd *7613*
2.57. SaveRollover **7628**
2.57.1. MO-ROLLOVER-Req-Full-Msg.xsd *7628*
2.57.2. MO-ROLLOVER-Req-IO-Msg.xsd *7796*

2.57.3. MO-ROLLOVER-Res-Full-Msg.xsd *7821*
2.57.4. MO-ROLLOVER-Res-PK-Msg.xsd *8259*
2.58. ReopenAccTrfr **8452**
2.58.1. MO-ReopenAccTrfr-Req-Full-MSG.xsd *8452*
2.58.2. MO-ReopenAccTrfr-Req-IO-MSG.xsd *8463*
2.58.3. MO-ReopenAccTrfr-Res-Full-MSG.xsd *8470*
2.58.4. MO-ReopenAccTrfr-Res-PK-MSG.xsd *8482*
2.59. ReopenProdTrfr **8491**
2.59.1. MO-ReopenProdTrfr-Req-Full-MSG.xsd *8491*
2.59.2. MO-ReopenProdTrfr-Req-IO-MSG.xsd *8501*
2.59.3. MO-ReopenProdTrfr-Res-Full-MSG.xsd *8509*
2.59.4. MO-ReopenProdTrfr-Res-PK-MSG.xsd *8520*
2.60. CreateMortgage **8530**
2.60.1. MO-CreateMortgage-Req-Full-MSG.xsd *8530*
2.60.2. MO-CreateMortgage-Req-IO-MSG.xsd *8853*
2.60.3. MO-CreateMortgage-Res-Full-MSG.xsd *9127*
2.60.4. MO-CreateMortgage-Res-PK-MSG.xsd *9451*
2.61. RevCLAdhoc **9728**
2.61.1. MO-Reverse-Adhoc-Req-Full-Msg.xsd *9728*
2.61.2. MO-Reverse-Adhoc-Req-IO-Msg.xsd *9736*
2.61.3. MO-Reverse-Adhoc-Res-FULL-MSG.xsd *9743*
2.61.4. MO-Reverse-Adhoc-Res-PK-MSG.xsd *9752*
2.62. ReverseDisbursement **9761**
2.62.1. MO-Reverse-Disbursement-Req-Full-MSG.xsd *9761*
2.62.2. MO-Reverse-Disbursement-Req-IO-MSG.xsd *9769*
2.62.3. MO-Reverse-Disbursement-Res-FULL-MSG.xsd *9776*
2.62.4. MO-Reverse-Disbursement-Res-PK-MSG.xsd *9814*
2.63. ReverseInstStatChg **9825**
2.63.1. MO-Reverse-InstStatChg-Req-IO-Msg.xsd *9825*
2.63.2. MO-Reverse-InstStatChg-Res-PK-MSG.xsd *9833*
2.64. SaveALiqdSusp **9844**
2.64.1. MO-Save-ALiqdSusp-Req-Full-Msg.xsd *9844*
2.64.2. MO-Save-ALiqdSusp-Req-IO-Msg.xsd *9851*
2.64.3. MO-Save-ALiqdSusp-Res-PK-Msg.xsd *9858*
2.64.4. MO-Save-ALiqdSusp-Res-full-Msg.xsd *9869*
2.65. SaveAccSim **9880**
2.65.1. MO-Save-AccSim-Req-Full-Msg.xsd *9880*
2.65.2. MO-Save-AccSim-Req-Msg.xsd *10001*
2.65.3. MO-Save-AccSim-Res-PK-Msg.xsd *10017*
2.65.4. MO-Save-AccSim-Res-full-Msg.xsd *10177*
2.66. SaveCLAdhoc **10528**
2.66.1. MO-Save-AdhocChg-Req-FULL-MSG.xsd *10528*
2.66.2. MO-Save-AdhocChg-Req-Msg.xsd *10538*
2.66.3. MO-Save-AdhocChg-Res-FULL-MSG.xsd *10548*
2.66.4. MO-Save-AdhocChg-Res-PK-MSG.xsd *10567*
2.67. SaveDisbursement **10584**
2.67.1. MO-Save-Disbursement-Req-FS-MSG.xsd *10584*
2.67.2. MO-Save-Disbursement-Req-IO-MSG.xsd *10652*
2.67.3. MO-Save-Disbursement-Res-FULL-MSG.xsd *10704*
2.67.4. MO-Save-Disbursement-Res-PK-Msg.xsd *10883*
2.68. SaveInactive **11000**
2.68.1. MO-Save-Inactive-Acc-Req-Full-Msg.xsd *11000*
2.68.2. MO-Save-Inactive-Acc-Req-Msg.xsd *11136*
2.68.3. MO-Save-Inactive-Acc-Res-full-Msg.xsd *11144*
2.68.4. MO-Save-Inactive-Res-PK-Msg.xsd *11988*
2.69. SaveInstStatChg **12443**
2.69.1. MO-Save-InstStatChg-Req-FULL-Msg.xsd *12443*
2.69.2. MO-Save-InstStatChg-Req-Msg.xsd *12459*

2.69.3. MO-Save-InstStatChg-Res-FULL-MSG.xsd *12467*
2.69.4. MO-Save-InstStatChg-Res-PK-MSG.xsd *12497*
2.70. SavePayment **12519**
2.70.1. MO-Save-Payment-Req-Full-MSG.xsd *12519*
2.70.2. MO-Save-Payment-Req-IO-MSG.xsd *12541*
2.70.3. MO-Save-Payment-Res-Full-MSG.xsd *12560*
2.70.4. MO-Save-Payment-Res-PK-MSG.xsd *12671*
2.71. SaveReassign **12727**
2.71.1. MO-Save-Reassign-Account-Req-Full-Msg.xsd *12727*
2.71.2. MO-Save-Reassign-Account-Req-Msg.xsd *12739*
2.71.3. MO-Save-Reassign-Account-Res-full-Msg.xsd *12746*
2.71.4. MO-Save-reassign-Account-Res-PK-Msg.xsd *13627*
2.72. SaveReversal **14105**
2.72.1. MO-Save-Reversal-Req-Full-Msg.xsd *14105*
2.72.2. MO-Save-Reversal-Req-IO-Msg.xsd *14112*
2.72.3. MO-Save-Reversal-Res-PK-Msg.xsd *14119*
2.72.4. MO-Save-Reversal-Res-full-Msg.xsd *14128*
2.73. SaveStatusChange **14137**
2.73.1. MO-Save-StatusChange-Req-Full-Msg.xsd *14137*
2.73.2. MO-Save-StatusChange-Req-IO-Msg.xsd *14165*
2.73.3. MO-Save-StatusChange-Res-Full-MSG.xsd *14172*
2.73.4. MO-Save-StatusChange-Res-PK-MSG.xsd *14225*
2.74. SimPayment **14259**
2.74.1. MO-Sim-Payment-Req-Full-MSG.xsd *14259*
2.74.2. MO-Sim-Payment-Req-IO-MSG.xsd *14281*
2.74.3. MO-Sim-Payment-Res-Full-MSG.xsd *14300*
2.74.4. MO-Sim-Payment-Res-PK-MSG.xsd *14370*
2.75. SaveAccountActivate **14425**
2.75.1. MO-Upload-Activate-Req-Full-Msg.xsd *14425*
2.75.2. MO-Upload-Activate-Req-IO-Msg.xsd *14432*
2.75.3. MO-Upload-Activate-Res-FS-Msg.xsd *14439*
2.75.4. MO-Upload-Activate-Res-PK-Msg.xsd *14452*

1.BACKGROUND

Integration of different applications and solutions is a key area in today's systems. A variety of specialized applications deployed on disparate platforms and using different infrastructure need to be able to communicate and integrate seamlessly with FLEXCUBE UBS in order to exchange data.The FLEXCUBE UBS Integration Gateway (referred to as Gateway) will cater to these integration needs.
The integration needs supported by the Gateway can be broadly categorized from the perspective of the Gateway as follows:

1. Inbound application integration – used when any external system needs to add, modify or query information within FLEXCUBE UBS
2. Outbound application integration– used when any external system needs to be notified of the various events that occur within FLEXCUBE UBS
The following sections provide detailed XSD documentation of all operations available in FCUBSMOService of CL-Module

2.FCUBSMOService

Mortgage ServiceMortgage Service

2.1.AuthCLAdhoc

AuthCLAdhoc

2.1.1.MO-Auth-Adhoc-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Auth-Adhoc-Req*
    - *ACCNO*
    - *BRN*
    - *INTREFNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete AdhocChg

TOP

MO-Auth-Adhoc-Req

Attribute	Description
Name	MO-Auth-Adhoc-Req
Datatype	
Description	It indicates Authorize Adhoc Request details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates the Internal Reference Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

2.1.2.MO-Auth-Adhoc-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Auth-AdhocChg-Res-PK*
      - *ACCNO*
      - *BRN*
      - *INTREFNO*
    - *MO-Auth-Adhoc-Req*
      - *ACCNO*
      - *BRN*
      - *INTREFNO*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to Authorize AdhocChg

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Auth-AdhocChg-Res-PK

Attribute	Description
Name	Auth-AdhocChg-Res-PK
Datatype	
Description	It indicates Authorize Adhoc PK Response details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates the Internal Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MO-Auth-Adhoc-Req

Attribute	Description
Name	MO-Auth-Adhoc-Req
Datatype	
Description	It indicates Authorize Adhoc Request details of Mortgages module

Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	

Restrictions	Description
maxLength	35

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates the Internal Reference Number.
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	16

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.2.AuthDisbursement

AuthDisbursement

2.2.1.MO-Auth-Disbursement-Req-IO-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Auth-Disbursement-Req-IO*
  - *ACCNO*
  - *BRN*
  - *XREF*
  - *MSGGEN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

MO-Auth-Disbursement-Req-IO

Attribute	Description
Name	MO-Auth-Disbursement-Req-IO
Datatype	
Description	It indicates Authorize Disbursement IO Request details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MSGGEN

Attribute	Description
Name	MSGGEN
Datatype	String
Description	It indicates Generate Message Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

2.2.2.MO-Auth-Disbursement-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MOAuthDsbrResPK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Auth-Disbursement-Req-IO*
      - *ACCNO*
      - *BRN*
      - *XREF*
      - *MSGGEN*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MOAuthDsbrResPK

Attribute	Description
Name	MOAuthDsbrResPK
Datatype	
Description	It indicates Authorize Disbursement PK Response details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

MO-Auth-Disbursement-Req-IO

Attribute	Description
Name	MO-Auth-Disbursement-Req-IO
Datatype	
Description	It indicates Authorize Disbursement IO Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MSGGEN

Attribute	Description
Name	MSGGEN
Datatype	String
Description	It indicates Generate Message Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	

Description	It indicates Flexcube Error Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.3.AuthInstStatChg

AuthInstStatChg

2.3.1.MO-Auth-InstStatChg-Req-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Auth-InstStatChg-Req*
  - *ACCNO*
  - *BRN*
  - *COMPNAME*
  - *SCHDUEDT*
  - *EFFDT*
  - *CURRSTAT*
  - *NEWSTAT*
  - *AUTHSTAT*
  - *ESN*
    - *ST0*
    - *ST1*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to authorize MO(Mortgages) account install status change

TOP

MO-Auth-InstStatChg-Req

Attribute	Description
Name	MO-Auth-InstStatChg-Req
Datatype	
Description	It indicates Authorize Installment Status Change Request details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates the Component Name
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates the Schedule Due Date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates the Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates the Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates the New Status.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	
Description	Indicates the Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Number
Description	Indicates Event Sequence Number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	Indicates Event Sequence Number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

2.3.2.MO-Auth-InstStatChg-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Auth-InstStatChg-Res-PK*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *ESN*
    - *MO-Auth-InstStatChg-Req*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *EFFDT*
      - *CURRSTAT*
      - *NEWSTAT*
      - *AUTHSTAT*
      - *ESN*
        - *ST0*
        - *ST1*

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	

Description	This XSD gives the message format for a request to authorize a new MO(Mortgages) dsbr

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Auth-InstStatChg-Res-PK

Attribute	Description
Name	Auth-InstStatChg-Res-PK
Datatype	
Description	It indicates Authorize Installment Status Change PK Response details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates the Component Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SCHDUEDT

Attribute	Description

Name	SCHDUEDT
Datatype	Date
Description	Indicates the Schedule Due Date.

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

MO-Auth-InstStatChg-Req

Attribute	Description
Name	MO-Auth-InstStatChg-Req
Datatype	
Description	It indicates Authorize Installment Status Change Request details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates the Component Name

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates the Schedule Due Date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates the Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates the Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates the New Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Number
Description	Indicates Event Sequence Number
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	Indicates Event Sequence Number
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC

Datatype	String
Description	

TOP

2.4.AuthStatusChange

AuthStatusChange

2.4.1.MO-Auth-StatusChange-Req-IO-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Auth-StatusChange-Req-IO*
  - *SCODE*
  - *ACCNO*
  - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to auth a MO(Mortgages) status change

TOP

MO-Auth-StatusChange-Req-IO

Attribute	Description
Name	MO-Auth-StatusChange-Req-IO
Datatype	
Description	It indicates Authorize Status Change IO Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.4.2.MO-Auth-StatusChange-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MOSTCHRESPK*
      - *ACCNO*
      - *BRN*
      - *ESN*
      - *ACC_STCH_CHARGES*
        - *ACCNO*
        - *BRN*
        - *ESN*
      - *ACC_EVENT_USERDEF*
        - *ACCNO*
        - *BRN*
        - *ESN*
    - *MO-Auth-StatusChange-Req-IO*
      - *SCODE*
      - *ACCNO*
      - *BRN*
  - *FCUBS_ERROR_RESP*
    - *ERROR*

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to auth a MO(Mortgages) status change

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MOSTCHRESPK

Attribute	Description
Name	MOSTCHRESPK
Datatype	
Description	It indicates Authorize Status Change PK Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

ACC_STCH_CHARGES

Attribute	Description
Name	ACC_STCH_CHARGES
Datatype	
Description	Authorization of Mortgages Account Status Change - Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ACC_EVENT_USERDEF

Attribute	Description
Name	ACC_EVENT_USERDEF
Datatype	
Description	Authorization of Mortgages Account Status Change - User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MO-Auth-StatusChange-Req-IO

Attribute	Description
Name	MO-Auth-StatusChange-Req-IO
Datatype	
Description	It indicates Authorize Status Change IO Request details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String

Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.5.AuthVami

AuthVami

2.5.1.MO-Auth-Vami-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Auth-Vami-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *MSGGEN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description

Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request for authorization of Vami

TOP

MO-Auth-Vami-Req

Attribute	Description
Name	MO-Auth-Vami-Req
Datatype	
Description	It indicates Value Date Amendment Authorize request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description	
Name	XREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ALTACCNO

Attribute	Description	
Name	ALTACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSGGEN

Attribute	Description
Name	MSGGEN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.5.2.MO-Auth-Vami-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Auth-Vami-Req-IO*
    - *ACCNO*
    - *BRN*
    - *MSGGEN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request for authorization of Vami

TOP

MO-Auth-Vami-Req-IO

Attribute	Description
Name	MO-Auth-Vami-Req-IO
Datatype	
Description	It indicates Value Date Amendment Authorize IO request details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MSGGEN

Attribute	**Description**
Name	MSGGEN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

2.5.3.MO-Auth-Vami-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *CLAuthVamiResPK*
      - *ACCNO*
      - *BRN*
      - *CCY*
      - *AMOUNT*
      - *PRD*
      - *BOOKDT*
      - *VALDT*
      - *MATDT*
    - *CL-Auth-Vami-Req*
      - *ACCNO*
      - *BRN*
      - *ISAVAIL*
      - *CCY*
      - *AMOUNT*
      - *NETAMT*
      - *EXCHRT*
      - *PRD*

PRDCAT
CUSTNAME
BOOKDT
VALDT
MATDT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
AUTOLIQ
AUTOLIQRVPMNT
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
VAMI_ACTION
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
TRKRECIALIQ
TRKRECIMLIQ
SPLAMT
SCHBASIS
CPTY
UDEROLLBASIS
ROLLOVERCOUNT
FULLYPAIDINSTCNT
MINUNPAIDDUEDATE
TOTCONDONEAMT
ROLLOVRMODE
RATE_CHG_ACTION
ROLLOVRTYPE
MATNOTIND
REMARKS
ROLLCOMP
  COMPNAME
PROMOTIONS
  PRTYP
  PRID
  BENEFCIF

- *PRIORITY*
- *OTHAPPLCNT*
  - *CUSTID*
  - *CUSTNAME*
  - *RESP*
  - *LIABPERCNT*
  - *LIABAMT*
  - *EFFDT*
- *CLCOMPDET*
  - *COMPNAME*
  - *COMPDESC*
  - *COMPTYPE*
  - *FORMULATYP*
  - *DAYSMTH*
  - *DAYSYEAR*
  - *MAINCOMPFLAG*
  - *CAPITALIZED*
  - *PENALBASISCOMP*
  - *SPLINTFLAG*
  - *SPLINTAMT*
  - *WAIVERFLAG*
  - *STTLMTCCY*
  - *DRPAYMTMODE*
  - *CRPAYMTMODE*
  - *DRACCBRN*
  - *CRACCBRN*
  - *DRPRDACC*
  - *CRPRDACC*
  - *COMPACCDET*
    - *SCHDUEDT*
    - *GRACEDAYS*
  - *COMPSCH*
    - *SCHTYPE*
    - *SCHFLAG*
    - *FORMULA*
    - *FIRSTDUEDT*
    - *NOOFSCH*
    - *FREQ*
    - *UNIT*
    - *ENDDT*
    - *AMOUNT*
    - *CAPITALIZED*
    - *WAIVERFLAG*
    - *SCHSTDT*

- *SCHEDULE*
  - *DUEDATE*
  - *AMTDUE*
  - *AMTLCY*
  - *AMTSETT*
  - *EMIAMT*
  - *EMIAMTLCY*
  - *ACCRAMT*
  - *AMTREADJUSTED*
  - *ISCAP*
  - *ISWAIVE*
  - *GRACEDAYS*
  - *SCHSTATUS*
  - *OVERDUEDAYS*
- *INSTLDETS*
  - *DUEDATE*
  - *INSTLNO*
  - *INSTLSTATUS*
  - *PAIDDT*
  - *PAIDSTATUS*
  - *TOTAMTSETT*
  - *TOTAMTSETT_LCY*
  - *EMIAMT*
- *HOLIDAYPRD*
  - *SCHDUEDT*
  - *PERIOD*
- *COMPBAL*
  - *COMPNAME*
  - *BALANCE*
  - *VALDT*
  - *LCY_BAL*
- *CLCHARGES*
  - *COMPNAME*
  - *CHGCCY*
  - *DRPAYMTMODE*
  - *CRPAYMTMODE*
  - *DRACCBRN*
  - *CRACCBRN*
  - *DRPRDACC*
  - *CRPRDACC*
  - *CHDETAILS*
    - *EVTCD*
    - *COMPNAME*
    - *CHGCCY*

- *AMTDUE*
- *DUEDATE*

CLTAXES

- *COMPNAME*
- *VALIDTILL*
- *BASISAMT*
- *TAXAMT*
- *TAXRATE*
- *EXCHRATECUF*
- *EXCHRATECUFLCY*
- *EVTCD*
- *ESN*
- *MONTHS*
- *CAPITALIZED*
- *AMTLCY*
- *AMOUNT*
- *LOANAMT*
- *LOANTAXBASISAMT*
- *CHGCOMP*

LINKAGES

- *LINKTYPE*
- *LINKREFNO*
- *LINKAMT*

EVENTS

- *EVTNO*
- *EVTDT*
- *EVTCD*

UDEDET

- *EFFDT*
- *UDEVALS*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *RATETYP*
  - *CODEUSE*
  - *RESOLVAL*

UDFDETAILS

- *FIELD_NAME*
- *FIELD_VALUE*

MISDETAILS

- *RTFLAG*
- *POOLCD*
- *PROCFLG*
- *REFRT*

REFRTTYPE
CALCMETH
CCY
REFRTCD
REFRTSPRD
RELACC
RELREF
MISGRP
MISGRPTXN
MISHD
MISGRPCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
CUST
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6

- *FUNDMIS7*
- *FUNDMIS8*
- *FUNDMIS9*
- *FUNDMIS10*

REMARK

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*
- *ESN*

LIQUIDATIONORDER

- *STAT*
- *COMP*
- *LIQORDER*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*
- *CHANGE_AC*
- *CHANGE_RATE*
- *PARTY_INFO_ALLOWED*
- *COVER_REQUIRED*
- *NETTING_INDICATOR*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*

RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG

ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID

EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
CL-Auth-Vami-Req-IO
ACCNO
BRN
MSGGEN
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the format of response message for a new MO(Mortgages) Vami Authorization

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

CLAuthVamiResPK

Attribute	Description
Name	CLAuthVamiResPK
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

CL-Auth-Vami-Req

Attribute	Description
Name	CL-Auth-Vami-Req
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

NETAMT

Attribute	Description

Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTOLIQRVPMNT

Attribute	Description
Name	AUTOLIQRVPMNT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

VAMI_ACTION

Attribute	Description
Name	VAMI_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	

TOP

MAX_RNOG

Attribute	Description	
Name	MAX_RNOG	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TRKRECIALIQ

Attribute	Description	
Name	TRKRECIALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIMLIQ

Attribute	Description	
Name	TRKRECIMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLAMT

Attribute	**Description**	
Name	SPLAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHBASIS

Attribute	**Description**	
Name	SCHBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CPTY

Attribute	**Description**	
Name	CPTY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

UDEROLLBASIS

Attribute	**Description**	
Name	UDEROLLBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVERCOUNT

Attribute	Description
Name	ROLLOVERCOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FULLYPAIDINSTCNT

Attribute	Description
Name	FULLYPAIDINSTCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

MINUNPAIDDUEDATE

Attribute	Description
Name	MINUNPAIDDUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOTCONDONEAMT

Attribute	Description
Name	TOTCONDONEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATNOTIND

Attribute	Description
Name	MATNOTIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REMARKS

Attribute	Description

Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RESP

Attribute	Description	
Name	RESP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIABPERCNT

Attribute	Description	
Name	LIABPERCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CLCOMPDET

Attribute	Description
Name	CLCOMPDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULATYP

Attribute	Description
Name	FORMULATYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SPLINTFLAG

Attribute	**Description**	
Name	SPLINTFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description

Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPACCDET

Attribute	Description
Name	COMPACCDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description

Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

OVERDUEDAYS

Attribute	Description

Name	OVERDUEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

INSTLDETS

Attribute	Description
Name	INSTLDETS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

INSTLSTATUS

Attribute	Description
Name	INSTLSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

TOTAMTSETT

Attribute	Description
Name	TOTAMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

TOTAMTSETT_LCY

Attribute	Description
Name	TOTAMTSETT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

COMPBAL

Attribute	Description
Name	COMPBAL

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BALANCE

Attribute	Description
Name	BALANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

LCY_BAL

Attribute	Description
Name	LCY_BAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CLCHARGES

Attribute	Description
Name	CLCHARGES
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPAYMTMODE

Attribute	Description

Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHDETAILS

Attribute	**Description**	
Name	CHDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTCD

Attribute	**Description**	
Name	EVTCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHGCCY

Attribute	**Description**	
Name	CHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLTAXES

Attribute	Description
Name	CLTAXES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

VALIDTILL

Attribute	Description
Name	VALIDTILL

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BASISAMT

Attribute	Description
Name	BASISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

TAXAMT

Attribute	Description
Name	TAXAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

TAXRATE

Attribute	Description
Name	TAXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EXCHRATECUF

Attribute	Description
Name	EXCHRATECUF
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXCHRATECUFLCY

Attribute	Description
Name	EXCHRATECUFLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

MONTHS

Attribute	Description
Name	MONTHS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOANAMT

Attribute	Description
Name	LOANAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LOANTAXBASISAMT

Attribute	**Description**	
Name	LOANTAXBASISAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

CHGCOMP

Attribute	**Description**	
Name	CHGCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LINKAGES

Attribute	**Description**	
Name	LINKAGES	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

LINKTYPE

Attribute	**Description**	
Name	LINKTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKREFNO

Attribute	**Description**	
Name	LINKREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKAMT

Attribute	**Description**	
Name	LINKAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EVENTS

Attribute	**Description**	
Name	EVENTS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTNO

Attribute	**Description**	
Name	EVTNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EVTDT

Attribute	Description
Name	EVTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PROCFLG

Attribute	Description

Name	PROCFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REFRTCD

Attribute	**Description**	
Name	REFRTCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	**Description**	
Name	REFRTSPRD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RELACC

Attribute	**Description**	
Name	RELACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RELREF

Attribute	**Description**	
Name	RELREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1

Attribute	Description	
Name	TXNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	Description	
Name	TXNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UNTYPE

Attribute	Description
Name	UNTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CUST

Attribute	Description
Name	CUST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

VALUE_DATE

Attribute	Description

Name	VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	**Description**	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	**Description**	
Name	CHANGE_AC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY5

Attribute	Description

Name	INTERMEDIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CL-Auth-Vami-Req-IO

Attribute	Description
Name	CL-Auth-Vami-Req-IO
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MSGGEN

Attribute	Description
Name	MSGGEN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.5.4.MO-Auth-Vami-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MOAuthVamiRes*
    - *ACCNO*
    - *BRN*
    - *ISAVAIL*
    - *CCY*
    - *AMOUNT*
    - *NETAMT*
    - *EXCHRT*
    - *PRD*
    - *PRDCAT*
    - *CUSTNAME*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *DOWNPAYAMT*
    - *ORIGSTDT*
    - *CHEQBOOK*
    - *AMENDPAST*
    - *ATMFACILITY*

NOTARYAUTO
PASSBOOK
LIQDBACK
AUTOLIQ
AUTOLIQRVPMNT
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
VAMI_ACTION
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
TRKRECIALIQ
TRKRECIMLIQ
SPLAMT
SCHBASIS
CPTY
UDEROLLBASIS
ROLLOVERCOUNT
FULLYPAIDINSTCNT
MINUNPAIDDUEDATE
TOTCONDONEAMT
ROLLOVRMODE
RATE_CHG_ACTION
ROLLOVRTYPE
MATNOTIND
REMARKS
ROLLCOMP
  COMPNAME
PROMOTIONS
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
CLCOMPDET
  COMPNAME

COMPDESC
COMPTYPE
FORMULATYP
DAYSMTH
DAYSYEAR
MAINCOMPFLAG
CAPITALIZED
PENALBASISCOMP
SPLINTFLAG
SPLINTAMT
WAIVERFLAG
STTLMTCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
COMPACCDET
  SCHDUEDT
  GRACEDAYS
  SCHDUEDT
  GRACEDAYS
COMPSCH
  SCHTYPE
  SCHFLAG
  FORMULA
  FIRSTDUEDT
  NOOFSCH
  FREQ
  UNIT
  ENDDT
  AMOUNT
  CAPITALIZED
  WAIVERFLAG
  SCHSTDT
  SCHTYPE
  SCHFLAG
  FORMULA
  FIRSTDUEDT
  NOOFSCH
  FREQ
  UNIT
  ENDDT

AMOUNT
CAPITALIZED
WAIVERFLAG
SCHSTDT
SCHEDULE
DUEDATE
AMTDUE
AMTLCY
AMTSETT
EMIAMT
EMIAMTLCY
ACCRAMT
AMTREADJUSTED
ISCAP
ISWAIVE
GRACEDAYS
SCHSTATUS
OVERDUEDAYS
DUEDATE
AMTDUE
AMTLCY
AMTSETT
EMIAMT
EMIAMTLCY
ACCRAMT
AMTREADJUSTED
ISCAP
ISWAIVE
GRACEDAYS
SCHSTATUS
OVERDUEDAYS
INSTLDETS
DUEDATE
INSTLNO
INSTLSTATUS
PAIDDT
PAIDSTATUS
TOTAMTSETT
TOTAMTSETT_LCY
EMIAMT
HOLIDAYPRD
SCHDUEDT
PERIOD
COMPBAL

- COMPNAME
- BALANCE
- VALDT
- LCY_BAL

CLCHARGES

- COMPNAME
- CHGCCY
- DRPAYMTMODE
- CRPAYMTMODE
- DRACCBRN
- CRACCBRN
- DRPRDACC
- CRPRDACC
- CHDETAILS
  - EVTCD
  - COMPNAME
  - CHGCCY
  - AMTDUE
  - DUEDATE
  - EVTCD
  - COMPNAME
  - CHGCCY
  - AMTDUE
  - DUEDATE

CLTAXES

- COMPNAME
- VALIDTILL
- BASISAMT
- TAXAMT
- TAXRATE
- EXCHRATECUF
- EXCHRATECUFLCY
- EVTCD
- ESN
- MONTHS
- CAPITALIZED
- AMTLCY
- AMOUNT
- LOANAMT
- LOANTAXBASISAMT
- CHGCOMP

LINKAGES

- LINKTYPE
- LINKREFNO

- *LINKAMT*
- *EVENTS*
  - *EVTNO*
  - *EVTDT*
  - *EVTCD*
- *UDEDET*
  - *EFFDT*
  - *UDEVALS*
    - *UDEID*
    - *UDEVAL*
    - *RATECD*
    - *RATETYP*
    - *CODEUSE*
    - *RESOLVAL*
    - *UDEID*
    - *UDEVAL*
    - *RATECD*
    - *RATETYP*
    - *CODEUSE*
    - *RESOLVAL*
- *UDFDETAILS*
  - *FIELD_NAME*
  - *FIELD_VALUE*
- *MISDETAILS*
  - *RTFLAG*
  - *POOLCD*
  - *PROCFLG*
  - *REFRT*
  - *REFRTTYPE*
  - *CALCMETH*
  - *CCY*
  - *REFRTCD*
  - *REFRTSPRD*
  - *RELACC*
  - *RELREF*
  - *MISGRP*
  - *MISGRPTXN*
  - *MISHD*
  - *MISGRPCOMP*
  - *TXNMIS1*
  - *TXNMIS2*
  - *TXNMIS3*
  - *TXNMIS4*
  - *TXNMIS5*

TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
CUST
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
REMARK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
ESN

LIQUIDATIONORDER

- *STAT*
- *COMP*
- *LIQORDER*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*
- *CHANGE_AC*
- *CHANGE_RATE*
- *PARTY_INFO_ALLOWED*
- *COVER_REQUIRED*
- *NETTING_INDICATOR*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *INT_REIM_INST1*
- *INT_REIM_INST2*
- *INT_REIM_INST3*
- *INT_REIM_INST4*
- *RCVR_CORRESP1*
- *RCVR_CORRESP2*
- *RCVR_CORRESP3*
- *RCVR_CORRESP4*
- *INTERMEDIARY1*
- *INTERMEDIARY2*
- *INTERMEDIARY3*
- *INTERMEDIARY4*
- *ACC_WITH_INSTN1*
- *ACC_WITH_INSTN2*
- *ACC_WITH_INSTN3*

ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER

BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY

RTGS_NETWORK

UDERTPLAN

PERIOD_ST_DT

PERIOD_END_DT

MO-Auth-Vami-Req

ACCNO

BRN

ISAVAIL

CCY

AMOUNT

NETAMT

EXCHRT

PRD

PRDCAT

CUSTNAME

BOOKDT

VALDT

MATDT

DOWNPAYAMT

ORIGSTDT

CHEQBOOK

AMENDPAST

ATMFACILITY

NOTARYAUTO

PASSBOOK

LIQDBACK

AUTOLIQ

AUTOLIQRVPMNT

PARTLIQ

RETRIES

RETRIES_ADVICE_DAYS

VAMI_ACTION

LOAN_STLMNT_NOTICEFLG

NOTICE_DATE

EXPECTED_CLOSURE_DATE

MAX_RNOG

TRKRECIALIQ

TRKRECIMLIQ

SPLAMT

SCHBASIS

CPTY

UDEROLLBASIS

ROLLOVERCOUNT

FULLYPAIDINSTCNT

MINUNPAIDDUEDATE
TOTCONDONEAMT
ROLLOVRMODE
RATE_CHG_ACTION
ROLLOVRTYPE
MATNOTIND
REMARKS
ROLLCOMP
  COMPNAME
PROMOTIONS
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
CLCOMPDET
  COMPNAME
  COMPDESC
  COMPTYPE
  FORMULATYP
  DAYSMTH
  DAYSYEAR
  MAINCOMPFLAG
  CAPITALIZED
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN
  DRPRDACC
  CRPRDACC
  COMPACCDET
    SCHDUEDT
    GRACEDAYS

SCHDUEDT
GRACEDAYS
COMPSCH
SCHTYPE
SCHFLAG
FORMULA
FIRSTDUEDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
CAPITALIZED
WAIVERFLAG
SCHSTDT
SCHTYPE
SCHFLAG
FORMULA
FIRSTDUEDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
CAPITALIZED
WAIVERFLAG
SCHSTDT
SCHEDULE
DUEDATE
AMTDUE
AMTLCY
AMTSETT
EMIAMT
EMIAMTLCY
ACCRAMT
AMTREADJUSTED
ISCAP
ISWAIVE
GRACEDAYS
SCHSTATUS
OVERDUEDAYS
DUEDATE
AMTDUE
AMTLCY

- *AMTSETT*
- *EMIAMT*
- *EMIAMTLCY*
- *ACCRAMT*
- *AMTREADJUSTED*
- *ISCAP*
- *ISWAIVE*
- *GRACEDAYS*
- *SCHSTATUS*
- *OVERDUEDAYS*

INSTLDETS

- *DUEDATE*
- *INSTLNO*
- *INSTLSTATUS*
- *PAIDDT*
- *PAIDSTATUS*
- *TOTAMTSETT*
- *TOTAMTSETT_LCY*
- *EMIAMT*

HOLIDAYPRD

- *SCHDUEDT*
- *PERIOD*

COMPBAL

- *COMPNAME*
- *BALANCE*
- *VALDT*
- *LCY_BAL*

CLCHARGES

- *COMPNAME*
- *CHGCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *CRPRDACC*
- *CHDETAILS*
  - *EVTCD*
  - *COMPNAME*
  - *CHGCCY*
  - *AMTDUE*
  - *DUEDATE*
  - *EVTCD*
  - *COMPNAME*

- *CHGCCY*
- *AMTDUE*
- *DUEDATE*

CLTAXES

- *COMPNAME*
- *VALIDTILL*
- *BASISAMT*
- *TAXAMT*
- *TAXRATE*
- *EXCHRATECUF*
- *EXCHRATECUFLCY*
- *EVTCD*
- *ESN*
- *MONTHS*
- *CAPITALIZED*
- *AMTLCY*
- *AMOUNT*
- *LOANAMT*
- *LOANTAXBASISAMT*
- *CHGCOMP*

LINKAGES

- *LINKTYPE*
- *LINKREFNO*
- *LINKAMT*

EVENTS

- *EVTNO*
- *EVTDT*
- *EVTCD*

UDEDET

- *EFFDT*
- *UDEVALS*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *RATETYP*
  - *CODEUSE*
  - *RESOLVAL*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *RATETYP*
  - *CODEUSE*
  - *RESOLVAL*

UDFDETAILS

FIELD_NAME
FIELD_VALUE
MISDETAILS
RTFLAG
POOLCD
PROCFLG
REFRT
REFRTTYPE
CALCMETH
CCY
REFRTCD
REFRTSPRD
RELACC
RELREF
MISGRP
MISGRPTXN
MISHD
MISGRPCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5

- *CUST*
- *FUNDMIS1*
- *FUNDMIS2*
- *FUNDMIS3*
- *FUNDMIS4*
- *FUNDMIS5*
- *FUNDMIS6*
- *FUNDMIS7*
- *FUNDMIS8*
- *FUNDMIS9*
- *FUNDMIS10*

REMARK

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*
- *ESN*

LIQUIDATIONORDER

- *STAT*
- *COMP*
- *LIQORDER*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*

CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2

BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2

OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
MO-Auth-Vami-Req-IO
ACCNO
BRN
MSGGEN
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the format of response message for a new MO(Mortgages) Vami Authorization

TOP

MOAuthVamiRes

Attribute	Description
Name	MOAuthVamiRes
Datatype	
Description	It indicates Value Date Amendment Authorize response details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQRVPMNT

Attribute	Description

Name	AUTOLIQRVPMNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

VAMI_ACTION

Attribute	Description
Name	VAMI_ACTION
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIMLIQ

Attribute	**Description**	
Name	TRKRECIMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLAMT

Attribute	**Description**	
Name	SPLAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHBASIS

Attribute	**Description**	
Name	SCHBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CPTY

Attribute	**Description**	
Name	CPTY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVERCOUNT

Attribute	Description
Name	ROLLOVERCOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FULLYPAIDINSTCNT

Attribute	Description
Name	FULLYPAIDINSTCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

MINUNPAIDDUEDATE

Attribute	Description
Name	MINUNPAIDDUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTCONDONEAMT

Attribute	Description
Name	TOTCONDONEAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>E,T</td></tr></table>

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MATNOTIND

Attribute	Description

Name	MATNOTIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLCOMPDET

Attribute	Description
Name	CLCOMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULATYP

Attribute	Description
Name	FORMULATYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DAYSYEAR

Attribute	**Description**	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

COMPACCDET

Attribute	Description
Name	COMPACCDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FREQ

Attribute	Description

Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHSTDT

Attribute	**Description**	
Name	SCHSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHTYPE

Attribute	**Description**	
Name	SCHTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	**Description**	
Name	SCHFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

INSTLDETS

Attribute	Description
Name	INSTLDETS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

INSTLSTATUS

Attribute	Description
Name	INSTLSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAIDDT

Attribute	Description
Name	PAIDDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

TOTAMTSETT

Attribute	Description
Name	TOTAMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

TOTAMTSETT_LCY

Attribute	Description
Name	TOTAMTSETT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

COMPBAL

Attribute	Description
Name	COMPBAL
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BALANCE

Attribute	Description
Name	BALANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LCY_BAL

Attribute	Description
Name	LCY_BAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

CLCHARGES

Attribute	Description
Name	CLCHARGES
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHDETAILS

Attribute	Description
Name	CHDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>5</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLTAXES

Attribute	Description
Name	CLTAXES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

VALIDTILL

Attribute	Description
Name	VALIDTILL
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BASISAMT

Attribute	Description
Name	BASISAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

TAXAMT

Attribute	Description
Name	TAXAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

TAXRATE

Attribute	Description
Name	TAXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EXCHRATECUF

Attribute	Description

Name	EXCHRATECUF
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EXCHRATECUFLCY

Attribute	Description
Name	EXCHRATECUFLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

MONTHS

Attribute	Description
Name	MONTHS

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LOANAMT

Attribute	Description
Name	LOANAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LOANTAXBASISAMT

Attribute	Description
Name	LOANTAXBASISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

CHGCOMP

Attribute	Description
Name	CHGCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVENTS

Attribute	Description
Name	EVENTS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTNO

Attribute	Description
Name	EVTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVTDT

Attribute	Description
Name	EVTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 10

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 100

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UNTYPE

Attribute	Description
Name	UNTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	**Description**	
Name	COSTCOD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUST

Attribute	**Description**	
Name	CUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description	
Name	PAY_RECEIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PAYMENT_BY

Attribute	Description	
Name	PAYMENT_BY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	Description	
Name	TRANSFER_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	Description	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	**Description**	
Name	INT_REIM_INST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	**Description**	
Name	INT_REIM_INST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	**Description**	
Name	INT_REIM_INST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	**Description**	
Name	INT_REIM_INST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description	
Name	RCVR_CORRESP1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	Description	
Name	RCVR_CORRESP2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	Description	
Name	RCVR_CORRESP3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	Description	
Name	RCVR_CORRESP4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO4

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO5

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description	
Name	ORDERING_INSTITUTION4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	Description	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	Description	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	Description	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	**Description**	
Name	EX_RATE_FLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	**Description**	
Name	ERI_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	**Description**	
Name	ERI_AMOUNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	**Description**	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST2_FOR_COVER

Attribute	Description

Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENERATION_DATE

Attribute	**Description**	
Name	GENERATION_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	**Description**	
Name	IBAN_AC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	**Description**	
Name	OTHER_DETAILS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	**Description**	
Name	OTHER_DETAILS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	**Description**	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	**Description**	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	Description	
Name	EXT_PARTY_BIC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	Description	
Name	EXT_PARTY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_PAYMENT

Attribute	**Description**	
Name	RTGS_PAYMENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	**Description**	
Name	BANKING_PRIORITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

UDERTPLAN

Attribute	**Description**	
Name	UDERTPLAN	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MO-Auth-Vami-Req

Attribute	Description
Name	MO-Auth-Vami-Req
Datatype	
Description	It indicates Value Date Amendment Authorize Request details of Mortgages module
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BOOKDT

Attribute	Description

Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQRVPMNT

Attribute	Description
Name	AUTOLIQRVPMNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RETRIES

Attribute	**Description**	
Name	RETRIES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

RETRIES_ADVICE_DAYS

Attribute	**Description**	
Name	RETRIES_ADVICE_DAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

VAMI_ACTION

Attribute	**Description**	
Name	VAMI_ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	**Description**	
Name	LOAN_STLMNT_NOTICEFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CPTY

Attribute	Description
Name	CPTY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVERCOUNT

Attribute	Description
Name	ROLLOVERCOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FULLYPAIDINSTCNT

Attribute	Description
Name	FULLYPAIDINSTCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

MINUNPAIDDUEDATE

Attribute	Description
Name	MINUNPAIDDUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOTCONDONEAMT

Attribute	Description
Name	TOTCONDONEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>E,T</td></tr></table>

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MATNOTIND

Attribute	Description
Name	MATNOTIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

REMARKS

Attribute	Description
Name	REMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 0

TOP

PRID

Attribute	Description	
Name	PRID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BENEFCIF

Attribute	Description	
Name	BENEFCIF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIORITY

Attribute	Description	
Name	PRIORITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

OTHAPPLCNT

Attribute	Description	
Name	OTHAPPLCNT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LIABAMT

Attribute	Description

Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLCOMPDET

Attribute	Description
Name	CLCOMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULATYP

Attribute	Description
Name	FORMULATYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPAYMTMODE

Attribute	Description

Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPACCDET

Attribute	Description
Name	COMPACCDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE

Attribute	Description

Name	SCHEDULE
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	
Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	
Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

INSTLDETS

Attribute	Description
Name	INSTLDETS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSTLNO

Attribute	Description
Name	INSTLNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

INSTLSTATUS

Attribute	Description
Name	INSTLSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

TOTAMTSETT

Attribute	Description
Name	TOTAMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

TOTAMTSETT_LCY

Attribute	Description
Name	TOTAMTSETT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

COMPBAL

Attribute	Description
Name	COMPBAL
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BALANCE

Attribute	Description
Name	BALANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCY_BAL

Attribute	Description
Name	LCY_BAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

CLCHARGES

Attribute	Description
Name	CLCHARGES
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHDETAILS

Attribute	Description
Name	CHDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CLTAXES

Attribute	**Description**	
Name	CLTAXES	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

VALIDTILL

Attribute	**Description**	
Name	VALIDTILL	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BASISAMT

Attribute	**Description**	
Name	BASISAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

TAXAMT

Attribute	Description
Name	TAXAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

TAXRATE

Attribute	Description
Name	TAXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EXCHRATECUF

Attribute	Description
Name	EXCHRATECUF
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EXCHRATECUFLCY

Attribute	Description
Name	EXCHRATECUFLCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

MONTHS

Attribute	Description
Name	MONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LOANAMT

Attribute	Description
Name	LOANAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LOANTAXBASISAMT

Attribute	Description
Name	LOANTAXBASISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHGCOMP

Attribute	Description
Name	CHGCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description

Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVENTS

Attribute	Description
Name	EVENTS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTNO

Attribute	Description
Name	EVTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVTDT

Attribute	Description
Name	EVTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

RELREF

Attribute	Description

Name	RELREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNTYPE

Attribute	Description	
Name	UNTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUST

Attribute	Description	
Name	CUST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1

Attribute	Description	
Name	FUNDMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	Description	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	Description	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	Description	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REMARK

Attribute	Description
Name	REMARK

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	Description	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

ESN

Attribute	Description	
Name	ESN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LIQUIDATIONORDER

Attribute	Description	
Name	LIQUIDATIONORDER	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 10

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	**Description**	
Name	RCVR_CORRESP3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	**Description**	
Name	RCVR_CORRESP4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	**Description**	
Name	INTERMEDIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	**Description**	
Name	INTERMEDIARY2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION2

Attribute	**Description**	
Name	ORDERING_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	**Description**	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION4

Attribute	**Description**	
Name	ORDERING_INSTITUTION4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	**Description**	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	Description	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	Description	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	**Description**	
Name	INTERMEDIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	**Description**	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	**Description**	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	**Description**	
Name	RCVR_CORRESP5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	Description	
Name	OTHER_DETAILS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	Description	
Name	OTHER_DETAILS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	**Description**	
Name	EXT_STATION_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	**Description**	
Name	EXT_SOURCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	**Description**	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	**Description**	
Name	EXT_PARTY_BIC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MO-Auth-Vami-Req-IO

Attribute	Description
Name	MO-Auth-Vami-Req-IO
Datatype	
Description	It indicates Value Date Amendment Authorize IO request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MSGGEN

Attribute	Description
Name	MSGGEN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.6.AuthorizeAccTrfr

AuthorizeAccTrfr

2.6.1.MO-AuthorizeAccTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Master-Full

Attribute	Description

Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description

Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description

Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>150</td></tr><tr><td>minLength</td><td>0</td></tr></table>

TOP

2.6.2.MO-AuthorizeAccTrfr-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Master-IO*
  - *TRANSFER_ID*
  - *CHECKER*
  - *CHECKERSTAMP*
  - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECKER

Attribute	Description
Name	CHECKER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.6.3.MO-AuthorizeAccTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Master-Full

Attribute	Description
Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

TARGET_BRANCH_NAME

Attribute	**Description**	
Name	TARGET_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CURRENT_BRANCH_NAME

Attribute	**Description**	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *CHOICE*
  - *Master-PK*
    - *TRANSFER_ID*
  - *Master-IO*
    - *TRANSFER_ID*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
- *FCUBS_ERROR_RESP*
  - *ERROR*
    - *ECODE*
    - *EDESC*
- *FCUBS_WARNING_RESP*
  - *WARNING*
    - *WCODE*
    - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Master-PK

Attribute	Description
Name	Master-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.7.AuthorizeMortgage

AuthorizeMortgage

2.7.1.MO-AuthorizeMortgage-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*

MATTYP
NETPRIN
INDEXXRATE
BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT

DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE

CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT
MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2

INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE
FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1

- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Components

- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROMODECR*
- *GIROSERVICECR*
- *GIRONUMBERCR*
- *PAYERACCNOCR*
- *PAYERBANKCDCR*
- *PAYERBRNCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *IRRAPPL*
- *SVCACCBRN*
- *EXTACCNOCR*
- *EXTACCNAMECR*
- *CLGBANKCDCR*
- *CLGBRNCDCR*
- *PCCATCR*
- *EXTACCNODR*
- *EXTACCNAMEDR*
- *CLGBANKCDDR*
- *CLGBRNCDDR*
- *CLGPRDCDDR*
- *SECTORCDDR*
- *FUNDDURINGINIT*
- *FUNDDURINGROLL*
- *COMPCCY*
- *UPLDSOURCEDR*
- *UPLDSOURCECR*
- *COMPNAME*
- *DRACCBRN*

CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR

Comp-Sch

- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *SCHTYP*
- *SCHFLG*

Acc-Sch-Cmp

- *SCHDUEDT*
- *GRACEDAYS*
- *ORIGAMTDUE*
- *AMTDUE*
- *ADJAMT*
- *AMTSETTL*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUIV*
- *DLYAVGAMT*
- *EMAMT*
- *SCHFLG*
- *WAIVERFLG*
- *SCHLINK*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJ*

- *ADJSETTL*
- *SCHSTATUS*
- *ACCGL*
- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

- *Revisions*
  - *ACCNO*
  - *BRN*
  - *COMPNAME*
  - *SCHSTDT*
  - *SCHDUEDT*
  - *APPLIEDFLG*
  - *SCHLINK*
- *Comp-Gua-Cust*
  - *BRN*
  - *ACCNO*
  - *COMPNAME*
  - *LIQORD*
  - *CUSTNUM*
  - *CUSTNAME*
  - *Comp-Gua-Custacc*
    - *BRN*
    - *ACCNO*
    - *COMPNAME*
    - *GUACIFID*
    - *LIQORD*
    - *GUAACC*
    - *GUAACCBRN*
    - *GUACCY*

Chg-Comp

- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROMODECR*
- *GIROSERVICECR*
- *GIRONUMBERCR*
- *PAYERACCNOCR*
- *PAYERBANKCDCR*
- *PAYERBRNCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *IRRAPPL*
- *SVCACCBRN*
- *EXTACCNOCR*
- *EXTACCNAMECR*
- *CLGBANKCDCR*

CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE

EFFDT

CONSOLCHG

Chg-Sch

- *SETTLEMENTCCY*
- *DUEDATE*
- *AMTDUE*
- *AMTWAIVED*
- *FORMULANAME*
- *SCHTYPE*
- *SCHSTDATE*
- *GRACEDAYS*
- *ORGAMT*
- *ADJAMT*
- *AMTSETTLED*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUI*
- *DLYAVGAMT*
- *EMIAMT*
- *SCHFLAG*
- *WAIVER*
- *SCHLINKAGE*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJUST*
- *ADJSETTLED*
- *SCHSTAT*
- *ACCGL*
- *LASTPMTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTLED*
- *LASTREADJRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTLED*
- *SUSPAMTCCY*
- *SUSPREADAMT*
- *SUSPREADSETTLED*
- *LASTSUSPXRATE*
- *IRRAPPLICABLE*
- *LISTDAYS*
- *LISTAVGAMT*

- *Chg-Dtls*
  - *COMPNAME*
  - *SCHDUEDT*
  - *AMTDUE*
  - *AMTSETTL*
  - *WAIVERFLG*
  - *EVENTCD*
  - *RECORDROWID*
- *Linkages*
  - *BRN*
  - *LINKTYP*
  - *LINKREFNO*
  - *LINKAMT*
  - *AMTBLKNO*
  - *SECUREDPORTION*
  - *CUSTID*
  - *LINKBRN*
  - *LINKSEQNO*
  - *EXRATE*
  - *CONVERTLINKAMT*
  - *CONVERTPAIDAMT*
- *Advices*
  - *MSGTYPE*
  - *SUPPRESS*
  - *PRIORITY*
- *Adv-Suppress*
  - *MSGTYPE*
- *Credit-Score*
  - *CREDIRSCORE*
  - *AUTOCRSCORE*
  - *AGENCYCD*
  - *EXTCRSCORE*
  - *RULENAME*
- *Asset-Vehicle*
  - *ACCNO*
  - *BRN*
  - *ASSETCLASS*
  - *ASSETTYP*
  - *ASSETSUBTYP*
  - *ASSETSTATUS*
  - *ASSETYEAR*
  - *ASSETMAKE*
  - *ASSETMODEL*
  - *ASSETBODY*

IDENTITYNO
REGNO
ADDRESS1
ADDRESS2
ADDRESS3
ADDRESS4

Asset-Home

ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
OCCUPANCYTYP
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETWIDTH
ASSETLENGTH
PURCHASEORDERNO
GEOCODE
BNACODE
MSACODE
ADDRESS1
ADDRESS2
ADDRESS3
ADDRESS4

Asset-Valuations

ASSET
VALDT
VALSOURCE
VALSUPPLEMENT
VALEDITION
WHOLESALEVALUE
RETAILVALUE
USGLVL
IMPACTUSGLVL
TOTVAL

Asset-Others

ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP

ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT

- *FREQ*
- *BAL*
- *COMMENTDET*

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*

COVRREQ
CHRGDET
OURCORRESP
RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5

- *BNFINSTUTN1*
- *BNFINSTUTN2*
- *BNFINSTUTN3*
- *BNFINSTUTN4*
- *BNFINSTUTN5*
- *ULTBENF1*
- *ULTBENF2*
- *ULTBENF3*
- *ULTBENF4*
- *ULTBENF5*
- *BNFINST1CVR*
- *BNFINST2CVR*
- *BNFINST3CVR*
- *BNFINST4CVR*
- *BNFINST5CVR*

Udf-Others

- *DESCCHAR1*
- *DESCCHAR2*
- *DESCCHAR3*
- *DESCCHAR4*
- *DESCCHAR5*
- *DESCCHAR6*
- *DESCCHAR7*
- *DESCCHAR8*
- *DESCCHAR9*
- *DESCCHAR10*
- *DESCCHAR11*
- *DESCCHAR12*
- *DESCCHAR13*
- *DESCCHAR14*
- *DESCCHAR15*
- *DESCCHAR16*
- *DESCCHAR17*
- *DESCCHAR18*
- *DESCCHAR19*
- *DESCCHAR20*
- *DESCCHAR22*
- *DESCCHAR23*
- *DESCCHAR24*
- *DESCCHAR25*
- *DESCCHAR26*
- *DESCCHAR27*
- *DESCCHAR28*
- *DESCCHAR29*

DESCCHAR30
DESCCHAR31
DESCCHAR32
DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER

- *POLICYAMOUNT*
- *POLICYSTDATE*
- *POLICYENDDATE*
- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*
- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*

- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*
- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*

COSTCD4
COSTCD5
TXNMIS1
TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9

- *TRANMIS10*
- *COMMIS1*
- *COMMIS2*
- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*

DELIVERYDT
VENDORCD
AGENTNAME
AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW

PROPTYP
DESC
PROPAREA
PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO

- *PROPSTATUS*
- *DATEOFCOMPLETION*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*

- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *DELLOC*
- *DELDT*
- *VENDCD*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Builddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Serijadtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*

BUILTUPAREA
NOOFSTOREY
RENTSTDT
RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF

Equipvals
EVALNAME
EVALVAL
EVALDT
Master
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
Auto-Prepay
ACCNO
BRN
AUTOPRECUSTID
AUTOPRECCY
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
INTEREST_RATE
UPTO
CYCLE_START_DT
CYCLE_END_DT
CYCLE_NO
CURRENT_CYCLE
UNITS
CURR_CYCLE_CODE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

APPLNO

Attribute	**Description**
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROD

Attribute	**Description**
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRODCAT

Attribute	**Description**
Name	PRODCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COMMITTYP

Attribute	Description
Name	COMMITTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,R

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILL_DUE_AMT

Attribute	Description
Name	BILL_DUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTAVL

Attribute	Description
Name	AMTAVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOMANROLL

Attribute	Description
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description	
Name	ORIGSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRIMAPPLID

Attribute	Description	
Name	PRIMAPPLID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	Description	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INTERCODE

Attribute	Description	
Name	INTERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMODE

Attribute	**Description**	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	**Description**	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACCNOCR

Attribute	Description	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMECR

Attribute	Description	
Name	EXTACCNAMECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 11

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C,F,G,

TOP

PROMOID

Attribute	**Description**	
Name	PROMOID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Account-Stats

Attribute	**Description**	
Name	Account-Stats	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXPECTED

Attribute	**Description**	
Name	EXPECTED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

RESPONSIBILITY

Attribute	Description	
Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	enumeration	AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description	
Name	LIABPERCENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description	
Name	EXTACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMEDR

Attribute	Description	
Name	EXTACCNAMEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDDR

Attribute	Description	
Name	CLGBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDDR

Attribute	Description	
Name	CLGBRNCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description	
Name	PAYERACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	Description	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	Description	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	**Description**
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCCY

Attribute	**Description**
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	**Description**
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHANGERATE

Attribute	Description
Name	EXCHANGERATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATE

Attribute	Description
Name	NEGOTIATEDRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNO

Attribute	Description
Name	NEGOTIATIONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

NEGCOSTRATE

Attribute	**Description**	
Name	NEGCOSTRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNO

Attribute	**Description**	
Name	NEGREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXCHANGERTDER

Attribute	**Description**	
Name	EXCHANGERTDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGRATEDR

Attribute	**Description**	
Name	NEGRATEDR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNODR

Attribute	**Description**
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description	
Name	READJSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJXRATE

Attribute	Description	
Name	LASTREADJXRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	Description	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTL

Attribute	Description	
Name	SUSPAMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTLCY

Attribute	Description	
Name	SUSPAMTLCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOT_DISBR

Attribute	Description
Name	TOT_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRODCDDR

Attribute	**Description**	
Name	CLGPRODCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	**Description**	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	**Description**	
Name	FUNDDURINGINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FUNDDURINGROLL

Attribute	**Description**	
Name	FUNDDURINGROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Chg-Dtls

Attribute	**Description**	
Name	Chg-Dtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHDUEDT

Attribute	**Description**	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTSETTL

Attribute	**Description**

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Vehicle,Home,Others,None</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS2

Attribute	**Description**	
Name	PYMTDTLS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS3

Attribute	**Description**	
Name	PYMTDTLS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS4

Attribute	**Description**	
Name	PYMTDTLS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDRRCVRINFO1

Attribute	**Description**	
Name	SNDRRCVRINFO1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	**Description**	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR4

Attribute	Description
Name	DESCCHAR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR5

Attribute	Description
Name	DESCCHAR5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR6

Attribute	Description
Name	DESCCHAR6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR7

Attribute	Description
Name	DESCCHAR7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR8

Attribute	Description	
Name	DESCCHAR8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR9

Attribute	Description	
Name	DESCCHAR9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR10

Attribute	Description	
Name	DESCCHAR10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR11

Attribute	Description	
Name	DESCCHAR11	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR12

Attribute	Description
Name	DESCCHAR12
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR13

Attribute	Description
Name	DESCCHAR13
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR14

Attribute	Description
Name	DESCCHAR14
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR15

Attribute	Description
Name	DESCCHAR15
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR30

Attribute	Description
Name	DESCCHAR30
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR31

Attribute	Description
Name	DESCCHAR31
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR32

Attribute	Description
Name	DESCCHAR32
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR33

Attribute	Description
Name	DESCCHAR33
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR34

Attribute	Description	
Name	DESCCHAR34	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR36

Attribute	Description	
Name	DESCCHAR36	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR37

Attribute	Description	
Name	DESCCHAR37	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR38

Attribute	Description	
Name	DESCCHAR38	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGEMIPCNT

Attribute	**Description**	
Name	CHGEMIPCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

Intermediary

Attribute	**Description**	
Name	Intermediary	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

INTERMEDIARY_CODE

Attribute	**Description**	
Name	INTERMEDIARY_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERMEDIARYNAME

Attribute	**Description**
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

POLICYTYPE

Attribute	Description
Name	POLICYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,P

TOP

INSURER

Attribute	Description
Name	INSURER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

INSURERADDR1

Attribute	Description
Name	INSURERADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MANAGEDBY

Attribute	**Description**	
Name	MANAGEDBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Property

Attribute	**Description**	
Name	Property	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVALUATOR

Attribute	**Description**	
Name	EVALUATOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVALUATIONVALUE

Attribute	**Description**	
Name	EVALUATIONVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVALUATIONDATE

Attribute	**Description**	
Name	EVALUATIONDATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REQUESTEDAMOUNT

Attribute	**Description**	
Name	REQUESTEDAMOUNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PROPERTYUSAGE

Attribute	**Description**
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description	
Name	LINKED_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LBL_FIELD_DATE

Attribute	**Description**	
Name	LBL_FIELD_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Acc-Liq-Order

Attribute	**Description**	
Name	Acc-Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description	
Name	COSTCD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD3

Attribute	Description	
Name	COSTCD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD4

Attribute	Description	
Name	COSTCD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD5

Attribute	Description	
Name	COSTCD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MISGRPFUN

Attribute	Description
Name	MISGRPFUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS1

Attribute	Description
Name	TRANMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMMIS9

Attribute	Description
Name	COMMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMMIS10

Attribute	Description
Name	COMMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS1

Attribute	Description
Name	FUNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS2

Attribute	Description
Name	FUNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS3

Attribute	Description
Name	FUNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS4

Attribute	Description
Name	FUNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS5

Attribute	Description
Name	FUNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS6

Attribute	Description
Name	FUNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Vhc-Dtls

Attribute	**Description**	
Name	Vhc-Dtls	
Datatype		
Description	Indicates Vehicle Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

REGEMIRATE

Attribute	**Description**	
Name	REGEMIRATE	
Datatype	String	
Description	Indicates whether Vehicle is Registered in Emirates	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description	
Name	DISTORAREA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AREAINANOCOUNTRY

Attribute	Description	
Name	AREAINANOCOUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CONTACTPERSON

Attribute	**Description**	
Name	CONTACTPERSON	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNO

Attribute	**Description**	
Name	CONTACTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPSTATUS

Attribute	**Description**	
Name	PROPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DATEOFCOMPLETION

Attribute	**Description**	
Name	DATEOFCOMPLETION	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description	
Name	ACCDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCSTARTDT

Attribute	Description	
Name	ACCSTARTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCENDDT

Attribute	Description	
Name	ACCENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Gooddtls

Attribute	Description	
Name	Gooddtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	Description	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

GOODSTYP

Attribute	Description
Name	GOODSTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROFORMAINVOICEDT

Attribute	**Description**	
Name	PROFORMAINVOICEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	**Description**	
Name	OSPRINC	
Datatype	Number	
Description	Indicates Vehicle Outstanding Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPROF

Attribute	**Description**	
Name	OSPROF	
Datatype	Number	
Description	Indicates Vehicle Outstanding Profit	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDNAME

Attribute	**Description**	
Name	VENDNAME	
Datatype	String	
Description	Indicates Vehicle Vendor Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Serijadtls

Attribute	**Description**
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CAPACITY

Attribute	Description
Name	CAPACITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALBENEF

Attribute	Description
Name	MEDICALBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MEDICALSTDT

Attribute	Description
Name	MEDICALSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	**Description**	
Name	AUTOPRECUSBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description
Name	CYCLE_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLE_NO

Attribute	Description
Name	CYCLE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CURRENT_CYCLE

Attribute	Description
Name	CURRENT_CYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

2.7.2.MO-AuthorizeMortgage-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Account-Master-IO*
  - *ACCNO*
  - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

2.7.3.MO-AuthorizeMortgage-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*
    - *MATTYP*
    - *NETPRIN*
    - *INDEXXRATE*

BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC

CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR

PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE
CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT

MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2
INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE

FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1
  REMARK2
  REMARK3
  REMARK4

REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10

Components

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC

WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR
Comp-Sch
  UNIT
  SCHENDDT

AMT
PAYMODE
PMNTPRODAC
PAYDTLS
BENACC
BENBANK
BENNAME
CAPITALIZED
FIRSTDUEDT
WAIVERFLG
COMPOUNDDAYS
COMPOUNDMONTHS
COMPOUNDYEARS
EMIAMT
DUEDATESON
DAYSMTH
DAYSYEAR
FREQ
FORMULANAME
SCHSTARTDT
NOOFSCH
SCHTYP
SCHFLG
Acc-Sch-Cmp
SCHDUEDT
GRACEDAYS
ORIGAMTDUE
AMTDUE
ADJAMT
AMTSETTL
AMTOVERDUE
ACCRAMT
LCYEQUIV
DLYAVGAMT
EMAMT
SCHFLG
WAIVERFLG
SCHLINK
CAPITALIZED
PROCESSNO
AMTREADJ
ADJSETTL
SCHSTATUS
ACCGL

- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

Revisions

- *ACCNO*
- *BRN*

- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *APPLIEDFLG*
- *SCHLINK*

Comp-Gua-Cust

- *BRN*
- *ACCNO*
- *COMPNAME*
- *LIQORD*
- *CUSTNUM*
- *CUSTNAME*
- *Comp-Gua-Custacc*
  - *BRN*
  - *ACCNO*
  - *COMPNAME*
  - *GUACIFID*
  - *LIQORD*
  - *GUAACC*
  - *GUAACCBRN*
  - *GUACCY*

Chg-Comp

- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROMODECR*
- *GIROSERVICECR*
- *GIRONUMBERCR*
- *PAYERACCNOCR*
- *PAYERBANKCDCR*
- *PAYERBRNCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *IRRAPPL*
- *SVCACCBRN*
- *EXTACCNOCR*
- *EXTACCNAMECR*
- *CLGBANKCDCR*
- *CLGBRNCDCR*
- *PCCATCR*
- *EXTACCNODR*

EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
CONSOLCHG
Chg-Sch

SETTLEMENTCCY
DUEDATE
AMTDUE
AMTWAIVED
FORMULANAME
SCHTYPE
SCHSTDATE
GRACEDAYS
ORGAMT
ADJAMT
AMTSETTLED
AMTOVERDUE
ACCRAMT
LCYEQUI
DLYAVGAMT
EMIAMT
SCHFLAG
WAIVER
SCHLINKAGE
CAPITALIZED
PROCESSNO
AMTREADJUST
ADJSETTLED
SCHSTAT
ACCGL
LASTPMTVALDT
RETRYSTDT
MORAINT
SCHNO
WRITEOFFAMT
READJSETTLED
LASTREADJRATE
SUSPAMTDUE
SUSPAMTSETTLED
SUSPAMTCCY
SUSPREADAMT
SUSPREADSETTLED
LASTSUSPXRATE
IRRAPPLICABLE
LISTDAYS
LISTAVGAMT
Chg-Dtls
COMPNAME
SCHDUEDT

AMTDUE
AMTSETTL
WAIVERFLG
EVENTCD
RECORDROWID

Linkages

BRN
LINKTYP
LINKREFNO
LINKAMT
AMTBLKNO
SECUREDPORTION
CUSTID
LINKBRN
LINKSEQNO
EXRATE
CONVERTLINKAMT
CONVERTPAIDAMT

Advices

MSGTYPE
SUPPRESS
PRIORITY

Adv-Suppress

MSGTYPE

Credit-Score

CREDIRSCORE
AUTOCRSCORE
AGENCYCD
EXTCRSCORE
RULENAME

Asset-Vehicle

ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
IDENTITYNO
REGNO
ADDRESS1

- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*

ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT
FREQ
BAL
COMMENTDET

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*
- *COVRREQ*
- *CHRGDET*
- *OURCORRESP*

RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5
BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3

BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Udf-Others
DESCCHAR1
DESCCHAR2
DESCCHAR3
DESCCHAR4
DESCCHAR5
DESCCHAR6
DESCCHAR7
DESCCHAR8
DESCCHAR9
DESCCHAR10
DESCCHAR11
DESCCHAR12
DESCCHAR13
DESCCHAR14
DESCCHAR15
DESCCHAR16
DESCCHAR17
DESCCHAR18
DESCCHAR19
DESCCHAR20
DESCCHAR22
DESCCHAR23
DESCCHAR24
DESCCHAR25
DESCCHAR26
DESCCHAR27
DESCCHAR28
DESCCHAR29
DESCCHAR30
DESCCHAR31
DESCCHAR32

DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER
POLICYAMOUNT
POLICYSTDATE
POLICYENDDATE

- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*
- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*
- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*

- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*
- *COSTCD4*
- *COSTCD5*
- *TXNMIS1*

TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9
TRANMIS10
COMMIS1
COMMIS2

- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*
  - *DELIVERYDT*
  - *VENDORCD*
  - *AGENTNAME*

AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW
PROPTYP
DESC
PROPAREA

PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO
PROPSTATUS
DATEOFCOMPLETION
OSPRINC

- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*

- *DELLOC*
- *DELDT*
- *VENDCD*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Builddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Serijadtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*
- *BUILTUPAREA*
- *NOOFSTOREY*
- *RENTSTDT*

RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF
Equipvals
EVALNAME
EVALVAL

EVALDT

Master

Doc-Upload

DCREFNO

DOC_CATEGORY

DOC_TYPE

REMARKS

Ui-Columns

Auto-Prepay

ACCNO

BRN

AUTOPRECUSTID

AUTOPRECCY

AUTOPRECUSBRN

AUTOPRECUSACNO

AUTOPRECUSACCY

AUTOPREMINSWPBL

AUTOPREMINPREAMT

AUTOPREMAXPREAMT

AUTOPREUNIT

Rates-Cycle

ACCOUNT_NUMBER

BRANCH_CODE

Rates-Cycle-A

NEXT_CYCLE_CODE

INTEREST_RATE

UPTO

CYCLE_START_DT

CYCLE_END_DT

CYCLE_NO

CURRENT_CYCLE

UNITS

CURR_CYCLE_CODE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

APPLNO

Attribute	**Description**
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROD

Attribute	**Description**
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRODCAT

Attribute	**Description**
Name	PRODCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COMMITTYP

Attribute	Description	
Name	COMMITTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,R

TOP

LOANTOVALUE

Attribute	Description	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BILL_DUE_AMT

Attribute	Description	
Name	BILL_DUE_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTAVL

Attribute	Description	
Name	AMTAVL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTOMANROLL

Attribute	Description
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMODE

Attribute	**Description**	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	**Description**	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C,F,G,

TOP

PROMOID

Attribute	Description
Name	PROMOID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPECTED

Attribute	Description
Name	EXPECTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

RESPONSIBILITY

Attribute	Description	
Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	enumeration	AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description	
Name	LIABPERCENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

Components

Attribute	**Description**	
Name	Components	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCNOCR

Attribute	**Description**	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description	
Name	EXTACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMEDR

Attribute	Description	
Name	EXTACCNAMEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDDR

Attribute	Description	
Name	CLGBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDDR

Attribute	Description	
Name	CLGBRNCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	**Description**	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVE

Attribute	**Description**	
Name	WAIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	**Description**
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCCY

Attribute	**Description**
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	**Description**
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHANGERATE

Attribute	Description
Name	EXCHANGERATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATE

Attribute	Description
Name	NEGOTIATEDRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNO

Attribute	Description
Name	NEGOTIATIONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

NEGCOSTRATE

Attribute	**Description**	
Name	NEGCOSTRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNO

Attribute	**Description**	
Name	NEGREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXCHANGERTDER

Attribute	**Description**	
Name	EXCHANGERTDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGRATEDR

Attribute	**Description**	
Name	NEGRATEDR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNODR

Attribute	**Description**
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description	
Name	READJSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJXRATE

Attribute	Description	
Name	LASTREADJXRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	Description	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTL

Attribute	Description	
Name	SUSPAMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTLCY

Attribute	Description	
Name	SUSPAMTLCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOT_DISBR

Attribute	Description
Name	TOT_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDCR

Attribute	**Description**	
Name	PAYERBANKCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTL

Attribute	Description

Name	AMTSETTL
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
enumeration	Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	1

Restrictions	

Restrictions	Description
maxLength	4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Vehicle,Home,Others,None</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS2

Attribute	**Description**	
Name	ADDRESS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Prop

Attribute	**Description**	
Name	Asset-Prop	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OFFSETMARGIN

Attribute	**Description**	
Name	OFFSETMARGIN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LENDMARGIN

Attribute	**Description**	
Name	LENDMARGIN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VALCCY

Attribute	**Description**
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS2

Attribute	Description
Name	PYMTDTLS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS3

Attribute	Description
Name	PYMTDTLS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS4

Attribute	Description
Name	PYMTDTLS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO1

Attribute	Description
Name	SNDRRCVRINFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	**Description**	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR4

Attribute	**Description**	
Name	DESCCHAR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR5

Attribute	**Description**	
Name	DESCCHAR5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR6

Attribute	**Description**	
Name	DESCCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR7

Attribute	**Description**	
Name	DESCCHAR7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR8

Attribute	Description
Name	DESCCHAR8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR9

Attribute	Description
Name	DESCCHAR9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR10

Attribute	Description
Name	DESCCHAR10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR11

Attribute	Description
Name	DESCCHAR11
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR12

Attribute	Description
Name	DESCCHAR12
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR13

Attribute	Description
Name	DESCCHAR13
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR14

Attribute	Description
Name	DESCCHAR14
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR15

Attribute	Description
Name	DESCCHAR15
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR30

Attribute	Description
Name	DESCCHAR30
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR31

Attribute	Description
Name	DESCCHAR31
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR32

Attribute	Description
Name	DESCCHAR32
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR33

Attribute	Description
Name	DESCCHAR33
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR34

Attribute	Description	
Name	DESCCHAR34	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR36

Attribute	Description	
Name	DESCCHAR36	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR37

Attribute	Description	
Name	DESCCHAR37	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR38

Attribute	Description	
Name	DESCCHAR38	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGEMIPCNT

Attribute	Description
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Intermediary

Attribute	Description
Name	Intermediary
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INTERMEDIARY_CODE

Attribute	Description
Name	INTERMEDIARY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERMEDIARYNAME

Attribute	Description
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

POLICYTYPE

Attribute	Description
Name	POLICYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,P

TOP

INSURER

Attribute	Description
Name	INSURER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

INSURERADDR1

Attribute	Description
Name	INSURERADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Property

Attribute	Description
Name	Property
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DEVELOPERCODE

Attribute	Description	
Name	DEVELOPERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PROJECTNAME

Attribute	Description	
Name	PROJECTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROJECTDESC

Attribute	Description	
Name	PROJECTDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROPERTYTYPE

Attribute	Description	
Name	PROPERTYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description	
Name	LINKED_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LBL_FIELD_DATE

Attribute	**Description**	
Name	LBL_FIELD_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Acc-Liq-Order

Attribute	**Description**	
Name	Acc-Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description	
Name	COSTCD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD3

Attribute	Description	
Name	COSTCD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD4

Attribute	Description	
Name	COSTCD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD5

Attribute	Description	
Name	COSTCD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS1

Attribute	**Description**	
Name	TRANMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS9

Attribute	**Description**	
Name	COMMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS10

Attribute	**Description**	
Name	COMMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS1

Attribute	**Description**	
Name	FUNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS2

Attribute	**Description**	
Name	FUNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS3

Attribute	Description
Name	FUNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS4

Attribute	Description
Name	FUNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS5

Attribute	Description
Name	FUNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS6

Attribute	Description
Name	FUNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Vhc-Dtls

Attribute	**Description**	
Name	Vhc-Dtls	
Datatype		
Description	Indicates Vehicle Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

REGEMIRATE

Attribute	**Description**	
Name	REGEMIRATE	
Datatype	String	
Description	Indicates whether Vehicle is Registered in Emirates	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description
Name	DISTORAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINANOCOUNTRY

Attribute	Description
Name	AREAINANOCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITY

Attribute	Description
Name	CITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNO

Attribute	Description
Name	CONTACTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPSTATUS

Attribute	Description
Name	PROPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DATEOFCOMPLETION

Attribute	Description
Name	DATEOFCOMPLETION
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

GOODSTYP

Attribute	**Description**	
Name	GOODSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROFORMAINVOICEDT

Attribute	**Description**	
Name	PROFORMAINVOICEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	**Description**	
Name	OSPRINC	
Datatype	Number	
Description	Indicates Vehicle Outstanding Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPROF

Attribute	**Description**	
Name	OSPROF	
Datatype	Number	
Description	Indicates Vehicle Outstanding Profit	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDNAME

Attribute	**Description**	
Name	VENDNAME	
Datatype	String	
Description	Indicates Vehicle Vendor Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Serijadtls

Attribute	**Description**
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CAPACITY

Attribute	Description
Name	CAPACITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALBENEF

Attribute	Description
Name	MEDICALBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MEDICALSTDT

Attribute	Description
Name	MEDICALSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description	
Name	AREACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CITYCODE

Attribute	Description	
Name	CITYCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

OWNER

Attribute	Description	
Name	OWNER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSTID

Attribute	**Description**
Name	AUTOPRECUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECCY

Attribute	**Description**
Name	AUTOPRECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSBRN

Attribute	**Description**
Name	AUTOPRECUSBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description
Name	CYCLE_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_NO

Attribute	Description
Name	CYCLE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CURRENT_CYCLE

Attribute	Description
Name	CURRENT_CYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	**Description**
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	**Description**	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.7.4.MO-AuthorizeMortgage-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Account-Master-PK*
      - *ACCNO*
      - *BRN*
    - *Account-Master-IO*
      - *ACCNO*
      - *BRN*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Account-Master-PK

Attribute	Description
Name	Account-Master-PK
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	**Description**
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	**Description**	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.8.AuthorizeNotaryConfirm

AuthorizeNotaryConfirm

2.8.1.MO-AuthorizeNotaryConfirm-Req-Full-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltbs-Notary-Confirm-Full*
  - *BRANCHCODE*
  - *ACCOUNTNUMBER*
  - *NOTARYCONFDT*
  - *REMARKS*
  - *NOTARYSTATUS*
  - *MAKER*
  - *MAKERSTAMP*
  - *CHECKER*
  - *CHECKERSTAMP*
  - *MODNO*
  - *TXNSTAT*
  - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltbs-Notary-Confirm-Full

Attribute	Description
Name	Cltbs-Notary-Confirm-Full
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOTARYCONFDT

Attribute	Description
Name	NOTARYCONFDT
Datatype	Date
Description	Indicates Notary Confirm Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,R

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	Indicates MAKER ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates MAKER Date Stamp
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	Indicates CHECKER ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates CHECKER Date Stamp
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modulation Number

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Transaction Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

2.8.2.MO-AuthorizeNotaryConfirm-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltbs-Notary-Confirm-IO*
  - *BRANCHCODE*
  - *ACCOUNTNUMBER*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	Mortgages Notary Confirm Authirize IO Request

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.8.3.MO-AuthorizeNotaryConfirm-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltbs-Notary-Confirm-Full*
    - *BRANCHCODE*
    - *ACCOUNTNUMBER*
    - *NOTARYCONFDT*
    - *REMARKS*
    - *NOTARYSTATUS*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltbs-Notary-Confirm-Full

Attribute	Description

Name	Cltbs-Notary-Confirm-Full
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOTARYCONFDT

Attribute	Description
Name	NOTARYCONFDT
Datatype	Date
Description	Indicates Notary Confirm Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,R

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description	Indicates MAKER ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates MAKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description	Indicates CHECKER ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates CHECKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modulation Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Transaction Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.8.4.MO-AuthorizeNotaryConfirm-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltbs-Notary-Confirm-PK*
      - *BRANCHCODE*
      - *ACCOUNTNUMBER*
    - *Cltbs-Notary-Confirm-IO*
      - *BRANCHCODE*
      - *ACCOUNTNUMBER*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltbs-Notary-Confirm-PK

Attribute	Description
Name	Cltbs-Notary-Confirm-PK
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description

Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.9.AuthorizeProdTrfr

AuthorizeProdTrfr

2.9.1.MO-AuthorizeProdTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.9.2.MO-AuthorizeProdTrfr-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltb-Prod-Brn-Transfer-IO*
  - *PRODUCT_CODE*
  - *CURRENT_BRANCH_CODESS*
  - *TARGET_BRANCH_CODESS*
  - *TRANSFER_DATE*
  - *TRANSFER_ID*
  - *CHECKER*
  - *CHECKERSTAMP*
  - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.9.3.MO-AuthorizeProdTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description

Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	**Description**	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**

Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.9.4.MO-AuthorizeProdTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltb-Prod-Brn-Transfer-PK*
      - *TRANSFER_ID*
    - *Cltb-Prod-Brn-Transfer-IO*
      - *PRODUCT_CODE*
      - *CURRENT_BRANCH_CODESS*
      - *TARGET_BRANCH_CODESS*
      - *TRANSFER_DATE*
      - *TRANSFER_ID*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltb-Prod-Brn-Transfer-PK

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.10.AuthorizeProduct

Authorization of Mortgage Product

2.10.1.MO-AuthorizeProduct-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*

MAXVAR
PARLIQ
LIQMOD
ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY

CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL
HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C

AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE

AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT

PENBASCMP
PRIODICITY
PM_FORMULA_TYPE
RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*

- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Moratorium

- *FORMULA*
- *RNDUPTO*
- *DFLTMORFRM*
- *MORLIQFRM*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *LIQMORTOEMI*
- *RNDUPDWN*
- *Moratorium-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Book

- *FORMULA*
- *AMORT*
- *RNDUPTO*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *AMORTBASELEM*
- *RNDUPDWN*
- *DUE_DATES_ON*
- *START_MONTH*
- *Book-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Install-Status

- *STATCD*
- *STATRULE*
- *SEQNO*
- *CMPPENACCR*
- *STATDES*
- *Stsh-Acct-Entry*

TXNCD
DRCRIND
NETIND
ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5

- *Default-Mis-Codes*
  - *MISCLS*
  - *MISCD*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Prd-Dtls-Def*
  - *PRDCD*
  - *PRDDESC*
  - *Prod-Ude*
    - *RTCHGRES*
    - *UDEID*
    - *UDEDESC*
    - *UDETYP*
    - *UDECCY*
    - *MINUDEVAL*
    - *MAXUDEVAL*
- *Prod-Det-Rth*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Rth*
    - *MAPTYP*
    - *ACCROLE*
    - *ROLTYP*
    - *ACCHEAD*
    - *ROLDESC*
    - *HEADDESC*
    - *Rth-Expr*
      - *EXPRLINE*
      - *CONDITION*
      - *ACCHEAD*
- *Prd-Dtls-Notc*
  - *PRDCD*
  - *PRDDESC*
  - *Bill-Ntc*
    - *COND_NO*
    - *COND*
    - *NUM_DAYS*
    - *FRMT*
  - *Revision-Notc*
    - *CONDNO*
    - *COND*

- *NUMDAYS*
- *FRMT*
- *Deliquency-Notc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
  - *FREQ*
- *Ddnotc-Det*
  - *CONDNO*
  - *COND*
  - *NUM_DAYS*
  - *TXNCD*
  - *FRMT*
- *Stmtotrs-Det*
  - *COND_NO*
  - *COND*
  - *FREQ*
  - *STARTDT*
  - *FREQDAYS*
  - *FRMT*
  - *MSG_TYPE*
- *Prd-Notc*
  - *NOTICE_ID*
  - *COND_NO*
  - *COND*
  - *FRMT*
  - *FREQ*
  - *STARTDT*
  - *TENOR*
  - *NUMDAYS*
  - *TXNCD*
  - *NOTICE*
- *Prd-Dtls*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Prod-Events*
    - *EVTCODE*
    - *EVTDES*
    - *Prod-Event-Acct-Rule*
      - *RUL_NO*
      - *COND*

- *Prd-Event-Acct-Entry*
  - *TXNCD*
  - *DRCR_IND1*
  - *NETTIND*
  - *ACCROLECD*
  - *AMTTAG*
  - *ROLTYP*
  - *AMTTAGTYPE*
  - *MISHEAD*
  - *REVALREQD*
  - *REVALPRFGL*
  - *REVALLOSSGL*
  - *REVALRATECD*
  - *REVALTXNCD*
  - *HOLTREAT*
  - *GAAPIND*
  - *BALCHK*
  - *DELINQPROD*
  - *ENTPRNO*
  - *RATE_TYPE_INDICATOR*
- *Prod-Event-Adv-Rules*
  - *RULENO*
  - *COND*
  - *Prod-Event-Adv-Entry*
    - *MSGTYPE*
    - *GENTIME*
    - *SUPPRESS*
    - *PRIORITY*
    - *CHGREQ*
    - *FRMT*
    - *DESC*
- *Prod-Event-Chg*
  - *CHGCMP*
- *Prod-Event-Polc*
  - *POLCD*
  - *EXECTYPE*
- *Prod-Event-Udf-C*
  - *FIELDNAME*
  - *DESC*
  - *DATA_TYPE*
  - *FLDNO*
- *Prod-Event-Udf-N*
  - *FLDNAME*
  - *DESC*

DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED

CUSDES
Prd-Dtls-Udf
PRDCD
PRDDESC
Prd-Udf-Num
FLDNAME
FLDDESC
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
FLDNO
Prod-Credit
Credit-Score-Rule
RULNAME
DFLTRULE
Credit-Score-Rule-Expr
RULNAME
EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
PARTYTYPEDESC
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRDSLG

Attribute	**Description**	
Name	PRDSLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDRMRKS

Attribute	**Description**	
Name	PRDRMRKS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDSTRTDT

Attribute	**Description**	
Name	PRDSTRTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

NORMVAR

Attribute	Description
Name	NORMVAR

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

DSBRMD

Attribute	Description	
Name	DSBRMD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

DRENT

Attribute	Description	
Name	DRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

CRENT

Attribute	Description	
Name	CRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

MINTEN

Attribute	Description	
Name	MINTEN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / S,M,

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMFLG

Attribute	Description
Name	ATMFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRCKRECALIQ

Attribute	Description
Name	TRCKRECALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AMDPASTPDSCH

Attribute	Description
Name	AMDPASTPDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHBOOKFLG

Attribute	Description
Name	CHBOOKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQBAKVLSCH

Attribute	Description
Name	LIQBAKVLSCH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	**Description**	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	**Description**	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	**Description**	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	**Description**	
Name	NTCDAYBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	P,A

TOP

LIMPRD

Attribute	Description	
Name	LIMPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PACKCRFLAG

Attribute	Description	
Name	PACKCRFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHBAS

Attribute	Description	
Name	SCHBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

HOLCHKMAT

Attribute	Description	
Name	HOLCHKMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,P</td></tr></table>

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMNMT

Attribute	Description
Name	SCHMNMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,P

TOP

CASSCH

Attribute	Description
Name	CASSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description
Name	ADHOCHOLTRREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	**Description**	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	**Description**	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	**Description**	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	**Description**	
Name	IGNHOL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FACHOLCCYMAT

Attribute	Description	
Name	FACHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONHOLCCYMAT

Attribute	Description	
Name	CONHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LOCHOLCCYMAT

Attribute	Description	
Name	LOCHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMFLG

Attribute	Description	
Name	LIQCOMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,D

TOP

YACRFRQ

Attribute	Description	
Name	YACRFRQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,

TOP

PRPAYTR

Attribute	Description	
Name	PRPAYTR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,R,

TOP

ACQTYPE

Attribute	Description	
Name	ACQTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,P,A,

TOP

RECMPBAS

Attribute	Description	
Name	RECMPBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>V,I,</td></tr></table>

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	**Description**	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>M,A</td></tr></table>

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description	
Name	PROJECT_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BONLN_C

Attribute	Description	
Name	BONLN_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description	
Name	RATE_CHANGE_ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PGPERAPP_C

Attribute	Description	
Name	PGPERAPP_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / NORM,TDAT,FDAT,FDMD,TDVD

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CONVERTIBLE_CLASS

Attribute	**Description**	
Name	CONVERTIBLE_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

INIT_UNITS

Attribute	**Description**	
Name	INIT_UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

HOLPERD

Attribute	Description
Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description	
Name	TOSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRVRULE

Attribute	Description

Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stch-Chgs

Attribute	**Description**	
Name	Stch-Chgs	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CHGCMP

Attribute	**Description**	
Name	CHGCMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Liq-Order

Attribute	**Description**	
Name	Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REPTYPE

Attribute	Description	
Name	REPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPREQ

Attribute	Description	
Name	PROPREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INCLUDEINEMI

Attribute	Description	
Name	INCLUDEINEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSMTH

Attribute	Description	
Name	DAYSMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	**Description**	
Name	RATEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C

TOP

MORPERD

Attribute	**Description**	
Name	MORPERD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MORPERDUN

Attribute	Description	
Name	MORPERDUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

ACREQ_C

Attribute	Description	
Name	ACREQ_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ACCRFREQ

Attribute	Description	
Name	ACCRFREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description	
Name	ACCRSTMTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,M,

TOP

CAPTLD

Attribute	**Description**	
Name	CAPTLD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DUEON

Attribute	**Description**	
Name	DUEON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Comp-Frm-Intermediate

Attribute	**Description**	
Name	Comp-Frm-Intermediate	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQMORTOEMI

Attribute	**Description**	
Name	LIQMORTOEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

Moratorium-Expr

Attribute	**Description**	
Name	Moratorium-Expr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTBASELEM

Attribute	**Description**	
Name	AMORTBASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	PRINCIPAL,

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

START_MONTH

Attribute	**Description**	
Name	START_MONTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Book-Expr

Attribute	**Description**
Name	Book-Expr

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	Description	
Name	NETIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLLOSGL

Attribute	Description
Name	REVLLOSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description

Name	Rekey-Det
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	200

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String

Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDETYP

Attribute	Description
Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Deliquency-Notc

Attribute	Description

Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNCD

Attribute	**Description**	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stmtotrs-Det

Attribute	**Description**	
Name	Stmtotrs-Det	
Datatype		
Description	Indicates Stmtotrs-Det	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COND_NO

Attribute	**Description**	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQDAYS

Attribute	Description
Name	FREQDAYS
Datatype	Number
Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>CL_INT_STMT,CL_LOAN_STMT,</td></tr></table>

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS

Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	Description	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description	
Name	Prod-Events	
Datatype		
Description	Indicates Product Event Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTCODE

Attribute	Description

Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description	
Name	Prd-Event-Acct-Entry	
Datatype		
Description	Indicates Accounting Entry Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TXNCD

Attribute	Description	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCR_IND1

Attribute	Description	
Name	DRCR_IND1	
Datatype	String	
Description	Indicates Debit / Credit Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description

Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALREQD

Attribute	**Description**	
Name	REVALREQD	
Datatype	String	
Description	Indicates whether Revaluation is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REVALPRFGL

Attribute	**Description**	
Name	REVALPRFGL	
Datatype	String	
Description	Indicates Revaluation Profit GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALLOSSGL

Attribute	**Description**	
Name	REVALLOSSGL	
Datatype	String	
Description	Indicates Revaluation Loss GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALRATECD

Attribute	**Description**	
Name	REVALRATECD	
Datatype	String	
Description	Indicates Revaluation Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVALTXNCD

Attribute	Description	
Name	REVALTXNCD	
Datatype	String	
Description	Indicates Revaluation Transaction Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTREAT

Attribute	Description	
Name	HOLTREAT	
Datatype	String	
Description	Indicates Holiday Treatment. Y - Yes and N - No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

GAAPIND

Attribute	Description	
Name	GAAPIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	Description	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	Description
Name	DELINQPROD
Datatype	String
Description	Indicates Delinquency Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATE_TYPE_INDICATOR

Attribute	Description
Name	RATE_TYPE_INDICATOR
Datatype	String
Description	Indicates Rate Type Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number

Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC

Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECTYPE

Attribute	Description	
Name	EXECTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description	
Name	Prod-Event-Udf-C	
Datatype		
Description	Indicates Character User Defined Field Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELDNAME

Attribute	Description	
Name	FIELDNAME	
Datatype	String	
Description	Indicates User Defined Field Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Indicates Advice Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DATA_TYPE

Attribute	Description

Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASDESC

Attribute	Description

Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,H,A,

TOP

Brn-Restr

Attribute	**Description**	
Name	Brn-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNDES

Attribute	**Description**	
Name	BRNDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Ccy-Restr

Attribute	**Description**	
Name	Ccy-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Prod-Dtls-Cust

Attribute	**Description**	
Name	Prod-Dtls-Cust	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	**Description**	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

DFLTRULE

Attribute	Description
Name	DFLTRULE
Datatype	String
Description	Indicates default rule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Credit-Score-Rule-Expr

Attribute	Description
Name	Credit-Score-Rule-Expr
Datatype	
Description	Indicates Credit Score Rule Expression
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE
Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	1

Restrictions	Description
maxLength	5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	2000

TOP

2.10.2.MO-AuthorizeProduct-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-IO*
    - *PRDCD*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *Status-Level*
      - *LEAST_CUE_FIN_YR*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CHECKER

Attribute	Description
Name	CHECKER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

2.10.3.MO-AuthorizeProduct-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*
    - *MAXVAR*
    - *PARLIQ*
    - *LIQMOD*

ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY
CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL

HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C

BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ

REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT
PENBASCMP
PRIODICITY
PM_FORMULA_TYPE

RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*

COND
RESULT
FRMTYPE
Comp-Frm-Moratorium
FORMULA
RNDUPTO
DFLTMORFRM
MORLIQFRM
CMPDDAYS
CMPDMON
CMPDYR
LIQMORTOEMI
RNDUPDWN
Moratorium-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Comp-Frm-Book
FORMULA
AMORT
RNDUPTO
CMPDDAYS
CMPDMON
CMPDYR
AMORTBASELEM
RNDUPDWN
DUE_DATES_ON
START_MONTH
Book-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Install-Status
STATCD
STATRULE
SEQNO
CMPPENACCR
STATDES
Stsh-Acct-Entry
TXNCD
DRCRIND
NETIND

ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5
Default-Mis-Codes
MISCLS
MISCD

UDFDETAILS
- *FLDNAM*
- *FLDVAL*

Prd-Dtls-Def
- *PRDCD*
- *PRDDESC*
- *Prod-Ude*
  - *RTCHGRES*
  - *UDEID*
  - *UDEDESC*
  - *UDETYP*
  - *UDECCY*
  - *MINUDEVAL*
  - *MAXUDEVAL*

Prod-Det-Rth
- *PRDCD*
- *PRDDESC*
- *CLASCD*
- *CLASS_DESC*
- *Rth*
  - *MAPTYP*
  - *ACCROLE*
  - *ROLTYP*
  - *ACCHEAD*
  - *ROLDESC*
  - *HEADDESC*
  - *Rth-Expr*
    - *EXPRLINE*
    - *CONDITION*
    - *ACCHEAD*

Prd-Dtls-Notc
- *PRDCD*
- *PRDDESC*
- *Bill-Ntc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
- *Revision-Notc*
  - *CONDNO*
  - *COND*
  - *NUMDAYS*
  - *FRMT*
- *Deliquency-Notc*

COND_NO
COND
NUM_DAYS
FRMT
FREQ
Ddnotc-Det
CONDNO
COND
NUM_DAYS
TXNCD
FRMT
Stmtotrs-Det
COND_NO
COND
FREQ
STARTDT
FREQDAYS
FRMT
MSG_TYPE
Prd-Notc
NOTICE_ID
COND_NO
COND
FRMT
FREQ
STARTDT
TENOR
NUMDAYS
TXNCD
NOTICE
Prd-Dtls
PRDCD
PRDDESC
CLASCD
CLASS_DESC
Prod-Events
EVTCODE
EVTDES
Prod-Event-Acct-Rule
RUL_NO
COND
Prd-Event-Acct-Entry
TXNCD
DRCR_IND1

NETTIND
ACCROLECD
AMTTAG
ROLTYP
AMTTAGTYPE
MISHEAD
REVALREQD
REVALPRFGL
REVALLOSSGL
REVALRATECD
REVALTXNCD
HOLTREAT
GAAPIND
BALCHK
DELINQPROD
ENTPRNO
RATE_TYPE_INDICATOR
Prod-Event-Adv-Rules
RULENO
COND
Prod-Event-Adv-Entry
MSGTYPE
GENTIME
SUPPRESS
PRIORITY
CHGREQ
FRMT
DESC
Prod-Event-Chg
CHGCMP
Prod-Event-Polc
POLCD
EXECTYPE
Prod-Event-Udf-C
FIELDNAME
DESC
DATA_TYPE
FLDNO
Prod-Event-Udf-N
FLDNAME
DESC
DATATYP
FLDNO
Prod-Event-Udf-D

FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED
CUSDES
Prd-Dtls-Udf
PRDCD

- PRDDESC
- Prd-Udf-Num
  - FLDNAME
  - FLDDESC
  - FLDNO
- Prd-Udf-Char
  - FLDNAME
  - FLDDESC
  - FIELDNO
- Prd-Udf-Dt
  - FLDNAME
  - FLDDESC
  - FLDNO
- Prod-Credit
  - Credit-Score-Rule
    - RULNAME
    - DFLTRULE
    - Credit-Score-Rule-Expr
      - RULNAME
      - EXPLINE
      - COND
      - RSLT
- Product-Party
  - PARTYTYPE
  - PARTYTYPEDESC
  - REPEATING
  - MANDATORY
- Product-Diary
  - EVENTCODE
- Product-Madc
  - Min-Amt-Due-Rule
    - MADC_RULE_NAME
    - MADC_DEFAULT_RULE
    - Min-Amt-Due-Rule-Exp
      - MADC_EXPR_LINE
      - CONDITION
      - RESULT

FCUBS_ERROR_RESP
- ERROR
  - ECODE
  - EDESC

FCUBS_WARNING_RESP
- WARNING
  - WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>6</td></tr></table>

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,C</td></tr></table>

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

NORMVAR

Attribute	Description
Name	NORMVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

DSBRMD

Attribute	Description
Name	DSBRMD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

DRENT

Attribute	Description
Name	DRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

CRENT

Attribute	Description
Name	CRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,D,M,Y</td></tr></table>

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFLG

Attribute	**Description**	
Name	ATMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKRECALIQ

Attribute	**Description**	
Name	TRCKRECALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AMDPASTPDSCH

Attribute	**Description**	
Name	AMDPASTPDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHBOOKFLG

Attribute	**Description**	
Name	CHBOOKFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	Description	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	Description	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	Description	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	Description	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	Description
Name	NTCDAYBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,A

TOP

LIMPRD

Attribute	Description
Name	LIMPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PACKCRFLAG

Attribute	Description
Name	PACKCRFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHBAS

Attribute	Description
Name	SCHBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,L,B,N</td></tr></table>

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,P

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHMNMT

Attribute	Description
Name	SCHMNMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,P

TOP

CASSCH

Attribute	Description
Name	CASSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	Description	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	Description	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	Description	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	Description
Name	IGNHOL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCYMAT

Attribute	Description
Name	FACHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,D</td></tr></table>

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,</td></tr></table>

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,R,</td></tr></table>

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,P,A,</td></tr></table>

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / V,I,

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	Description	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LEASE_PAYMENT_MODE

Attribute	Description	
Name	LEASE_PAYMENT_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description	
Name	LOAN_AGAINST_SAL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description	
Name	RETRIES_FOR_ADVICE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,A

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>NORM,TDAT,FDAT,FDMD,TDVD</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Holperiod-Det

Attribute	**Description**	
Name	Holperiod-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

HOLPERD

Attribute	**Description**	
Name	HOLPERD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

Rollcomp-Det

Attribute	**Description**	
Name	Rollcomp-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description

Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description	
Name	LEAST_CUE_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description

Name	TOSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description	
Name	AMTTAGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	Description	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INTPOSTREQ

Attribute	Description	
Name	INTPOSTREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REPTYPE

Attribute	Description	
Name	REPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPREQ

Attribute	Description	
Name	PROPREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INCLUDEINEMI

Attribute	Description	
Name	INCLUDEINEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,P,

TOP

PM_FORMULA_TYPE

Attribute	**Description**	
Name	PM_FORMULA_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	**Description**	
Name	RATEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / D,C

TOP

MORPERD

Attribute	Description
Name	MORPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M,

TOP

CAPTLD

Attribute	Description
Name	CAPTLD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	

Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMORTBASELEM

Attribute	Description
Name	AMORTBASELEM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>PRINCIPAL,</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,U,</td></tr></table>

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

START_MONTH

Attribute	Description
Name	START_MONTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

FRMTYPE

Attribute	**Description**	
Name	FRMTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Install-Status

Attribute	**Description**	
Name	Install-Status	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATCD

Attribute	**Description**	
Name	STATCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

STATRULE

Attribute	**Description**	
Name	STATRULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description	
Name	REVLPRFTGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLLOSGL

Attribute	Description	
Name	REVLLOSGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLRATECD

Attribute	Description	
Name	REVLRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVLTXNCD

Attribute	Description	
Name	REVLTXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2</td></tr></table>

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,F,P,</td></tr></table>

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,A,O,</td></tr></table>

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD1

Attribute	Description	
Name	CSTCD1	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD2

Attribute	Description	
Name	CSTCD2	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD4

Attribute	Description	
Name	CSTCD4	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD5

Attribute	Description	
Name	CSTCD5	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM

Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDETYP

Attribute	Description

Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Rth

Attribute	Description

Name	Rth
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONDITION

Attribute	Description

Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Deliquency-Notc

Attribute	Description
Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det
Datatype	
Description	Indicates Stmtotrs-Det
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COND_NO

Attribute	Description	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	Description	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTDT

Attribute	Description	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FREQDAYS

Attribute	Description	
Name	FREQDAYS	
Datatype	Number	
Description	Indicates FREQUENCY DAYS	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COND_NO

Attribute	Description

Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO

Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCR_IND1

Attribute	Description
Name	DRCR_IND1
Datatype	String
Description	Indicates Debit / Credit Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLTYP

Attribute	Description	
Name	ROLTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL

Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	**Description**	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	**Description**	
Name	DELINQPROD	
Datatype	String	
Description	Indicates Delinquency Product Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATE_TYPE_INDICATOR

Attribute	**Description**	
Name	RATE_TYPE_INDICATOR	
Datatype	String	
Description	Indicates Rate Type Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number
Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description

Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME
Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy

Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,H,A,

TOP

Brn-Restr

Attribute	Description
Name	Brn-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRNDES

Attribute	Description

Name	BRNDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ccy-Restr

Attribute	Description
Name	Ccy-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Cust

Attribute	Description
Name	Prod-Dtls-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	Description	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	Description	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Category-Restrictions

Attribute	Description	
Name	Category-Restrictions	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description

Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

DFLTRULE

Attribute	**Description**	
Name	DFLTRULE	
Datatype	String	
Description	Indicates default rule	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Credit-Score-Rule-Expr

Attribute	**Description**	
Name	Credit-Score-Rule-Expr	
Datatype		
Description	Indicates Credit Score Rule Expression	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE

Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description

Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description

Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.10.4.MO-AuthorizeProduct-Res-PK-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
CHOICE
Product-Details-PK
PRDCD
Product-Details-IO
PRDCD
CHECKER
CHECKERSTAMP
MODNO
Status-Level
LEAST_CUE_FIN_YR
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Product-Details-PK

Attribute	Description
Name	Product-Details-PK
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.11.QueryAutosuspInfo

QueryAutosuspInfo

2.11.1.MO-AutosuspInfo-Qry-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-AutosuspInfo-Qry-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String

Description	
Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	

Restrictions	Description
enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) account

TOP

MO-AutosuspInfo-Qry-Req

Attribute	Description
Name	MO-AutosuspInfo-Qry-Req
Datatype	
Description	Mortgages Liquidation Suspension Request Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	indicates source code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description

Name	XREF
Datatype	String
Description	Indicates external reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates account number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indictaes alternate account number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.11.2.MO-AutosuspInfo-Qry-Res-FULL-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-AutosuspInfo-Qry-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
  - *Query-Res*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *CPTY*
    - *CUSTNAME*
    - *STDT*
    - *ENDDT*
    - *SUSPSTAT*
    - *COMPDET*
      - *COMPNAME*
      - *DRPAYMTMODE*
      - *CRPAYMTMODE*

DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) account

TOP

MO-AutosuspInfo-Qry-Req

Attribute	Description
Name	MO-AutosuspInfo-Qry-Req
Datatype	
Description	Mortgages Auto Suspense Info Query Request.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	indicates source code
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates external reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates account number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indictaes alternate account number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Query-Res

Attribute	Description
Name	Query-Res
Datatype	
Description	Mortgages Auto Suspense Info Query Response.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates account number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indictaes alternate account number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CPTY

Attribute	Description
Name	CPTY
Datatype	String
Description	Indicate counter party
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates customer name
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicate statement date

TOP

ENDDT

Attribute	Description

Name	ENDDT
Datatype	Date
Description	Indicate end date

TOP

SUSPSTAT

Attribute	Description
Name	SUSPSTAT
Datatype	String
Description	indicate suspension status
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Include componenet details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicate component name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Debit Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Credit Payment Mode. CASA ACC Clearing CLG External Account EAC Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates credit Account Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.12.CloseAccTrfr

CloseAccTrfr

2.12.1.MO-CloseAccTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Master-Full

Attribute	Description

Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 35

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 1

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description

Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description

Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

2.12.2.MO-CloseAccTrfr-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Master-IO*
  - *TRANSFER_ID*
  - *MAKER*
  - *MAKERSTAMP*
  - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.12.3.MO-CloseAccTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Master-Full

Attribute	Description
Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 1

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *CHOICE*
  - *Master-PK*
    - *TRANSFER_ID*
  - *Master-IO*
    - *TRANSFER_ID*
    - *MAKER*
    - *MAKERSTAMP*
    - *MODNO*
- *FCUBS_ERROR_RESP*
  - *ERROR*
    - *ECODE*
    - *EDESC*
- *FCUBS_WARNING_RESP*
  - *WARNING*
    - *WCODE*
    - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Master-PK

Attribute	Description
Name	Master-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description	
Name	TRANSFER_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description	
Name	TRANSFER_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.13.CloseProdTrfr

CloseProdTrfr

2.13.1.MO-CloseProdTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltb-Prod-Brn-Transfer-IO*
  - *PRODUCT_CODE*
  - *CURRENT_BRANCH_CODESS*
  - *TARGET_BRANCH_CODESS*
  - *TRANSFER_DATE*
  - *TRANSFER_ID*
  - *MAKER*
  - *MAKERSTAMP*
  - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE

Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.13.3.MO-CloseProdTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description

Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	**Description**	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**

Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.13.4.MO-CloseProdTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltb-Prod-Brn-Transfer-PK*
      - *TRANSFER_ID*
    - *Cltb-Prod-Brn-Transfer-IO*
      - *PRODUCT_CODE*
      - *CURRENT_BRANCH_CODESS*
      - *TARGET_BRANCH_CODESS*
      - *TRANSFER_DATE*
      - *TRANSFER_ID*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltb-Prod-Brn-Transfer-PK

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description	
Name	TARGET_BRANCH_CODESS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TRANSFER_DATE

Attribute	Description	
Name	TRANSFER_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TRANSFER_ID

Attribute	Description	
Name	TRANSFER_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.14.CreateAccTrfr

CreateAccTrfr

2.14.1.MO-CreateAccTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Master-Full

Attribute	Description

Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description

Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description

Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

2.14.2.MO-CreateAccTrfr-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-IO*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *CURRENT_BRANCH_NAME*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CURRENT_BRANCH

Attribute	**Description**	
Name	CURRENT_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TARGET_BRANCH

Attribute	**Description**	
Name	TARGET_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TRANSFER_DATE

Attribute	**Description**	
Name	TRANSFER_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CURRENT_BRANCH_NAME

Attribute	**Description**	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	150
	minLength	0

TOP

2.14.3.MO-CreateAccTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Master-Full

Attribute	Description
Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

TARGET_BRANCH_NAME

Attribute	**Description**	
Name	TARGET_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CURRENT_BRANCH_NAME

Attribute	**Description**	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.14.4.MO-CreateAccTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Master-PK*
      - *TRANSFER_ID*
    - *Master-IO*
      - *TRANSFER_ID*
      - *CURRENT_BRANCH*
      - *TARGET_BRANCH*
      - *TRANSFER_DATE*
      - *CURRENT_BRANCH_NAME*
      - *Detail*
        - *ACCOUNT_NUMBER*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Master-PK

Attribute	Description
Name	Master-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 35

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 35

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description

Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	

Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.15.CreateNotaryConfirm

CreateNotaryConfirm

2.15.1.MO-CreateNotaryConfirm-Req-Full-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltbs-Notary-Confirm-Full*
  - *BRANCHCODE*
  - *ACCOUNTNUMBER*
  - *NOTARYCONFDT*
  - *REMARKS*
  - *NOTARYSTATUS*
  - *MAKER*
  - *MAKERSTAMP*
  - *CHECKER*
  - *CHECKERSTAMP*
  - *MODNO*
  - *TXNSTAT*
  - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltbs-Notary-Confirm-Full

Attribute	Description
Name	Cltbs-Notary-Confirm-Full
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOTARYCONFDT

Attribute	Description
Name	NOTARYCONFDT
Datatype	Date
Description	Indicates Notary Confirm Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,R

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	Indicates MAKER ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates MAKER Date Stamp
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	Indicates CHECKER ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates CHECKER Date Stamp
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modulation Number

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Transaction Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

2.15.2.MO-CreateNotaryConfirm-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltbs-Notary-Confirm-IO*
  - *BRANCHCODE*
  - *ACCOUNTNUMBER*
  - *REMARKS*
  - *NOTARYSTATUS*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	Mortgage Notary Confirm Creat IO Request

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,R

TOP

2.15.3.MO-CreateNotaryConfirm-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltbs-Notary-Confirm-Full*
    - *BRANCHCODE*
    - *ACCOUNTNUMBER*
    - *NOTARYCONFDT*
    - *REMARKS*
    - *NOTARYSTATUS*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltbs-Notary-Confirm-Full

Attribute	Description

Name	Cltbs-Notary-Confirm-Full
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOTARYCONFDT

Attribute	Description
Name	NOTARYCONFDT
Datatype	Date
Description	Indicates Notary Confirm Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,R

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description	Indicates MAKER ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates MAKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description	Indicates CHECKER ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates CHECKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modulation Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Transaction Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.15.4.MO-CreateNotaryConfirm-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltbs-Notary-Confirm-PK*
      - *BRANCHCODE*
      - *ACCOUNTNUMBER*
    - *Cltbs-Notary-Confirm-IO*
      - *BRANCHCODE*
      - *ACCOUNTNUMBER*
      - *REMARKS*
      - *NOTARYSTATUS*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltbs-Notary-Confirm-PK

Attribute	Description
Name	Cltbs-Notary-Confirm-PK
Datatype	
Description	Consumer Loan Notary Confirm PK Type

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	Consumer Loan Notary Confirm IO Type

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,R

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description

Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.16.CreateProdTrfr

CreateProdTrfr

2.16.1.MO-CreateProdTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.16.2.MO-CreateProdTrfr-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltb-Prod-Brn-Transfer-IO*
  - *PRODUCT_CODE*
  - *TARGET_BRANCH_CODESS*
  - *TRANSFER_DATE*
  - *TRANSFER_ID*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.16.3.MO-CreateProdTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description

Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	**Description**	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**

Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.16.4.MO-CreateProdTrfr-Res-PK-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *CHOICE*
  - *Cltb-Prod-Brn-Transfer-PK*
    - *TRANSFER_ID*
  - *Cltb-Prod-Brn-Transfer-IO*
    - *PRODUCT_CODE*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
- *FCUBS_ERROR_RESP*
  - *ERROR*
    - *ECODE*
    - *EDESC*
- *FCUBS_WARNING_RESP*
  - *WARNING*
    - *WCODE*
    - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltb-Prod-Brn-Transfer-PK

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.17.CreateProduct

Creation of Mortgage Product

2.17.1.MO-CreateProduct-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*

MAXVAR
PARLIQ
LIQMOD
ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY

CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL
HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C

AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE

AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT

PENBASCMP
PRIODICITY
PM_FORMULA_TYPE
RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*

- RNDUPDWN
- Intermediate-Expr
  - EXPRLINE
  - COND
  - RESULT
  - FRMTYPE
- Comp-Frm-Moratorium
  - FORMULA
  - RNDUPTO
  - DFLTMORFRM
  - MORLIQFRM
  - CMPDDAYS
  - CMPDMON
  - CMPDYR
  - LIQMORTOEMI
  - RNDUPDWN
  - Moratorium-Expr
    - EXPRLINE
    - COND
    - RESULT
    - FRMTYPE
- Comp-Frm-Book
  - FORMULA
  - AMORT
  - RNDUPTO
  - CMPDDAYS
  - CMPDMON
  - CMPDYR
  - AMORTBASELEM
  - RNDUPDWN
  - DUE_DATES_ON
  - START_MONTH
  - Book-Expr
    - EXPRLINE
    - COND
    - RESULT
    - FRMTYPE
- Install-Status
  - STATCD
  - STATRULE
  - SEQNO
  - CMPPENACCR
  - STATDES
  - Stsh-Acct-Entry

TXNCD
DRCRIND
NETIND
ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5

- *Default-Mis-Codes*
  - *MISCLS*
  - *MISCD*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Prd-Dtls-Def*
  - *PRDCD*
  - *PRDDESC*
  - *Prod-Ude*
    - *RTCHGRES*
    - *UDEID*
    - *UDEDESC*
    - *UDETYP*
    - *UDECCY*
    - *MINUDEVAL*
    - *MAXUDEVAL*
- *Prod-Det-Rth*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Rth*
    - *MAPTYP*
    - *ACCROLE*
    - *ROLTYP*
    - *ACCHEAD*
    - *ROLDESC*
    - *HEADDESC*
    - *Rth-Expr*
      - *EXPRLINE*
      - *CONDITION*
      - *ACCHEAD*
- *Prd-Dtls-Notc*
  - *PRDCD*
  - *PRDDESC*
  - *Bill-Ntc*
    - *COND_NO*
    - *COND*
    - *NUM_DAYS*
    - *FRMT*
  - *Revision-Notc*
    - *CONDNO*
    - *COND*

- *NUMDAYS*
- *FRMT*
- *Deliquency-Notc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
  - *FREQ*
- *Ddnotc-Det*
  - *CONDNO*
  - *COND*
  - *NUM_DAYS*
  - *TXNCD*
  - *FRMT*
- *Stmtotrs-Det*
  - *COND_NO*
  - *COND*
  - *FREQ*
  - *STARTDT*
  - *FREQDAYS*
  - *FRMT*
  - *MSG_TYPE*
- *Prd-Notc*
  - *NOTICE_ID*
  - *COND_NO*
  - *COND*
  - *FRMT*
  - *FREQ*
  - *STARTDT*
  - *TENOR*
  - *NUMDAYS*
  - *TXNCD*
  - *NOTICE*
- *Prd-Dtls*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Prod-Events*
    - *EVTCODE*
    - *EVTDES*
    - *Prod-Event-Acct-Rule*
      - *RUL_NO*
      - *COND*

- *Prd-Event-Acct-Entry*
  - *TXNCD*
  - *DRCR_IND1*
  - *NETTIND*
  - *ACCROLECD*
  - *AMTTAG*
  - *ROLTYP*
  - *AMTTAGTYPE*
  - *MISHEAD*
  - *REVALREQD*
  - *REVALPRFGL*
  - *REVALLOSSGL*
  - *REVALRATECD*
  - *REVALTXNCD*
  - *HOLTREAT*
  - *GAAPIND*
  - *BALCHK*
  - *DELINQPROD*
  - *ENTPRNO*
  - *RATE_TYPE_INDICATOR*
- *Prod-Event-Adv-Rules*
  - *RULENO*
  - *COND*
  - *Prod-Event-Adv-Entry*
    - *MSGTYPE*
    - *GENTIME*
    - *SUPPRESS*
    - *PRIORITY*
    - *CHGREQ*
    - *FRMT*
    - *DESC*
- *Prod-Event-Chg*
  - *CHGCMP*
- *Prod-Event-Polc*
  - *POLCD*
  - *EXECTYPE*
- *Prod-Event-Udf-C*
  - *FIELDNAME*
  - *DESC*
  - *DATA_TYPE*
  - *FLDNO*
- *Prod-Event-Udf-N*
  - *FLDNAME*
  - *DESC*

DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED

CUSDES
Prd-Dtls-Udf
PRDCD
PRDDESC
Prd-Udf-Num
FLDNAME
FLDDESC
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
FLDNO
Prod-Credit
Credit-Score-Rule
RULNAME
DFLTRULE
Credit-Score-Rule-Expr
RULNAME
EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
PARTYTYPEDESC
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

NORMVAR

Attribute	Description
Name	NORMVAR

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

DSBRMD

Attribute	Description	
Name	DSBRMD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

DRENT

Attribute	Description	
Name	DRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

CRENT

Attribute	Description	
Name	CRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

MINTEN

Attribute	Description	
Name	MINTEN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / S,M,

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMFLG

Attribute	Description
Name	ATMFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRCKRECALIQ

Attribute	Description
Name	TRCKRECALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AMDPASTPDSCH

Attribute	Description
Name	AMDPASTPDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHBOOKFLG

Attribute	Description
Name	CHBOOKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQBAKVLSCH

Attribute	Description
Name	LIQBAKVLSCH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	**Description**	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	**Description**	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	**Description**	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	**Description**	
Name	NTCDAYBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	P,A

TOP

LIMPRD

Attribute	Description	
Name	LIMPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PACKCRFLAG

Attribute	Description	
Name	PACKCRFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHBAS

Attribute	Description	
Name	SCHBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

HOLCHKMAT

Attribute	Description	
Name	HOLCHKMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,P</td></tr></table>

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMNMT

Attribute	Description
Name	SCHMNMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,P

TOP

CASSCH

Attribute	Description
Name	CASSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description
Name	ADHOCHOLTRREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	**Description**	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	**Description**	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	**Description**	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	**Description**	
Name	IGNHOL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FACHOLCCYMAT

Attribute	Description
Name	FACHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,D

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,R,

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,P,A,

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>V,I,</td></tr></table>

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	**Description**	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>M,A</td></tr></table>

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description	
Name	PROJECT_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BONLN_C

Attribute	Description	
Name	BONLN_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description	
Name	RATE_CHANGE_ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PGPERAPP_C

Attribute	Description	
Name	PGPERAPP_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / NORM,TDAT,FDAT,FDMD,TDVD

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

HOLPERD

Attribute	Description
Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description	
Name	TOSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRVRULE

Attribute	Description

Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCRIND

Attribute	**Description**	
Name	DRCRIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	**Description**	
Name	NETIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	**Description**	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	**Description**	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Stch-Polcs

Attribute	**Description**	
Name	Stch-Polcs	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXECTYPE

Attribute	**Description**	
Name	EXECTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,A,O,

TOP

POLCD

Attribute	**Description**	
Name	POLCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Stch-Adv

Attribute	**Description**	
Name	Stch-Adv	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stch-Chgs

Attribute	**Description**	
Name	Stch-Chgs	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CHGCMP

Attribute	**Description**	
Name	CHGCMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Liq-Order

Attribute	**Description**	
Name	Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REPTYPE

Attribute	Description	
Name	REPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPREQ

Attribute	Description	
Name	PROPREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INCLUDEINEMI

Attribute	Description	
Name	INCLUDEINEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSMTH

Attribute	Description	
Name	DAYSMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	Description
Name	RATEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

BASELEM

Attribute	Description
Name	BASELEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

BALTYPE

Attribute	Description
Name	BALTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C

TOP

MORPERD

Attribute	Description
Name	MORPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,M,

TOP

CAPTLD

Attribute	**Description**	
Name	CAPTLD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DUEON

Attribute	**Description**	
Name	DUEON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Comp-Frm-Intermediate

Attribute	**Description**	
Name	Comp-Frm-Intermediate	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQMORTOEMI

Attribute	**Description**	
Name	LIQMORTOEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

Moratorium-Expr

Attribute	**Description**	
Name	Moratorium-Expr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTBASELEM

Attribute	**Description**	
Name	AMORTBASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	PRINCIPAL,

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

START_MONTH

Attribute	**Description**	
Name	START_MONTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Book-Expr

Attribute	**Description**
Name	Book-Expr

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSGL

Attribute	Description
Name	REVLLOSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description

Name	Rekey-Det
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	200

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Product-Mis-Details

Attribute	Description	
Name	Product-Mis-Details	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description	Indicates MIS group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

POOLCD

Attribute	Description	
Name	POOLCD	
Datatype	String	
Description	Indicates Pool Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD1

Attribute	Description	
Name	CSTCD1	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String

Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDETYP

Attribute	Description
Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Deliquency-Notc

Attribute	Description

Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNCD

Attribute	**Description**	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stmtotrs-Det

Attribute	**Description**	
Name	Stmtotrs-Det	
Datatype		
Description	Indicates Stmtotrs-Det	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COND_NO

Attribute	**Description**	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQDAYS

Attribute	Description
Name	FREQDAYS
Datatype	Number
Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>CL_INT_STMT,CL_LOAN_STMT,</td></tr></table>

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS

Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCODE

Attribute	Description

Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCR_IND1

Attribute	Description
Name	DRCR_IND1
Datatype	String
Description	Indicates Debit / Credit Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETTIND

Attribute	Description
Name	NETTIND
Datatype	String
Description	Indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description

Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALREQD

Attribute	**Description**	
Name	REVALREQD	
Datatype	String	
Description	Indicates whether Revaluation is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REVALPRFGL

Attribute	**Description**	
Name	REVALPRFGL	
Datatype	String	
Description	Indicates Revaluation Profit GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALLOSSGL

Attribute	**Description**	
Name	REVALLOSSGL	
Datatype	String	
Description	Indicates Revaluation Loss GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALRATECD

Attribute	**Description**	
Name	REVALRATECD	
Datatype	String	
Description	Indicates Revaluation Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVALTXNCD

Attribute	Description	
Name	REVALTXNCD	
Datatype	String	
Description	Indicates Revaluation Transaction Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTREAT

Attribute	Description	
Name	HOLTREAT	
Datatype	String	
Description	Indicates Holiday Treatment. Y - Yes and N - No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

GAAPIND

Attribute	Description	
Name	GAAPIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	Description	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	Description
Name	DELINQPROD
Datatype	String
Description	Indicates Delinquency Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATE_TYPE_INDICATOR

Attribute	Description
Name	RATE_TYPE_INDICATOR
Datatype	String
Description	Indicates Rate Type Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number

Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC

Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECTYPE

Attribute	Description	
Name	EXECTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description	
Name	Prod-Event-Udf-C	
Datatype		
Description	Indicates Character User Defined Field Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELDNAME

Attribute	Description	
Name	FIELDNAME	
Datatype	String	
Description	Indicates User Defined Field Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Indicates Advice Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DATA_TYPE

Attribute	Description

Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASDESC

Attribute	Description

Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,H,A,

TOP

Brn-Restr

Attribute	**Description**	
Name	Brn-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNDES

Attribute	**Description**	
Name	BRNDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Ccy-Restr

Attribute	**Description**	
Name	Ccy-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Prod-Dtls-Cust

Attribute	**Description**	
Name	Prod-Dtls-Cust	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	**Description**	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

DFLTRULE

Attribute	Description
Name	DFLTRULE
Datatype	String
Description	Indicates default rule
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Credit-Score-Rule-Expr

Attribute	Description
Name	Credit-Score-Rule-Expr
Datatype	
Description	Indicates Credit Score Rule Expression
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE
Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	1

Restrictions	Description
maxLength	5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	2000

TOP

2.17.2.MO-CreateProduct-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-IO*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*
    - *MAXVAR*
    - *PARLIQ*
    - *LIQMOD*

ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY
CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL

HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASCDAC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO

BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ
      REVLPRFTGL
      REVLLOSSGL
      REVLRATECD
      REVLTXNCD
      HOLTR
      GAAPIND
      BALCHKBAT
      DLNQPRD
      ENTPRNO

- *Stch-Polcs*
  - *EXECTYPE*
  - *POLCD*
- *Stch-Adv*
  - *MSGTYPE*
  - *GENTIME*
  - *SUPRESS*
  - *PRIORITY*
  - *CHGREQ*
  - *FRMT*
- *Stch-Chgs*
  - *CHGCMP*

Liq-Order

- *CMPNAME*
- *LIQORDR*

Component-Det

CMPNAME

CMPTYPE

MAINCMP

CMPCCY

INTPOSTREQ

REPTYPE

PROPREQ

INCLUDEINEMI

DAYSMTH

DAYSYR

GRCDAYS

VERFUNDS

DAYSFRMCCY

IRRAPP

SPLINT

PENBASCMP

PRIODICITY

PM_FORMULA_TYPE

RATEUSE

BASELEM

BALTYPE

MORPERD

MORPERDUN

ACREQ_C

ACCRFREQ

ACCRSTMTH

ACCRSTDATE

PRPMTTHCCY

PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Moratorium
- *FORMULA*
- *RNDUPTO*
- *DFLTMORFRM*
- *MORLIQFRM*
- *CMPDDAYS*
- *CMPDMON*

- CMPDYR
- LIQMORTOEMI
- RNDUPDWN
- Moratorium-Expr
  - EXPRLINE
  - COND
  - RESULT
  - FRMTYPE
- Comp-Frm-Book
  - FORMULA
  - AMORT
  - RNDUPTO
  - CMPDDAYS
  - CMPDMON
  - CMPDYR
  - AMORTBASELEM
  - RNDUPDWN
  - DUE_DATES_ON
  - START_MONTH
  - Book-Expr
    - EXPRLINE
    - COND
    - RESULT
    - FRMTYPE
- Install-Status
  - STATCD
  - STATRULE
  - SEQNO
  - CMPPENACCR
  - STATDES
  - Stsh-Acct-Entry
    - TXNCD
    - DRCRIND
    - NETIND
    - ACCROLECD
    - AMTTAG
    - ROLETYPE
    - AMTTAGTYPE
    - MISHEAD
    - REVLREQ
    - REVLPRFTGL
    - REVLLOSGL
    - REVLRATECD
    - REVLTXNCD

HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5
Default-Mis-Codes
MISTYP
MISCLS
MISCD
KYID
UDFDETAILS
FLDNAM
FLDVAL
Prd-Dtls-Def
PRDCD
Prod-Ude
RTCHGRES
UDEID
UDEDESC

- UDETYP
- UDECCY
- MINUDEVAL
- MAXUDEVAL

Prod-Det-Rth

- PRDCD
- CLASCD
- Rth
  - MAPTYP
  - ACCROLE
  - ROLTYP
  - ACCHEAD
  - Rth-Expr
    - EXPRLINE
    - CONDITION
    - ACCHEAD

Prd-Dtls-Notc

- PRDCD
- PRDDESC
- Bill-Ntc
  - COND_NO
  - COND
  - NUM_DAYS
  - FRMT
- Revision-Notc
  - CONDNO
  - COND
  - NUMDAYS
  - FRMT
- Deliquency-Notc
  - COND_NO
  - COND
  - NUM_DAYS
  - FRMT
  - FREQ
- Ddnotc-Det
  - CONDNO
  - COND
  - NUM_DAYS
  - TXNCD
  - FRMT
- Stmtotrs-Det
  - COND_NO
  - COND

- *FREQ*
- *STARTDT*
- *FREQDAYS*
- *FRMT*
- *MSG_TYPE*
- *Prd-Notc*
  - *NOTICE_ID*
  - *COND_NO*
  - *COND*
  - *FRMT*
  - *FREQ*
  - *STARTDT*
  - *TENOR*
  - *NUMDAYS*
  - *TXNCD*
  - *NOTICE*
- *Prd-Dtls*
  - *PRDCD*
  - *CLASCD*
  - *Prod-Events*
    - *EVTCODE*
    - *Prod-Event-Acct-Rule*
      - *RUL_NO*
      - *COND*
      - *Prd-Event-Acct-Entry*
        - *TXNCD*
        - *DRCR_IND1*
        - *NETTIND*
        - *ACCROLECD*
        - *AMTTAG*
        - *ROLTYP*
        - *AMTTAGTYPE*
        - *MISHEAD*
        - *REVALREQD*
        - *REVALPRFGL*
        - *REVALLOSSGL*
        - *REVALRATECD*
        - *REVALTXNCD*
        - *HOLTREAT*
        - *GAAPIND*
        - *BALCHK*
        - *DELINQPROD*
        - *ENTPRNO*
        - *RATE_TYPE_INDICATOR*

- *Prod-Event-Adv-Rules*
  - *RULENO*
  - *COND*
  - *Prod-Event-Adv-Entry*
    - *MSGTYPE*
    - *GENTIME*
    - *SUPPRESS*
    - *PRIORITY*
    - *CHGREQ*
    - *FRMT*
- *Prod-Event-Chg*
  - *CHGCMP*
- *Prod-Event-Polc*
  - *POLCD*
  - *EXECTYPE*
- *Prod-Event-Udf-C*
  - *FIELDNAME*
  - *DESC*
  - *DATA_TYPE*
  - *FLDNO*
- *Prod-Event-Udf-N*
  - *FLDNAME*
  - *DESC*
  - *DATATYP*
  - *FLDNO*
- *Prod-Event-Udf-D*
  - *FLDNAME*
  - *DESC*
  - *DATA_TYPE*
  - *FLDNO*

Prod-Dtls-Ccy

- *PRDCD*
- *BRNLST*
- *CCYLST*
- *CLASCD*
- *Currency-Balances*
  - *CCYCD*
  - *ATM_CASH_LIMIT*
  - *RESIDUAL_AMOUNT*
  - *NEG_RESIDUE_AMT*
  - *EMI_ROUND_UPTO*
  - *EMI_ROUND_UP_DOWN*
  - *IRR_NUMER_DCOUNT_METH*
  - *IRR_DENOM_DCOUNT_MTH*

- *Brn-Restr*
  - *BRN*
  - *BRNDES*
- *Ccy-Restr*
  - *CCYCD*
  - *CCYDESC*
  - *MINLNAMT*
  - *MAXLNAMT*
  - *UNITS*
Prod-Dtls-Cust
- *PRDCD*
- *CCR*
- *CLASCD*
- *Category-Restrictions*
  - *CUSCAT*
  - *CUSCATDES*
- *Customer-Restrictions*
  - *CUSNO*
  - *ALLOWED*
  - *CUSDES*
Prd-Dtls-Udf
- *PRDCD*
- *Prd-Udf-Num*
  - *FLDNAME*
  - *FLDDESC*
  - *FLDNO*
- *Prd-Udf-Char*
  - *FLDNAME*
  - *FLDDESC*
  - *FIELDNO*
- *Prd-Udf-Dt*
  - *FLDNAME*
  - *FLDDESC*
  - *FLDNO*
Prod-Credit
- *PRDCD*
- *Credit-Score-Rule*
  - *RULNAME*
  - *DFLTRULE*
  - *Credit-Score-Rule-Expr*
    - *RULNAME*
    - *EXPLINE*
    - *COND*
    - *RSLT*

Product-Party
PARTYTYPE
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
PRDCD
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	**Description**	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	**Description**	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	**Description**	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	**Description**	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,C

TOP

RATETYPE

Attribute	**Description**	
Name	RATETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

NORMVAR

Attribute	**Description**	
Name	NORMVAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MAXVAR

Attribute	**Description**	
Name	MAXVAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARLIQ

Attribute	**Description**	
Name	PARLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M,C</td></tr></table>

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

DSBRMD

Attribute	Description
Name	DSBRMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

DRENT

Attribute	Description
Name	DRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

CRENT

Attribute	Description
Name	CRENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,S</td></tr></table>

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Q,S,Y,

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>T,E</td></tr></table>

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,D,M,Y

TOP

PASSBLFLG

Attribute	**Description**	
Name	PASSBLFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFLG

Attribute	**Description**	
Name	ATMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKRECALIQ

Attribute	**Description**	
Name	TRCKRECALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AMDPASTPDSCH

Attribute	**Description**	
Name	AMDPASTPDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHBOOKFLG

Attribute	Description	
Name	CHBOOKFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	Description	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	Description	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	Description	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	Description
Name	CLAGBILL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NTCDAYBAS

Attribute	Description
Name	NTCDAYBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,A

TOP

LIMPRD

Attribute	Description
Name	LIMPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PACKCRFLAG

Attribute	Description
Name	PACKCRFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHBAS

Attribute	Description
Name	SCHBAS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,C</td></tr></table>

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,L,B,N</td></tr></table>

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMVMTMATVAL

Attribute	**Description**	
Name	SCHMVMTMATVAL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

HOLCCYMAT

Attribute	**Description**	
Name	HOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MOVACMN

Attribute	**Description**	
Name	MOVACMN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMNMT

Attribute	**Description**	
Name	SCHMNMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

CASSCH

Attribute	Description	
Name	CASSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	Description	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	Description	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	Description
Name	HOLCCYSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

IGNHOL

Attribute	Description
Name	IGNHOL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCYMAT

Attribute	Description
Name	FACHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,D</td></tr></table>

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,</td></tr></table>

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,R,</td></tr></table>

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,P,A,

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / V,I,

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MINEMIAMT

Attribute	**Description**	
Name	MINEMIAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

STATUSAPPFORAGUA

Attribute	**Description**	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,A

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>NORM,TDAT,FDAT,FDMD,TDVD</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

HOLPERD

Attribute	Description
Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Rollcomp-Det

Attribute	Description

Name	Rollcomp-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description
Name	LEAST_CUR_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description
Name	COMPOUND_ON_STCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Status-Det

Attribute	Description
Name	Status-Det
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TOSTAT

Attribute	Description
Name	TOSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,C,</td></tr></table>

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

ACCROLECD

Attribute	Description

Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	**Description**	
Name	REVLREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REVLPRFTGL

Attribute	**Description**	
Name	REVLPRFTGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLLOSSGL

Attribute	**Description**	
Name	REVLLOSSGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLRATECD

Attribute	**Description**	
Name	REVLRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVLTXNCD

Attribute	Description	
Name	REVLTXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTR

Attribute	Description	
Name	HOLTR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

GAAPIND

Attribute	Description	
Name	GAAPIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHKBAT

Attribute	Description	
Name	BALCHKBAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,A,

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description

Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CMPNAME

Attribute	Description	
Name	CMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description	
Name	MAINCMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CMPCCY

Attribute	Description	
Name	CMPCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REPTYPE

Attribute	Description
Name	REPTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PROPREQ

Attribute	Description
Name	PROPREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

INCLUDEINEMI

Attribute	Description
Name	INCLUDEINEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

IRRAPP

Attribute	Description	
Name	IRRAPP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PENBASCMP

Attribute	Description	
Name	PENBASCMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PRIODICITY

Attribute	Description	
Name	PRIODICITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	Description
Name	RATEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

BASELEM

Attribute	Description
Name	BASELEM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

BALTYPE

Attribute	Description
Name	BALTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,C

TOP

MORPERD

Attribute	Description
Name	MORPERD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,H,Q,Y,</td></tr></table>

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCRSTDATE

Attribute	**Description**	
Name	ACCRSTDATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRPMTTHCCY

Attribute	**Description**	
Name	PRPMTTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRPMTTHAMT

Attribute	**Description**	
Name	PRPMTTHAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPOUNDINGREQ

Attribute	**Description**	
Name	COMPOUNDINGREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	**Description**
Name	COMPOUND_ON_OVERDUE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description

Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTMON

Attribute	Description	
Name	STARTMON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	Description	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULA

Attribute	Description	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

CLSSN

Attribute	Description	
Name	CLSSN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,M,</td></tr></table>

TOP

CAPTLD

Attribute	Description
Name	CAPTLD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description

Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description	
Name	RESULT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

FRMTYPE

Attribute	Description	
Name	FRMTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Comp-Frm-Moratorium

Attribute	Description	
Name	Comp-Frm-Moratorium	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA

Attribute	Description	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

RNDUPTO

Attribute	Description

Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

RESULT

Attribute	**Description**	
Name	RESULT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

FRMTYPE

Attribute	**Description**	
Name	FRMTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Comp-Frm-Book

Attribute	**Description**	
Name	Comp-Frm-Book	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CMPDYR

Attribute	**Description**	
Name	CMPDYR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTBASELEM

Attribute	**Description**	
Name	AMORTBASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	PRINCIPAL,

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

START_MONTH

Attribute	**Description**
Name	START_MONTH

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

SEQNO

Attribute	Description
Name	SEQNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,R,</td></tr></table>

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLLOSGL

Attribute	Description
Name	REVLLOSGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

GAAPIND

Attribute	**Description**	
Name	GAAPIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHKBAT

Attribute	**Description**	
Name	BALCHKBAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DLNQPRD

Attribute	**Description**	
Name	DLNQPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MISTYP

Attribute	Description
Name	MISTYP
Datatype	String

Description	Indicates MIS type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	Indicates MIS class.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

KYID

Attribute	Description
Name	KYID
Datatype	String
Description	Indicates Key ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDETYP

Attribute	Description
Name	UDETYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,U</td></tr></table>

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONDITION

Attribute	Description	
Name	CONDITION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

ACCHEAD

Attribute	Description	
Name	ACCHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Prd-Dtls-Notc

Attribute	Description	
Name	Prd-Dtls-Notc	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Deliquency-Notc

Attribute	**Description**	
Name	Deliquency-Notc	
Datatype		
Description	Indicates Deliquency Notice	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COND_NO

Attribute	**Description**	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

NUM_DAYS

Attribute	**Description**

Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det
Datatype	
Description	Indicates Stmtotrs-Det

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQDAYS

Attribute	Description
Name	FREQDAYS
Datatype	Number

Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCR_IND1

Attribute	**Description**	
Name	DRCR_IND1	
Datatype	String	
Description	Indicates Debit / Credit Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETTIND

Attribute	**Description**	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	**Description**	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	**Description**	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLTYP

Attribute	**Description**	
Name	ROLTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMTTAGTYPE

Attribute	**Description**	
Name	AMTTAGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	**Description**	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALREQD

Attribute	**Description**	
Name	REVALREQD	
Datatype	String	
Description	Indicates whether Revaluation is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REVALPRFGL

Attribute	Description	
Name	REVALPRFGL	
Datatype	String	
Description	Indicates Revaluation Profit GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALLOSSGL

Attribute	Description	
Name	REVALLOSSGL	
Datatype	String	
Description	Indicates Revaluation Loss GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALRATECD

Attribute	Description	
Name	REVALRATECD	
Datatype	String	
Description	Indicates Revaluation Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVALTXNCD

Attribute	Description	
Name	REVALTXNCD	
Datatype	String	
Description	Indicates Revaluation Transaction Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHK

Attribute	Description
Name	BALCHK
Datatype	String
Description	Indicates whether Balance Check is Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DELINQPROD

Attribute	Description
Name	DELINQPROD
Datatype	String
Description	Indicates Delinquency Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATE_TYPE_INDICATOR

Attribute	Description
Name	RATE_TYPE_INDICATOR
Datatype	String
Description	Indicates Rate Type Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number
Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME

Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D

Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,H,A,

TOP

Brn-Restr

Attribute	**Description**	
Name	Brn-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNDES

Attribute	**Description**	
Name	BRNDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Ccy-Restr

Attribute	**Description**	
Name	Ccy-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Cust

Attribute	Description
Name	Prod-Dtls-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCR

Attribute	Description
Name	CCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ALLOWED

Attribute	**Description**	
Name	ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSDES

Attribute	**Description**	
Name	CUSDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Prd-Dtls-Udf

Attribute	**Description**	
Name	Prd-Dtls-Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	100

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	1

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Credit-Score-Rule

Attribute	**Description**	
Name	Credit-Score-Rule	
Datatype		
Description	Indicates Credit Score Rule	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

DFLTRULE

Attribute	**Description**	
Name	DFLTRULE	
Datatype	String	
Description	Indicates default rule	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Credit-Score-Rule-Expr

Attribute	**Description**	
Name	Credit-Score-Rule-Expr	
Datatype		
Description	Indicates Credit Score Rule Expression	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE
Datatype	String
Description	Indicates Party Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MADC_RULE_NAME

Attribute	**Description**	
Name	MADC_RULE_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

MADC_DEFAULT_RULE

Attribute	**Description**	
Name	MADC_DEFAULT_RULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	**Description**	
Name	Min-Amt-Due-Rule-Exp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MADC_EXPR_LINE

Attribute	**Description**	
Name	MADC_EXPR_LINE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

2.17.3.MO-CreateProduct-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*
    - *MAXVAR*
    - *PARLIQ*
    - *LIQMOD*

ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY
CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL

HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C

BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ

REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT
PENBASCMP
PRIODICITY
PM_FORMULA_TYPE

RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*

- *COND*
- *RESULT*
- *FRMTYPE*

Comp-Frm-Moratorium

- *FORMULA*
- *RNDUPTO*
- *DFLTMORFRM*
- *MORLIQFRM*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *LIQMORTOEMI*
- *RNDUPDWN*
- *Moratorium-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Book

- *FORMULA*
- *AMORT*
- *RNDUPTO*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *AMORTBASELEM*
- *RNDUPDWN*
- *DUE_DATES_ON*
- *START_MONTH*
- *Book-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Install-Status

- *STATCD*
- *STATRULE*
- *SEQNO*
- *CMPPENACCR*
- *STATDES*
- *Stsh-Acct-Entry*
  - *TXNCD*
  - *DRCRIND*
  - *NETIND*

ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5
Default-Mis-Codes
MISCLS
MISCD

UDFDETAILS
- *FLDNAM*
- *FLDVAL*

Prd-Dtls-Def
- *PRDCD*
- *PRDDESC*
- *Prod-Ude*
  - *RTCHGRES*
  - *UDEID*
  - *UDEDESC*
  - *UDETYP*
  - *UDECCY*
  - *MINUDEVAL*
  - *MAXUDEVAL*

Prod-Det-Rth
- *PRDCD*
- *PRDDESC*
- *CLASCD*
- *CLASS_DESC*
- *Rth*
  - *MAPTYP*
  - *ACCROLE*
  - *ROLTYP*
  - *ACCHEAD*
  - *ROLDESC*
  - *HEADDESC*
  - *Rth-Expr*
    - *EXPRLINE*
    - *CONDITION*
    - *ACCHEAD*

Prd-Dtls-Notc
- *PRDCD*
- *PRDDESC*
- *Bill-Ntc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
- *Revision-Notc*
  - *CONDNO*
  - *COND*
  - *NUMDAYS*
  - *FRMT*
- *Deliquency-Notc*

COND_NO
COND
NUM_DAYS
FRMT
FREQ
Ddnotc-Det
CONDNO
COND
NUM_DAYS
TXNCD
FRMT
Stmtotrs-Det
COND_NO
COND
FREQ
STARTDT
FREQDAYS
FRMT
MSG_TYPE
Prd-Notc
NOTICE_ID
COND_NO
COND
FRMT
FREQ
STARTDT
TENOR
NUMDAYS
TXNCD
NOTICE
Prd-Dtls
PRDCD
PRDDESC
CLASCD
CLASS_DESC
Prod-Events
EVTCODE
EVTDES
Prod-Event-Acct-Rule
RUL_NO
COND
Prd-Event-Acct-Entry
TXNCD
DRCR_IND1

NETTIND
ACCROLECD
AMTTAG
ROLTYP
AMTTAGTYPE
MISHEAD
REVALREQD
REVALPRFGL
REVALLOSSGL
REVALRATECD
REVALTXNCD
HOLTREAT
GAAPIND
BALCHK
DELINQPROD
ENTPRNO
RATE_TYPE_INDICATOR
Prod-Event-Adv-Rules
RULENO
COND
Prod-Event-Adv-Entry
MSGTYPE
GENTIME
SUPPRESS
PRIORITY
CHGREQ
FRMT
DESC
Prod-Event-Chg
CHGCMP
Prod-Event-Polc
POLCD
EXECTYPE
Prod-Event-Udf-C
FIELDNAME
DESC
DATA_TYPE
FLDNO
Prod-Event-Udf-N
FLDNAME
DESC
DATATYP
FLDNO
Prod-Event-Udf-D

FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED
CUSDES
Prd-Dtls-Udf
PRDCD

PRDDESC
Prd-Udf-Num
FLDNAME
FLDDESC
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
FLDNO
Prod-Credit
Credit-Score-Rule
RULNAME
DFLTRULE
Credit-Score-Rule-Expr
RULNAME
EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
PARTYTYPEDESC
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>6</td></tr></table>

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,C</td></tr></table>

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

NORMVAR

Attribute	**Description**	
Name	NORMVAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MAXVAR

Attribute	**Description**	
Name	MAXVAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARLIQ

Attribute	**Description**	
Name	PARLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQMOD

Attribute	**Description**	
Name	LIQMOD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RPWNDUNIT

Attribute	Description	
Name	RPWNDUNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

DSBRMD

Attribute	Description	
Name	DSBRMD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

DRENT

Attribute	Description	
Name	DRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

CRENT

Attribute	Description	
Name	CRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFLG

Attribute	**Description**	
Name	ATMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKRECALIQ

Attribute	**Description**	
Name	TRCKRECALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AMDPASTPDSCH

Attribute	**Description**	
Name	AMDPASTPDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHBOOKFLG

Attribute	**Description**	
Name	CHBOOKFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	**Description**	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	**Description**	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	**Description**	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	**Description**	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	Description
Name	NTCDAYBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,A

TOP

LIMPRD

Attribute	Description
Name	LIMPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PACKCRFLAG

Attribute	Description
Name	PACKCRFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHBAS

Attribute	Description
Name	SCHBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,L,B,N</td></tr></table>

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

HOLCCYMAT

Attribute	**Description**	
Name	HOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MOVACMN

Attribute	**Description**	
Name	MOVACMN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMNMT

Attribute	**Description**	
Name	SCHMNMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

CASSCH

Attribute	**Description**	
Name	CASSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	Description	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	Description	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	Description	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	Description	
Name	IGNHOL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FACHOLCCYMAT

Attribute	Description	
Name	FACHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONHOLCCYMAT

Attribute	Description	
Name	CONHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LOCHOLCCYMAT

Attribute	Description	
Name	LOCHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,D</td></tr></table>

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,</td></tr></table>

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,R,</td></tr></table>

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,P,A,</td></tr></table>

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / V,I,

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	Description	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LEASE_PAYMENT_MODE

Attribute	Description	
Name	LEASE_PAYMENT_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description	
Name	LOAN_AGAINST_SAL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description	
Name	RETRIES_FOR_ADVICE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,A

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>NORM,TDAT,FDAT,FDMD,TDVD</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Holperiod-Det

Attribute	**Description**	
Name	Holperiod-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

HOLPERD

Attribute	**Description**	
Name	HOLPERD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

Rollcomp-Det

Attribute	**Description**	
Name	Rollcomp-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description

Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description	
Name	LEAST_CUE_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description

Name	TOSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description	
Name	AMTTAGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	Description	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Stch-Polcs

Attribute	**Description**	
Name	Stch-Polcs	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXECTYPE

Attribute	**Description**	
Name	EXECTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,A,O,

TOP

POLCD

Attribute	**Description**	
Name	POLCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REPTYPE

Attribute	Description
Name	REPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPREQ

Attribute	Description
Name	PROPREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INCLUDEINEMI

Attribute	Description
Name	INCLUDEINEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,P,

TOP

PM_FORMULA_TYPE

Attribute	**Description**	
Name	PM_FORMULA_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	**Description**	
Name	RATEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / D,C

TOP

MORPERD

Attribute	Description
Name	MORPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M,

TOP

CAPTLD

Attribute	Description
Name	CAPTLD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CMPDYR

Attribute	**Description**	
Name	CMPDYR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

Intermediate-Expr

Attribute	**Description**	
Name	Intermediate-Expr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMORTBASELEM

Attribute	Description
Name	AMORTBASELEM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>PRINCIPAL,</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,U,</td></tr></table>

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

START_MONTH

Attribute	Description
Name	START_MONTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

FRMTYPE

Attribute	**Description**	
Name	FRMTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Install-Status

Attribute	**Description**	
Name	Install-Status	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATCD

Attribute	**Description**	
Name	STATCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

STATRULE

Attribute	**Description**	
Name	STATRULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description	
Name	REVLPRFTGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLLOSGL

Attribute	Description	
Name	REVLLOSGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLRATECD

Attribute	Description	
Name	REVLRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVLTXNCD

Attribute	Description	
Name	REVLTXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2</td></tr></table>

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,F,P,</td></tr></table>

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD1

Attribute	Description	
Name	CSTCD1	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD2

Attribute	Description	
Name	CSTCD2	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD4

Attribute	Description	
Name	CSTCD4	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD5

Attribute	Description	
Name	CSTCD5	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM

Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDETYP

Attribute	Description

Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Rth

Attribute	Description

Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONDITION

Attribute	Description

Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Deliquency-Notc

Attribute	Description
Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det
Datatype	
Description	Indicates Stmtotrs-Det
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COND_NO

Attribute	Description	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	Description	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTDT

Attribute	Description	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FREQDAYS

Attribute	Description	
Name	FREQDAYS	
Datatype	Number	
Description	Indicates FREQUENCY DAYS	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COND_NO

Attribute	Description

Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO

Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCR_IND1

Attribute	Description
Name	DRCR_IND1
Datatype	String
Description	Indicates Debit / Credit Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLTYP

Attribute	Description	
Name	ROLTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL

Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	**Description**	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	**Description**	
Name	DELINQPROD	
Datatype	String	
Description	Indicates Delinquency Product Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATE_TYPE_INDICATOR

Attribute	**Description**	
Name	RATE_TYPE_INDICATOR	
Datatype	String	
Description	Indicates Rate Type Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number
Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description

Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME
Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: enumeration; Description: D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,H,A,

TOP

Brn-Restr

Attribute	Description
Name	Brn-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRNDES

Attribute	Description

Name	BRNDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ccy-Restr

Attribute	Description
Name	Ccy-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Cust

Attribute	Description
Name	Prod-Dtls-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	Description	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	Description	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Category-Restrictions

Attribute	Description	
Name	Category-Restrictions	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description

Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

DFLTRULE

Attribute	**Description**	
Name	DFLTRULE	
Datatype	String	
Description	Indicates default rule	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Credit-Score-Rule-Expr

Attribute	**Description**	
Name	Credit-Score-Rule-Expr	
Datatype		
Description	Indicates Credit Score Rule Expression	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE

Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description

Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description

Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.17.4.MO-CreateProduct-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Product-Details-PK*
      - *PRDCD*
    - *Product-Details-IO*
      - *PRDCD*
      - *PRDDESC*
      - *PRDSLG*
      - *PRDRMRKS*
      - *PRDSTRTDT*
      - *ENDDT*
      - *PRDGRP*
      - *NRMLRTVARI*
      - *MAXRTVARI*
      - *RTCODEPRFERD*
      - *RATECDPREF*
      - *PRDTYPE*
      - *RML*
      - *RATETYPE*
      - *NORMVAR*

MAXVAR
PARLIQ
LIQMOD
ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY

CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL
HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASCDAC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C

MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ
      REVLPRFTGL
      REVLLOSSGL
      REVLRATECD
      REVLTXNCD
      HOLTR
      GAAPIND

- BALCHKBAT
- DLNQPRD
- ENTPRNO
- Stch-Polcs
  - EXECTYPE
  - POLCD
- Stch-Adv
  - MSGTYPE
  - GENTIME
  - SUPRESS
  - PRIORITY
  - CHGREQ
  - FRMT
- Stch-Chgs
  - CHGCMP
- Liq-Order
  - CMPNAME
  - LIQORDR

Component-Det

- CMPNAME
- CMPTYPE
- MAINCMP
- CMPCCY
- INTPOSTREQ
- REPTYPE
- PROPREQ
- INCLUDEINEMI
- DAYSMTH
- DAYSYR
- GRCDAYS
- VERFUNDS
- DAYSFRMCCY
- IRRAPP
- SPLINT
- PENBASCMP
- PRIODICITY
- PM_FORMULA_TYPE
- RATEUSE
- BASELEM
- BALTYPE
- MORPERD
- MORPERDUN
- ACREQ_C
- ACCRFREQ

ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Moratorium
- *FORMULA*
- *RNDUPTO*
- *DFLTMORFRM*

MORLIQFRM
CMPDDAYS
CMPDMON
CMPDYR
LIQMORTOEMI
RNDUPDWN
Moratorium-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Comp-Frm-Book
FORMULA
AMORT
RNDUPTO
CMPDDAYS
CMPDMON
CMPDYR
AMORTBASELEM
RNDUPDWN
DUE_DATES_ON
START_MONTH
Book-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Install-Status
STATCD
STATRULE
SEQNO
CMPPENACCR
STATDES
Stsh-Acct-Entry
TXNCD
DRCRIND
NETIND
ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL

REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5
Default-Mis-Codes
MISTYP
MISCLS
MISCD
KYID
UDFDETAILS
FLDNAM
FLDVAL
Prd-Dtls-Def
PRDCD
Prod-Ude

- *RTCHGRES*
- *UDEID*
- *UDEDESC*
- *UDETYP*
- *UDECCY*
- *MINUDEVAL*
- *MAXUDEVAL*

Prod-Det-Rth

- *PRDCD*
- *CLASCD*
- *Rth*
  - *MAPTYP*
  - *ACCROLE*
  - *ROLTYP*
  - *ACCHEAD*
  - *Rth-Expr*
    - *EXPRLINE*
    - *CONDITION*
    - *ACCHEAD*

Prd-Dtls-Notc

- *PRDCD*
- *PRDDESC*
- *Bill-Ntc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
- *Revision-Notc*
  - *CONDNO*
  - *COND*
  - *NUMDAYS*
  - *FRMT*
- *Deliquency-Notc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
  - *FREQ*
- *Ddnotc-Det*
  - *CONDNO*
  - *COND*
  - *NUM_DAYS*
  - *TXNCD*
  - *FRMT*

- *Stmtotrs-Det*
  - *COND_NO*
  - *COND*
  - *FREQ*
  - *STARTDT*
  - *FREQDAYS*
  - *FRMT*
  - *MSG_TYPE*
- *Prd-Notc*
  - *NOTICE_ID*
  - *COND_NO*
  - *COND*
  - *FRMT*
  - *FREQ*
  - *STARTDT*
  - *TENOR*
  - *NUMDAYS*
  - *TXNCD*
  - *NOTICE*

Prd-Dtls

- *PRDCD*
- *CLASCD*
- *Prod-Events*
  - *EVTCODE*
  - *Prod-Event-Acct-Rule*
    - *RUL_NO*
    - *COND*
    - *Prd-Event-Acct-Entry*
      - *TXNCD*
      - *DRCR_IND1*
      - *NETTIND*
      - *ACCROLECD*
      - *AMTTAG*
      - *ROLTYP*
      - *AMTTAGTYPE*
      - *MISHEAD*
      - *REVALREQD*
      - *REVALPRFGL*
      - *REVALLOSSGL*
      - *REVALRATECD*
      - *REVALTXNCD*
      - *HOLTREAT*
      - *GAAPIND*
      - *BALCHK*

DELINQPROD
ENTPRNO
RATE_TYPE_INDICATOR
Prod-Event-Adv-Rules
RULENO
COND
Prod-Event-Adv-Entry
MSGTYPE
GENTIME
SUPPRESS
PRIORITY
CHGREQ
FRMT
Prod-Event-Chg
CHGCMP
Prod-Event-Polc
POLCD
EXECTYPE
Prod-Event-Udf-C
FIELDNAME
DESC
DATA_TYPE
FLDNO
Prod-Event-Udf-N
FLDNAME
DESC
DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BRNLST
CCYLST
CLASCD
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO

- *EMI_ROUND_UP_DOWN*
- *IRR_NUMER_DCOUNT_METH*
- *IRR_DENOM_DCOUNT_MTH*
- *Brn-Restr*
  - *BRN*
  - *BRNDES*
- *Ccy-Restr*
  - *CCYCD*
  - *CCYDESC*
  - *MINLNAMT*
  - *MAXLNAMT*
  - *UNITS*
- *Prod-Dtls-Cust*
  - *PRDCD*
  - *CCR*
  - *CLASCD*
  - *Category-Restrictions*
    - *CUSCAT*
    - *CUSCATDES*
  - *Customer-Restrictions*
    - *CUSNO*
    - *ALLOWED*
    - *CUSDES*
- *Prd-Dtls-Udf*
  - *PRDCD*
  - *Prd-Udf-Num*
    - *FLDNAME*
    - *FLDDESC*
    - *FLDNO*
  - *Prd-Udf-Char*
    - *FLDNAME*
    - *FLDDESC*
    - *FIELDNO*
  - *Prd-Udf-Dt*
    - *FLDNAME*
    - *FLDDESC*
    - *FLDNO*
- *Prod-Credit*
  - *PRDCD*
  - *Credit-Score-Rule*
    - *RULNAME*
    - *DFLTRULE*
    - *Credit-Score-Rule-Expr*
      - *RULNAME*

EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
PRDCD
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP

Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Product-Details-PK

Attribute	Description
Name	Product-Details-PK
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C

TOP

RATETYPE

Attribute	Description
Name	RATETYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

NORMVAR

Attribute	Description
Name	NORMVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RPWNDUNIT

Attribute	**Description**	
Name	RPWNDUNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

DSBRMD

Attribute	**Description**	
Name	DSBRMD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

DRENT

Attribute	**Description**	
Name	DRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

CRENT

Attribute	**Description**	
Name	CRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y,

TOP

AUTOMROLL

Attribute	Description	
Name	AUTOMROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

UDEROLLBAS

Attribute	Description	
Name	UDEROLLBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

ROLLWINT

Attribute	Description	
Name	ROLLWINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,S

TOP

VAMIACT

Attribute	Description	
Name	VAMIACT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	enumeration	T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMFLG

Attribute	Description
Name	ATMFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRCKRECALIQ

Attribute	Description
Name	TRCKRECALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AMDPASTPDSCH

Attribute	Description
Name	AMDPASTPDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHBOOKFLG

Attribute	Description
Name	CHBOOKFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	**Description**	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	**Description**	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	**Description**	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	**Description**	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	Description	
Name	NTCDAYBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A

TOP

LIMPRD

Attribute	Description	
Name	LIMPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PACKCRFLAG

Attribute	Description	
Name	PACKCRFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHBAS

Attribute	Description	
Name	SCHBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,L,B,N

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,P

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMNMT

Attribute	Description
Name	SCHMNMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,P

TOP

CASSCH

Attribute	Description
Name	CASSCH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	**Description**	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	**Description**	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	**Description**	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	**Description**	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	Description	
Name	IGNHOL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FACHOLCCYMAT

Attribute	Description	
Name	FACHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONHOLCCYMAT

Attribute	Description	
Name	CONHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LOCHOLCCYMAT

Attribute	Description	
Name	LOCHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMFLG

Attribute	Description	
Name	LIQCOMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,D

TOP

YACRFRQ

Attribute	Description	
Name	YACRFRQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,

TOP

PRPAYTR

Attribute	Description	
Name	PRPAYTR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,R,

TOP

ACQTYPE

Attribute	Description	
Name	ACQTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,P,A,

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>T,E,</td></tr></table>

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>V,I,</td></tr></table>

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASCDAC

Attribute	Description
Name	CLASCDAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

STATUSAPPFORAGUA

Attribute	Description
Name	STATUSAPPFORAGUA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,A

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BONLN_C

Attribute	Description	
Name	BONLN_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description	
Name	RATE_CHANGE_ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PGPERAPP_C

Attribute	Description	
Name	PGPERAPP_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

MULTNR_C

Attribute	Description	
Name	MULTNR_C	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>NORM,TDAT,FDAT,FDMD,TDVD</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

HOLPERD

Attribute	Description
Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description
Name	LEAST_CUR_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description
Name	COMPOUND_ON_STCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Status-Det

Attribute	Description
Name	Status-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TOSTAT

Attribute	Description
Name	TOSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description	
Name	AMTTAGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	Description	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Stch-Polcs

Attribute	**Description**	
Name	Stch-Polcs	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXECTYPE

Attribute	**Description**	
Name	EXECTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,A,O,

TOP

POLCD

Attribute	**Description**	
Name	POLCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REPTYPE

Attribute	Description	
Name	REPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPREQ

Attribute	Description	
Name	PROPREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INCLUDEINEMI

Attribute	Description	
Name	INCLUDEINEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSMTH

Attribute	Description	
Name	DAYSMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	**Description**	
Name	RATEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C

TOP

MORPERD

Attribute	**Description**	
Name	MORPERD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,M,

TOP

CAPTLD

Attribute	**Description**	
Name	CAPTLD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DUEON

Attribute	**Description**	
Name	DUEON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Comp-Frm-Intermediate

Attribute	**Description**	
Name	Comp-Frm-Intermediate	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQMORTOEMI

Attribute	**Description**	
Name	LIQMORTOEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

Moratorium-Expr

Attribute	**Description**	
Name	Moratorium-Expr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTBASELEM

Attribute	**Description**	
Name	AMORTBASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	PRINCIPAL,

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

START_MONTH

Attribute	**Description**	
Name	START_MONTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Book-Expr

Attribute	**Description**
Name	Book-Expr

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	Description	
Name	NETIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLLOSGL

Attribute	Description
Name	REVLLOSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description

Name	Rekey-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISTYP

Attribute	Description
Name	MISTYP
Datatype	String
Description	Indicates MIS type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String

Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

KYID

Attribute	Description
Name	KYID
Datatype	String
Description	Indicates Key ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDETYP

Attribute	Description
Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASCD

Attribute	Description
Name	CLASCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

ACCHEAD

Attribute	Description

Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Deliquency-Notc

Attribute	Description

Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNCD

Attribute	**Description**	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stmtotrs-Det

Attribute	**Description**	
Name	Stmtotrs-Det	
Datatype		
Description	Indicates Stmtotrs-Det	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COND_NO

Attribute	**Description**	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQDAYS

Attribute	Description
Name	FREQDAYS
Datatype	Number
Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>CL_INT_STMT,CL_LOAN_STMT,</td></tr></table>

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTDT

Attribute	**Description**	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TENOR

Attribute	**Description**	
Name	TENOR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NUMDAYS

Attribute	**Description**
Name	NUMDAYS

Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO

Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCR_IND1

Attribute	Description
Name	DRCR_IND1
Datatype	String
Description	Indicates Debit / Credit Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLTYP

Attribute	Description	
Name	ROLTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL

Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	**Description**	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	**Description**	
Name	DELINQPROD	
Datatype	String	
Description	Indicates Delinquency Product Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATE_TYPE_INDICATOR

Attribute	**Description**	
Name	RATE_TYPE_INDICATOR	
Datatype	String	
Description	Indicates Rate Type Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number
Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENTIME

Attribute	**Description**	
Name	GENTIME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,A,

TOP

SUPPRESS

Attribute	**Description**	
Name	SUPPRESS	
Datatype	String	
Description	Indicates whether Advice needs to be Suppressed	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

PRIORITY

Attribute	**Description**	
Name	PRIORITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGREQ

Attribute	**Description**	
Name	CHGREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME
Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description

Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,H,A,

TOP

Brn-Restr

Attribute	Description
Name	Brn-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRNDES

Attribute	Description
Name	BRNDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ccy-Restr

Attribute	Description
Name	Ccy-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Cust

Attribute	Description
Name	Prod-Dtls-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCR

Attribute	Description
Name	CCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

DFLTRULE

Attribute	**Description**	
Name	DFLTRULE	
Datatype	String	
Description	Indicates default rule	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Credit-Score-Rule-Expr

Attribute	**Description**	
Name	Credit-Score-Rule-Expr	
Datatype		
Description	Indicates Credit Score Rule Expression	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXPLINE

Attribute	**Description**	
Name	EXPLINE	
Datatype	String	
Description	Indicates expression line	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE
Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REPEATING

Attribute	Description
Name	REPEATING

Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Min-Amt-Due-Rule

Attribute	**Description**	
Name	Min-Amt-Due-Rule	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MADC_RULE_NAME

Attribute	**Description**	
Name	MADC_RULE_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

MADC_DEFAULT_RULE

Attribute	**Description**	
Name	MADC_DEFAULT_RULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.18.QueryCustSum

QueryCustSum

2.18.1.MO-Custsum-Qry-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Custsum-Qry-Req*
    - *SCODE*
    - *XrefType*
    - *BRN*
    - *CPTY*
    - *ISAVAIL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String

Description	
Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	

Restrictions	Description
enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) product

TOP

MO-Custsum-Qry-Req

Attribute	Description
Name	MO-Custsum-Qry-Req
Datatype	
Description	Indicates MO-Customer summary Query Request type.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CPTY

Attribute	Description
Name	CPTY
Datatype	String
Description	Indicates Counter Party.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates the Rollover Status. Y for Yes;N for No.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

2.18.2.MO-Custsum-Qry-Res-FULL-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Custsum-Qry-Res-Full*
    - *XREF*
    - *CPTYSUMMARY*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *PRD*
      - *CPTY*
      - *CCY*
      - *ISAVAIL*
  - *MO-Custsum-Qry-Req*
    - *SCODE*
    - *XrefType*
    - *BRN*
    - *CPTY*
    - *ISAVAIL*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

Custsum-Qry-Res-Full

Attribute	Description
Name	Custsum-Qry-Res-Full
Datatype	
Description	Indicates MO-Customer summary Query Response Full type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CPTYSUMMARY

Attribute	Description
Name	CPTYSUMMARY
Datatype	
Description	Indicates the Counter Party Summary.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ALTACCNO

Attribute	**Description**	
Name	ALTACCNO	
Datatype	String	
Description	Indicates the Alternate Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRD

Attribute	**Description**	
Name	PRD	
Datatype	String	
Description	Indicates the Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CPTY

Attribute	**Description**	
Name	CPTY	
Datatype	String	
Description	Indicates Counter Party.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description	Indicates the Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates the Rollover Status. Y for Yes;N for No.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-Custsum-Qry-Req

Attribute	Description
Name	MO-Custsum-Qry-Req
Datatype	
Description	Indicates MO-Customer summary Query Request type.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CPTY

Attribute	Description
Name	CPTY
Datatype	String
Description	Indicates Counter Party.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates the Rollover Status. Y for Yes;N for No.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.19.DeleteVami

DeleteVami

2.19.1.MO-Del-Vami-Req-Full-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MODelVamiReq*
  - *SCODE*
  - *XREF*
  - *ACCNO*
  - *BRN*
  - *ALTACCNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String

Description	
Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	

Restrictions	Description
enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

MODelVamiReq

Attribute	Description
Name	MODelVamiReq
Datatype	
Description	

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	It indicates Source Code
Restrictions	

Restrictions	Description
maxLength	15

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

2.19.2.MO-Del-Vami-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Del-Vami-Req-IO*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete the loan Amendment

TOP

MO-Del-Vami-Req-IO

Attribute	Description
Name	MO-Del-Vami-Req-IO
Datatype	
Description	It indicates Delete Value Dated Amendment IO Request details of Mortgages module

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.19.3.MO-Del-Vami-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MODelVamiRes*
      - *ACCNO*
      - *BRN*
      - *REPLY*
    - *MO-Del-Vami-Req*
      - *ACCNO*
      - *BRN*
      - *REPLY*
    - *MO-Del-Vami-Req-IO*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the format of response message for a new MO(Mortgages) Vami Deletion

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MODelVamiRes

Attribute	Description
Name	MODelVamiRes
Datatype	
Description	It indicates Delete Value Dated Amendment Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

REPLY

Attribute	Description
Name	REPLY
Datatype	String
Description	It indicates Reply
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MO-Del-Vami-Req

Attribute	Description
Name	MO-Del-Vami-Req
Datatype	
Description	It indicates Delete Value Dated Amendment Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REPLY

Attribute	Description
Name	REPLY
Datatype	String
Description	It indicates Reply
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MO-Del-Vami-Req-IO

Attribute	Description
Name	MO-Del-Vami-Req-IO
Datatype	
Description	It indicates Delete Value Dated Amendment IO Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.19.4.MO-Del-Vami-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MODelVamiRes*
    - *ACCNO*
    - *BRN*
    - *REPLY*
  - *MO-Del-Vami-Req*
    - *ACCNO*
    - *BRN*
    - *REPLY*
  - *MO-Del-Vami-Req-IO*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the format of response message for a new MO(Mortgages) Vami Deletion

TOP

MODelVamiRes

Attribute	Description
Name	MODelVamiRes
Datatype	

Description	It indicates Delete Value Dated Amendment Response details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REPLY

Attribute	Description
Name	REPLY
Datatype	String
Description	It indicates Reply
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MO-Del-Vami-Req

Attribute	Description
Name	MO-Del-Vami-Req
Datatype	
Description	It indicates Delete Value Dated Amendment Request details of Mortgages module

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REPLY

Attribute	**Description**	
Name	REPLY	
Datatype	String	
Description	It indicates Reply	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

MO-Del-Vami-Req-IO

Attribute	**Description**	
Name	MO-Del-Vami-Req-IO	
Datatype		
Description	It indicates Delete Value Dated Amendment IO Request details of Mortgages module	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.20.DeleteCLAdhoc

DeleteCLAdhoc

2.20.1.MO-Delete-Adhoc-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Delete-Adhoc-Req*
    - *ACCNO*
    - *BRN*
    - *INTREFNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete AdhocChg

TOP

MO-Delete-Adhoc-Req

Attribute	Description
Name	MO-Delete-Adhoc-Req
Datatype	
Description	Mortgages delete Adhoc Request Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the account number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	indicates the branch code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	indicates internal reference number
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

2.20.2.MO-Delete-Adhoc-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Delete-AdhocChg-Res-PK*
      - *ACCNO*
      - *BRN*
      - *INTREFNO*
    - *MO-Delete-Adhoc-Req*
      - *ACCNO*
      - *BRN*
      - *INTREFNO*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete AdhocChg

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Delete-AdhocChg-Res-PK

Attribute	Description
Name	Delete-AdhocChg-Res-PK
Datatype	
Description	Mortgages delete Adhoc PK response Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicate account number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicate branch code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	indicate Internal Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MO-Delete-Adhoc-Req

Attribute	Description
Name	MO-Delete-Adhoc-Req
Datatype	
Description	Mortgages delete Adhoc Request Details.

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicate account number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicate branch code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	indicate Internal Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.21.DeleteDisbursement

DeleteDisbursement

2.21.1.MO-Delete-Disbursement-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Delete-Disbursement-Req-IO*
    - *ACCNO*
    - *BRN*
    - *XREF*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

MO-Delete-Disbursement-Req-IO

Attribute	Description
Name	MO-Delete-Disbursement-Req-IO
Datatype	
Description	Indicates MO Disbursement Delete Request-IO type.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.21.2.MO-Delete-Disbursement-Res-PK-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *CHOICE*
  - *MODeleteDsbrResPK*
    - *ACCNO*
    - *BRN*
    - *ESN*
  - *MO-Delete-Disbursement-Req-IO*
    - *ACCNO*
    - *BRN*
    - *XREF*
- *FCUBS_ERROR_RESP*
  - *ERROR*
    - *ECODE*
    - *EDESC*
- *FCUBS_WARNING_RESP*
  - *WARNING*
    - *WCODE*
    - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MODeleteDsbrResPK

Attribute	Description
Name	MODeleteDsbrResPK
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Branch.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MO-Delete-Disbursement-Req-IO

Attribute	Description
Name	MO-Delete-Disbursement-Req-IO
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.22.DeleteInstStatChg

DeleteInstStatChg

2.22.1.MO-Delete-InstStatChg-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Delete-InstStatChg-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *COMPNAME*
    - *SCHDUEDT*
    - *EFFDT*
    - *CURRSTAT*
    - *NEWSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete MO(Mortgages) account install status change

TOP

MO-Delete-InstStatChg-Req

Attribute	Description
Name	MO-Delete-InstStatChg-Req
Datatype	
Description	Mortgages Delete Inst Stat Change Request details

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicate Schedule Due Date

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicate effective date

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates new status
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicate auth status A authorised U unauthorised
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.22.2.MO-Delete-InstStatChg-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Delete-InstStatChg-Res-PK*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *ESN*
    - *MO-Delete-InstStatChg-Req*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *EFFDT*
      - *CURRSTAT*
      - *NEWSTAT*
      - *AUTHSTAT*
  - *FCUBS_WARNING_RESP*

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a response to Delete MO(Mortgages) account install status change

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Delete-InstStatChg-Res-PK

Attribute	Description
Name	Delete-InstStatChg-Res-PK
Datatype	
Description	Mortgages Delete Inst Stat Change response details

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicate account number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicate branch code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicate schedule due date

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates event sequence number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

MO-Delete-InstStatChg-Req

Attribute	Description
Name	MO-Delete-InstStatChg-Req
Datatype	
Description	Mortgages Delete Inst Stat Change details

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicate account number

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicate branch code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicate schedule due date

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicate effective date

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description

Name	NEWSTAT
Datatype	String
Description	Indicates new status
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicate auth status A authorised U unauthorised
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.23.DeleteStatusChange

DeleteStatusChange

2.23.1.MO-Delete-StatusChange-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Delete-StatusChange-Req-IO*
    - *SCODE*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete a MO(Mortgages) status change

TOP

MO-Delete-StatusChange-Req-IO

Attribute	Description
Name	MO-Delete-StatusChange-Req-IO
Datatype	
Description	Mortgages Status Chages Request IO Details

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.23.2.MO-Delete-StatusChange-Res-PK-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *CHOICE*
  - *MODELSTCHRESPK*
    - *ACCNO*
    - *BRN*
  - *MO-Delete-StatusChange-Req-IO*
    - *SCODE*
    - *ACCNO*
    - *BRN*
- *FCUBS_ERROR_RESP*
  - *ERROR*
    - *ECODE*
    - *EDESC*
- *FCUBS_WARNING_RESP*
  - *WARNING*
    - *WCODE*
    - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete a MO(Mortgages) status change

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MODELSTCHRESPK

Attribute	Description
Name	MODELSTCHRESPK
Datatype	
Description	Mortgages Status Change Response PK Details.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MO-Delete-StatusChange-Req-IO

Attribute	Description
Name	MO-Delete-StatusChange-Req-IO
Datatype	
Description	Mortgages Status Change Request PK Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Description.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Description.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.24.DeleteAccTrfr

DeleteAccTrfr

2.24.1.MO-DeleteAccTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Master-Full

Attribute	Description

Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description

Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description

Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>150</td></tr><tr><td>minLength</td><td>0</td></tr></table>

TOP

2.24.2.MO-DeleteAccTrfr-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-IO*
    - *TRANSFER_ID*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.24.3.MO-DeleteAccTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Master-Full

Attribute	Description
Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

TARGET_BRANCH_NAME

Attribute	**Description**	
Name	TARGET_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CURRENT_BRANCH_NAME

Attribute	**Description**	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.24.4.MO-DeleteAccTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Master-PK*
      - *TRANSFER_ID*
    - *Master-IO*
      - *TRANSFER_ID*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Master-PK

Attribute	Description
Name	Master-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.25.DeleteMortgage

DeleteMortgage

2.25.1.MO-DeleteMortgage-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*

MATTYP
NETPRIN
INDEXXRATE
BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT

DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE

CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT
MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2

INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE
FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1

- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Components

- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROMODECR*
- *GIROSERVICECR*
- *GIRONUMBERCR*
- *PAYERACCNOCR*
- *PAYERBANKCDCR*
- *PAYERBRNCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *IRRAPPL*
- *SVCACCBRN*
- *EXTACCNOCR*
- *EXTACCNAMECR*
- *CLGBANKCDCR*
- *CLGBRNCDCR*
- *PCCATCR*
- *EXTACCNODR*
- *EXTACCNAMEDR*
- *CLGBANKCDDR*
- *CLGBRNCDDR*
- *CLGPRDCDDR*
- *SECTORCDDR*
- *FUNDDURINGINIT*
- *FUNDDURINGROLL*
- *COMPCCY*
- *UPLDSOURCEDR*
- *UPLDSOURCECR*
- *COMPNAME*
- *DRACCBRN*

CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR

Comp-Sch

- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *SCHTYP*
- *SCHFLG*

Acc-Sch-Cmp

- *SCHDUEDT*
- *GRACEDAYS*
- *ORIGAMTDUE*
- *AMTDUE*
- *ADJAMT*
- *AMTSETTL*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUIV*
- *DLYAVGAMT*
- *EMAMT*
- *SCHFLG*
- *WAIVERFLG*
- *SCHLINK*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJ*

- *ADJSETTL*
- *SCHSTATUS*
- *ACCGL*
- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

- *Revisions*
  - *ACCNO*
  - *BRN*
  - *COMPNAME*
  - *SCHSTDT*
  - *SCHDUEDT*
  - *APPLIEDFLG*
  - *SCHLINK*
- *Comp-Gua-Cust*
  - *BRN*
  - *ACCNO*
  - *COMPNAME*
  - *LIQORD*
  - *CUSTNUM*
  - *CUSTNAME*
  - *Comp-Gua-Custacc*
    - *BRN*
    - *ACCNO*
    - *COMPNAME*
    - *GUACIFID*
    - *LIQORD*
    - *GUAACC*
    - *GUAACCBRN*
    - *GUACCY*
- *Chg-Comp*
  - *PAYERADD1DR*
  - *PAYERADD2DR*
  - *PAYERADD3DR*
  - *PAYERADD4DR*
  - *GIROMODECR*
  - *GIROSERVICECR*
  - *GIRONUMBERCR*
  - *PAYERACCNOCR*
  - *PAYERBANKCDCR*
  - *PAYERBRNCR*
  - *PAYERADD1CR*
  - *PAYERADD2CR*
  - *PAYERADD3CR*
  - *PAYERADD4CR*
  - *IRRAPPL*
  - *SVCACCBRN*
  - *EXTACCNOCR*
  - *EXTACCNAMECR*
  - *CLGBANKCDCR*

CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE

EFFDT

CONSOLCHG

Chg-Sch

- *SETTLEMENTCCY*
- *DUEDATE*
- *AMTDUE*
- *AMTWAIVED*
- *FORMULANAME*
- *SCHTYPE*
- *SCHSTDATE*
- *GRACEDAYS*
- *ORGAMT*
- *ADJAMT*
- *AMTSETTLED*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUI*
- *DLYAVGAMT*
- *EMIAMT*
- *SCHFLAG*
- *WAIVER*
- *SCHLINKAGE*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJUST*
- *ADJSETTLED*
- *SCHSTAT*
- *ACCGL*
- *LASTPMTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTLED*
- *LASTREADJRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTLED*
- *SUSPAMTCCY*
- *SUSPREADAMT*
- *SUSPREADSETTLED*
- *LASTSUSPXRATE*
- *IRRAPPLICABLE*
- *LISTDAYS*
- *LISTAVGAMT*

- *Chg-Dtls*
  - *COMPNAME*
  - *SCHDUEDT*
  - *AMTDUE*
  - *AMTSETTL*
  - *WAIVERFLG*
  - *EVENTCD*
  - *RECORDROWID*
- *Linkages*
  - *BRN*
  - *LINKTYP*
  - *LINKREFNO*
  - *LINKAMT*
  - *AMTBLKNO*
  - *SECUREDPORTION*
  - *CUSTID*
  - *LINKBRN*
  - *LINKSEQNO*
  - *EXRATE*
  - *CONVERTLINKAMT*
  - *CONVERTPAIDAMT*
- *Advices*
  - *MSGTYPE*
  - *SUPPRESS*
  - *PRIORITY*
- *Adv-Suppress*
  - *MSGTYPE*
- *Credit-Score*
  - *CREDIRSCORE*
  - *AUTOCRSCORE*
  - *AGENCYCD*
  - *EXTCRSCORE*
  - *RULENAME*
- *Asset-Vehicle*
  - *ACCNO*
  - *BRN*
  - *ASSETCLASS*
  - *ASSETTYP*
  - *ASSETSUBTYP*
  - *ASSETSTATUS*
  - *ASSETYEAR*
  - *ASSETMAKE*
  - *ASSETMODEL*
  - *ASSETBODY*

- *IDENTITYNO*
- *REGNO*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*

ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT

- *FREQ*
- *BAL*
- *COMMENTDET*

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*

COVRREQ
CHRGDET
OURCORRESP
RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5

BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3
BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Udf-Others
DESCCHAR1
DESCCHAR2
DESCCHAR3
DESCCHAR4
DESCCHAR5
DESCCHAR6
DESCCHAR7
DESCCHAR8
DESCCHAR9
DESCCHAR10
DESCCHAR11
DESCCHAR12
DESCCHAR13
DESCCHAR14
DESCCHAR15
DESCCHAR16
DESCCHAR17
DESCCHAR18
DESCCHAR19
DESCCHAR20
DESCCHAR22
DESCCHAR23
DESCCHAR24
DESCCHAR25
DESCCHAR26
DESCCHAR27
DESCCHAR28
DESCCHAR29

DESCCHAR30
DESCCHAR31
DESCCHAR32
DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER

- *POLICYAMOUNT*
- *POLICYSTDATE*
- *POLICYENDDATE*
- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*
- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*

- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*
- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*

COSTCD4
COSTCD5
TXNMIS1
TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9

- *TRANMIS10*
- *COMMIS1*
- *COMMIS2*
- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*

DELIVERYDT
VENDORCD
AGENTNAME
AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW

PROPTYP
DESC
PROPAREA
PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO

- *PROPSTATUS*
- *DATEOFCOMPLETION*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*

CCY
DOWNPMNT
ASSTFINAMT
DELLOC
DELDT
VENDCD
OSPRINC
OSPROF
VENDNAME

Builddtls

ASSTSEQNO
ASSTSTAT
GOODSTYP
DESC
CCY
DOWNPMNT
ASSTFINAMT
VENDCODE
PROFORMAINVOICENO
PROFORMAINVOICEDT
OSPRINC
OSPROF
VENDNAME

Serijadtls

ASSTSEQNO
ASSTSTAT
SERVTYP
GOODSTYPCD
BRANDCODE
QUNATITY
DELLOC
DELDATE
COURSENAME
EDUBENEF
EDUSTARTDT
EDUENDDT
RENTLOC
UNITNO
RENTPLOTNO
RENTBUILDNAME
PROJNAME
RENTAREA
RENTEMIRATE
TOTAREA

BUILTUPAREA
NOOFSTOREY
RENTSTDT
RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF

Equipvals
EVALNAME
EVALVAL
EVALDT
Master
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
Auto-Prepay
ACCNO
BRN
AUTOPRECUSTID
AUTOPRECCY
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
INTEREST_RATE
UPTO
CYCLE_START_DT
CYCLE_END_DT
CYCLE_NO
CURRENT_CYCLE
UNITS
CURR_CYCLE_CODE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

APPLNO

Attribute	**Description**	
Name	APPLNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROD

Attribute	**Description**	
Name	PROD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRODCAT

Attribute	**Description**	
Name	PRODCAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

USERDEFSTAT

Attribute	Description	
Name	USERDEFSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ALTACCNO

Attribute	Description	
Name	ALTACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

USERREFNO

Attribute	Description	
Name	USERREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SUBSIDYCUSTID

Attribute	Description	
Name	SUBSIDYCUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BOOKDT

Attribute	Description	
Name	BOOKDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VALDT

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MATDT

Attribute	Description	
Name	MATDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COMMITTYP

Attribute	**Description**	
Name	COMMITTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,R

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BILL_DUE_AMT

Attribute	**Description**	
Name	BILL_DUE_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTAVL

Attribute	**Description**	
Name	AMTAVL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTOMANROLL

Attribute	**Description**
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C,F,G,

TOP

PROMOID

Attribute	Description
Name	PROMOID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPECTED

Attribute	Description
Name	EXPECTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

Components

Attribute	**Description**	
Name	Components	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCNOCR

Attribute	**Description**	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	**Description**
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCCY

Attribute	**Description**
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	**Description**
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHANGERATE

Attribute	**Description**	
Name	EXCHANGERATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATEDRATE

Attribute	**Description**	
Name	NEGOTIATEDRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATIONREFNO

Attribute	**Description**	
Name	NEGOTIATIONREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ORGEXCHRATE

Attribute	**Description**	
Name	ORGEXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQUIDATION_MODE

Attribute	**Description**
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

NEGCOSTRATE

Attribute	**Description**	
Name	NEGCOSTRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNO

Attribute	**Description**	
Name	NEGREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXCHANGERTDER

Attribute	**Description**	
Name	EXCHANGERTDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGRATEDR

Attribute	**Description**	
Name	NEGRATEDR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNODR

Attribute	**Description**
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description
Name	READJSETTL
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LASTREADJXRATE

Attribute	Description
Name	LASTREADJXRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTSETTL

Attribute	Description
Name	SUSPAMTSETTL
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTLCY

Attribute	Description
Name	SUSPAMTLCY
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOT_DISBR

Attribute	Description
Name	TOT_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Chg-Dtls

Attribute	**Description**	
Name	Chg-Dtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHDUEDT

Attribute	**Description**	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTSETTL

Attribute	**Description**

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Vehicle,Home,Others,None

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	Description	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description	
Name	ASSETTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSUBTYP

Attribute	Description	
Name	ASSETSUBTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	Description	
Name	ASSETSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS2

Attribute	**Description**	
Name	PYMTDTLS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS3

Attribute	**Description**	
Name	PYMTDTLS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS4

Attribute	**Description**	
Name	PYMTDTLS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDRRCVRINFO1

Attribute	**Description**	
Name	SNDRRCVRINFO1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	**Description**	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR4

Attribute	**Description**	
Name	DESCCHAR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR5

Attribute	**Description**	
Name	DESCCHAR5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR6

Attribute	**Description**	
Name	DESCCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR7

Attribute	**Description**	
Name	DESCCHAR7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR8

Attribute	**Description**	
Name	DESCCHAR8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR9

Attribute	**Description**	
Name	DESCCHAR9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR10

Attribute	**Description**	
Name	DESCCHAR10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR11

Attribute	**Description**	
Name	DESCCHAR11	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR12

Attribute	Description
Name	DESCCHAR12
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR13

Attribute	Description
Name	DESCCHAR13
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR14

Attribute	Description
Name	DESCCHAR14
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR15

Attribute	Description
Name	DESCCHAR15
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR30

Attribute	Description	
Name	DESCCHAR30	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR31

Attribute	Description	
Name	DESCCHAR31	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR32

Attribute	Description	
Name	DESCCHAR32	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR33

Attribute	Description	
Name	DESCCHAR33	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR34

Attribute	Description
Name	DESCCHAR34
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR36

Attribute	Description
Name	DESCCHAR36
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR37

Attribute	Description
Name	DESCCHAR37
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR38

Attribute	Description
Name	DESCCHAR38
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGEMIPCNT

Attribute	**Description**
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDT

Attribute	**Description**
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Intermediary

Attribute	**Description**
Name	Intermediary
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INTERMEDIARY_CODE

Attribute	**Description**
Name	INTERMEDIARY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERMEDIARYNAME

Attribute	**Description**
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

POLICYTYPE

Attribute	Description
Name	POLICYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,P

TOP

INSURER

Attribute	Description
Name	INSURER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

INSURERADDR1

Attribute	Description
Name	INSURERADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MANAGEDBY

Attribute	**Description**	
Name	MANAGEDBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Property

Attribute	**Description**	
Name	Property	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description
Name	LINKED_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LBL_FIELD_DATE

Attribute	**Description**	
Name	LBL_FIELD_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Acc-Liq-Order

Attribute	**Description**	
Name	Acc-Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description	
Name	COSTCD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD3

Attribute	Description	
Name	COSTCD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD4

Attribute	Description	
Name	COSTCD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD5

Attribute	Description	
Name	COSTCD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS2

Attribute	Description	
Name	COMPMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MISGRPFUN

Attribute	Description
Name	MISGRPFUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS1

Attribute	Description
Name	TRANMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMMIS9

Attribute	Description
Name	COMMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMMIS10

Attribute	Description
Name	COMMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS1

Attribute	Description
Name	FUNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS2

Attribute	Description
Name	FUNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS3

Attribute	Description	
Name	FUNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS4

Attribute	Description	
Name	FUNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS5

Attribute	Description	
Name	FUNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS6

Attribute	Description	
Name	FUNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Vhc-Dtls

Attribute	**Description**	
Name	Vhc-Dtls	
Datatype		
Description	Indicates Vehicle Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

REGEMIRATE

Attribute	**Description**	
Name	REGEMIRATE	
Datatype	String	
Description	Indicates whether Vehicle is Registered in Emirates	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description
Name	DISTORAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINANOCOUNTRY

Attribute	Description
Name	AREAINANOCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITY

Attribute	Description
Name	CITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CONTACTPERSON

Attribute	**Description**	
Name	CONTACTPERSON	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNO

Attribute	**Description**	
Name	CONTACTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPSTATUS

Attribute	**Description**	
Name	PROPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DATEOFCOMPLETION

Attribute	**Description**	
Name	DATEOFCOMPLETION	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

GOODSTYP

Attribute	Description
Name	GOODSTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROFORMAINVOICEDT

Attribute	**Description**	
Name	PROFORMAINVOICEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	**Description**	
Name	OSPRINC	
Datatype	Number	
Description	Indicates Vehicle Outstanding Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPROF

Attribute	**Description**	
Name	OSPROF	
Datatype	Number	
Description	Indicates Vehicle Outstanding Profit	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDNAME

Attribute	**Description**	
Name	VENDNAME	
Datatype	String	
Description	Indicates Vehicle Vendor Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Serijadtls

Attribute	**Description**
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CAPACITY

Attribute	Description	
Name	CAPACITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALBENEF

Attribute	Description	
Name	MEDICALBENEF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

MEDICALSTDT

Attribute	Description	
Name	MEDICALSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALENDDT

Attribute	Description	
Name	MEDICALENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	**Description**	
Name	AUTOPRECUSBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description	
Name	CYCLE_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLE_NO

Attribute	Description	
Name	CYCLE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CURRENT_CYCLE

Attribute	Description	
Name	CURRENT_CYCLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UNITS

Attribute	Description	
Name	UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

2.25.2.MO-DeleteMortgage-Req-IO-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Account-Master-IO
ACCNO
BRN

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

2.25.3.MO-DeleteMortgage-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*
    - *MATTYP*
    - *NETPRIN*
    - *INDEXXRATE*

BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC

CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR

PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE
CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT

MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2
INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE

FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1
  REMARK2
  REMARK3
  REMARK4

REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10

Components

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC

WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR
Comp-Sch
  UNIT
  SCHENDDT

AMT
PAYMODE
PMNTPRODAC
PAYDTLS
BENACC
BENBANK
BENNAME
CAPITALIZED
FIRSTDUEDT
WAIVERFLG
COMPOUNDDAYS
COMPOUNDMONTHS
COMPOUNDYEARS
EMIAMT
DUEDATESON
DAYSMTH
DAYSYEAR
FREQ
FORMULANAME
SCHSTARTDT
NOOFSCH
SCHTYP
SCHFLG
Acc-Sch-Cmp
SCHDUEDT
GRACEDAYS
ORIGAMTDUE
AMTDUE
ADJAMT
AMTSETTL
AMTOVERDUE
ACCRAMT
LCYEQUIV
DLYAVGAMT
EMAMT
SCHFLG
WAIVERFLG
SCHLINK
CAPITALIZED
PROCESSNO
AMTREADJ
ADJSETTL
SCHSTATUS
ACCGL

- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

Revisions

- *ACCNO*
- *BRN*

- COMPNAME
- SCHSTDT
- SCHDUEDT
- APPLIEDFLG
- SCHLINK
- Comp-Gua-Cust
  - BRN
  - ACCNO
  - COMPNAME
  - LIQORD
  - CUSTNUM
  - CUSTNAME
  - Comp-Gua-Custacc
    - BRN
    - ACCNO
    - COMPNAME
    - GUACIFID
    - LIQORD
    - GUAACC
    - GUAACCBRN
    - GUACCY
- Chg-Comp
  - PAYERADD1DR
  - PAYERADD2DR
  - PAYERADD3DR
  - PAYERADD4DR
  - GIROMODECR
  - GIROSERVICECR
  - GIRONUMBERCR
  - PAYERACCNOCR
  - PAYERBANKCDCR
  - PAYERBRNCR
  - PAYERADD1CR
  - PAYERADD2CR
  - PAYERADD3CR
  - PAYERADD4CR
  - IRRAPPL
  - SVCACCBRN
  - EXTACCNOCR
  - EXTACCNAMECR
  - CLGBANKCDCR
  - CLGBRNCDCR
  - PCCATCR
  - EXTACCNODR

EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
CONSOLCHG
Chg-Sch

SETTLEMENTCCY
DUEDATE
AMTDUE
AMTWAIVED
FORMULANAME
SCHTYPE
SCHSTDATE
GRACEDAYS
ORGAMT
ADJAMT
AMTSETTLED
AMTOVERDUE
ACCRAMT
LCYEQUI
DLYAVGAMT
EMIAMT
SCHFLAG
WAIVER
SCHLINKAGE
CAPITALIZED
PROCESSNO
AMTREADJUST
ADJSETTLED
SCHSTAT
ACCGL
LASTPMTVALDT
RETRYSTDT
MORAINT
SCHNO
WRITEOFFAMT
READJSETTLED
LASTREADJRATE
SUSPAMTDUE
SUSPAMTSETTLED
SUSPAMTCCY
SUSPREADAMT
SUSPREADSETTLED
LASTSUSPXRATE
IRRAPPLICABLE
LISTDAYS
LISTAVGAMT
Chg-Dtls
COMPNAME
SCHDUEDT

AMTDUE
AMTSETTL
WAIVERFLG
EVENTCD
RECORDROWID

Linkages

BRN
LINKTYP
LINKREFNO
LINKAMT
AMTBLKNO
SECUREDPORTION
CUSTID
LINKBRN
LINKSEQNO
EXRATE
CONVERTLINKAMT
CONVERTPAIDAMT

Advices

MSGTYPE
SUPPRESS
PRIORITY

Adv-Suppress

MSGTYPE

Credit-Score

CREDIRSCORE
AUTOCRSCORE
AGENCYCD
EXTCRSCORE
RULENAME

Asset-Vehicle

ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
IDENTITYNO
REGNO
ADDRESS1

- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*

ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT
FREQ
BAL
COMMENTDET

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*
- *COVRREQ*
- *CHRGDET*
- *OURCORRESP*

RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5
BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3

BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Udf-Others
DESCCHAR1
DESCCHAR2
DESCCHAR3
DESCCHAR4
DESCCHAR5
DESCCHAR6
DESCCHAR7
DESCCHAR8
DESCCHAR9
DESCCHAR10
DESCCHAR11
DESCCHAR12
DESCCHAR13
DESCCHAR14
DESCCHAR15
DESCCHAR16
DESCCHAR17
DESCCHAR18
DESCCHAR19
DESCCHAR20
DESCCHAR22
DESCCHAR23
DESCCHAR24
DESCCHAR25
DESCCHAR26
DESCCHAR27
DESCCHAR28
DESCCHAR29
DESCCHAR30
DESCCHAR31
DESCCHAR32

DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER
POLICYAMOUNT
POLICYSTDATE
POLICYENDDATE

- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*
- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*
- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*

- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*
- *COSTCD4*
- *COSTCD5*
- *TXNMIS1*

TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9
TRANMIS10
COMMIS1
COMMIS2

- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*
  - *DELIVERYDT*
  - *VENDORCD*
  - *AGENTNAME*

AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW
PROPTYP
DESC
PROPAREA

PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO
PROPSTATUS
DATEOFCOMPLETION
OSPRINC

- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*

- *DELLOC*
- *DELDT*
- *VENDCD*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Builddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Serijadtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*
- *BUILTUPAREA*
- *NOOFSTOREY*
- *RENTSTDT*

RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF
Equipvals
EVALNAME
EVALVAL

EVALDT
Master
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
Auto-Prepay
ACCNO
BRN
AUTOPRECUSTID
AUTOPRECCY
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
INTEREST_RATE
UPTO
CYCLE_START_DT
CYCLE_END_DT
CYCLE_NO
CURRENT_CYCLE
UNITS
CURR_CYCLE_CODE
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

APPLNO

Attribute	**Description**
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROD

Attribute	**Description**
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRODCAT

Attribute	**Description**
Name	PRODCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COMMITTYP

Attribute	**Description**	
Name	COMMITTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,R

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BILL_DUE_AMT

Attribute	**Description**	
Name	BILL_DUE_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTAVL

Attribute	**Description**	
Name	AMTAVL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTOMANROLL

Attribute	**Description**
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMODE

Attribute	**Description**	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	**Description**	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACCNOCR

Attribute	Description	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMECR

Attribute	Description	
Name	EXTACCNAMECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C,F,G,

TOP

PROMOID

Attribute	**Description**	
Name	PROMOID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Account-Stats

Attribute	**Description**	
Name	Account-Stats	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXPECTED

Attribute	**Description**	
Name	EXPECTED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	**Description**	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVE

Attribute	**Description**	
Name	WAIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	**Description**
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCCY

Attribute	**Description**
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	**Description**
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHANGERATE

Attribute	Description
Name	EXCHANGERATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATE

Attribute	Description
Name	NEGOTIATEDRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNO

Attribute	Description
Name	NEGOTIATIONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

NEGCOSTRATE

Attribute	**Description**	
Name	NEGCOSTRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNO

Attribute	**Description**	
Name	NEGREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXCHANGERTDER

Attribute	**Description**	
Name	EXCHANGERTDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGRATEDR

Attribute	**Description**	
Name	NEGRATEDR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNODR

Attribute	**Description**
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description
Name	READJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTREADJXRATE

Attribute	Description
Name	LASTREADJXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPAMTSETTL

Attribute	Description
Name	SUSPAMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPAMTLCY

Attribute	Description
Name	SUSPAMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHSTDT

Attribute	Description	
Name	SCHSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TOT_DISBR

Attribute	Description	
Name	TOT_DISBR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHLINK

Attribute	Description	
Name	SCHLINK	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	Description	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	Description	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Chg-Dtls

Attribute	**Description**	
Name	Chg-Dtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHDUEDT

Attribute	**Description**	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTSETTL

Attribute	**Description**

Name	AMTSETTL
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
enumeration	Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	1

Restrictions	

Restrictions	Description
maxLength	4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Vehicle,Home,Others,None</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	Description	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description	
Name	ASSETTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSUBTYP

Attribute	Description	
Name	ASSETSUBTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	Description	
Name	ASSETSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS2

Attribute	**Description**	
Name	PYMTDTLS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS3

Attribute	**Description**	
Name	PYMTDTLS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS4

Attribute	**Description**	
Name	PYMTDTLS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDRRCVRINFO1

Attribute	**Description**	
Name	SNDRRCVRINFO1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	**Description**	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR4

Attribute	**Description**	
Name	DESCCHAR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR5

Attribute	**Description**	
Name	DESCCHAR5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR6

Attribute	**Description**	
Name	DESCCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR7

Attribute	**Description**	
Name	DESCCHAR7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR8

Attribute	Description
Name	DESCCHAR8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR9

Attribute	Description
Name	DESCCHAR9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR10

Attribute	Description
Name	DESCCHAR10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR11

Attribute	Description
Name	DESCCHAR11
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR12

Attribute	Description	
Name	DESCCHAR12	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR13

Attribute	Description	
Name	DESCCHAR13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR14

Attribute	Description	
Name	DESCCHAR14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR15

Attribute	Description	
Name	DESCCHAR15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR30

Attribute	Description	
Name	DESCCHAR30	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR31

Attribute	Description	
Name	DESCCHAR31	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR32

Attribute	Description	
Name	DESCCHAR32	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR33

Attribute	Description	
Name	DESCCHAR33	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR34

Attribute	Description
Name	DESCCHAR34
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR36

Attribute	Description
Name	DESCCHAR36
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR37

Attribute	Description
Name	DESCCHAR37
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR38

Attribute	Description
Name	DESCCHAR38
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,H,Y,</td></tr></table>

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGEMIPCNT

Attribute	**Description**	
Name	CHGEMIPCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

Intermediary

Attribute	**Description**	
Name	Intermediary	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

INTERMEDIARY_CODE

Attribute	**Description**	
Name	INTERMEDIARY_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERMEDIARYNAME

Attribute	**Description**
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

POLICYTYPE

Attribute	Description
Name	POLICYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,P

TOP

INSURER

Attribute	Description
Name	INSURER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

INSURERADDR1

Attribute	Description
Name	INSURERADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MANAGEDBY

Attribute	**Description**	
Name	MANAGEDBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Property

Attribute	**Description**	
Name	Property	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description	
Name	LINKED_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LBL_FIELD_DATE

Attribute	**Description**	
Name	LBL_FIELD_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Acc-Liq-Order

Attribute	**Description**	
Name	Acc-Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCD5

Attribute	Description
Name	COSTCD5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS2

Attribute	Description	
Name	COMPMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS1

Attribute	**Description**	
Name	TRANMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS2

Attribute	**Description**	
Name	TRANMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS3

Attribute	**Description**	
Name	TRANMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS4

Attribute	**Description**	
Name	TRANMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS5

Attribute	**Description**	
Name	TRANMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS9

Attribute	**Description**	
Name	COMMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS10

Attribute	**Description**	
Name	COMMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS1

Attribute	**Description**	
Name	FUNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS2

Attribute	**Description**	
Name	FUNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS3

Attribute	Description	
Name	FUNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS4

Attribute	Description	
Name	FUNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS5

Attribute	Description	
Name	FUNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS6

Attribute	Description	
Name	FUNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Vhc-Dtls

Attribute	**Description**	
Name	Vhc-Dtls	
Datatype		
Description	Indicates Vehicle Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

REGEMIRATE

Attribute	**Description**	
Name	REGEMIRATE	
Datatype	String	
Description	Indicates whether Vehicle is Registered in Emirates	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description
Name	DISTORAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINANOCOUNTRY

Attribute	Description
Name	AREAINANOCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITY

Attribute	Description
Name	CITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTACTNO

Attribute	Description
Name	CONTACTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPSTATUS

Attribute	Description
Name	PROPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DATEOFCOMPLETION

Attribute	Description
Name	DATEOFCOMPLETION
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

GOODSTYP

Attribute	**Description**	
Name	GOODSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROFORMAINVOICEDT

Attribute	**Description**	
Name	PROFORMAINVOICEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	**Description**	
Name	OSPRINC	
Datatype	Number	
Description	Indicates Vehicle Outstanding Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPROF

Attribute	**Description**	
Name	OSPROF	
Datatype	Number	
Description	Indicates Vehicle Outstanding Profit	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDNAME

Attribute	**Description**	
Name	VENDNAME	
Datatype	String	
Description	Indicates Vehicle Vendor Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Serijadtls

Attribute	**Description**
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CAPACITY

Attribute	Description
Name	CAPACITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALBENEF

Attribute	Description
Name	MEDICALBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MEDICALSTDT

Attribute	Description
Name	MEDICALSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	**Description**	
Name	AUTOPRECUSBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description	
Name	CYCLE_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLE_NO

Attribute	Description	
Name	CYCLE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CURRENT_CYCLE

Attribute	Description	
Name	CURRENT_CYCLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UNITS

Attribute	Description	
Name	UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.25.4.MO-DeleteMortgage-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Account-Master-PK*
      - *ACCNO*
      - *BRN*
    - *Account-Master-IO*
      - *ACCNO*
      - *BRN*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Account-Master-PK

Attribute	Description
Name	Account-Master-PK
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	**Description**
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	**Description**	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.26.DeleteNotaryConfirm

DeleteNotaryConfirm

2.26.1.MO-DeleteNotaryConfirm-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltbs-Notary-Confirm-Full*
    - *BRANCHCODE*
    - *ACCOUNTNUMBER*
    - *NOTARYCONFDT*
    - *REMARKS*
    - *NOTARYSTATUS*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltbs-Notary-Confirm-Full

Attribute	Description
Name	Cltbs-Notary-Confirm-Full
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOTARYCONFDT

Attribute	Description
Name	NOTARYCONFDT
Datatype	Date
Description	Indicates Notary Confirm Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,R

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	Indicates MAKER ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates MAKER Date Stamp
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	Indicates CHECKER ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates CHECKER Date Stamp
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modulation Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	**Description**	
Name	TXNSTAT	
Datatype	String	
Description	Transaction Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Authorization Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

2.26.2.MO-DeleteNotaryConfirm-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Cltbs-Notary-Confirm-IO*
  - *BRANCHCODE*
  - *ACCOUNTNUMBER*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.26.3.MO-DeleteNotaryConfirm-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltbs-Notary-Confirm-Full*
    - *BRANCHCODE*
    - *ACCOUNTNUMBER*
    - *NOTARYCONFDT*
    - *REMARKS*
    - *NOTARYSTATUS*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltbs-Notary-Confirm-Full

Attribute	Description

Name	Cltbs-Notary-Confirm-Full
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOTARYCONFDT

Attribute	Description
Name	NOTARYCONFDT
Datatype	Date
Description	Indicates Notary Confirm Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,R

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description	Indicates MAKER ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates MAKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description	Indicates CHECKER ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates CHECKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	Indicates Modulation Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Transaction Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.26.4.MO-DeleteNotaryConfirm-Res-PK-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
CHOICE
Cltbs-Notary-Confirm-PK
BRANCHCODE
ACCOUNTNUMBER
Cltbs-Notary-Confirm-IO
BRANCHCODE
ACCOUNTNUMBER
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltbs-Notary-Confirm-PK

Attribute	Description
Name	Cltbs-Notary-Confirm-PK
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description

Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.27.DeleteProdTrfr

DeleteProdTrfr

2.27.1.MO-DeleteProdTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.27.2.MO-DeleteProdTrfr-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-IO*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

2.27.3.MO-DeleteProdTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description

Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	**Description**	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**

Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.27.4.MO-DeleteProdTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltb-Prod-Brn-Transfer-PK*
      - *TRANSFER_ID*
    - *Cltb-Prod-Brn-Transfer-IO*
      - *PRODUCT_CODE*
      - *CURRENT_BRANCH_CODESS*
      - *TARGET_BRANCH_CODESS*
      - *TRANSFER_DATE*
      - *TRANSFER_ID*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltb-Prod-Brn-Transfer-PK

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description

Name	WDESC
Datatype	String
Description	

TOP

2.28.DeleteProduct

Deletion of Mortgage Product

2.28.1.MO-DeleteProduct-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*

MAXVAR
PARLIQ
LIQMOD
ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY

CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL
HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C

AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE

AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT

PENBASCMP
PRIODICITY
PM_FORMULA_TYPE
RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*

- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Moratorium

- *FORMULA*
- *RNDUPTO*
- *DFLTMORFRM*
- *MORLIQFRM*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *LIQMORTOEMI*
- *RNDUPDWN*
- *Moratorium-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Book

- *FORMULA*
- *AMORT*
- *RNDUPTO*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *AMORTBASELEM*
- *RNDUPDWN*
- *DUE_DATES_ON*
- *START_MONTH*
- *Book-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Install-Status

- *STATCD*
- *STATRULE*
- *SEQNO*
- *CMPPENACCR*
- *STATDES*
- *Stsh-Acct-Entry*

TXNCD
DRCRIND
NETIND
ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5

- *Default-Mis-Codes*
  - *MISCLS*
  - *MISCD*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Prd-Dtls-Def*
  - *PRDCD*
  - *PRDDESC*
  - *Prod-Ude*
    - *RTCHGRES*
    - *UDEID*
    - *UDEDESC*
    - *UDETYP*
    - *UDECCY*
    - *MINUDEVAL*
    - *MAXUDEVAL*
- *Prod-Det-Rth*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Rth*
    - *MAPTYP*
    - *ACCROLE*
    - *ROLTYP*
    - *ACCHEAD*
    - *ROLDESC*
    - *HEADDESC*
    - *Rth-Expr*
      - *EXPRLINE*
      - *CONDITION*
      - *ACCHEAD*
- *Prd-Dtls-Notc*
  - *PRDCD*
  - *PRDDESC*
  - *Bill-Ntc*
    - *COND_NO*
    - *COND*
    - *NUM_DAYS*
    - *FRMT*
  - *Revision-Notc*
    - *CONDNO*
    - *COND*

- *NUMDAYS*
- *FRMT*
- *Deliquency-Notc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
  - *FREQ*
- *Ddnotc-Det*
  - *CONDNO*
  - *COND*
  - *NUM_DAYS*
  - *TXNCD*
  - *FRMT*
- *Stmtotrs-Det*
  - *COND_NO*
  - *COND*
  - *FREQ*
  - *STARTDT*
  - *FREQDAYS*
  - *FRMT*
  - *MSG_TYPE*
- *Prd-Notc*
  - *NOTICE_ID*
  - *COND_NO*
  - *COND*
  - *FRMT*
  - *FREQ*
  - *STARTDT*
  - *TENOR*
  - *NUMDAYS*
  - *TXNCD*
  - *NOTICE*
- *Prd-Dtls*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Prod-Events*
    - *EVTCODE*
    - *EVTDES*
    - *Prod-Event-Acct-Rule*
      - *RUL_NO*
      - *COND*

- *Prd-Event-Acct-Entry*
  - *TXNCD*
  - *DRCR_IND1*
  - *NETTIND*
  - *ACCROLECD*
  - *AMTTAG*
  - *ROLTYP*
  - *AMTTAGTYPE*
  - *MISHEAD*
  - *REVALREQD*
  - *REVALPRFGL*
  - *REVALLOSSGL*
  - *REVALRATECD*
  - *REVALTXNCD*
  - *HOLTREAT*
  - *GAAPIND*
  - *BALCHK*
  - *DELINQPROD*
  - *ENTPRNO*
  - *RATE_TYPE_INDICATOR*
- *Prod-Event-Adv-Rules*
  - *RULENO*
  - *COND*
  - *Prod-Event-Adv-Entry*
    - *MSGTYPE*
    - *GENTIME*
    - *SUPPRESS*
    - *PRIORITY*
    - *CHGREQ*
    - *FRMT*
    - *DESC*
- *Prod-Event-Chg*
  - *CHGCMP*
- *Prod-Event-Polc*
  - *POLCD*
  - *EXECTYPE*
- *Prod-Event-Udf-C*
  - *FIELDNAME*
  - *DESC*
  - *DATA_TYPE*
  - *FLDNO*
- *Prod-Event-Udf-N*
  - *FLDNAME*
  - *DESC*

DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED

CUSDES
Prd-Dtls-Udf
PRDCD
PRDDESC
Prd-Udf-Num
FLDNAME
FLDDESC
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
FLDNO
Prod-Credit
Credit-Score-Rule
RULNAME
DFLTRULE
Credit-Score-Rule-Expr
RULNAME
EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
PARTYTYPEDESC
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	Description	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRDSLG

Attribute	Description	
Name	PRDSLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDRMRKS

Attribute	Description	
Name	PRDRMRKS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDSTRTDT

Attribute	Description	
Name	PRDSTRTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

NORMVAR

Attribute	Description
Name	NORMVAR

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

DSBRMD

Attribute	Description	
Name	DSBRMD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

DRENT

Attribute	Description	
Name	DRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

CRENT

Attribute	Description	
Name	CRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

MINTEN

Attribute	Description	
Name	MINTEN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

UDEROLLBAS

Attribute	Description	
Name	UDEROLLBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

ROLLWINT

Attribute	Description	
Name	ROLLWINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,S

TOP

VAMIACT

Attribute	Description	
Name	VAMIACT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	enumeration	T,E

TOP

VAMIEMI

Attribute	Description	
Name	VAMIEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	enumeration	S,M,

TOP

ACINST

Attribute	Description	
Name	ACINST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	enumeration	S,M,

TOP

INTERESTONLYPERD

Attribute	Description	
Name	INTERESTONLYPERD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INTERESTONLYUNIT

Attribute	Description	
Name	INTERESTONLYUNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,D,M,Y

TOP

PASSBLFLG

Attribute	Description	
Name	PASSBLFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFLG

Attribute	Description
Name	ATMFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRCKRECALIQ

Attribute	Description
Name	TRCKRECALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AMDPASTPDSCH

Attribute	Description
Name	AMDPASTPDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHBOOKFLG

Attribute	Description
Name	CHBOOKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQBAKVLSCH

Attribute	Description
Name	LIQBAKVLSCH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	**Description**	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	**Description**	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	**Description**	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	**Description**	
Name	NTCDAYBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / P,A

TOP

LIMPRD

Attribute	Description
Name	LIMPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PACKCRFLAG

Attribute	Description
Name	PACKCRFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHBAS

Attribute	Description
Name	SCHBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,L,B,N

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,P</td></tr></table>

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMNMT

Attribute	Description
Name	SCHMNMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,P

TOP

CASSCH

Attribute	Description
Name	CASSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description
Name	ADHOCHOLTRREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	**Description**	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	**Description**	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	**Description**	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	**Description**	
Name	IGNHOL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FACHOLCCYMAT

Attribute	Description
Name	FACHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,D

TOP

YACRFRQ

Attribute	Description	
Name	YACRFRQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,

TOP

PRPAYTR

Attribute	Description	
Name	PRPAYTR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,R,

TOP

ACQTYPE

Attribute	Description	
Name	ACQTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,P,A,

TOP

RECMPBAS

Attribute	Description	
Name	RECMPBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>V,I,</td></tr></table>

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	**Description**	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>M,A</td></tr></table>

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / NORM,TDAT,FDAT,FDMD,TDVD

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BONUSPERCENT

Attribute	**Description**	
Name	BONUSPERCENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INIT_UPTO

Attribute	**Description**	
Name	INIT_UPTO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BONUSMTH1

Attribute	**Description**	
Name	BONUSMTH1	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLE_BASED_RATE

Attribute	**Description**	
Name	CYCLE_BASED_RATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BONUSMTH2

Attribute	**Description**
Name	BONUSMTH2
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CONVERTIBLE_CLASS

Attribute	**Description**	
Name	CONVERTIBLE_CLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

INIT_UNITS

Attribute	**Description**	
Name	INIT_UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

HOLPERD

Attribute	Description
Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description	
Name	TOSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRVRULE

Attribute	Description

Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCRIND

Attribute	**Description**	
Name	DRCRIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	**Description**	
Name	NETIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	**Description**	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	**Description**	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stch-Chgs

Attribute	**Description**	
Name	Stch-Chgs	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CHGCMP

Attribute	**Description**	
Name	CHGCMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Liq-Order

Attribute	**Description**	
Name	Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REPTYPE

Attribute	Description
Name	REPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPREQ

Attribute	Description
Name	PROPREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INCLUDEINEMI

Attribute	Description
Name	INCLUDEINEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	**Description**	
Name	RATEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C

TOP

MORPERD

Attribute	**Description**	
Name	MORPERD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,M,

TOP

CAPTLD

Attribute	**Description**	
Name	CAPTLD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DUEON

Attribute	**Description**	
Name	DUEON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Comp-Frm-Intermediate

Attribute	**Description**	
Name	Comp-Frm-Intermediate	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQMORTOEMI

Attribute	**Description**	
Name	LIQMORTOEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

Moratorium-Expr

Attribute	**Description**	
Name	Moratorium-Expr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTBASELEM

Attribute	**Description**	
Name	AMORTBASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	PRINCIPAL,

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

START_MONTH

Attribute	**Description**	
Name	START_MONTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Book-Expr

Attribute	**Description**
Name	Book-Expr

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	Description	
Name	NETIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLLOSGL

Attribute	Description
Name	REVLLOSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description

Name	Rekey-Det
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	200

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String

Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDETYP

Attribute	Description
Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Prd-Dtls-Notc

Attribute	**Description**	
Name	Prd-Dtls-Notc	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Bill-Ntc

Attribute	**Description**	
Name	Bill-Ntc	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Deliquency-Notc

Attribute	Description

Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNCD

Attribute	**Description**	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stmtotrs-Det

Attribute	**Description**	
Name	Stmtotrs-Det	
Datatype		
Description	Indicates Stmtotrs-Det	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COND_NO

Attribute	**Description**	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQDAYS

Attribute	Description
Name	FREQDAYS
Datatype	Number
Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>CL_INT_STMT,CL_LOAN_STMT,</td></tr></table>

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FRMT

Attribute	**Description**
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	**Description**
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	**Description**
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENOR

Attribute	**Description**
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NUMDAYS

Attribute	**Description**
Name	NUMDAYS

Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	Description	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description	
Name	Prod-Events	
Datatype		
Description	Indicates Product Event Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTCODE

Attribute	Description

Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description	
Name	Prd-Event-Acct-Entry	
Datatype		
Description	Indicates Accounting Entry Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TXNCD

Attribute	Description	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCR_IND1

Attribute	Description	
Name	DRCR_IND1	
Datatype	String	
Description	Indicates Debit / Credit Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description

Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL
Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVALTXNCD

Attribute	Description	
Name	REVALTXNCD	
Datatype	String	
Description	Indicates Revaluation Transaction Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTREAT

Attribute	Description	
Name	HOLTREAT	
Datatype	String	
Description	Indicates Holiday Treatment. Y - Yes and N - No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

GAAPIND

Attribute	Description	
Name	GAAPIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	Description	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	Description
Name	DELINQPROD
Datatype	String
Description	Indicates Delinquency Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATE_TYPE_INDICATOR

Attribute	Description
Name	RATE_TYPE_INDICATOR
Datatype	String
Description	Indicates Rate Type Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number

Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC

Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME
Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATA_TYPE

Attribute	Description

Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASDESC

Attribute	Description

Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,H,A,

TOP

Brn-Restr

Attribute	**Description**	
Name	Brn-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNDES

Attribute	**Description**	
Name	BRNDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Ccy-Restr

Attribute	**Description**	
Name	Ccy-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Prod-Dtls-Cust

Attribute	**Description**	
Name	Prod-Dtls-Cust	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	**Description**	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

DFLTRULE

Attribute	Description
Name	DFLTRULE
Datatype	String
Description	Indicates default rule
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

Credit-Score-Rule-Expr

Attribute	Description
Name	Credit-Score-Rule-Expr
Datatype	
Description	Indicates Credit Score Rule Expression
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>5</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE
Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>5</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

2.28.2.MO-DeleteProduct-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-IO*
    - *PRDCD*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

2.28.3.MO-DeleteProduct-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*
    - *MAXVAR*
    - *PARLIQ*
    - *LIQMOD*

ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY
CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL

HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C

BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ

REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT
PENBASCMP
PRIODICITY
PM_FORMULA_TYPE

RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*

COND
RESULT
FRMTYPE
Comp-Frm-Moratorium
FORMULA
RNDUPTO
DFLTMORFRM
MORLIQFRM
CMPDDAYS
CMPDMON
CMPDYR
LIQMORTOEMI
RNDUPDWN
Moratorium-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Comp-Frm-Book
FORMULA
AMORT
RNDUPTO
CMPDDAYS
CMPDMON
CMPDYR
AMORTBASELEM
RNDUPDWN
DUE_DATES_ON
START_MONTH
Book-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Install-Status
STATCD
STATRULE
SEQNO
CMPPENACCR
STATDES
Stsh-Acct-Entry
TXNCD
DRCRIND
NETIND

ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5
Default-Mis-Codes
MISCLS
MISCD

- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Prd-Dtls-Def*
  - *PRDCD*
  - *PRDDESC*
  - *Prod-Ude*
    - *RTCHGRES*
    - *UDEID*
    - *UDEDESC*
    - *UDETYP*
    - *UDECCY*
    - *MINUDEVAL*
    - *MAXUDEVAL*
- *Prod-Det-Rth*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Rth*
    - *MAPTYP*
    - *ACCROLE*
    - *ROLTYP*
    - *ACCHEAD*
    - *ROLDESC*
    - *HEADDESC*
    - *Rth-Expr*
      - *EXPRLINE*
      - *CONDITION*
      - *ACCHEAD*
- *Prd-Dtls-Notc*
  - *PRDCD*
  - *PRDDESC*
  - *Bill-Ntc*
    - *COND_NO*
    - *COND*
    - *NUM_DAYS*
    - *FRMT*
  - *Revision-Notc*
    - *CONDNO*
    - *COND*
    - *NUMDAYS*
    - *FRMT*
  - *Deliquency-Notc*

COND_NO
COND
NUM_DAYS
FRMT
FREQ
Ddnotc-Det
CONDNO
COND
NUM_DAYS
TXNCD
FRMT
Stmtotrs-Det
COND_NO
COND
FREQ
STARTDT
FREQDAYS
FRMT
MSG_TYPE
Prd-Notc
NOTICE_ID
COND_NO
COND
FRMT
FREQ
STARTDT
TENOR
NUMDAYS
TXNCD
NOTICE
Prd-Dtls
PRDCD
PRDDESC
CLASCD
CLASS_DESC
Prod-Events
EVTCODE
EVTDES
Prod-Event-Acct-Rule
RUL_NO
COND
Prd-Event-Acct-Entry
TXNCD
DRCR_IND1

NETTIND
ACCROLECD
AMTTAG
ROLTYP
AMTTAGTYPE
MISHEAD
REVALREQD
REVALPRFGL
REVALLOSSGL
REVALRATECD
REVALTXNCD
HOLTREAT
GAAPIND
BALCHK
DELINQPROD
ENTPRNO
RATE_TYPE_INDICATOR
Prod-Event-Adv-Rules
RULENO
COND
Prod-Event-Adv-Entry
MSGTYPE
GENTIME
SUPPRESS
PRIORITY
CHGREQ
FRMT
DESC
Prod-Event-Chg
CHGCMP
Prod-Event-Polc
POLCD
EXECTYPE
Prod-Event-Udf-C
FIELDNAME
DESC
DATA_TYPE
FLDNO
Prod-Event-Udf-N
FLDNAME
DESC
DATATYP
FLDNO
Prod-Event-Udf-D

FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED
CUSDES
Prd-Dtls-Udf
PRDCD

- PRDDESC
- Prd-Udf-Num
  - FLDNAME
  - FLDDESC
  - FLDNO
- Prd-Udf-Char
  - FLDNAME
  - FLDDESC
  - FIELDNO
- Prd-Udf-Dt
  - FLDNAME
  - FLDDESC
  - FLDNO
- Prod-Credit
  - Credit-Score-Rule
    - RULNAME
    - DFLTRULE
    - Credit-Score-Rule-Expr
      - RULNAME
      - EXPLINE
      - COND
      - RSLT
- Product-Party
  - PARTYTYPE
  - PARTYTYPEDESC
  - REPEATING
  - MANDATORY
- Product-Diary
  - EVENTCODE
- Product-Madc
  - Min-Amt-Due-Rule
    - MADC_RULE_NAME
    - MADC_DEFAULT_RULE
    - Min-Amt-Due-Rule-Exp
      - MADC_EXPR_LINE
      - CONDITION
      - RESULT

FCUBS_ERROR_RESP
- ERROR
  - ECODE
  - EDESC

FCUBS_WARNING_RESP
- WARNING
  - WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	Description	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRDSLG

Attribute	Description	
Name	PRDSLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDRMRKS

Attribute	Description	
Name	PRDRMRKS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>6</td></tr></table>

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,C</td></tr></table>

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

NORMVAR

Attribute	**Description**	
Name	NORMVAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MAXVAR

Attribute	**Description**	
Name	MAXVAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARLIQ

Attribute	**Description**	
Name	PARLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQMOD

Attribute	**Description**	
Name	LIQMOD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

DSBRMD

Attribute	Description
Name	DSBRMD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

DRENT

Attribute	Description
Name	DRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

CRENT

Attribute	Description
Name	CRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,D,M,Y</td></tr></table>

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFLG

Attribute	**Description**	
Name	ATMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKRECALIQ

Attribute	**Description**	
Name	TRCKRECALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AMDPASTPDSCH

Attribute	**Description**	
Name	AMDPASTPDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHBOOKFLG

Attribute	**Description**	
Name	CHBOOKFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	Description	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	Description	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	Description	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	Description	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	Description
Name	NTCDAYBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,A

TOP

LIMPRD

Attribute	Description
Name	LIMPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PACKCRFLAG

Attribute	Description
Name	PACKCRFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHBAS

Attribute	Description
Name	SCHBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,L,B,N</td></tr></table>

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

HOLCCYMAT

Attribute	**Description**	
Name	HOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MOVACMN

Attribute	**Description**	
Name	MOVACMN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMNMT

Attribute	**Description**	
Name	SCHMNMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

CASSCH

Attribute	**Description**	
Name	CASSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	Description	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	Description	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	Description	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	Description
Name	IGNHOL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCYMAT

Attribute	Description
Name	FACHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,D</td></tr></table>

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,</td></tr></table>

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,R,</td></tr></table>

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,P,A,</td></tr></table>

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / V,I,

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	Description
Name	STATUSAPPFORAGUA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,A

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>NORM,TDAT,FDAT,FDMD,TDVD</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MAX_AMOUNT_C

Attribute	**Description**	
Name	MAX_AMOUNT_C	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BONUSPERCENT

Attribute	**Description**	
Name	BONUSPERCENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INIT_UPTO

Attribute	**Description**	
Name	INIT_UPTO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BONUSMTH1

Attribute	**Description**	
Name	BONUSMTH1	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLE_BASED_RATE

Attribute	**Description**	
Name	CYCLE_BASED_RATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Holperiod-Det

Attribute	**Description**	
Name	Holperiod-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

HOLPERD

Attribute	**Description**	
Name	HOLPERD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

Rollcomp-Det

Attribute	**Description**	
Name	Rollcomp-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description

Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description	
Name	LEAST_CUE_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description

Name	TOSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description	
Name	AMTTAGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	Description	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REPTYPE

Attribute	Description
Name	REPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPREQ

Attribute	Description
Name	PROPREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INCLUDEINEMI

Attribute	Description
Name	INCLUDEINEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,P,

TOP

PM_FORMULA_TYPE

Attribute	**Description**	
Name	PM_FORMULA_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	**Description**	
Name	RATEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / D,C

TOP

MORPERD

Attribute	Description
Name	MORPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	**Description**	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTMON

Attribute	**Description**	
Name	STARTMON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

CLSSN

Attribute	**Description**
Name	CLSSN

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M,

TOP

CAPTLD

Attribute	Description
Name	CAPTLD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CMPDYR

Attribute	**Description**	
Name	CMPDYR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

Intermediate-Expr

Attribute	**Description**	
Name	Intermediate-Expr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMORTBASELEM

Attribute	Description
Name	AMORTBASELEM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>PRINCIPAL,</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,U,</td></tr></table>

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

START_MONTH

Attribute	Description
Name	START_MONTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

FRMTYPE

Attribute	**Description**	
Name	FRMTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Install-Status

Attribute	**Description**	
Name	Install-Status	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATCD

Attribute	**Description**	
Name	STATCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

STATRULE

Attribute	**Description**	
Name	STATRULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description	
Name	REVLPRFTGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLLOSGL

Attribute	Description	
Name	REVLLOSGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLRATECD

Attribute	Description	
Name	REVLRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVLTXNCD

Attribute	Description	
Name	REVLTXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2</td></tr></table>

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,F,P,</td></tr></table>

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,A,O,</td></tr></table>

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD1

Attribute	Description	
Name	CSTCD1	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD2

Attribute	Description	
Name	CSTCD2	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD4

Attribute	Description	
Name	CSTCD4	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD5

Attribute	Description	
Name	CSTCD5	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM

Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDETYP

Attribute	Description

Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Rth

Attribute	Description

Name	Rth
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONDITION

Attribute	Description

Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Deliquency-Notc

Attribute	Description
Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det
Datatype	
Description	Indicates Stmtotrs-Det
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COND_NO

Attribute	Description	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	Description	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTDT

Attribute	Description	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FREQDAYS

Attribute	Description	
Name	FREQDAYS	
Datatype	Number	
Description	Indicates FREQUENCY DAYS	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COND_NO

Attribute	Description

Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO

Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCR_IND1

Attribute	Description
Name	DRCR_IND1
Datatype	String
Description	Indicates Debit / Credit Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLTYP

Attribute	Description	
Name	ROLTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL

Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	**Description**	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	**Description**	
Name	DELINQPROD	
Datatype	String	
Description	Indicates Delinquency Product Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATE_TYPE_INDICATOR

Attribute	**Description**	
Name	RATE_TYPE_INDICATOR	
Datatype	String	
Description	Indicates Rate Type Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number
Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description

Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME
Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,U,IU,IR,ID,</td></tr></table>

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,H,A,

TOP

Brn-Restr

Attribute	Description
Name	Brn-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRNDES

Attribute	Description

Name	BRNDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ccy-Restr

Attribute	Description
Name	Ccy-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Cust

Attribute	Description
Name	Prod-Dtls-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	Description	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	Description	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Category-Restrictions

Attribute	Description	
Name	Category-Restrictions	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description

Name	Prd-Udf-Char
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

DFLTRULE

Attribute	**Description**	
Name	DFLTRULE	
Datatype	String	
Description	Indicates default rule	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Credit-Score-Rule-Expr

Attribute	**Description**	
Name	Credit-Score-Rule-Expr	
Datatype		
Description	Indicates Credit Score Rule Expression	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE

Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description

Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description

Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.28.4.MO-DeleteProduct-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Product-Details-PK*
      - *PRDCD*
    - *Product-Details-IO*
      - *PRDCD*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Product-Details-PK

Attribute	Description
Name	Product-Details-PK
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.29.QueryMOEvents

QueryMOEvents

2.29.1.MO-EVENTS-QUERY-REQ-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Events-Query-Req*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query for MO Events for an account

TOP

MO-Events-Query-Req

Attribute	Description
Name	MO-Events-Query-Req
Datatype	
Description	Indicates the MO-Events Query Request type

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates the Branch.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.29.2.MO-EVENTS-QUERY-RES-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MOEVENTSQUERYRESFULL*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *CUSTID*
    - *EVNTCOD*
    - *VALDT*
    - *AMOUNT*
    - *CCY*
    - *AMTTAG*
    - *ESN*
    - *VERNO*
  - *MO-Events-Query-Req*
    - *ACCNO*
    - *BRN*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format of the response to query for MO Events for an account

TOP

MOEVENTSQUERYRESFULL

Attribute	Description
Name	MOEVENTSQUERYRESFULL
Datatype	
Description	Indicates the MO-Events Query Response Full type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EVNTCOD

Attribute	Description
Name	EVNTCOD
Datatype	String
Description	Indicates the Event Code.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates the Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates the Currency.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	Indicates the Amount Tag.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version number of the contract.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MO-Events-Query-Req

Attribute	Description
Name	MO-Events-Query-Req
Datatype	
Description	Indicates the MO-Events Query Request type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.30.QueryMOInfo

QueryMOInfo

2.30.1.MO-Info-Qry-Req-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Info-Qry-Req*
  - *SCODE*
  - *XREF*
  - *ACCNO*
  - *PRD*
  - *BRN*
  - *ALTACCNO*
  - *CPTY*
  - *BOOKDT*
  - *VALDT*
  - *ESN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) account

TOP

MO-Info-Qry-Req

Attribute	Description
Name	MO-Info-Qry-Req
Datatype	
Description	Mortgages Info Query Request Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CPTY

Attribute	Description
Name	CPTY
Datatype	String
Description	Indicates Counterparty Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Booking Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

2.30.2.MO-Info-Qry-Res-FULL-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Info-Qry-Res-FULL*
    - *ACCNO*
    - *BRN*
    - *ISAVAIL*
    - *CCY*
    - *AMOUNT*
    - *NETAMT*
    - *EXCHRT*
    - *PRD*
    - *PRDCAT*
    - *CUSTNAME*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *DOWNPAYAMT*
    - *ORIGSTDT*
    - *CHEQBOOK*
    - *AMENDPAST*
    - *ATMFACILITY*

PASSBOOK
LIQDBACK
AUTOLIQ
AUTOLIQRVPMNT
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
SPLAMT
SCHBASIS
CPTY
UDEROLLBASIS
ROLLOVERCOUNT
FULLYPAIDINSTCNT
MINUNPAIDDUEDATE
TOTCONDONEAMT
ROLLOVRMODE
ROLLOVRTYPE
MATNOTIND
REMARKS
LINE_ID
DISBAMT
ACCSTAT
CONSTAT
ROLLCOMP
  COMPNAME
PROMOTIONS
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
CLCOMPDET
  COMPNAME
  COMPDESC
  COMPTYPE
  FORMULATYP
  DAYSMTH

DAYSYEAR
MAINCOMPFLAG
CAPITALIZED
PENALBASISCOMP
SPLINTFLAG
SPLINTAMT
WAIVERFLAG
STTLMTCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
COMPACCDET
  SCHDUEDT
  GRACEDAYS
COMPSCH
  SCHTYPE
  SCHFLAG
  FORMULA
  FIRSTDUEDT
  NOOFSCH
  FREQ
  UNIT
  ENDDT
  AMOUNT
  CAPITALIZED
  WAIVERFLAG
  SCHSTDT
SCHEDULE
  DUEDATE
  AMTDUE
  AMTLCY
  AMTSETT
  EMIAMT
  EMIAMTLCY
  ACCRAMT
  AMTREADJUSTED
  ISCAP
  ISWAIVE
  GRACEDAYS
  SCHSTATUS
  OVERDUEDAYS

- *INSTLDETS*
  - *DUEDATE*
  - *INSTLNO*
  - *INSTLSTATUS*
  - *PAIDDT*
  - *PAIDSTATUS*
  - *TOTAMTSETT*
  - *TOTAMTSETT_LCY*
  - *EMIAMT*
- *HOLIDAYPRD*
  - *SCHDUEDT*
  - *PERIOD*
- *COMPBAL*
  - *COMPNAME*
  - *BALANCE*
  - *VALDT*
  - *LCY_BAL*
- *CLCHARGES*
  - *COMPNAME*
  - *CHGCCY*
  - *DRPAYMTMODE*
  - *CRPAYMTMODE*
  - *DRACCBRN*
  - *CRACCBRN*
  - *DRPRDACC*
  - *CRPRDACC*
  - *CHDETAILS*
    - *EVTCD*
    - *COMPNAME*
    - *CHGCCY*
    - *AMTDUE*
    - *DUEDATE*
- *CLTAXES*
  - *COMPNAME*
  - *VALIDTILL*
  - *BASISAMT*
  - *TAXAMT*
  - *TAXRATE*
  - *EXCHRATECUF*
  - *EXCHRATECUFLCY*
  - *EVTCD*
  - *ESN*
  - *MONTHS*
  - *CAPITALIZED*

- *AMTLCY*
- *AMOUNT*
- *LOANAMT*
- *LOANTAXBASISAMT*
- *CHGCOMP*

LINKAGES

- *LINKTYPE*
- *LINKREFNO*
- *LINKAMT*

EVENTS

- *EVTNO*
- *EVTDT*
- *EVTCD*

UDEDET

- *EFFDT*
- *UDEVALS*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *RATETYP*
  - *CODEUSE*
  - *RESOLVAL*

UDFDETAILS

- *FIELD_NAME*
- *FIELD_VALUE*

MISDETAILS

- *RTFLAG*
- *POOLCD*
- *PROCFLG*
- *REFRT*
- *REFRTTYPE*
- *CALCMETH*
- *CCY*
- *REFRTCD*
- *REFRTSPRD*
- *RELACC*
- *RELREF*
- *MISGRP*
- *MISGRPTXN*
- *MISHD*
- *MISGRPCOMP*
- *TXNMIS1*
- *TXNMIS2*
- *TXNMIS3*

- *TXNMIS4*
- *TXNMIS5*
- *TXNMIS6*
- *TXNMIS7*
- *TXNMIS8*
- *TXNMIS9*
- *TXNMIS10*
- *UNTYPE*
- *COMPMIS1*
- *COMPMIS2*
- *COMPMIS3*
- *COMPMIS4*
- *COMPMIS5*
- *COMPMIS6*
- *COMPMIS7*
- *COMPMIS8*
- *COMPMIS9*
- *COMPMIS10*
- *COSTCOD1*
- *COSTCOD2*
- *COSTCOD3*
- *COSTCOD4*
- *COSTCOD5*
- *CUST*
- *FUNDMIS1*
- *FUNDMIS2*
- *FUNDMIS3*
- *FUNDMIS4*
- *FUNDMIS5*
- *FUNDMIS6*
- *FUNDMIS7*
- *FUNDMIS8*
- *FUNDMIS9*
- *FUNDMIS10*

REMARK

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*

REMARK10
ESN
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1

PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER

BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
OTHER_DETAILS5
OTHER_DETAILS6
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
ACCOUNTSTAT

COMPNAME
EXPAMT
OVDAMT
OUTSTDAMT
ADVAMT
COMPCCY
INTRT
MO-Info-Qry-Req
SCODE
XREF
ACCNO
PRD
BRN
ALTACCNO
CPTY
BOOKDT
VALDT
ESN
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP

Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a response of query MO(Mortgages) info

TOP

Info-Qry-Res-FULL

Attribute	Description
Name	Info-Qry-Res-FULL
Datatype	
Description	Mortgages Query Response Full Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicated Rollover Status. Yes "Y";No "N".
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Booking date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	Indicates Down Payment Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHEQBOOK

Attribute	Description	
Name	CHEQBOOK	
Datatype	String	
Description	Indicates Check Book.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMENDPAST

Attribute	Description	
Name	AMENDPAST	
Datatype	String	
Description	Indicates Amend Past Paid Schedule. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ATMFACILITY

Attribute	Description	
Name	ATMFACILITY	
Datatype	String	
Description	Indicates ATM Facility Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PASSBOOK

Attribute	Description	
Name	PASSBOOK	
Datatype	String	
Description	Indicates Passbook Facility. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQRVPMNT

Attribute	Description
Name	AUTOLIQRVPMNT
Datatype	String
Description	Indicates Auto Liquidation Reverse Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Incicates Partial Liquidation.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	String
Description	Indicates Retries for Auto Liquidation.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Track Receivable Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Track Receivable Manual Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Special Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis. Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CPTY

Attribute	Description
Name	CPTY
Datatype	String
Description	Indicates Counter Party Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Basis Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVERCOUNT

Attribute	Description
Name	ROLLOVERCOUNT
Datatype	Number
Description	Indicates Rollover Count.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FULLYPAIDINSTCNT

Attribute	Description
Name	FULLYPAIDINSTCNT
Datatype	Number
Description	Indicates Fully Paid Instalment Count.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

MINUNPAIDDUEDATE

Attribute	Description
Name	MINUNPAIDDUEDATE
Datatype	Date
Description	Indicates Minimum UnPaid Due date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTCONDONEAMT

Attribute	Description
Name	TOTCONDONEAMT
Datatype	Number
Description	indicated Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Rollover Mode Daily "D" Monthly "M" Yearly "Y" Quarters "Q" Semi Annual "S"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover type Special "S" Custom "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATNOTIND

Attribute	Description
Name	MATNOTIND
Datatype	String
Description	Indicates Mandatory Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINE_ID

Attribute	Description
Name	LINE_ID
Datatype	String
Description	Indicates Line ID.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

DISBAMT

Attribute	Description
Name	DISBAMT
Datatype	Number
Description	Indicates Disbursement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCSTAT

Attribute	Description
Name	ACCSTAT
Datatype	String
Description	Indicates Account status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CONSTAT

Attribute	Description
Name	CONSTAT
Datatype	String
Description	Indicates Contract status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	Mortgages Rollover Component.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Indicates Promotion Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type. PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String

Description	Indicates Beneficiary CIF
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Mortgages Other Application Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorized Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLCOMPDET

Attribute	Description
Name	CLCOMPDET
Datatype	
Description	Mortgages Component Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	Indicates Component Description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULATYP

Attribute	Description
Name	FORMULATYP
Datatype	String
Description	Indicates Formula Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	Indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPACCDET

Attribute	Description
Name	COMPACCDET
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Component Schedule Details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHTYPE

Attribute	**Description**	
Name	SCHTYPE	
Datatype	String	
Description	Indicates Schedule Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	**Description**	
Name	SCHFLAG	
Datatype	String	
Description	Indicates Schedule Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description	Indicates Formula details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

FIRSTDUEDT

Attribute	**Description**	
Name	FIRSTDUEDT	
Datatype	Date	
Description	Indicates First Due Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description

Name	AMOUNT
Datatype	Number
Description	Indicates Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	Mortgages Schedule Details.

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount In Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Total Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount In Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	Indicates EMI Amount In Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	Indicates Overdue Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

INSTLDETS

Attribute	Description
Name	INSTLDETS
Datatype	
Description	Mortgages Instalment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number
Description	Indicates Instalment Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

INSTLSTATUS

Attribute	Description

Name	INSTLSTATUS
Datatype	String
Description	Indicates Instalment Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	Date
Description	Indicates Paid Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

TOTAMTSETT

Attribute	Description
Name	TOTAMTSETT
Datatype	Number
Description	Indicates Total Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

TOTAMTSETT_LCY

Attribute	Description
Name	TOTAMTSETT_LCY
Datatype	Number
Description	indicates Total Amount settled in loan currecy.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount In Loan Currency.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Indicate holiday period details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Schedule Due Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicate holiday period details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

COMPBAL

Attribute	Description
Name	COMPBAL
Datatype	
Description	Mortgages Account Component Balance Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BALANCE

Attribute	Description
Name	BALANCE
Datatype	Number
Description	Indicates Balanace.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LCY_BAL

Attribute	Description
Name	LCY_BAL
Datatype	Number
Description	Indicates Balance Amount in Loan Currency.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CLCHARGES

Attribute	Description
Name	CLCHARGES
Datatype	
Description	Mortgages Account Charge Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	Indicates Charge Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description	
Name	CRPAYMTMODE	
Datatype	String	
Description	Indicates Cr Payment Mode. CASA ACC	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description	Indicates Debit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description	Indicates Credit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHDETAILS

Attribute	Description	
Name	CHDETAILS	
Datatype		
Description	Mortgages Charge Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTCD

Attribute	Description	
Name	EVTCD	
Datatype	String	
Description	Indicates Event Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHGCCY

Attribute	Description

Name	CHGCCY
Datatype	String
Description	Indicates Charge Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLTAXES

Attribute	Description
Name	CLTAXES
Datatype	
Description	Mortgages Account Tax Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

VALIDTILL

Attribute	Description
Name	VALIDTILL
Datatype	Date
Description	Indicates Valid Till date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BASISAMT

Attribute	Description
Name	BASISAMT
Datatype	Number
Description	Indicates Basis Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

TAXAMT

Attribute	Description
Name	TAXAMT
Datatype	Number
Description	Indicates Tax Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

TAXRATE

Attribute	Description
Name	TAXRATE
Datatype	Number
Description	Indicates Tax Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXCHRATECUF

Attribute	Description
Name	EXCHRATECUF
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXCHRATECUFLCY

Attribute	Description
Name	EXCHRATECUFLCY
Datatype	Number
Description	Indicates Exchange Rate in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	Indicates Event Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

MONTHS

Attribute	Description
Name	MONTHS
Datatype	Number
Description	Indicates Months.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount In Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LOANAMT

Attribute	Description
Name	LOANAMT
Datatype	Number
Description	Indicates Loan Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LOANTAXBASISAMT

Attribute	Description
Name	LOANTAXBASISAMT
Datatype	Number
Description	Indicates Loan Tax Basis Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHGCOMP

Attribute	Description
Name	CHGCOMP
Datatype	String
Description	Indicates Charge Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	Mortgages Linkage Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	Indicates Linkage Type Line ¿L¿ Deposit ¿D¿ Guarantee ¿G¿ Collateral ¿T¿ Amount Block ¿A¿ CASA Account ¿C¿ Collateral Pool ¿P¿ Commitment ¿M¿
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	Indicates Linkage reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	Indicates Linkage Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVENTS

Attribute	Description
Name	EVENTS
Datatype	
Description	Mortgages event details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTNO

Attribute	Description
Name	EVTNO
Datatype	Number
Description	Indicates Event Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EVTDT

Attribute	Description
Name	EVTDT
Datatype	Date
Description	Indicates Event Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	Indicates Event Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Mortgages UDE Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT

Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Mortgages UDE Value Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE ID.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

RATETYP

Attribute	Description	
Name	RATETYP	
Datatype	String	
Description	Indicates Rate Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CODEUSE

Attribute	Description	
Name	CODEUSE	
Datatype	String	
Description	Indicates Code Use.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESOLVAL

Attribute	Description	
Name	RESOLVAL	
Datatype	Number	
Description	Indicates Resolved Value.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

UDFDETAILS

Attribute	Description	
Name	UDFDETAILS	
Datatype		
Description	Mortgages UDF Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates Field Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	Mortgages MIS Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCD

Attribute	Description
Name	POOLCD

Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String

Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	indicates MIS group
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	indicates MIS group transaction
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISHD

Attribute	Description

Name	MISHD
Datatype	String
Description	Indicates MIS head
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	Indicates MIS group composite MIS code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	It indicates Transaction MIS code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNTYPE

Attribute	Description	
Name	UNTYPE	
Datatype	String	
Description	Indicate UNIT type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	indicates composite MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description	
Name	COMPMIS2	
Datatype	String	
Description	indicates composite MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description	indicates composite MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description	indicates composite MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	indicates composite MIS code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	indicates composite MIS code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	indicates composite MIS code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	indicates composite MIS code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9

Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	indicates cost code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	indicates cost code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	indicates cost code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description	indicates cost code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	**Description**	
Name	COSTCOD5	
Datatype	String	
Description	indicates cost code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUST

Attribute	**Description**	
Name	CUST	
Datatype	String	
Description	Indicates Customer.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	Mortgages Account remarks Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates remarks.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates remarks.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String

Description	Indicates remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	Indicates remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description	Indicates remarks.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description	Indicates remarks.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	Description	
Name	REMARK10	
Datatype	String	
Description	Indicates remarks.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

ESN

Attribute	Description	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Settlement Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 50

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	Indicates Account details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION

Datatype	String
Description	Indicates Currency Resrtiction.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 24

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 24

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PAYMENT_BY

Attribute	**Description**	
Name	PAYMENT_BY	
Datatype	String	
Description	Indicates Payment By.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	**Description**	
Name	TRANSFER_TYPE	
Datatype	String	
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	**Description**	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CHANGE_AC

Attribute	**Description**	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	Indicates Party Information Allowed.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	Indicates Cover Required. Yes "Y";No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	Description	
Name	NETTING_INDICATOR	
Datatype	String	
Description	Indicates Netting Indicator.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	Description	
Name	CHARGES_DETAILS	
Datatype	String	
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description	Indicates Our Correspondent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description	Indicate Receiver.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Inter Reim Institution Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Inter Reim Institution Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Inter Reim Institution Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description	
Name	INT_REIM_INST4	
Datatype	String	
Description	Inter Reim Institution Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1

Datatype	String
Description	Indicates Intermediary 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Intermediary 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Account With Institution 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Account With Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Account With Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Account With Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Payment Details Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	Description	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Payment Details Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Payment Details Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4

Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Ordering Customer 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Ordering Customer 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Beneficiary Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Ultimate Beneficiary 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Ultimate Beneficiary 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Ultimate Beneficiary 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Ultimate Beneficiary 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	Indicate ERI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	2
	totalDigits	24

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	Indicates Rate Code Prefferred.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description

Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	Indicates Ultimate Beneficiary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	Indicates Sent Message.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Minimum Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	Indicates Inter Pay Generated.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST1_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO

Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	Indicates Other Details Type 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	Indicates Other Details Type 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	Indicates Other Details Type 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description	Indicate Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

OTHER_DETAILS1

Attribute	Description	
Name	OTHER_DETAILS1	
Datatype	String	
Description	Indicates Other Details 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	Description	
Name	OTHER_DETAILS2	
Datatype	String	
Description	Indicates Other Details 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	Description	
Name	OTHER_DETAILS3	
Datatype	String	
Description	Indicates Other Details 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	Description	
Name	OTHER_DETAILS4	
Datatype	String	
Description	Indicates Other Details 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX

Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	External Party Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	indicates Required 103

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103 P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	Indicates External PC Contract Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 24

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 24

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCOUNTSTAT

Attribute	Description
Name	ACCOUNTSTAT
Datatype	
Description	Indicates Account Status Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPAMT

Attribute	Description
Name	EXPAMT
Datatype	Number
Description	Indicates Exceptional Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OVDAMT

Attribute	Description
Name	OVDAMT
Datatype	Number
Description	Indicates Overdue Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OUTSTDAMT

Attribute	Description
Name	OUTSTDAMT
Datatype	Number
Description	Indicates Outstanding Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADVAMT

Attribute	Description
Name	ADVAMT
Datatype	Number
Description	Indicates Advance Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INTRT

Attribute	Description
Name	INTRT
Datatype	Number
Description	Indicates Interest rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

MO-Info-Qry-Req

Attribute	Description
Name	MO-Info-Qry-Req
Datatype	
Description	Mortgages Query Request Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CPTY

Attribute	Description
Name	CPTY
Datatype	String
Description	Indicates Counter Party Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Booking date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.31.ModifyAccTrfr

ModifyAccTrfr

2.31.1.MO-ModifyAccTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Master-Full

Attribute	Description

Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TARGET_BRANCH_NAME

Attribute	Description	
Name	TARGET_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CURRENT_BRANCH_NAME

Attribute	Description	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description

Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description

Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

2.31.2.MO-ModifyAccTrfr-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-IO*
    - *TRANSFER_ID*
    - *MAKER*
    - *MAKERSTAMP*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>150</td></tr><tr><td>minLength</td><td>0</td></tr></table>

TOP

2.31.3.MO-ModifyAccTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Master-Full

Attribute	Description
Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

TARGET_BRANCH_NAME

Attribute	**Description**	
Name	TARGET_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CURRENT_BRANCH_NAME

Attribute	**Description**	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description**: maxLength / 105; minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.31.4.MO-ModifyAccTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Master-PK*
      - *TRANSFER_ID*
    - *Master-IO*
      - *TRANSFER_ID*
      - *MAKER*
      - *MAKERSTAMP*
      - *Detail*
        - *ACCOUNT_NUMBER*
      - *UDFDETAILS*
        - *FLDNAM*
        - *FLDVAL*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Master-PK

Attribute	Description
Name	Master-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM

Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC

Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.32.ModifyMortgage

ModifyMortgage

2.32.1.MO-ModifyMortgage-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*

MATTYP
NETPRIN
INDEXXRATE
BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT

DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE

CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT
MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2

INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE
FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1

- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Components

- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROMODECR*
- *GIROSERVICECR*
- *GIRONUMBERCR*
- *PAYERACCNOCR*
- *PAYERBANKCDCR*
- *PAYERBRNCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *IRRAPPL*
- *SVCACCBRN*
- *EXTACCNOCR*
- *EXTACCNAMECR*
- *CLGBANKCDCR*
- *CLGBRNCDCR*
- *PCCATCR*
- *EXTACCNODR*
- *EXTACCNAMEDR*
- *CLGBANKCDDR*
- *CLGBRNCDDR*
- *CLGPRDCDDR*
- *SECTORCDDR*
- *FUNDDURINGINIT*
- *FUNDDURINGROLL*
- *COMPCCY*
- *UPLDSOURCEDR*
- *UPLDSOURCECR*
- *COMPNAME*
- *DRACCBRN*

CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR

Comp-Sch

- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *SCHTYP*
- *SCHFLG*

Acc-Sch-Cmp

- *SCHDUEDT*
- *GRACEDAYS*
- *ORIGAMTDUE*
- *AMTDUE*
- *ADJAMT*
- *AMTSETTL*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUIV*
- *DLYAVGAMT*
- *EMAMT*
- *SCHFLG*
- *WAIVERFLG*
- *SCHLINK*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJ*

- *ADJSETTL*
- *SCHSTATUS*
- *ACCGL*
- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

- *Revisions*
  - *ACCNO*
  - *BRN*
  - *COMPNAME*
  - *SCHSTDT*
  - *SCHDUEDT*
  - *APPLIEDFLG*
  - *SCHLINK*
- *Comp-Gua-Cust*
  - *BRN*
  - *ACCNO*
  - *COMPNAME*
  - *LIQORD*
  - *CUSTNUM*
  - *CUSTNAME*
  - *Comp-Gua-Custacc*
    - *BRN*
    - *ACCNO*
    - *COMPNAME*
    - *GUACIFID*
    - *LIQORD*
    - *GUAACC*
    - *GUAACCBRN*
    - *GUACCY*
- *Chg-Comp*
  - *PAYERADD1DR*
  - *PAYERADD2DR*
  - *PAYERADD3DR*
  - *PAYERADD4DR*
  - *GIROMODECR*
  - *GIROSERVICECR*
  - *GIRONUMBERCR*
  - *PAYERACCNOCR*
  - *PAYERBANKCDCR*
  - *PAYERBRNCR*
  - *PAYERADD1CR*
  - *PAYERADD2CR*
  - *PAYERADD3CR*
  - *PAYERADD4CR*
  - *IRRAPPL*
  - *SVCACCBRN*
  - *EXTACCNOCR*
  - *EXTACCNAMECR*
  - *CLGBANKCDCR*

CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE

EFFDT

CONSOLCHG

Chg-Sch

- *SETTLEMENTCCY*
- *DUEDATE*
- *AMTDUE*
- *AMTWAIVED*
- *FORMULANAME*
- *SCHTYPE*
- *SCHSTDATE*
- *GRACEDAYS*
- *ORGAMT*
- *ADJAMT*
- *AMTSETTLED*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUI*
- *DLYAVGAMT*
- *EMIAMT*
- *SCHFLAG*
- *WAIVER*
- *SCHLINKAGE*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJUST*
- *ADJSETTLED*
- *SCHSTAT*
- *ACCGL*
- *LASTPMTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTLED*
- *LASTREADJRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTLED*
- *SUSPAMTCCY*
- *SUSPREADAMT*
- *SUSPREADSETTLED*
- *LASTSUSPXRATE*
- *IRRAPPLICABLE*
- *LISTDAYS*
- *LISTAVGAMT*

- *Chg-Dtls*
  - *COMPNAME*
  - *SCHDUEDT*
  - *AMTDUE*
  - *AMTSETTL*
  - *WAIVERFLG*
  - *EVENTCD*
  - *RECORDROWID*
- *Linkages*
  - *BRN*
  - *LINKTYP*
  - *LINKREFNO*
  - *LINKAMT*
  - *AMTBLKNO*
  - *SECUREDPORTION*
  - *CUSTID*
  - *LINKBRN*
  - *LINKSEQNO*
  - *EXRATE*
  - *CONVERTLINKAMT*
  - *CONVERTPAIDAMT*
- *Advices*
  - *MSGTYPE*
  - *SUPPRESS*
  - *PRIORITY*
- *Adv-Suppress*
  - *MSGTYPE*
- *Credit-Score*
  - *CREDIRSCORE*
  - *AUTOCRSCORE*
  - *AGENCYCD*
  - *EXTCRSCORE*
  - *RULENAME*
- *Asset-Vehicle*
  - *ACCNO*
  - *BRN*
  - *ASSETCLASS*
  - *ASSETTYP*
  - *ASSETSUBTYP*
  - *ASSETSTATUS*
  - *ASSETYEAR*
  - *ASSETMAKE*
  - *ASSETMODEL*
  - *ASSETBODY*

- *IDENTITYNO*
- *REGNO*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*

ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT

- *FREQ*
- *BAL*
- *COMMENTDET*

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*

COVRREQ
CHRGDET
OURCORRESP
RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5

- *BNFINSTUTN1*
- *BNFINSTUTN2*
- *BNFINSTUTN3*
- *BNFINSTUTN4*
- *BNFINSTUTN5*
- *ULTBENF1*
- *ULTBENF2*
- *ULTBENF3*
- *ULTBENF4*
- *ULTBENF5*
- *BNFINST1CVR*
- *BNFINST2CVR*
- *BNFINST3CVR*
- *BNFINST4CVR*
- *BNFINST5CVR*

Udf-Others

- *DESCCHAR1*
- *DESCCHAR2*
- *DESCCHAR3*
- *DESCCHAR4*
- *DESCCHAR5*
- *DESCCHAR6*
- *DESCCHAR7*
- *DESCCHAR8*
- *DESCCHAR9*
- *DESCCHAR10*
- *DESCCHAR11*
- *DESCCHAR12*
- *DESCCHAR13*
- *DESCCHAR14*
- *DESCCHAR15*
- *DESCCHAR16*
- *DESCCHAR17*
- *DESCCHAR18*
- *DESCCHAR19*
- *DESCCHAR20*
- *DESCCHAR22*
- *DESCCHAR23*
- *DESCCHAR24*
- *DESCCHAR25*
- *DESCCHAR26*
- *DESCCHAR27*
- *DESCCHAR28*
- *DESCCHAR29*

DESCCHAR30
DESCCHAR31
DESCCHAR32
DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER

- *POLICYAMOUNT*
- *POLICYSTDATE*
- *POLICYENDDATE*
- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*
- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*

- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*
- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*

COSTCD4
COSTCD5
TXNMIS1
TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9

- *TRANMIS10*
- *COMMIS1*
- *COMMIS2*
- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*

DELIVERYDT
VENDORCD
AGENTNAME
AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW

PROPTYP
DESC
PROPAREA
PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO

- *PROPSTATUS*
- *DATEOFCOMPLETION*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*

- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *DELLOC*
- *DELDT*
- *VENDCD*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Builddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Serijadtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*

BUILTUPAREA
NOOFSTOREY
RENTSTDT
RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF

Equipvals
EVALNAME
EVALVAL
EVALDT
Master
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
Auto-Prepay
ACCNO
BRN
AUTOPRECUSTID
AUTOPRECCY
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
INTEREST_RATE
UPTO
CYCLE_START_DT
CYCLE_END_DT
CYCLE_NO
CURRENT_CYCLE
UNITS
CURR_CYCLE_CODE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

APPLNO

Attribute	**Description**
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROD

Attribute	**Description**
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRODCAT

Attribute	**Description**
Name	PRODCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COMMITTYP

Attribute	Description
Name	COMMITTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,R

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILL_DUE_AMT

Attribute	Description
Name	BILL_DUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTAVL

Attribute	Description
Name	AMTAVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOMANROLL

Attribute	Description
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description	
Name	LIQUIDATIONMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description	
Name	AMENDPASTPAIDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description	
Name	CHEQUEBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description	
Name	LIQDBACKVALUESCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMODE

Attribute	**Description**	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	**Description**	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACCNOCR

Attribute	Description	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMECR

Attribute	Description	
Name	EXTACCNAMECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ

Attribute	Description	
Name	INTCALCREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description	
Name	CYCLE_BASED_RATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CYCLE_TYPE

Attribute	Description	
Name	CYCLE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,F,

TOP

FREEZE

Attribute	Description	
Name	FREEZE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C,F,G,

TOP

PROMOID

Attribute	**Description**	
Name	PROMOID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Account-Stats

Attribute	**Description**	
Name	Account-Stats	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXPECTED

Attribute	**Description**	
Name	EXPECTED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCNOCR

Attribute	**Description**	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMECR

Attribute	Description	
Name	EXTACCNAMECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDCR

Attribute	Description	
Name	CLGBANKCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDCR

Attribute	Description	
Name	CLGBRNCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	**Description**
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCCY

Attribute	**Description**
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	**Description**
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHANGERATE

Attribute	**Description**	
Name	EXCHANGERATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATEDRATE

Attribute	**Description**	
Name	NEGOTIATEDRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATIONREFNO

Attribute	**Description**	
Name	NEGOTIATIONREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ORGEXCHRATE

Attribute	**Description**	
Name	ORGEXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQUIDATION_MODE

Attribute	**Description**
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

NEGCOSTRATE

Attribute	**Description**	
Name	NEGCOSTRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNO

Attribute	**Description**	
Name	NEGREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXCHANGERTDER

Attribute	**Description**	
Name	EXCHANGERTDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGRATEDR

Attribute	**Description**	
Name	NEGRATEDR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNODR

Attribute	**Description**
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description
Name	READJSETTL
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LASTREADJXRATE

Attribute	Description
Name	LASTREADJXRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTSETTL

Attribute	Description
Name	SUSPAMTSETTL
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTLCY

Attribute	Description
Name	SUSPAMTLCY
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	1

Restrictions	Description
maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHSTDT

Attribute	Description	
Name	SCHSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TOT_DISBR

Attribute	Description	
Name	TOT_DISBR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHLINK

Attribute	Description	
Name	SCHLINK	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRUNODR

Attribute	Description	
Name	INSTRUNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNODR

Attribute	Description	
Name	ROUTINGNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPOINTDR

Attribute	Description	
Name	ENDPOINTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DRPRODAC

Attribute	Description	
Name	DRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTL

Attribute	Description

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Vehicle,Home,Others,None</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

PROPERTYADDR1

Attribute	**Description**	
Name	PROPERTYADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN1

Attribute	**Description**	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN2

Attribute	**Description**	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN3

Attribute	**Description**	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS2

Attribute	**Description**	
Name	PYMTDTLS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS3

Attribute	**Description**	
Name	PYMTDTLS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS4

Attribute	**Description**	
Name	PYMTDTLS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDRRCVRINFO1

Attribute	**Description**	
Name	SNDRRCVRINFO1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINSTUTN3

Attribute	Description
Name	BNFINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINSTUTN4

Attribute	Description
Name	BNFINSTUTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINSTUTN5

Attribute	Description
Name	BNFINSTUTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF1

Attribute	Description
Name	ULTBENF1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR4

Attribute	**Description**	
Name	DESCCHAR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR5

Attribute	**Description**	
Name	DESCCHAR5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR6

Attribute	**Description**	
Name	DESCCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR7

Attribute	**Description**	
Name	DESCCHAR7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR8

Attribute	Description
Name	DESCCHAR8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR9

Attribute	Description
Name	DESCCHAR9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR10

Attribute	Description
Name	DESCCHAR10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR11

Attribute	Description
Name	DESCCHAR11
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR12

Attribute	Description	
Name	DESCCHAR12	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR13

Attribute	Description	
Name	DESCCHAR13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR14

Attribute	Description	
Name	DESCCHAR14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR15

Attribute	Description	
Name	DESCCHAR15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR30

Attribute	Description
Name	DESCCHAR30
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR31

Attribute	Description
Name	DESCCHAR31
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR32

Attribute	Description
Name	DESCCHAR32
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR33

Attribute	Description
Name	DESCCHAR33
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR34

Attribute	Description
Name	DESCCHAR34
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR36

Attribute	Description
Name	DESCCHAR36
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR37

Attribute	Description
Name	DESCCHAR37
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR38

Attribute	Description
Name	DESCCHAR38
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGEMIPCNT

Attribute	**Description**	
Name	CHGEMIPCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

Intermediary

Attribute	**Description**	
Name	Intermediary	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

INTERMEDIARY_CODE

Attribute	**Description**	
Name	INTERMEDIARY_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERMEDIARYNAME

Attribute	**Description**
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description	
Name	POLICYNUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

POLICYTYPE

Attribute	Description	
Name	POLICYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,P

TOP

INSURER

Attribute	Description	
Name	INSURER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

INSURERADDR1

Attribute	Description	
Name	INSURERADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MANAGEDBY

Attribute	**Description**	
Name	MANAGEDBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Property

Attribute	**Description**	
Name	Property	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description	
Name	LINKED_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LBL_FIELD_DATE

Attribute	Description
Name	LBL_FIELD_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD5

Attribute	Description
Name	COSTCD5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS1

Attribute	**Description**	
Name	TRANMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS9

Attribute	**Description**	
Name	COMMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS10

Attribute	**Description**	
Name	COMMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS1

Attribute	**Description**	
Name	FUNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS2

Attribute	**Description**	
Name	FUNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS3

Attribute	Description	
Name	FUNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS4

Attribute	Description	
Name	FUNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS5

Attribute	Description	
Name	FUNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS6

Attribute	Description	
Name	FUNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Vhc-Dtls

Attribute	**Description**	
Name	Vhc-Dtls	
Datatype		
Description	Indicates Vehicle Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

REGEMIRATE

Attribute	**Description**	
Name	REGEMIRATE	
Datatype	String	
Description	Indicates whether Vehicle is Registered in Emirates	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description
Name	DISTORAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINANOCOUNTRY

Attribute	Description
Name	AREAINANOCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITY

Attribute	Description
Name	CITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CONTACTPERSON

Attribute	**Description**	
Name	CONTACTPERSON	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNO

Attribute	**Description**	
Name	CONTACTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPSTATUS

Attribute	**Description**	
Name	PROPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DATEOFCOMPLETION

Attribute	**Description**	
Name	DATEOFCOMPLETION	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

GOODSTYP

Attribute	**Description**	
Name	GOODSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROFORMAINVOICEDT

Attribute	**Description**	
Name	PROFORMAINVOICEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	**Description**	
Name	OSPRINC	
Datatype	Number	
Description	Indicates Vehicle Outstanding Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPROF

Attribute	**Description**	
Name	OSPROF	
Datatype	Number	
Description	Indicates Vehicle Outstanding Profit	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDNAME

Attribute	**Description**	
Name	VENDNAME	
Datatype	String	
Description	Indicates Vehicle Vendor Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Serijadtls

Attribute	**Description**
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CAPACITY

Attribute	Description
Name	CAPACITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALBENEF

Attribute	Description
Name	MEDICALBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MEDICALSTDT

Attribute	Description
Name	MEDICALSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	**Description**	
Name	AUTOPRECUSBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description	
Name	CYCLE_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLE_NO

Attribute	Description	
Name	CYCLE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CURRENT_CYCLE

Attribute	Description	
Name	CURRENT_CYCLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UNITS

Attribute	Description	
Name	UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

2.32.2.MO-ModifyMortgage-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-IO*
    - *ACCNO*
    - *BRN*
    - *AUTOMANROLL*
    - *SCHBASIS*
    - *UDEROLLOVER*
    - *ROLLOVERTYP*
    - *SPLAMT*
    - *PASSBOOKFAC*
    - *ATMFAC*
    - *TRACKRECEVALIQ*
    - *TRACKRECEVMLIQ*
    - *LIQUIDATIONMODE*
    - *AMENDPASTPAIDSCH*
    - *CHEQUEBOOKFAC*
    - *LIQDBACKVALUESCH*
    - *LIQCOMPDATESFLG*
    - *RETRIESALIQ*
    - *PARTIALLIQD*

ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
PRIMAPPNAME
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN

EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
UICOLACCNO
UICOLBRN
CALCGP
USEGUARANTOR
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
LOAN_AGAINST_SAL
RETRIES_ADVICE_DAYS
RATE_CHANGE_ACTION
Promotions
Account-Stats
Othr-Applicants
- *CUSTID*
- *CUSTNAME*
- *RESPONSIBILITY*
- *LIABPERCENT*
- *LIABILITYAMT*
- *EFFECDATE*

Hol-Periods

- *HOLPERDS*
- *Effec-Date*
  - *EFFDT*
  - *Ude-Vals*
    - *UDEID*
    - *UDEVAL*
    - *RATECODE*
    - *CODEUSAGE*
    - *RESOLVEDVAL*
- *Roll-Comp*
  - *COMPNAME*
- *Ude-Rate-Date*
  - *PERIODSTDT*
  - *PERIODENDDT*
- *Checklist*
  - *CHECKED*
- *Remarks*
  - *REMARK1*
  - *REMARK2*
  - *REMARK3*
  - *REMARK4*
  - *REMARK5*
  - *REMARK6*
  - *REMARK7*
  - *REMARK8*
  - *REMARK9*
  - *REMARK10*
- *Components*
  - *PAYERADD1DR*
  - *PAYERADD2DR*
  - *PAYERADD3DR*
  - *PAYERADD4DR*
  - *GIROMODECR*
  - *GIROSERVICECR*
  - *GIRONUMBERCR*
  - *PAYERACCNOCR*
  - *PAYERBANKCDCR*
  - *PAYERBRNCR*
  - *PAYERADD1CR*
  - *PAYERADD2CR*
  - *PAYERADD3CR*
  - *PAYERADD4CR*
  - *IRRAPPL*
  - *SVCACCBRN*

EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
ACCNO
BRN
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE

MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMENTMODE
CRPAYMENTMODE
Comp-Sch
- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHTYP*
- *SCHFLG*

Cltbs-Split-Sttl-Detail
- *SPLCUSTOMER*
- *SPLACCCCY*
- *SPLPERCENTAGE*
- *SPLIT_AMT*
- *SPLPAYMD*
- *SPLACCNO*
- *SPLACCBRN*

- *Comp-Gua-Cust*
  - *CUSTNUM*
  - *Comp-Gua-Custacc*
    - *GUAACC*
    - *GUAACCBRN*
- *Chg-Comp*
  - *PAYERADD1DR*
  - *PAYERADD2DR*
  - *PAYERADD3DR*
  - *PAYERADD4DR*
  - *GIROMODECR*
  - *GIROSERVICECR*
  - *GIRONUMBERCR*
  - *PAYERACCNOCR*
  - *PAYERBANKCDCR*
  - *PAYERBRNCR*
  - *PAYERADD1CR*
  - *PAYERADD2CR*
  - *PAYERADD3CR*
  - *PAYERADD4CR*
  - *IRRAPPL*
  - *SVCACCBRN*
  - *EXTACCNOCR*
  - *EXTACCNAMECR*
  - *CLGBANKCDCR*
  - *CLGBRNCDCR*
  - *PCCATCR*
  - *EXTACCNODR*
  - *EXTACCNAMEDR*
  - *CLGBANKCDDR*
  - *CLGBRNCDDR*
  - *CLGPRODCDDR*
  - *SECTORCDDR*
  - *FUNDDURINGINIT*
  - *FUNDDURINGROLL*
  - *COMPCHGCCY*
  - *UPLDSOURCEDR*
  - *UPLDSOURCECR*
  - *ACCNO*
  - *BRN*
  - *COMPNAME*
  - *DRACCBRN*
  - *CRACCBRN*
  - *SVCACCAC*

CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
ACCNOCHAR1
BRNCHAR2
COMPCHAR3
Chg-Sch
Chg-Dtls
Linkages
Advices
SUPPRESS
PRIORITY
Adv-Suppress
MSGTYPE
Credit-Score
CREDIRSCORE
AUTOCRSCORE

- *AGENCYCD*
- *EXTCRSCORE*
- *RULENAME*

Asset-Vehicle

- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETBODY*
- *IDENTITYNO*
- *REGNO*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETBODY*
- *REGNO*
- *IDENTITYNO*

Financials
- *SEQNO*
- *FINANCETYP*
- *FINSOURCE*
- *CCY*
- *AMT*
- *COMMENTDET*

Liabilities
- *SEQNO*
- *LIABTYP*
- *ACCTYP*
- *CCY*
- *AMT*
- *FREQ*
- *BAL*
- *COMMENTDET*

Other-Income
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Account-Emi-Chg
- *CHGEMIAMT*
- *CHGEMIPCNT*
- *EFFDT*

Intermediary
- *INTERMEDIARY_CODE*
- *INTERMEDIARY_RATIO*

Acc-Liq-Order
- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*

LIQ_ORDER

Misdetails

CONREFNO

MISGRP

RELACC

RELETED_REFERENCE

MISHEAD

RATEFLG

POOLCD

REFINANCE_RATE

REFRATETYP

PROCALCMTH

REFXRATE

REFSPREAD

REFRATECD

COSTCD1

COSTCD2

COSTCD3

COSTCD4

COSTCD5

TXNMIS1

TXNMIS10

TXNMIS2

TXNMIS3

TXNMIS4

TXNMIS5

TXNMIS6

TXNMIS7

TXNMIS8

TXNMIS9

MISGRPCOMP

MISGRPTXN

COMPMIS1

COMPMIS10

COMPMIS2

COMPMIS3

COMPMIS4

COMPMIS5

COMPMIS6

COMPMIS7

COMPMIS8

COMPMIS9

FUNDMIS1

FUNDMIS10

FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
Txnmisdetails
Compmisdetails
Fundmisdetails
TXNUDFDETAILS
FLDNAME
FLDVAL
Extsys-Ws-Master
KEYID
Account-Main
ACCOUNT_NUMBER
Acc-Master
VERNO
ACCNO
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DOC_CATEGORY
DOC_TYPE
REMARKS
Auto-Prepay
ACCNO
BRN
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
CYCLE_END_DT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOMANROLL

Attribute	**Description**	
Name	AUTOMANROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

SCHBASIS

Attribute	**Description**	
Name	SCHBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

UDEROLLOVER

Attribute	**Description**	
Name	UDEROLLOVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PASSBOOKFAC

Attribute	Description
Name	PASSBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ATMFAC

Attribute	Description
Name	ATMFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

TRACKRECEVALIQ

Attribute	Description
Name	TRACKRECEVALIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

TRACKRECEVMLIQ

Attribute	Description
Name	TRACKRECEVMLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M,C</td></tr></table>

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ALIQREVPMT

Attribute	Description	
Name	ALIQREVPMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ROLLBY

Attribute	Description	
Name	ROLLBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	Description	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	Description	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	**Description**	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	**Description**	
Name	CLGBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCDR

Attribute	Description	
Name	EXTACCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMEDR

Attribute	Description	
Name	EXTACCNAMEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1DR

Attribute	**Description**	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2DR

Attribute	**Description**	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3DR

Attribute	**Description**	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UICOLACCNO

Attribute	Description	
Name	UICOLACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

UICOLBRN

Attribute	Description	
Name	UICOLBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,M,Q,H,Y

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CODEUSAGE

Attribute	Description
Name	CODEUSAGE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,A,

TOP

RESOLVEDVAL

Attribute	Description
Name	RESOLVEDVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Roll-Comp

Attribute	Description
Name	Roll-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDDR

Attribute	Description	
Name	CLGBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDDR

Attribute	Description	
Name	CLGBRNCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRDCDDR

Attribute	Description	
Name	CLGPRDCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	Description	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description	
Name	PAYERACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	Description	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	Description	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SETTLCCY

Attribute	Description
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	**Description**	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	**Description**	
Name	SPLINTAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DRPAYMENTMODE

Attribute	Description	
Name	DRPAYMENTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description	
Name	CRPAYMENTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO

TOP

Comp-Sch

Attribute	Description	
Name	Comp-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BENBANK

Attribute	Description
Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SPLCUSTOMER

Attribute	**Description**	
Name	SPLCUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

SPLACCCCY

Attribute	**Description**	
Name	SPLACCCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SPLPERCENTAGE

Attribute	**Description**	
Name	SPLPERCENTAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SPLIT_AMT

Attribute	**Description**	
Name	SPLIT_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SPLPAYMD

Attribute	**Description**

Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	**Description**
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	**Description**
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	**Description**
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPOINTCR

Attribute	**Description**	
Name	ENDPOINTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCDCR

Attribute	**Description**	
Name	CLGPRODCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDCR

Attribute	**Description**	
Name	SECTORCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRUNODR

Attribute	**Description**	
Name	INSTRUNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description
Name	SETTLCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

ACCNOCHAR1

Attribute	**Description**	
Name	ACCNOCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

BRNCHAR2

Attribute	**Description**	
Name	BRNCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

COMPCHAR3

Attribute	**Description**	
Name	COMPCHAR3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Chg-Sch

Attribute	**Description**	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description
Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description

Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Asset-Home

Attribute	Description
Name	Asset-Home
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PURCHASEORDERNO

Attribute	Description
Name	PURCHASEORDERNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GEOCODE

Attribute	Description
Name	GEOCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BNACODE

Attribute	Description
Name	BNACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MSACODE

Attribute	Description
Name	MSACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSET

Attribute	Description

Name	ASSET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Vehicle,Home,Others,None

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Asset-Others

Attribute	**Description**	
Name	Asset-Others	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	**Description**	
Name	ASSETTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSUBTYP

Attribute	**Description**	
Name	ASSETSUBTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Financials

Attribute	Description
Name	Financials
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Other-Income

Attribute	Description
Name	Other-Income
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	Description

Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGEMIPCNT

Attribute	Description
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Intermediary

Attribute	Description
Name	Intermediary
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INTERMEDIARY_CODE

Attribute	Description
Name	INTERMEDIARY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATUS

Attribute	Description

Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFXRATE

Attribute	**Description**	
Name	REFXRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	Description
Name	COSTCD1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD5

Attribute	Description
Name	COSTCD5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEYID

Attribute	Description
Name	KEYID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Acc-Master

Attribute	Description

Name	Acc-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	Description	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

Rates-Cycle-A

Attribute	Description	
Name	Rates-Cycle-A	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NEXT_CYCLE_CODE

Attribute	Description	
Name	NEXT_CYCLE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CYCLE_END_DT

Attribute	Description

Name	CYCLE_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.32.3.MO-ModifyMortgage-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*
    - *MATTYP*
    - *NETPRIN*
    - *INDEXXRATE*

BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC

CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR

PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE
CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT

MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2
INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE

FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1
  REMARK2
  REMARK3
  REMARK4

REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10

Components

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC

WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR
Comp-Sch
  UNIT
  SCHENDDT

AMT
PAYMODE
PMNTPRODAC
PAYDTLS
BENACC
BENBANK
BENNAME
CAPITALIZED
FIRSTDUEDT
WAIVERFLG
COMPOUNDDAYS
COMPOUNDMONTHS
COMPOUNDYEARS
EMIAMT
DUEDATESON
DAYSMTH
DAYSYEAR
FREQ
FORMULANAME
SCHSTARTDT
NOOFSCH
SCHTYP
SCHFLG
Acc-Sch-Cmp
SCHDUEDT
GRACEDAYS
ORIGAMTDUE
AMTDUE
ADJAMT
AMTSETTL
AMTOVERDUE
ACCRAMT
LCYEQUIV
DLYAVGAMT
EMAMT
SCHFLG
WAIVERFLG
SCHLINK
CAPITALIZED
PROCESSNO
AMTREADJ
ADJSETTL
SCHSTATUS
ACCGL

- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

Revisions

- *ACCNO*
- *BRN*

COMPNAME
SCHSTDT
SCHDUEDT
APPLIEDFLG
SCHLINK
Comp-Gua-Cust
BRN
ACCNO
COMPNAME
LIQORD
CUSTNUM
CUSTNAME
Comp-Gua-Custacc
BRN
ACCNO
COMPNAME
GUACIFID
LIQORD
GUAACC
GUAACCBRN
GUACCY
Chg-Comp
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR

EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
CONSOLCHG
Chg-Sch

SETTLEMENTCCY
DUEDATE
AMTDUE
AMTWAIVED
FORMULANAME
SCHTYPE
SCHSTDATE
GRACEDAYS
ORGAMT
ADJAMT
AMTSETTLED
AMTOVERDUE
ACCRAMT
LCYEQUI
DLYAVGAMT
EMIAMT
SCHFLAG
WAIVER
SCHLINKAGE
CAPITALIZED
PROCESSNO
AMTREADJUST
ADJSETTLED
SCHSTAT
ACCGL
LASTPMTVALDT
RETRYSTDT
MORAINT
SCHNO
WRITEOFFAMT
READJSETTLED
LASTREADJRATE
SUSPAMTDUE
SUSPAMTSETTLED
SUSPAMTCCY
SUSPREADAMT
SUSPREADSETTLED
LASTSUSPXRATE
IRRAPPLICABLE
LISTDAYS
LISTAVGAMT
Chg-Dtls
COMPNAME
SCHDUEDT

AMTDUE
AMTSETTL
WAIVERFLG
EVENTCD
RECORDROWID

Linkages

BRN
LINKTYP
LINKREFNO
LINKAMT
AMTBLKNO
SECUREDPORTION
CUSTID
LINKBRN
LINKSEQNO
EXRATE
CONVERTLINKAMT
CONVERTPAIDAMT

Advices

MSGTYPE
SUPPRESS
PRIORITY

Adv-Suppress

MSGTYPE

Credit-Score

CREDIRSCORE
AUTOCRSCORE
AGENCYCD
EXTCRSCORE
RULENAME

Asset-Vehicle

ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
IDENTITYNO
REGNO
ADDRESS1

- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*

ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT
FREQ
BAL
COMMENTDET

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*
- *COVRREQ*
- *CHRGDET*
- *OURCORRESP*

RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5
BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3

BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Udf-Others
DESCCHAR1
DESCCHAR2
DESCCHAR3
DESCCHAR4
DESCCHAR5
DESCCHAR6
DESCCHAR7
DESCCHAR8
DESCCHAR9
DESCCHAR10
DESCCHAR11
DESCCHAR12
DESCCHAR13
DESCCHAR14
DESCCHAR15
DESCCHAR16
DESCCHAR17
DESCCHAR18
DESCCHAR19
DESCCHAR20
DESCCHAR22
DESCCHAR23
DESCCHAR24
DESCCHAR25
DESCCHAR26
DESCCHAR27
DESCCHAR28
DESCCHAR29
DESCCHAR30
DESCCHAR31
DESCCHAR32

DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER
POLICYAMOUNT
POLICYSTDATE
POLICYENDDATE

- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*
- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*
- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*

- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*
- *COSTCD4*
- *COSTCD5*
- *TXNMIS1*

TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9
TRANMIS10
COMMIS1
COMMIS2

- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*
  - *DELIVERYDT*
  - *VENDORCD*
  - *AGENTNAME*

AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW
PROPTYP
DESC
PROPAREA

PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO
PROPSTATUS
DATEOFCOMPLETION
OSPRINC

- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*

- *DELLOC*
- *DELDT*
- *VENDCD*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Builddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Serijadtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*
- *BUILTUPAREA*
- *NOOFSTOREY*
- *RENTSTDT*

RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF
Equipvals
EVALNAME
EVALVAL

EVALDT
Master
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
Auto-Prepay
ACCNO
BRN
AUTOPRECUSTID
AUTOPRECCY
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
INTEREST_RATE
UPTO
CYCLE_START_DT
CYCLE_END_DT
CYCLE_NO
CURRENT_CYCLE
UNITS
CURR_CYCLE_CODE
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROD

Attribute	Description
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRODCAT

Attribute	Description
Name	PRODCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COMMITTYP

Attribute	**Description**	
Name	COMMITTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,R

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BILL_DUE_AMT

Attribute	**Description**	
Name	BILL_DUE_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTAVL

Attribute	**Description**	
Name	AMTAVL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTOMANROLL

Attribute	**Description**
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMODE

Attribute	**Description**	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	**Description**	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	Description	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	Description	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	Description	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	Description	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C,F,G,

TOP

PROMOID

Attribute	**Description**	
Name	PROMOID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Account-Stats

Attribute	**Description**	
Name	Account-Stats	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXPECTED

Attribute	**Description**	
Name	EXPECTED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

Components

Attribute	**Description**	
Name	Components	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMECR

Attribute	Description	
Name	EXTACCNAMECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDCR

Attribute	Description	
Name	CLGBANKCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDCR

Attribute	Description	
Name	CLGBRNCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACCNODR

Attribute	Description	
Name	EXTACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMEDR

Attribute	Description	
Name	EXTACCNAMEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDDR

Attribute	Description	
Name	CLGBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDDR

Attribute	Description	
Name	CLGBRNCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	**Description**	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVE

Attribute	**Description**	
Name	WAIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DRPRODAC

Attribute	**Description**	
Name	DRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SETTLCCY

Attribute	**Description**	
Name	SETTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	**Description**	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHANGERATE

Attribute	**Description**	
Name	EXCHANGERATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATEDRATE

Attribute	**Description**	
Name	NEGOTIATEDRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATIONREFNO

Attribute	**Description**	
Name	NEGOTIATIONREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ORGEXCHRATE

Attribute	**Description**	
Name	ORGEXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQUIDATION_MODE

Attribute	**Description**
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

NEGCOSTRATE

Attribute	Description
Name	NEGCOSTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGREFNO

Attribute	Description
Name	NEGREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXCHANGERTDER

Attribute	Description
Name	EXCHANGERTDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGRATEDR

Attribute	Description
Name	NEGRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGREFNODR

Attribute	Description
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description	
Name	READJSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJXRATE

Attribute	Description	
Name	LASTREADJXRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	Description	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTL

Attribute	Description	
Name	SUSPAMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTLCY

Attribute	Description	
Name	SUSPAMTLCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOT_DISBR

Attribute	Description
Name	TOT_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRODCDDR

Attribute	**Description**	
Name	CLGPRODCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	**Description**	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	**Description**	
Name	FUNDDURINGINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FUNDDURINGROLL

Attribute	**Description**	
Name	FUNDDURINGROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	Description	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	Description	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRUNODR

Attribute	Description	
Name	INSTRUNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNODR

Attribute	Description	
Name	ROUTINGNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPOINTDR

Attribute	Description	
Name	ENDPOINTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DRPRODAC

Attribute	Description	
Name	DRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTL

Attribute	Description

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Vehicle,Home,Others,None</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	Description	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description	
Name	ASSETTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSUBTYP

Attribute	Description	
Name	ASSETSUBTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	Description	
Name	ASSETSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS2

Attribute	Description
Name	PYMTDTLS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS3

Attribute	Description
Name	PYMTDTLS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS4

Attribute	Description
Name	PYMTDTLS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO1

Attribute	Description
Name	SNDRRCVRINFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	**Description**	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR4

Attribute	**Description**	
Name	DESCCHAR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR5

Attribute	**Description**	
Name	DESCCHAR5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR6

Attribute	**Description**	
Name	DESCCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR7

Attribute	**Description**	
Name	DESCCHAR7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR8

Attribute	Description
Name	DESCCHAR8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR9

Attribute	Description
Name	DESCCHAR9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR10

Attribute	Description
Name	DESCCHAR10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR11

Attribute	Description
Name	DESCCHAR11
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR12

Attribute	Description	
Name	DESCCHAR12	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR13

Attribute	Description	
Name	DESCCHAR13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR14

Attribute	Description	
Name	DESCCHAR14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR15

Attribute	Description	
Name	DESCCHAR15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR30

Attribute	Description
Name	DESCCHAR30
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR31

Attribute	Description
Name	DESCCHAR31
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR32

Attribute	Description
Name	DESCCHAR32
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR33

Attribute	Description
Name	DESCCHAR33
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR34

Attribute	Description	
Name	DESCCHAR34	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR36

Attribute	Description	
Name	DESCCHAR36	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR37

Attribute	Description	
Name	DESCCHAR37	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR38

Attribute	Description	
Name	DESCCHAR38	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGEMIPCNT

Attribute	**Description**	
Name	CHGEMIPCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

Intermediary

Attribute	**Description**	
Name	Intermediary	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

INTERMEDIARY_CODE

Attribute	**Description**	
Name	INTERMEDIARY_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERMEDIARYNAME

Attribute	**Description**
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

POLICYTYPE

Attribute	Description
Name	POLICYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,P

TOP

INSURER

Attribute	Description
Name	INSURER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

INSURERADDR1

Attribute	Description
Name	INSURERADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MANAGEDBY

Attribute	**Description**	
Name	MANAGEDBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Property

Attribute	**Description**	
Name	Property	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DEVELOPERCODE

Attribute	Description	
Name	DEVELOPERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PROJECTNAME

Attribute	Description	
Name	PROJECTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROJECTDESC

Attribute	Description	
Name	PROJECTDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROPERTYTYPE

Attribute	Description	
Name	PROPERTYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description	
Name	LINKED_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LBL_FIELD_DATE

Attribute	Description
Name	LBL_FIELD_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description	
Name	COSTCD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD3

Attribute	Description	
Name	COSTCD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD4

Attribute	Description	
Name	COSTCD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD5

Attribute	Description	
Name	COSTCD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS1

Attribute	**Description**	
Name	TRANMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMMIS9

Attribute	Description
Name	COMMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMMIS10

Attribute	Description
Name	COMMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS1

Attribute	Description
Name	FUNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS2

Attribute	Description
Name	FUNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS3

Attribute	Description
Name	FUNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS4

Attribute	Description
Name	FUNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS5

Attribute	Description
Name	FUNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS6

Attribute	Description
Name	FUNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255; minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Vhc-Dtls

Attribute	**Description**
Name	Vhc-Dtls
Datatype	
Description	Indicates Vehicle Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REGEMIRATE

Attribute	**Description**
Name	REGEMIRATE
Datatype	String
Description	Indicates whether Vehicle is Registered in Emirates
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGNO

Attribute	**Description**
Name	REGNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGDT

Attribute	**Description**
Name	REGDT
Datatype	Date
Description	Indicates Vehicle Registration Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description	
Name	DISTORAREA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AREAINANOCOUNTRY

Attribute	Description	
Name	AREAINANOCOUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNO

Attribute	Description
Name	CONTACTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPSTATUS

Attribute	Description
Name	PROPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DATEOFCOMPLETION

Attribute	Description
Name	DATEOFCOMPLETION
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

GOODSTYP

Attribute	**Description**	
Name	GOODSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROFORMAINVOICEDT

Attribute	Description
Name	PROFORMAINVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Serijadtls

Attribute	Description
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CAPACITY

Attribute	Description
Name	CAPACITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALBENEF

Attribute	Description
Name	MEDICALBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MEDICALSTDT

Attribute	Description
Name	MEDICALSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	**Description**	
Name	AUTOPRECUSBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description
Name	CYCLE_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLE_NO

Attribute	Description
Name	CYCLE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CURRENT_CYCLE

Attribute	Description
Name	CURRENT_CYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.32.4.MO-ModifyMortgage-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Account-Master-PK*
      - *ACCNO*
      - *BRN*
    - *Account-Master-IO*
      - *ACCNO*
      - *BRN*
      - *AUTOMANROLL*
      - *SCHBASIS*
      - *UDEROLLOVER*
      - *ROLLOVERTYP*
      - *SPLAMT*
      - *PASSBOOKFAC*
      - *ATMFAC*
      - *TRACKRECEVALIQ*
      - *TRACKRECEVMLIQ*
      - *LIQUIDATIONMODE*
      - *AMENDPASTPAIDSCH*
      - *CHEQUEBOOKFAC*

LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
PRIMAPPNAME
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR

EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
UICOLACCNO
UICOLBRN
CALCGP
USEGUARANTOR
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
LOAN_AGAINST_SAL
RETRIES_ADVICE_DAYS
RATE_CHANGE_ACTION
Promotions
Account-Stats
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY

- *LIABPERCENT*
- *LIABILITYAMT*
- *EFFECDATE*

Hol-Periods

- *HOLPERDS*

Effec-Date

- *EFFDT*
- *Ude-Vals*
  - *UDEID*
  - *UDEVAL*
  - *RATECODE*
  - *CODEUSAGE*
  - *RESOLVEDVAL*

Roll-Comp

- *COMPNAME*

Ude-Rate-Date

- *PERIODSTDT*
- *PERIODENDDT*

Checklist

- *CHECKED*

Remarks

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

Components

- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROMODECR*
- *GIROSERVICECR*
- *GIRONUMBERCR*
- *PAYERACCNOCR*
- *PAYERBANKCDCR*
- *PAYERBRNCR*
- *PAYERADD1CR*
- *PAYERADD2CR*

PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
ACCNO
BRN
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR

ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMENTMODE
CRPAYMENTMODE
Comp-Sch
- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHTYP*
- *SCHFLG*

Cltbs-Split-Sttl-Detail
- *SPLCUSTOMER*
- *SPLACCCCY*
- *SPLPERCENTAGE*

SPLIT_AMT
SPLPAYMD
SPLACCNO
SPLACCBRN
Comp-Gua-Cust
CUSTNUM
Comp-Gua-Custacc
GUAACC
GUAACCBRN
Chg-Comp
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
ACCNO
BRN

- *COMPNAME*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACCAC*
- *CRPRODAC*
- *WAIVE*
- *VERIFYFUNDS*
- *GIROMODEDR*
- *GIROSERVICEDR*
- *GIRONUMBERDR*
- *PAYERACCNODR*
- *PAYERBANKCDDR*
- *PAYERBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTRUNOCR*
- *ROUTINGNOCR*
- *ENDPOINTCR*
- *CLGPRODCDCR*
- *SECTORCDCR*
- *INSTRUNODR*
- *ROUTINGNODR*
- *ENDPOINTDR*
- *DRPRODAC*
- *SETTLCHGCCY*
- *CMPTYPE*
- *MAINCOMP*
- *SPLINT*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMODE*
- *CRPAYMODE*
- *EFFDT*
- *ACCNOCHAR1*
- *BRNCHAR2*
- *COMPCHAR3*
- *Chg-Sch*
- *Chg-Dtls*

Linkages

Advices

- *SUPPRESS*
- *PRIORITY*

Adv-Suppress

MSGTYPE

Credit-Score

CREDIRSCORE

AUTOCRSCORE

AGENCYCD

EXTCRSCORE

RULENAME

Asset-Vehicle

ASSETCLASS

ASSETTYP

ASSETSUBTYP

ASSETSTATUS

ASSETYEAR

ASSETMAKE

ASSETMODEL

ASSETBODY

IDENTITYNO

REGNO

ADDRESS1

ADDRESS2

ADDRESS3

ADDRESS4

Asset-Home

ASSETCLASS

ASSETTYP

ASSETSUBTYP

ASSETSTATUS

OCCUPANCYTYP

ASSETYEAR

ASSETMAKE

ASSETMODEL

ASSETWIDTH

ASSETLENGTH

PURCHASEORDERNO

GEOCODE

BNACODE

MSACODE

Asset-Valuations

ASSET

VALDT

VALSOURCE

VALSUPPLEMENT

VALEDITION

WHOLESALEVALUE

RETAILVALUE
USGLVL
IMPACTUSGLVL
TOTVAL
Asset-Others
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
Financials
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET
Liabilities
SEQNO
LIABTYP
ACCTYP
CCY
AMT
FREQ
BAL
COMMENTDET
Other-Income
SEQNO
INCOMETYP
CCY
AMT
FREQ
Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT
Intermediary
INTERMEDIARY_CODE
INTERMEDIARY_RATIO

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFXRATE*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*
- *COSTCD4*
- *COSTCD5*
- *TXNMIS1*
- *TXNMIS10*
- *TXNMIS2*
- *TXNMIS3*
- *TXNMIS4*
- *TXNMIS5*
- *TXNMIS6*
- *TXNMIS7*
- *TXNMIS8*
- *TXNMIS9*
- *MISGRPCOMP*
- *MISGRPTXN*
- *COMPMIS1*
- *COMPMIS10*
- *COMPMIS2*
- *COMPMIS3*
- *COMPMIS4*
- *COMPMIS5*
- *COMPMIS6*
- *COMPMIS7*

COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
Txnmisdetails
Compmisdetails
Fundmisdetails
TXNUDFDETAILS
FLDNAME
FLDVAL
Extsys-Ws-Master
KEYID
Account-Main
ACCOUNT_NUMBER
Acc-Master
VERNO
ACCNO
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DOC_CATEGORY
DOC_TYPE
REMARKS
Auto-Prepay
ACCNO
BRN
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
CYCLE_END_DT
FCUBS_ERROR_RESP
ERROR
ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Account-Master-PK

Attribute	Description
Name	Account-Master-PK
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOMANROLL

Attribute	Description
Name	AUTOMANROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PASSBOOKFAC

Attribute	Description
Name	PASSBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMFAC

Attribute	Description
Name	ATMFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRACKRECEVALIQ

Attribute	Description
Name	TRACKRECEVALIQ

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRACKRECEVMLIQ

Attribute	Description
Name	TRACKRECEVMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQDBACKVALUESCH

Attribute	**Description**	
Name	LIQDBACKVALUESCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMPDATESFLG

Attribute	**Description**	
Name	LIQCOMPDATESFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RETRIESALIQ

Attribute	**Description**	
Name	RETRIESALIQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARTIALLIQD

Attribute	**Description**	
Name	PARTIALLIQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	Description
Name	ROLLALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOTARYAUTOCONF

Attribute	Description
Name	NOTARYAUTOCONF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	Description	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	Description	
Name	CLGBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCR

Attribute	Description	
Name	CLGBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INSTNOCR

Attribute	Description	
Name	INSTNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNOCR

Attribute	Description	
Name	ROUTINGNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTCR

Attribute	Description	
Name	ENDPTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCDR

Attribute	Description	
Name	EXTACCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMEDR

Attribute	Description	
Name	EXTACCNAMEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSVCDR

Attribute	**Description**	
Name	GIROSVCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMDR

Attribute	**Description**	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCDR

Attribute	**Description**	
Name	PAYERACCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKDR

Attribute	**Description**	
Name	PAYERBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2DR

Attribute	Description	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3DR

Attribute	Description	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UICOLACCNO

Attribute	Description
Name	UICOLACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

UICOLBRN

Attribute	Description
Name	UICOLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,M,Q,H,Y

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

Promotions

Attribute	**Description**	
Name	Promotions	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

Account-Stats

Attribute	**Description**	
Name	Account-Stats	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

Othr-Applicants

Attribute	**Description**	
Name	Othr-Applicants	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSAGE

Attribute	Description
Name	CODEUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,A,

TOP

RESOLVEDVAL

Attribute	Description
Name	RESOLVEDVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Roll-Comp

Attribute	Description
Name	Roll-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description

Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNOCR

Attribute	**Description**	
Name	PAYERACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDCR

Attribute	**Description**	
Name	PAYERBANKCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	Description	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	Description	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	Description	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	Description	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVE

Attribute	Description	
Name	WAIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCCY

Attribute	Description
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	**Description**	
Name	CRPAYMENTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO

TOP

Comp-Sch

Attribute	**Description**	
Name	Comp-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

UNIT

Attribute	**Description**	
Name	UNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	**Description**	
Name	SCHENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENACC

Attribute	Description
Name	BENACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENBANK

Attribute	Description
Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUEDATESON

Attribute	**Description**	
Name	DUEDATESON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DAYSMTH

Attribute	**Description**	
Name	DAYSMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYEAR

Attribute	**Description**	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULANAME

Attribute	**Description**
Name	FORMULANAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description

Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Comp-Gua-Custacc

Attribute	Description

Name	Comp-Gua-Custacc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description	
Name	PAYERACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	Description	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description
Name	SETTLCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DRPAYMODE

Attribute	Description	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

ACCNOCHAR1

Attribute	Description
Name	ACCNOCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

BRNCHAR2

Attribute	Description
Name	BRNCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

COMPCHAR3

Attribute	Description
Name	COMPCHAR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

Chg-Sch

Attribute	Description
Name	Chg-Sch
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AGENCYCD

Attribute	Description	
Name	AGENCYCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTCRSCORE

Attribute	Description	
Name	EXTCRSCORE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RULENAME

Attribute	Description	
Name	RULENAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

Asset-Vehicle

Attribute	Description	
Name	Asset-Vehicle	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSETMAKE

Attribute	**Description**	
Name	ASSETMAKE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETMODEL

Attribute	**Description**	
Name	ASSETMODEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETBODY

Attribute	**Description**	
Name	ASSETBODY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

IDENTITYNO

Attribute	**Description**	
Name	IDENTITYNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Asset-Home

Attribute	Description
Name	Asset-Home
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	**Description**	
Name	ASSETSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

OCCUPANCYTYP

Attribute	**Description**	
Name	OCCUPANCYTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETYEAR

Attribute	**Description**	
Name	ASSETYEAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSETMAKE

Attribute	**Description**	
Name	ASSETMAKE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PURCHASEORDERNO

Attribute	Description
Name	PURCHASEORDERNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GEOCODE

Attribute	Description
Name	GEOCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BNACODE

Attribute	Description
Name	BNACODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MSACODE

Attribute	Description
Name	MSACODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Vehicle,Home,Others,None

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Financials

Attribute	Description
Name	Financials
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description

Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Other-Income

Attribute	Description
Name	Other-Income
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGEMIPCNT

Attribute	Description
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

Intermediary

Attribute	**Description**	
Name	Intermediary	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

INTERMEDIARY_CODE

Attribute	**Description**	
Name	INTERMEDIARY_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERMEDIARY_RATIO

Attribute	**Description**	
Name	INTERMEDIARY_RATIO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Acc-Liq-Order

Attribute	**Description**	
Name	Acc-Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATUS

Attribute	**Description**
Name	STATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description

Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / ,X,F,P

TOP

PROCALCMTH

Attribute	Description
Name	PROCALCMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,1,2,3,4,5,6,7,8,9

TOP

REFXRATE

Attribute	Description
Name	REFXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REFRATECD

Attribute	Description
Name	REFRATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COSTCD1

Attribute	Description
Name	COSTCD1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD5

Attribute	Description
Name	COSTCD5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

Compmisdetails

Attribute	Description

Name	Compmisdetails
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	1

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	1

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	

Restrictions	Description
maxLength	105
minLength	1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	255
minLength	0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

KEYID

Attribute	Description
Name	KEYID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	Indicates Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER

Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CYCLE_END_DT

Attribute	Description
Name	CYCLE_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description

Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.33.ModifyProdTrfr

ModifyProdTrfr

2.33.1.MO-ModifyProdTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.33.2.MO-ModifyProdTrfr-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-IO*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CURRENT_BRANCH_CODESS

Attribute	**Description**	
Name	CURRENT_BRANCH_CODESS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TARGET_BRANCH_CODESS

Attribute	**Description**	
Name	TARGET_BRANCH_CODESS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TRANSFER_DATE

Attribute	**Description**	
Name	TRANSFER_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TRANSFER_ID

Attribute	**Description**	
Name	TRANSFER_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CATGPRDDESC

Attribute	Description	
Name	CATGPRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CURRENT_BRANCH_NAME

Attribute	Description	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

TARGET_BRANCH_NAME

Attribute	Description	
Name	TARGET_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.33.3.MO-ModifyProdTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description

Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description

Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.33.4.MO-ModifyProdTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltb-Prod-Brn-Transfer-PK*
      - *TRANSFER_ID*
    - *Cltb-Prod-Brn-Transfer-IO*
      - *PRODUCT_CODE*
      - *CURRENT_BRANCH_CODESS*
      - *TARGET_BRANCH_CODESS*
      - *TRANSFER_DATE*
      - *TRANSFER_ID*
      - *CATGPRDDESC*
      - *CURRENT_BRANCH_NAME*
      - *TARGET_BRANCH_NAME*
      - *MAKER*
      - *MAKERSTAMP*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Cltb-Prod-Brn-Transfer-PK

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description	
Name	TRANSFER_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description	
Name	PRODUCT_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description	
Name	CURRENT_BRANCH_CODESS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.34.SaveVami

SaveVami

2.34.1.MO-Amnd-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Amnd-Req*
    - *SCODE*
    - *ACCNO*
    - *BRN*
    - *EFFDT*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *MATDT*
    - *BOOKDT*
    - *NO_OF_INST*
    - *FREQ_UNIT*
    - *FREQ*
    - *FIRST_INS_DATE*

DUE_DATES_ON
EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
VAMI_ACTION
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR

INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16

FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN

CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED

MAINCOMPFLAG
PENALBASISCOMP
SPLINTFLAG
SPLINTAMT
WAIVERFLAG
STTLMTCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR

PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT
FUNDROLL
VERIFYFUNDS
IRRAPPL
COMPSCH
SCHTYPE
SCHFLAG
FORMULA
FIRSTDUE
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
CAPITALIZED
WAIVERFLAG
SCHSTDT
DUEDTON
UDEDET
EFFDT
UDEVALS
UDEVAL
UDEID
RESOLVAL
RATECD
CODEUSE
RATETYP
OTHAPPLCNT
CUSTID
CUSTNAME
RESP

- *LIABPERCNT*
- *LIABAMT*
- *EFFDATE*

LINKAGES

- *LINKAGE_SEQ_NO*
- *LINKTYPE*
- *LINKAGE_BRANCH*
- *LINKREFNO*
- *LINKAMT*
- *CUSTID*
- *SECPORTION*

UDERTPLAN

- *PERIOD_ST_DT*
- *PERIOD_END_DT*

COMMPREF

- *LAST_DSBR_DT*
- *MATURITY_DT*
- *DSBR_FLAG*

PROPERTY

- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

SETTLDETAILS

- *TRANSFER_TYPE*
- *COVER_REQUIRED*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *INT_REIM_INST1*

INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5

INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
EXT_PARTY_CLG_NTWK
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG

POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2

FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
LIQUIDATIONORDER
STAT
COMP
LIQORDER
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Vami

TOP

MO-Amnd-Req

Attribute	Description
Name	MO-Amnd-Req
Datatype	
Description	Mortgage VAMI Request

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ATMFACILITY

Attribute	Description

Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VAMI_ACTION

Attribute	Description
Name	VAMI_ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TRKRECIALIQ

Attribute	**Description**	
Name	TRKRECIALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIMLIQ

Attribute	**Description**	
Name	TRKRECIMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDEROLLBASIS

Attribute	**Description**	
Name	UDEROLLBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLAMT

Attribute	**Description**	
Name	SPLAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	**Description**	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIRO_MODE_CR

Attribute	**Description**	
Name	GIRO_MODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_SERVICE_CR

Attribute	**Description**	
Name	GIRO_SERVICE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_NUMBER_CR

Attribute	**Description**	
Name	GIRO_NUMBER_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	Description	
Name	PAYER_ADDRESS3_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_CR

Attribute	Description	
Name	PAYER_ADDRESS4_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FIELD_CHAR_1

Attribute	Description	
Name	FIELD_CHAR_1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_11

Attribute	**Description**	
Name	FIELD_CHAR_11	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_12

Attribute	**Description**	
Name	FIELD_CHAR_12	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_13

Attribute	**Description**	
Name	FIELD_CHAR_13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_14

Attribute	**Description**	
Name	FIELD_CHAR_14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_15

Attribute	**Description**	
Name	FIELD_CHAR_15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_4

Attribute	**Description**	
Name	FIELD_DATE_4	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_5

Attribute	**Description**	
Name	FIELD_DATE_5	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_6

Attribute	**Description**	
Name	FIELD_DATE_6	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_7

Attribute	**Description**	
Name	FIELD_DATE_7	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_8

Attribute	**Description**	
Name	FIELD_DATE_8	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	**Description**	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	**Description**	
Name	RATE_CODE_PREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALC_ACTION_CODE

Attribute	**Description**	
Name	RECALC_ACTION_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description

Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATE_CHG_ACTION

Attribute	**Description**	
Name	RATE_CHG_ACTION	
Datatype	String	
Description	Indicates Auto Rate Change Action.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

HOLIDAYPRD

Attribute	**Description**
Name	HOLIDAYPRD
Datatype	
Description	

TOP

PERIOD

Attribute	**Description**	
Name	PERIOD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMPDET

Attribute	**Description**
Name	COMPDET
Datatype	
Description	

TOP

COMPNAME

Attribute	**Description**
Name	COMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	**Description**	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	**Description**	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRONUMDR

Attribute	**Description**	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKDR

Attribute	**Description**	
Name	PAYERBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERACNODR

Attribute	**Description**	
Name	PAYERACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2DR

Attribute	Description	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3DR

Attribute	Description	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	

TOP

SCHTYPE

Attribute	Description	
Name	SCHTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	Description	
Name	SCHFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>6</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	**Description**	
Name	ENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	**Description**	
Name	AMOUNT	
Datatype	Number	
Description		
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CODEUSE

Attribute	Description

Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGES

Attribute	Description

Name	LINKAGES
Datatype	
Description	

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description

Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description	
Name	COVER_REQUIRED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	Description	
Name	CHARGES_DETAILS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	**Description**	
Name	INTERMEDIARY2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	**Description**	
Name	INTERMEDIARY3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	**Description**	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	**Description**	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST3_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST3_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST4_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST4_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST5_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST5_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	**Description**	
Name	OTHER_DETAILS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

COVER_BY

Attribute	**Description**	
Name	COVER_BY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	**Description**	
Name	EXT_PROD_CATEGORY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	**Description**	
Name	EXT_STATION_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description	
Name	EXT_PARTY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description	
Name	EXT_PARTY_CLG_NTWK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISHEAD

Attribute	**Description**	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRCOMP

Attribute	**Description**	
Name	MISGRCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UNITTYPE

Attribute	Description
Name	UNITTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE1

Attribute	**Description**	
Name	COSTCODE1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE2

Attribute	**Description**	
Name	COSTCODE2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE3

Attribute	**Description**	
Name	COSTCODE3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE4

Attribute	**Description**	
Name	COSTCODE4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	**Description**	
Name	COSTCODE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	**Description**	
Name	CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK2

Attribute	**Description**	
Name	REMARK2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK3

Attribute	**Description**	
Name	REMARK3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK4

Attribute	**Description**	
Name	REMARK4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK5

Attribute	**Description**	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHGCCY

Attribute	Description	
Name	CHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	Description	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

2.34.2.MO-Amnd-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Amnd-Req-IO*
    - *SCODE*
    - *ACCNO*
    - *BRN*
    - *EFFDT*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *MATDT*
    - *BOOKDT*
    - *ALTACCNO*
    - *COMPDET*
      - *COMPNAME*
      - *COMPSCH*
        - *SCHTYPE*
        - *SCHFLAG*
        - *FORMULA*

AMOUNT
FIRSTDUE
NOOFSCH
FREQ
UNIT
SCHSTDT
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
LIQUIDATIONORDER
STAT
COMP
LIQORDER
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
COMMPREF
LAST_DSBR_DT
MATURITY_DT
DSBR_FLAG
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER
PAGE
PVALUE
OMARGIN
LMARGIN
VCCY
UDEDET
EFFDT
UDEVALS
UDEVAL
UDEID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Vami

TOP

MO-Amnd-Req-IO

Attribute	Description
Name	MO-Amnd-Req-IO
Datatype	
Description	Mortgages Amend Request Save - Value Dated Amendment Initiation

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	

Restrictions	**Restrictions** / **Description** totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 3

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description

Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

2.34.3.MO-Amnd-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CLAmndResPK*
    - *ACCNO*
    - *BRN*
    - *EFFDT*
    - *AUTHSTATUS*
    - *ACTSTATUS*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) product

TOP

CLAmndResPK

Attribute	Description
Name	CLAmndResPK
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

AUTHSTATUS

Attribute	Description
Name	AUTHSTATUS
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACTSTATUS

Attribute	Description
Name	ACTSTATUS
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE

Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.34.4.MO-Amnd-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Query-Vami-Res*
    - *ACCNO*
    - *BRN*
    - *EFFDT*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *MATDT*
    - *BOOKDT*
    - *NOOFINST*
    - *FREQUNIT*
    - *FREQ*
    - *DUEDATESON*
    - *EMIAMT*
    - *ALTACCNO*
    - *NETAMT*
    - *EXCHRT*

DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
VAMI_ACTION
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRTYPE
ALIQREVERSEDPMT
ALLOWBACKPERIODENTRY
AMORTIZED
AMOUNTDISBURSED
APPLICATIONNUM
AUTOMANROLLOVER
BACKVALEFFDT
CALCREQD
EXECUTIONDATE
FUNDEDSTATUS
INTSTMT
USERDEFINEDSTATUS
CLVWS_VAMIDET
- *EFFDTD*
- *VBESN*
- *VIESN*
- *AMDAPP*
- *PRICHN*
- *MATDTCHN*
- *RATCHN*

- *SCHAFF*
- *ATHST*
- *VIACN*
- *ACTST*
- *RTCDCHN*
- *SIMTD*

CLVWS_ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CLVWS_OTHAPPLCNT

- *CUSTID*
- *CUSTNAME*
- *RESP*
- *LIABPERCNT*
- *LIABAMT*
- *EFFDT*

CLVWS_CLCOMPDET

- *COMPNAME*
- *COMPDESC*
- *COMPTYPE*
- *FORMULATYP*
- *DAYSMTH*
- *DAYSYEAR*
- *MAINCOMPFLAG*
- *CAPITALIZED*
- *PENALBASISCOMP*
- *SPLINTFLAG*
- *SPLINTAMT*
- *WAIVERFLAG*
- *STTLMTCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *CRPRDACC*
- *CLVWS_COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*

- UNIT
- ENDDT
- AMOUNT
- CAPITALIZED
- WAIVERFLAG
- SCHSTDT

CLVWS_SCHEDULE

- DUEDATE
- AMTDUE
- AMTSETT
- ACCRAMT
- EMIAMT
- EMIAMTLCY
- ISCAP
- ISWAIVE
- GRACEDAYS
- OVERDUEDAYS

CLVWS_DSBRSCHEDULE

- SCHEDULE_ST_DATE
- SCHEDULE_DUE_DATE
- AMOUNT_TO_DISBR
- SCHEDULE_LINKAGE

AMT_AVAILABLE

COMMITMENT_TYPE

ROLLOVER_ALLOWED

LOAN_TYPE

USER_REF_NO

LOANTOVALUE

RECALCANNUITY

MORTGAGEG

STOPDSBR

SUBCUSTID

INTERINIT

INTERCODE

RATE_CHG_ACTION

VAMIDET

- EFFDT
- VBESN
- VIESN
- AMDAPP
- PRICHN
- MATDTCHN
- RATCHN
- SCHAFF

- *ATHST*
- *VIACN*
- *ACTST*
- *RTCDCHN*
- *SIMTD*

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

OTHAPPLCNT

- *CUSTID*
- *CUSTNAME*
- *RESP*
- *LIABPERCNT*
- *LIABAMT*
- *EFFDATE*

CLCOMPDET

- *COMPNAME*
- *COMPDESC*
- *COMPTYPE*
- *FORMULATYP*
- *DAYSMTH*
- *DAYSYEAR*
- *MAINCOMPFLAG*
- *CAPITALIZED*
- *PENALBASISCOMP*
- *SPLINTFLAG*
- *SPLINTAMT*
- *WAIVERFLAG*
- *STTLMTCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *CRPRDACC*
- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*

- *UNIT*
- *ENDDT*
- *AMOUNT*
- *CAPITALIZED*
- *WAIVERFLAG*
- *SCHSTDT*

INSTLDETS

- *DUEDATE*
- *INSTLNO*
- *INSTLSTATUS*
- *PAIDDT*
- *PAIDSTATUS*
- *TOTAMTSETT*
- *TOTAMTSETT_LCY*
- *EMIAMT*

CLVWS_CHARGEDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *CAPITALIZED*
- *DRPRDACC*
- *CRPRDACC*
- *WAIVERFLAG*
- *DRACCBRN*
- *CRACCBRN*
- *VERIFYFUNDS*
- *FUNDINT*
- *FUNDROLL*
- *COMPCCY*
- *IRRAPPL*
- *COMPDESC*
- *EFFDATE*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *CLVWS_CHARGESCHEDULE*
  - *FORMULA_NAME*
  - *SCHEDULE_ST_DATE*
  - *DUEDATE*
  - *AMTDUE*
  - *SETTLEMENT_CCY*
  - *EVENT_SEQ_NO*
  - *PROCESS_NO*

- SCHEDULE_NO
- IRR_APPLICABLE
- EFFDATE

HOLIDAYPRD
- PERIOD

EVENTS
- EVTNO
- EVTDT
- EVTCD

CLVWS_UDEDET
- EFFDT
- CLVWS_UDEVALS
  - UDEID
  - UDEVAL
  - RATECD
  - RATETYP
  - CODEUSE
  - RESOLVAL

LINKAGES
- LINKAGE_SEQ_NO
- LINKTYPE
- LINKAGE_BRANCH
- LINKREFNO
- LINKAMT
- CUSTID
- SECPORTION

UDERTPLAN
- PERIOD_ST_DT
- PERIOD_END_DT

COMMPREF
- LAST_DSBR_DT
- MATURITY_DT
- DSBR_FLAG

PROPERTY
- PNAME
- PTYPE
- PADDRESS1
- PADDRESS2
- PADDRESS3
- PADDRESS4
- COUNTRY
- POWNER
- PAGE
- PVALUE

OMARGIN
LMARGIN
VCCY
MIVWS_MIS_DETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3

COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10

SETTLDETAILS

EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2

RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5

ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P

- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

COMMITUTILS

- *COMMIT_SEQ_NO*
- *COMMIT_EVENT*
- *LINK_BRN_CODE*
- *LINK_REF_NO*
- *LINK_DATE*
- *LINK_EVENT*
- *LINK_EVENT_SEQ_NO*
- *LINK_CCY*
- *LINK_CCY_AMOUNT*
- *COMMIT_AMOUNT*
- *INCR_DECR_FLAG*
- *COMMIT_BAL*

ADVSUPPRESS

- *MSGTYPE*

EVENTREMK

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

UDFDETAILS

- *FIELD_NAME*
- *FIELD_VALUE*

LIQUIDATIONORDER

- *STAT*
- *COMP*
- *LIQORDER*

CHARGEDET

COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE

MO-Amnd-Req

SCODE
ACCNO
BRN
EFFDT
PRD
CUSTID
CCY
AMOUNT
VALDT
MATDT
BOOKDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES

RETRIES_ADVICE_DAYS
VAMI_ACTION
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR

PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3

FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE

NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED
  MAINCOMPFLAG
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN
  DRPRDACC
  CRPRDACC
  SVCACC
  SVCACCBRN
  EXTACNOCR
  EXTACNMCR
  CLGBKCR

CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT
FUNDROLL
VERIFYFUNDS
IRRAPPL

- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *CAPITALIZED*
  - *WAIVERFLAG*
  - *SCHSTDT*
  - *DUEDTON*
- *UDEDET*
  - *EFFDT*
  - *UDEVALS*
    - *UDEVAL*
    - *UDEID*
    - *RESOLVAL*
    - *RATECD*
    - *CODEUSE*
    - *RATETYP*
- *OTHAPPLCNT*
  - *CUSTID*
  - *CUSTNAME*
  - *RESP*
  - *LIABPERCNT*
  - *LIABAMT*
  - *EFFDATE*
- *LINKAGES*
  - *LINKAGE_SEQ_NO*
  - *LINKTYPE*
  - *LINKAGE_BRANCH*
  - *LINKREFNO*
  - *LINKAMT*
  - *CUSTID*
  - *SECPORTION*
- *UDERTPLAN*
  - *PERIOD_ST_DT*
  - *PERIOD_END_DT*
- *COMMPREF*
  - *LAST_DSBR_DT*
  - *MATURITY_DT*

- *DSBR_FLAG*
- *PROPERTY*
  - *PNAME*
  - *PTYPE*
  - *PADDRESS1*
  - *PADDRESS2*
  - *PADDRESS3*
  - *PADDRESS4*
  - *COUNTRY*
  - *POWNER*
  - *PAGE*
  - *PVALUE*
  - *OMARGIN*
  - *LMARGIN*
  - *VCCY*
- *PROMOTIONS*
  - *PRTYP*
  - *PRID*
  - *BENEFCIF*
  - *PRIORITY*
- *SETTLDETAILS*
  - *TRANSFER_TYPE*
  - *COVER_REQUIRED*
  - *CHARGES_DETAILS*
  - *OUR_CORRESPONDENT*
  - *RECEIVER*
  - *INT_REIM_INST1*
  - *INT_REIM_INST2*
  - *INT_REIM_INST3*
  - *INT_REIM_INST4*
  - *RCVR_CORRESP1*
  - *RCVR_CORRESP2*
  - *RCVR_CORRESP3*
  - *RCVR_CORRESP4*
  - *INTERMEDIARY1*
  - *INTERMEDIARY2*
  - *INTERMEDIARY3*
  - *INTERMEDIARY4*
  - *ACC_WITH_INSTN1*
  - *ACC_WITH_INSTN2*
  - *ACC_WITH_INSTN3*
  - *ACC_WITH_INSTN4*
  - *PAYMENT_DETAILS1*
  - *PAYMENT_DETAILS2*

PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6

OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
EXT_PARTY_CLG_NTWK
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2

TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
LIQUIDATIONORDER
STAT
COMP
LIQORDER
EVENTREMK
REMARK1
REMARK2

REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the format of response message for a new MO(Mortgages) Vami

TOP

Query-Vami-Res

Attribute	Description
Name	Query-Vami-Res
Datatype	
Description	Query Value Dated Amendment Initiation - Response Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NOOFINST

Attribute	Description
Name	NOOFINST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

PASSBOOK

Attribute	Description

Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

VAMI_ACTION

Attribute	Description
Name	VAMI_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	

TOP

MAX_RNOG

Attribute	Description	
Name	MAX_RNOG	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TRKRECIALIQ

Attribute	Description	
Name	TRKRECIALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIMLIQ

Attribute	Description	
Name	TRKRECIMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDEROLLBASIS

Attribute	Description	
Name	UDEROLLBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLAMT

Attribute	Description	
Name	SPLAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

SCHBASIS

Attribute	Description	
Name	SCHBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRTYPE

Attribute	Description	
Name	ROLLOVRTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALIQREVERSEDPMT

Attribute	Description
Name	ALIQREVERSEDPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNTDISBURSED

Attribute	Description
Name	AMOUNTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATIONNUM

Attribute	Description
Name	APPLICATIONNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

AUTOMANROLLOVER

Attribute	Description
Name	AUTOMANROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDATE

Attribute	Description
Name	EXECUTIONDATE
Datatype	Date

Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

FUNDEDSTATUS

Attribute	Description
Name	FUNDEDSTATUS
Datatype	Number
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
fractionDigits	3
totalDigits	22

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

USERDEFINEDSTATUS

Attribute	Description
Name	USERDEFINEDSTATUS
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	4

TOP

CLVWS_VAMIDET

Attribute	Description
Name	CLVWS_VAMIDET
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

EFFDTD

Attribute	Description
Name	EFFDTD
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VBESN

Attribute	Description
Name	VBESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 6

TOP

VIESN

Attribute	Description
Name	VIESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 6

TOP

AMDAPP

Attribute	Description
Name	AMDAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRICHN

Attribute	Description
Name	PRICHN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MATDTCHN

Attribute	Description
Name	MATDTCHN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATCHN

Attribute	Description
Name	RATCHN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHAFF

Attribute	Description
Name	SCHAFF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ATHST

Attribute	Description
Name	ATHST

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

VIACN

Attribute	Description
Name	VIACN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACTST

Attribute	Description
Name	ACTST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTCDCHN

Attribute	Description
Name	RTCDCHN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SIMTD

Attribute	Description
Name	SIMTD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLVWS_ROLLCOMP

Attribute	Description
Name	CLVWS_ROLLCOMP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLVWS_OTHAPPLCNT

Attribute	Description

Name	CLVWS_OTHAPPLCNT
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

CLVWS_CLCOMPDET

Attribute	Description
Name	CLVWS_CLCOMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

COMPDESC

Attribute	Description

Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULATYP

Attribute	Description
Name	FORMULATYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SPLINTFLAG

Attribute	**Description**	
Name	SPLINTFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLVWS_COMPSCH

Attribute	Description
Name	CLVWS_COMPSCH
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description

Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLVWS_SCHEDULE

Attribute	Description
Name	CLVWS_SCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 6; totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 6; totalDigits / 22

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

CLVWS_DSBRSCHEDULE

Attribute	Description
Name	CLVWS_DSBRSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LOANTOVALUE

Attribute	Description	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	Description	
Name	RECALCANNUITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MORTGAGEG

Attribute	Description	
Name	MORTGAGEG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STOPDSBR

Attribute	Description	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>E,T</td></tr></table>

TOP

VAMIDET

Attribute	Description
Name	VAMIDET

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

VBESN

Attribute	Description
Name	VBESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 6

TOP

VIESN

Attribute	Description
Name	VIESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 6

TOP

AMDAPP

Attribute	Description
Name	AMDAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRICHN

Attribute	Description
Name	PRICHN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATDTCHN

Attribute	Description
Name	MATDTCHN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATCHN

Attribute	Description
Name	RATCHN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHAFF

Attribute	Description
Name	SCHAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATHST

Attribute	Description
Name	ATHST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

VIACN

Attribute	Description
Name	VIACN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ACTST

Attribute	Description
Name	ACTST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTCDCHN

Attribute	Description
Name	RTCDCHN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SIMTD

Attribute	Description
Name	SIMTD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description

Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CLCOMPDET

Attribute	Description
Name	CLCOMPDET
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COMPDESC

Attribute	**Description**	
Name	COMPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

COMPTYPE

Attribute	**Description**	
Name	COMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULATYP

Attribute	**Description**	
Name	FORMULATYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>6</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

STTLMTCCY

Attribute	Description

Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	**Description**	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	**Description**	
Name	CRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COMPSCH

Attribute	**Description**	
Name	COMPSCH	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHTYPE

Attribute	**Description**	
Name	SCHTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 6

TOP

FREQ

Attribute	Description

Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSTLDETS

Attribute	Description
Name	INSTLDETS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 6

TOP

INSTLSTATUS

Attribute	Description
Name	INSTLSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TOTAMTSETT

Attribute	Description
Name	TOTAMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

TOTAMTSETT_LCY

Attribute	Description
Name	TOTAMTSETT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

CLVWS_CHARGEDET

Attribute	Description
Name	CLVWS_CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPCCY

Attribute	**Description**	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPDESC

Attribute	**Description**	
Name	COMPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

EFFDATE

Attribute	**Description**	
Name	EFFDATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CLVWS_CHARGESCHEDULE

Attribute	Description
Name	CLVWS_CHARGESCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

SCHEDULE_ST_DATE

Attribute	Description

Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 3

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EVENTS

Attribute	Description
Name	EVENTS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTNO

Attribute	Description
Name	EVTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EVTDT

Attribute	Description
Name	EVTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLVWS_UDEDET

Attribute	Description
Name	CLVWS_UDEDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

CLVWS_UDEVALS

Attribute	Description
Name	CLVWS_UDEVALS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MIVWS_MIS_DETAILS

Attribute	Description
Name	MIVWS_MIS_DETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description

Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	**Description**	
Name	UNITTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE4

Attribute	Description
Name	COSTCODE4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE5

Attribute	Description
Name	COSTCODE5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

SETTLDETAILS

Attribute	Description	
Name	SETTLDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	**Description**	
Name	RCVR_CORRESP3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	**Description**	
Name	RCVR_CORRESP4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	**Description**	
Name	INTERMEDIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	**Description**	
Name	INTERMEDIARY2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION2

Attribute	**Description**	
Name	ORDERING_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	**Description**	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION4

Attribute	**Description**	
Name	ORDERING_INSTITUTION4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	**Description**	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	Description	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	Description	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	**Description**	
Name	INTERMEDIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	**Description**	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	**Description**	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	**Description**	
Name	EXT_STATION_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	**Description**	
Name	EXT_SOURCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	**Description**	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	**Description**	
Name	EXT_PARTY_BIC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description	
Name	AGREEMENT_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	Description	
Name	POST_ACCOUNTING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description	
Name	EXT_PARTY_CLG_NTWK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>5</td></tr></table>

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** totalDigits: 4

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK4

Attribute	Description

Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

UDFDETAILS

Attribute	**Description**	
Name	UDFDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_NAME

Attribute	**Description**	
Name	FIELD_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description

Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

MO-Amnd-Req

Attribute	Description
Name	MO-Amnd-Req
Datatype	
Description	Mortgages Amend Request -Value Dated Amendment Initiation - Save Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description

Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 3 Restrictions: totalDigits; Description: 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 3 Restrictions: totalDigits; Description: 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description

Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMENDPAST

Attribute	**Description**	
Name	AMENDPAST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ATMFACILITY

Attribute	**Description**	
Name	ATMFACILITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTARYAUTO

Attribute	**Description**	
Name	NOTARYAUTO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PASSBOOK

Attribute	**Description**	
Name	PASSBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

VAMI_ACTION

Attribute	Description
Name	VAMI_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_DR

Attribute	**Description**	
Name	PAYER_ADDRESS2_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	**Description**	
Name	PAYER_ADDRESS3_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	**Description**	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIRO_MODE_CR

Attribute	**Description**	
Name	GIRO_MODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_CR

Attribute	Description	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_CR

Attribute	Description	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_CR

Attribute	Description	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	Description	
Name	PAYER_ADDRESS3_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_9

Attribute	**Description**	
Name	FIELD_CHAR_9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_10

Attribute	**Description**	
Name	FIELD_CHAR_10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_11

Attribute	**Description**	
Name	FIELD_CHAR_11	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_12

Attribute	**Description**	
Name	FIELD_CHAR_12	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_6

Attribute	Description

Name	FIELD_DATE_6
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	**Description**	
Name	ALLOW_BACK_PERIOD_ENTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMOUNT_DISBURSED

Attribute	**Description**	
Name	AMOUNT_DISBURSED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

APPLICATION_NUM

Attribute	**Description**	
Name	APPLICATION_NUM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ARVN_APPLIED

Attribute	**Description**	
Name	ARVN_APPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTO_MAN_ROLLOVER

Attribute	**Description**	
Name	AUTO_MAN_ROLLOVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BACK_VAL_EFF_DT

Attribute	**Description**	
Name	BACK_VAL_EFF_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CALC_REQD

Attribute	**Description**	
Name	CALC_REQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MIGRATION_DATE

Attribute	Description

Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATE_CODE_PREF

Attribute	Description	
Name	RATE_CODE_PREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALC_ACTION_CODE

Attribute	Description	
Name	RECALC_ACTION_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUAL_AMOUNT

Attribute	Description	
Name	RESIDUAL_AMOUNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

STOP_ACCRUALS

Attribute	Description	
Name	STOP_ACCRUALS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOANTOVALUE

Attribute	Description

Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	**Description**	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERCODE

Attribute	**Description**	
Name	INTERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATE_CHG_ACTION

Attribute	**Description**	
Name	RATE_CHG_ACTION	
Datatype	String	
Description	Indicates Auto Rate Change Action.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

HOLIDAYPRD

Attribute	**Description**	
Name	HOLIDAYPRD	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SPLINTFLAG

Attribute	**Description**	
Name	SPLINTFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 6 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERACNODR

Attribute	**Description**	
Name	PAYERACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERADD1DR

Attribute	**Description**	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2DR

Attribute	**Description**	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRONUMCR

Attribute	Description	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKCR

Attribute	Description	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	Description	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERACNOCR

Attribute	Description	
Name	PAYERACNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FUNDINT

Attribute	Description
Name	FUNDINT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHTYPE

Attribute	**Description**	
Name	SCHTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	**Description**	
Name	SCHFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>2</td></tr><tr><td>totalDigits</td><td>6</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description

Name	AMOUNT
Datatype	Number
Description	
Restrictions	

Restrictions	Description
fractionDigits	3
totalDigits	22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>2</td></tr><tr><td>totalDigits</td><td>5</td></tr></table>

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>4</td></tr><tr><td>totalDigits</td><td>7</td></tr></table>

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>4</td></tr><tr><td>totalDigits</td><td>7</td></tr></table>

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	**Description**	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	**Description**	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	**Description**	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	**Description**	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	**Description**	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN5

Attribute	**Description**	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	**Description**	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	**Description**	
Name	EXT_PARTY_BIC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	**Description**	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description	
Name	EXT_PARTY_CLG_NTWK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RTGS_PAYMENT

Attribute	Description	
Name	RTGS_PAYMENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PRCFLAG

Attribute	**Description**	
Name	PRCFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFRATE

Attribute	**Description**	
Name	REFRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

REFRTTY

Attribute	**Description**	
Name	REFRTTY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETHO

Attribute	**Description**	
Name	CALCMETHO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	**Description**	
Name	UNITTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE4

Attribute	**Description**	
Name	COSTCODE4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	**Description**	
Name	COSTCODE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	**Description**	
Name	CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVERFLAG

Attribute	Description	
Name	WAIVERFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMTCCY

Attribute	Description	
Name	STTLMTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	6
	totalDigits	22

TOP

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description	Error Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.35.ModifyProduct

Modification of Mortgage Product

2.35.1.MO-ModifyProduct-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*

MAXVAR
PARLIQ
LIQMOD
ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY

CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL
HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C

AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE

AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT

PENBASCMP
PRIODICITY
PM_FORMULA_TYPE
RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*

- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Moratorium

- *FORMULA*
- *RNDUPTO*
- *DFLTMORFRM*
- *MORLIQFRM*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *LIQMORTOEMI*
- *RNDUPDWN*
- *Moratorium-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Book

- *FORMULA*
- *AMORT*
- *RNDUPTO*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *AMORTBASELEM*
- *RNDUPDWN*
- *DUE_DATES_ON*
- *START_MONTH*
- *Book-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Install-Status

- *STATCD*
- *STATRULE*
- *SEQNO*
- *CMPPENACCR*
- *STATDES*
- *Stsh-Acct-Entry*

TXNCD
DRCRIND
NETIND
ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5

- *Default-Mis-Codes*
  - *MISCLS*
  - *MISCD*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Prd-Dtls-Def*
  - *PRDCD*
  - *PRDDESC*
  - *Prod-Ude*
    - *RTCHGRES*
    - *UDEID*
    - *UDEDESC*
    - *UDETYP*
    - *UDECCY*
    - *MINUDEVAL*
    - *MAXUDEVAL*
- *Prod-Det-Rth*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Rth*
    - *MAPTYP*
    - *ACCROLE*
    - *ROLTYP*
    - *ACCHEAD*
    - *ROLDESC*
    - *HEADDESC*
    - *Rth-Expr*
      - *EXPRLINE*
      - *CONDITION*
      - *ACCHEAD*
- *Prd-Dtls-Notc*
  - *PRDCD*
  - *PRDDESC*
  - *Bill-Ntc*
    - *COND_NO*
    - *COND*
    - *NUM_DAYS*
    - *FRMT*
  - *Revision-Notc*
    - *CONDNO*
    - *COND*

- *NUMDAYS*
- *FRMT*
- *Deliquency-Notc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
  - *FREQ*
- *Ddnotc-Det*
  - *CONDNO*
  - *COND*
  - *NUM_DAYS*
  - *TXNCD*
  - *FRMT*
- *Stmtotrs-Det*
  - *COND_NO*
  - *COND*
  - *FREQ*
  - *STARTDT*
  - *FREQDAYS*
  - *FRMT*
  - *MSG_TYPE*
- *Prd-Notc*
  - *NOTICE_ID*
  - *COND_NO*
  - *COND*
  - *FRMT*
  - *FREQ*
  - *STARTDT*
  - *TENOR*
  - *NUMDAYS*
  - *TXNCD*
  - *NOTICE*
- *Prd-Dtls*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Prod-Events*
    - *EVTCODE*
    - *EVTDES*
    - *Prod-Event-Acct-Rule*
      - *RUL_NO*
      - *COND*

- *Prd-Event-Acct-Entry*
  - *TXNCD*
  - *DRCR_IND1*
  - *NETTIND*
  - *ACCROLECD*
  - *AMTTAG*
  - *ROLTYP*
  - *AMTTAGTYPE*
  - *MISHEAD*
  - *REVALREQD*
  - *REVALPRFGL*
  - *REVALLOSSGL*
  - *REVALRATECD*
  - *REVALTXNCD*
  - *HOLTREAT*
  - *GAAPIND*
  - *BALCHK*
  - *DELINQPROD*
  - *ENTPRNO*
  - *RATE_TYPE_INDICATOR*
- *Prod-Event-Adv-Rules*
  - *RULENO*
  - *COND*
  - *Prod-Event-Adv-Entry*
    - *MSGTYPE*
    - *GENTIME*
    - *SUPPRESS*
    - *PRIORITY*
    - *CHGREQ*
    - *FRMT*
    - *DESC*
- *Prod-Event-Chg*
  - *CHGCMP*
- *Prod-Event-Polc*
  - *POLCD*
  - *EXECTYPE*
- *Prod-Event-Udf-C*
  - *FIELDNAME*
  - *DESC*
  - *DATA_TYPE*
  - *FLDNO*
- *Prod-Event-Udf-N*
  - *FLDNAME*
  - *DESC*

DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED

CUSDES
Prd-Dtls-Udf
PRDCD
PRDDESC
Prd-Udf-Num
FLDNAME
FLDDESC
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
FLDNO
Prod-Credit
Credit-Score-Rule
RULNAME
DFLTRULE
Credit-Score-Rule-Expr
RULNAME
EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
PARTYTYPEDESC
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Product-Details-Full

Attribute	Description

Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,C

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

NORMVAR

Attribute	Description
Name	NORMVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

DSBRMD

Attribute	Description
Name	DSBRMD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

DRENT

Attribute	Description
Name	DRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

CRENT

Attribute	Description
Name	CRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,D,M,Y</td></tr></table>

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFLG

Attribute	**Description**	
Name	ATMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKRECALIQ

Attribute	**Description**	
Name	TRCKRECALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AMDPASTPDSCH

Attribute	**Description**	
Name	AMDPASTPDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHBOOKFLG

Attribute	**Description**	
Name	CHBOOKFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	Description	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	Description	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	Description	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	Description	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	Description	
Name	NTCDAYBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A

TOP

LIMPRD

Attribute	Description	
Name	LIMPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PACKCRFLAG

Attribute	Description	
Name	PACKCRFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHBAS

Attribute	Description	
Name	SCHBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,L,B,N</td></tr></table>

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

HOLCCYMAT

Attribute	**Description**	
Name	HOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MOVACMN

Attribute	**Description**	
Name	MOVACMN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMNMT

Attribute	**Description**	
Name	SCHMNMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

CASSCH

Attribute	**Description**	
Name	CASSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	Description	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	Description	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	Description	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	Description
Name	IGNHOL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCYMAT

Attribute	Description
Name	FACHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,D</td></tr></table>

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,</td></tr></table>

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,R,</td></tr></table>

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,P,A,</td></tr></table>

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / V,I,

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	Description
Name	STATUSAPPFORAGUA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,A

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>NORM,TDAT,FDAT,FDMD,TDVD</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Holperiod-Det

Attribute	**Description**	
Name	Holperiod-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

HOLPERD

Attribute	**Description**	
Name	HOLPERD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

Rollcomp-Det

Attribute	**Description**	
Name	Rollcomp-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description

Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description	
Name	LEAST_CUE_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description

Name	TOSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description	
Name	AMTTAGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	Description	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REPTYPE

Attribute	Description
Name	REPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPREQ

Attribute	Description
Name	PROPREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INCLUDEINEMI

Attribute	Description
Name	INCLUDEINEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	Description
Name	RATEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

BASELEM

Attribute	Description
Name	BASELEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

BALTYPE

Attribute	Description
Name	BALTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / D,C

TOP

MORPERD

Attribute	Description
Name	MORPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M,

TOP

CAPTLD

Attribute	Description
Name	CAPTLD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMORTBASELEM

Attribute	Description
Name	AMORTBASELEM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>PRINCIPAL,</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,U,</td></tr></table>

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

START_MONTH

Attribute	Description
Name	START_MONTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

FRMTYPE

Attribute	**Description**	
Name	FRMTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Install-Status

Attribute	**Description**	
Name	Install-Status	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATCD

Attribute	**Description**	
Name	STATCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

STATRULE

Attribute	**Description**	
Name	STATRULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description	
Name	AMTTAGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	Description	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	Description	
Name	REVLREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REVLPRFTGL

Attribute	Description	
Name	REVLPRFTGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLLOSGL

Attribute	Description	
Name	REVLLOSGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLRATECD

Attribute	Description	
Name	REVLRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVLTXNCD

Attribute	Description	
Name	REVLTXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2</td></tr></table>

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,F,P,</td></tr></table>

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,A,O,</td></tr></table>

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD1

Attribute	Description	
Name	CSTCD1	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD2

Attribute	Description	
Name	CSTCD2	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD4

Attribute	Description	
Name	CSTCD4	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CSTCD5

Attribute	Description	
Name	CSTCD5	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM

Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDETYP

Attribute	Description

Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Rth

Attribute	Description

Name	Rth
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
enumeration	S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONDITION

Attribute	Description

Name	CONDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Deliquency-Notc

Attribute	Description
Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det
Datatype	
Description	Indicates Stmtotrs-Det
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COND_NO

Attribute	Description	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	Description	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTDT

Attribute	Description	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FREQDAYS

Attribute	Description	
Name	FREQDAYS	
Datatype	Number	
Description	Indicates FREQUENCY DAYS	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COND_NO

Attribute	Description

Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO

Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCR_IND1

Attribute	Description
Name	DRCR_IND1
Datatype	String
Description	Indicates Debit / Credit Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLTYP

Attribute	Description	
Name	ROLTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL

Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	**Description**	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	**Description**	
Name	DELINQPROD	
Datatype	String	
Description	Indicates Delinquency Product Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENTPRNO

Attribute	**Description**	
Name	ENTPRNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATE_TYPE_INDICATOR

Attribute	**Description**	
Name	RATE_TYPE_INDICATOR	
Datatype	String	
Description	Indicates Rate Type Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number
Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENTIME

Attribute	**Description**	
Name	GENTIME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,A,

TOP

SUPPRESS

Attribute	**Description**	
Name	SUPPRESS	
Datatype	String	
Description	Indicates whether Advice needs to be Suppressed	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

PRIORITY

Attribute	**Description**	
Name	PRIORITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGREQ

Attribute	**Description**	
Name	CHGREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description

Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME
Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy

Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,U,IU,IR,ID,</td></tr></table>

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,H,A,

TOP

Brn-Restr

Attribute	Description
Name	Brn-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRNDES

Attribute	Description

Name	BRNDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ccy-Restr

Attribute	Description
Name	Ccy-Restr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Cust

Attribute	Description
Name	Prod-Dtls-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	Description	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	Description	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Category-Restrictions

Attribute	Description	
Name	Category-Restrictions	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description

Name	Prd-Udf-Char
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

DFLTRULE

Attribute	Description
Name	DFLTRULE
Datatype	String
Description	Indicates default rule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Credit-Score-Rule-Expr

Attribute	Description
Name	Credit-Score-Rule-Expr
Datatype	
Description	Indicates Credit Score Rule Expression
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE

Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description

Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

MADC_DEFAULT_RULE

Attribute	Description	
Name	MADC_DEFAULT_RULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description	
Name	Min-Amt-Due-Rule-Exp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MADC_EXPR_LINE

Attribute	Description	
Name	MADC_EXPR_LINE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

CONDITION

Attribute	Description	
Name	CONDITION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

RESULT

Attribute	Description

Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.35.2.MO-ModifyProduct-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Product-Details-PK*
      - *PRDCD*
    - *Product-Details-IO*
      - *PRDCD*
      - *PRDDESC*
      - *PRDSLG*
      - *PRDRMRKS*
      - *PRDSTRTDT*
      - *ENDDT*
      - *PRDGRP*
      - *NRMLRTVARI*
      - *MAXRTVARI*
      - *NORMVAR*
      - *MAXVAR*
      - *PARLIQ*
      - *LIQMOD*
      - *ALIQ_REV_PMT*
      - *RETAUTO_LIQ*

TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
TRCKREC
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
INTSTMT
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY
CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL

HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASCDAC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
SECR_ALLOWED
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT

INIT_UPTO
BONUSMTH1
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ
      REVLPRFTGL
      REVLLOSSGL
      REVLRATECD
      REVLTXNCD
      HOLTR
      GAAPIND
      BALCHKBAT

DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CAP
CMPREPTYPE
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT
PENBASCMP
PRIODICITY
PM_FORMULA_TYPE
RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN

ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
TRACK_RECEIVABLE
TRACK_PAYABLE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *EXPRTYPE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Moratorium
- *FORMULA*
- *RNDUPTO*
- *DFLTMORFRM*
- *MORLIQFRM*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *LIQMORTOEMI*
- *RNDUPDWN*
- *Moratorium-Expr*
  - *EXPRLINE*
  - *EXPRTYPE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Book
- *FORMULA*
- *AMORT*
- *RNDUPTO*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *AMORTBASELEM*
- *RNDUPDWN*
- *DUE_DATES_ON*
- *START_MONTH*
- *Book-Expr*
  - *EXPRLINE*
  - *EXPRTYPE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Install-Status
- *STATCD*
- *STATRULE*
- *SEQNO*
- *CMPPENACCR*
- *STATDES*
- *Stsh-Acct-Entry*
- *Stsh-Chgs*
  - *CHGCMP*
- *Stsh-Polcs*
  - *POLCD*

EXECTYPE
Rekey-Det
FLDNAME
Prod-Summary
ROLLALWD
Product-Cycle-C
PRODUCT_CODE
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5
Default-Mis-Codes
MISTYP
MISCLS
MISCD
KYID
UDFDETAILS
FLDNAM
FLDVAL
Prd-Dtls-Def
PRDCD
Prod-Ude
RTCHGRES
PRDCD
UDEID
UDEDESC
UDETYP
UDECCY
MINUDEVAL
MAXUDEVAL
Prod-Det-Rth
PRDCD
CLASCD
CLASS_DESC
Rth
MAPTYP
ACCROLE
ROLTYP
ACCHEAD

ROLDESC
HEADDESC
Rth-Expr
EXPRLINE
CONDITION
ACCHEAD
Prd-Dtls-Notc
PRDCD
Bill-Ntc
COND_NO
COND
NUM_DAYS
FRMT
Revision-Notc
CONDNO
COND
NUMDAYS
FRMT
Deliquency-Notc
COND_NO
COND
NUM_DAYS
FRMT
FREQ
Ddnotc-Det
CONDNO
COND
NUM_DAYS
TXNCD
FRMT
Stmtotrs-Det
COND_NO
COND
FREQ
STARTDT
FREQDAYS
FRMT
MSG_TYPE
Prd-Notc
NOTICE_ID
COND_NO
COND
FRMT
FREQ

- STARTDT
- TENOR
- TXNCD
- NOTICE

Prd-Dtls

- PRDCD
- CLASCD
- CLASS_DESC
- Prod-Events
  - EVTCODE
  - ESN
  - EVTDES
  - Prod-Event-Acct-Rule
    - RUL_NO
    - COND
    - Prd-Event-Acct-Entry
      - TXNCD
      - DRCR_IND1
      - NETTIND
      - ACCROLECD
      - AMTTAG
      - ROLTYP
      - AMTTAGTYPE
      - MISHEAD
      - REVALREQD
      - REVALPRFGL
      - REVALLOSSGL
      - REVALRATECD
      - REVALTXNCD
      - HOLTREAT
      - GAAPIND
      - BALCHK
      - DELINQPROD
      - ENTPRNO
  - Prod-Event-Adv-Rules
    - COND
    - Prod-Event-Adv-Entry
      - MSGTYPE
      - GENTIME
      - SUPPRESS
      - PRIORITY
      - CHGREQ
      - FRMT
  - Prod-Event-Chg

CHGCMP
Prod-Event-Polc
POLCD
EXECTYPE
Prod-Event-Udf-C
FIELDNAME
DESC
DATA_TYPE
FLDNO
Prod-Event-Udf-N
FLDNAME
DESC
DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BRNLST
CCYLST
CLASCD
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD

CCR
CLASCD
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED
CUSDES
Prd-Dtls-Udf
PRDCD
Prd-Udf-Num
FLDNAME
FLDDESC
DATA_TYPE
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
DATA_TYPE
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
DATA_TYPE
FLDNO
Prod-Credit
PRDCD
Product-Party
PARTYTYPE
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
PRDCD
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Product-Details-PK

Attribute	Description
Name	Product-Details-PK
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NORMVAR

Attribute	Description
Name	NORMVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQMOD

Attribute	**Description**	
Name	LIQMOD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M,C

TOP

ALIQ_REV_PMT

Attribute	**Description**	
Name	ALIQ_REV_PMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RETAUTO_LIQ

Attribute	**Description**	
Name	RETAUTO_LIQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TENOR

Attribute	**Description**	
Name	TENOR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

DSBRMD

Attribute	Description
Name	DSBRMD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

DRENT

Attribute	Description
Name	DRENT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

CRENT

Attribute	Description
Name	CRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENUNIT

Attribute	Description
Name	TENUNIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Q,S,Y,

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,S

TOP

VAMIACT

Attribute	**Description**	
Name	VAMIACT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,E

TOP

VAMIEMI

Attribute	**Description**	
Name	VAMIEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,M,

TOP

ACINST

Attribute	**Description**	
Name	ACINST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,M,

TOP

INTERESTONLYPERD

Attribute	**Description**	
Name	INTERESTONLYPERD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INTERESTONLYUNIT

Attribute	Description	
Name	INTERESTONLYUNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,D,M,Y

TOP

PASSBLFLG

Attribute	Description	
Name	PASSBLFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKREC

Attribute	Description	
Name	TRCKREC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ATMFLG

Attribute	Description	
Name	ATMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKRECALIQ

Attribute	Description
Name	TRCKRECALIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

AMDPASTPDSCH

Attribute	Description
Name	AMDPASTPDSCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CHBOOKFLG

Attribute	Description
Name	CHBOOKFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LIQBAKVLSCH

Attribute	Description
Name	LIQBAKVLSCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

INTSTMT

Attribute	Description
Name	INTSTMT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BCKVALDTFLG

Attribute	Description
Name	BCKVALDTFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINTACCR

Attribute	Description
Name	SPLINTACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CLAGBILL

Attribute	Description
Name	CLAGBILL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NTCDAYBAS

Attribute	Description
Name	NTCDAYBAS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A

TOP

LIMPRD

Attribute	**Description**	
Name	LIMPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PACKCRFLAG

Attribute	**Description**	
Name	PACKCRFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHBAS

Attribute	**Description**	
Name	SCHBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

HOLCHKMAT

Attribute	**Description**	
Name	HOLCHKMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / C,L,B,N

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description	
Name	FACHOLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONHOLCCY

Attribute	Description	
Name	CONHOLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LOCHOLCCY

Attribute	Description	
Name	LOCHOLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMVMTMATVAL

Attribute	Description	
Name	SCHMVMTMATVAL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SCHMNMT

Attribute	Description
Name	SCHMNMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,P</td></tr></table>

TOP

CASSCH

Attribute	Description
Name	CASSCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ADHOCHOLTRREQ

Attribute	Description
Name	ADHOCHOLTRREQ

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

HOLCHK

Attribute	Description
Name	HOLCHK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,L,B,N

TOP

BRNHOLSCH

Attribute	Description
Name	BRNHOLSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

HOLCCYSCH

Attribute	Description
Name	HOLCCYSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

IGNHOL

Attribute	Description
Name	IGNHOL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FACHOLCCYMAT

Attribute	**Description**	
Name	FACHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONHOLCCYMAT

Attribute	**Description**	
Name	CONHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LOCHOLCCYMAT

Attribute	**Description**	
Name	LOCHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMFLG

Attribute	**Description**	
Name	LIQCOMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	C,D

TOP

YACRFRQ

Attribute	Description	
Name	YACRFRQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,

TOP

PRPAYTR

Attribute	Description	
Name	PRPAYTR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,R,

TOP

ACQTYPE

Attribute	Description	
Name	ACQTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,P,A,

TOP

RECMPBAS

Attribute	Description	
Name	RECMPBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / V,I,

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CLASCD

Attribute	Description
Name	CLASCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASCDAC

Attribute	Description
Name	CLASCDAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

STATUSAPPFORAGUA

Attribute	Description
Name	STATUSAPPFORAGUA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description	
Name	RETRIES_FOR_ADVICE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REVOLVING_TYPE

Attribute	Description	
Name	REVOLVING_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CREDITDAYS

Attribute	Description	
Name	CREDITDAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OPEN_LINE_LOANS

Attribute	Description	
Name	OPEN_LINE_LOANS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SECR_ALLOWED

Attribute	Description
Name	SECR_ALLOWED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>M,A</td></tr></table>

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BONLN_C

Attribute	**Description**	
Name	BONLN_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RATE_CHANGE_ACTION

Attribute	**Description**	
Name	RATE_CHANGE_ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PGPERAPP_C

Attribute	**Description**	
Name	PGPERAPP_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

MULTNR_C

Attribute	**Description**	
Name	MULTNR_C	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / NORM,TDAT,FDAT,FDMD,TDVD

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Holperiod-Det

Attribute	**Description**	
Name	Holperiod-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

HOLPERD

Attribute	**Description**	
Name	HOLPERD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATDES

Attribute	Description
Name	STATDES

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description
Name	LEAST_CUR_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description
Name	COMPOUND_ON_STCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Status-Det

Attribute	Description
Name	Status-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

TOSTAT

Attribute	Description
Name	TOSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M,B,</td></tr></table>

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2</td></tr></table>

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPRESS

Attribute	Description

Name	SUPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,H,P,M,D,L,O,F,G,S,</td></tr></table>

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CAP

Attribute	Description	
Name	CAP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CMPREPTYPE

Attribute	Description	
Name	CMPREPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

CMPCCY

Attribute	Description	
Name	CMPCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

INTPOSTREQ

Attribute	Description	
Name	INTPOSTREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REPTYPE

Attribute	Description	
Name	REPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPREQ

Attribute	Description	
Name	PROPREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INCLUDEINEMI

Attribute	Description	
Name	INCLUDEINEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSMTH

Attribute	Description	
Name	DAYSMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>1,2,3,</td></tr></table>

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IRRAPP

Attribute	Description
Name	IRRAPP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	**Description**	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PENBASCMP

Attribute	**Description**	
Name	PENBASCMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PRIODICITY

Attribute	**Description**	
Name	PRIODICITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,P,

TOP

PM_FORMULA_TYPE

Attribute	**Description**	
Name	PM_FORMULA_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / 5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	Description
Name	RATEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

BASELEM

Attribute	Description
Name	BASELEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

BALTYPE

Attribute	Description
Name	BALTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C

TOP

MORPERD

Attribute	Description
Name	MORPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,H,Q,Y,</td></tr></table>

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRPMTTHCCY

Attribute	**Description**	
Name	PRPMTTHCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRPMTTHAMT

Attribute	**Description**	
Name	PRPMTTHAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPOUNDINGREQ

Attribute	**Description**	
Name	COMPOUNDINGREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	**Description**	
Name	COMPOUND_ON_OVERDUE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

TRACK_RECEIVABLE

Attribute	Description
Name	TRACK_RECEIVABLE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRACK_PAYABLE

Attribute	Description
Name	TRACK_PAYABLE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R,D,</td></tr></table>

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	**Description**	
Name	STARTDAY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	**Description**	
Name	STARTDT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STARTMON

Attribute	**Description**	
Name	STARTMON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULA

Attribute	**Description**
Name	FORMULA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,

TOP

CAPTLD

Attribute	Description
Name	CAPTLD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPRTYPE

Attribute	Description
Name	EXPRTYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPRTYPE

Attribute	Description
Name	EXPRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description

Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMORTBASELEM

Attribute	Description
Name	AMORTBASELEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / PRINCIPAL,

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

START_MONTH

Attribute	Description
Name	START_MONTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPRTYPE

Attribute	Description
Name	EXPRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,A,O,</td></tr></table>

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD

Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

Default-Mis-Codes

Attribute	**Description**	
Name	Default-Mis-Codes	
Datatype		
Description	Indicates Default MIS Codes	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MISTYP

Attribute	**Description**	
Name	MISTYP	
Datatype	String	
Description	Indicates MIS type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

MISCLS

Attribute	**Description**	
Name	MISCLS	
Datatype	String	
Description	Indicates MIS class.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

MISCD

Attribute	**Description**	
Name	MISCD	
Datatype	String	
Description	Indicates MIS code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

KYID

Attribute	Description
Name	KYID
Datatype	String
Description	Indicates Key ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description

Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEDESC

Attribute	Description	
Name	UDEDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

UDETYP

Attribute	Description	
Name	UDETYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,R,B,C,

TOP

UDECCY

Attribute	Description	
Name	UDECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	Indicates Status Class Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ROLTYP

Attribute	Description

Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CONDITION

Attribute	**Description**	
Name	CONDITION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

ACCHEAD

Attribute	**Description**	
Name	ACCHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Prd-Dtls-Notc

Attribute	**Description**	
Name	Prd-Dtls-Notc	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**

Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number

Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Deliquency-Notc

Attribute	Description
Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det

Datatype	
Description	Indicates Stmtotrs-Det
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQDAYS

Attribute	Description

Name	FREQDAYS
Datatype	Number
Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TENOR

Attribute	**Description**	
Name	TENOR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNCD

Attribute	**Description**	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

NOTICE

Attribute	**Description**	
Name	NOTICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prd-Dtls

Attribute	**Description**	
Name	Prd-Dtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**
Name	PRDCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	Indicates Status Class Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prod-Events

Attribute	Description
Name	Prod-Events
Datatype	
Description	Indicates Product Event Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCR_IND1

Attribute	Description
Name	DRCR_IND1
Datatype	String
Description	Indicates Debit / Credit Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETTIND

Attribute	Description
Name	NETTIND
Datatype	String
Description	Indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL
Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHK

Attribute	Description
Name	BALCHK

Datatype	String
Description	Indicates whether Balance Check is Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DELINQPROD

Attribute	Description
Name	DELINQPROD
Datatype	String
Description	Indicates Delinquency Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description

Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELDNAME

Attribute	Description
Name	FIELDNAME

Datatype	String
Description	Indicates User Defined Field Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D

Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,H,A,

TOP

Brn-Restr

Attribute	**Description**	
Name	Brn-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNDES

Attribute	**Description**	
Name	BRNDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Ccy-Restr

Attribute	**Description**	
Name	Ccy-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Prod-Dtls-Cust

Attribute	**Description**	
Name	Prod-Dtls-Cust	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CCR

Attribute	**Description**	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ALLOWED

Attribute	**Description**	
Name	ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSDES

Attribute	**Description**	
Name	CUSDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Prd-Dtls-Udf

Attribute	**Description**	
Name	Prd-Dtls-Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>200</td></tr></table>

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FLDNO

Attribute	Description

Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String

Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description

Name	PARTYTYPE
Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String

Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.35.3.MO-ModifyProduct-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-Full*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *RTCODEPRFERD*
    - *RATECDPREF*
    - *PRDTYPE*
    - *RML*
    - *RATETYPE*
    - *NORMVAR*
    - *MAXVAR*
    - *PARLIQ*
    - *LIQMOD*

ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY
CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL

HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C

BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ

REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT
PENBASCMP
PRIODICITY
PM_FORMULA_TYPE

RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*

COND
RESULT
FRMTYPE
Comp-Frm-Moratorium
FORMULA
RNDUPTO
DFLTMORFRM
MORLIQFRM
CMPDDAYS
CMPDMON
CMPDYR
LIQMORTOEMI
RNDUPDWN
Moratorium-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Comp-Frm-Book
FORMULA
AMORT
RNDUPTO
CMPDDAYS
CMPDMON
CMPDYR
AMORTBASELEM
RNDUPDWN
DUE_DATES_ON
START_MONTH
Book-Expr
EXPRLINE
COND
RESULT
FRMTYPE
Install-Status
STATCD
STATRULE
SEQNO
CMPPENACCR
STATDES
Stsh-Acct-Entry
TXNCD
DRCRIND
NETIND

ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5
Default-Mis-Codes
MISCLS
MISCD

- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Prd-Dtls-Def*
  - *PRDCD*
  - *PRDDESC*
  - *Prod-Ude*
    - *RTCHGRES*
    - *UDEID*
    - *UDEDESC*
    - *UDETYP*
    - *UDECCY*
    - *MINUDEVAL*
    - *MAXUDEVAL*
- *Prod-Det-Rth*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Rth*
    - *MAPTYP*
    - *ACCROLE*
    - *ROLTYP*
    - *ACCHEAD*
    - *ROLDESC*
    - *HEADDESC*
    - *Rth-Expr*
      - *EXPRLINE*
      - *CONDITION*
      - *ACCHEAD*
- *Prd-Dtls-Notc*
  - *PRDCD*
  - *PRDDESC*
  - *Bill-Ntc*
    - *COND_NO*
    - *COND*
    - *NUM_DAYS*
    - *FRMT*
  - *Revision-Notc*
    - *CONDNO*
    - *COND*
    - *NUMDAYS*
    - *FRMT*
  - *Deliquency-Notc*

COND_NO
COND
NUM_DAYS
FRMT
FREQ
Ddnotc-Det
CONDNO
COND
NUM_DAYS
TXNCD
FRMT
Stmtotrs-Det
COND_NO
COND
FREQ
STARTDT
FREQDAYS
FRMT
MSG_TYPE
Prd-Notc
NOTICE_ID
COND_NO
COND
FRMT
FREQ
STARTDT
TENOR
NUMDAYS
TXNCD
NOTICE
Prd-Dtls
PRDCD
PRDDESC
CLASCD
CLASS_DESC
Prod-Events
EVTCODE
EVTDES
Prod-Event-Acct-Rule
RUL_NO
COND
Prd-Event-Acct-Entry
TXNCD
DRCR_IND1

NETTIND
ACCROLECD
AMTTAG
ROLTYP
AMTTAGTYPE
MISHEAD
REVALREQD
REVALPRFGL
REVALLOSSGL
REVALRATECD
REVALTXNCD
HOLTREAT
GAAPIND
BALCHK
DELINQPROD
ENTPRNO
RATE_TYPE_INDICATOR
Prod-Event-Adv-Rules
RULENO
COND
Prod-Event-Adv-Entry
MSGTYPE
GENTIME
SUPPRESS
PRIORITY
CHGREQ
FRMT
DESC
Prod-Event-Chg
CHGCMP
Prod-Event-Polc
POLCD
EXECTYPE
Prod-Event-Udf-C
FIELDNAME
DESC
DATA_TYPE
FLDNO
Prod-Event-Udf-N
FLDNAME
DESC
DATATYP
FLDNO
Prod-Event-Udf-D

FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED
CUSDES
Prd-Dtls-Udf
PRDCD

PRDDESC
Prd-Udf-Num
FLDNAME
FLDDESC
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
FLDNO
Prod-Credit
Credit-Score-Rule
RULNAME
DFLTRULE
Credit-Score-Rule-Expr
RULNAME
EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
PARTYTYPEDESC
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRDSLG

Attribute	**Description**	
Name	PRDSLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDRMRKS

Attribute	**Description**	
Name	PRDRMRKS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

PRDSTRTDT

Attribute	**Description**	
Name	PRDSTRTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

NORMVAR

Attribute	Description
Name	NORMVAR

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

DSBRMD

Attribute	Description	
Name	DSBRMD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

DRENT

Attribute	Description	
Name	DRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

CRENT

Attribute	Description	
Name	CRENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

MINTEN

Attribute	Description	
Name	MINTEN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENUNIT

Attribute	Description
Name	TENUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Y,</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,S,Y,</td></tr></table>

TOP

AUTOMROLL

Attribute	Description
Name	AUTOMROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

UDEROLLBAS

Attribute	Description
Name	UDEROLLBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / S,M,

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMFLG

Attribute	Description
Name	ATMFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRCKRECALIQ

Attribute	Description
Name	TRCKRECALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

AMDPASTPDSCH

Attribute	Description
Name	AMDPASTPDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHBOOKFLG

Attribute	Description
Name	CHBOOKFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQBAKVLSCH

Attribute	Description
Name	LIQBAKVLSCH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	**Description**	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	**Description**	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	**Description**	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	**Description**	
Name	NTCDAYBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	P,A

TOP

LIMPRD

Attribute	Description	
Name	LIMPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PACKCRFLAG

Attribute	Description	
Name	PACKCRFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHBAS

Attribute	Description	
Name	SCHBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

HOLCHKMAT

Attribute	Description	
Name	HOLCHKMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,P</td></tr></table>

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMNMT

Attribute	Description
Name	SCHMNMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,P

TOP

CASSCH

Attribute	Description
Name	CASSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description
Name	ADHOCHOLTRREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	**Description**	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	**Description**	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	**Description**	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	**Description**	
Name	IGNHOL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FACHOLCCYMAT

Attribute	Description	
Name	FACHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONHOLCCYMAT

Attribute	Description	
Name	CONHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LOCHOLCCYMAT

Attribute	Description	
Name	LOCHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMFLG

Attribute	Description	
Name	LIQCOMFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,D

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,R,

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,P,A,

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>V,I,</td></tr></table>

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,M,</td></tr></table>

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASDESC

Attribute	**Description**	
Name	CLASDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STATUSAPPFORAGUA

Attribute	**Description**	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

AUTO_LIQD_PERCENT

Attribute	Description
Name	AUTO_LIQD_PERCENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTO_LIQD_BASIS

Attribute	Description
Name	AUTO_LIQD_BASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>M,A</td></tr></table>

TOP

POWER_POCKET_C

Attribute	Description
Name	POWER_POCKET_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / NORM,TDAT,FDAT,FDMD,TDVD

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

HOLPERD

Attribute	Description
Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description	
Name	LEAST_CUR_FIN_YR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description	
Name	COMPOUND_ON_STCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	Description	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TOSTAT

Attribute	Description	
Name	TOSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRVRULE

Attribute	Description

Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

MVMTTYPE

Attribute	Description
Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCRIND

Attribute	**Description**	
Name	DRCRIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	**Description**	
Name	NETIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	**Description**	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	**Description**	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,A,</td></tr></table>

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stch-Chgs

Attribute	**Description**	
Name	Stch-Chgs	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CHGCMP

Attribute	**Description**	
Name	CHGCMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Liq-Order

Attribute	**Description**	
Name	Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REPTYPE

Attribute	Description	
Name	REPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPREQ

Attribute	Description	
Name	PROPREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INCLUDEINEMI

Attribute	Description	
Name	INCLUDEINEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSMTH

Attribute	Description	
Name	DAYSMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYR

Attribute	Description
Name	DAYSYR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	**Description**	
Name	RATEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C

TOP

MORPERD

Attribute	**Description**	
Name	MORPERD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLSSN

Attribute	Description
Name	CLSSN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,M,

TOP

CAPTLD

Attribute	**Description**	
Name	CAPTLD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DUEON

Attribute	**Description**	
Name	DUEON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Comp-Frm-Intermediate

Attribute	**Description**	
Name	Comp-Frm-Intermediate	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQMORTOEMI

Attribute	**Description**	
Name	LIQMORTOEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

Moratorium-Expr

Attribute	**Description**	
Name	Moratorium-Expr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXPRLINE

Attribute	**Description**	
Name	EXPRLINE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTBASELEM

Attribute	**Description**	
Name	AMORTBASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	PRINCIPAL,

TOP

RNDUPDWN

Attribute	**Description**	
Name	RNDUPDWN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,U,

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

START_MONTH

Attribute	**Description**	
Name	START_MONTH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Book-Expr

Attribute	**Description**
Name	Book-Expr

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	Description	
Name	NETIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROLETYPE

Attribute	Description	
Name	ROLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLLOSGL

Attribute	Description
Name	REVLLOSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description

Name	Rekey-Det
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	200

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String

Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String
Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Prod-Ude

Attribute	Description
Name	Prod-Ude
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RTCHGRES

Attribute	Description
Name	RTCHGRES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDETYP

Attribute	Description
Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CONDNO

Attribute	**Description**	
Name	CONDNO	
Datatype	Number	
Description	Indicates CONDITION NO	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

NUMDAYS

Attribute	**Description**	
Name	NUMDAYS	
Datatype	Number	
Description	Indicates NUMBER OF DAYS	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Deliquency-Notc

Attribute	**Description**

Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNCD

Attribute	**Description**	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Stmtotrs-Det

Attribute	**Description**	
Name	Stmtotrs-Det	
Datatype		
Description	Indicates Stmtotrs-Det	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COND_NO

Attribute	**Description**	
Name	COND_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQDAYS

Attribute	Description
Name	FREQDAYS
Datatype	Number
Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>CL_INT_STMT,CL_LOAN_STMT,</td></tr></table>

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS

Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	Description	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description	
Name	Prod-Events	
Datatype		
Description	Indicates Product Event Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTCODE

Attribute	Description

Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description	
Name	Prd-Event-Acct-Entry	
Datatype		
Description	Indicates Accounting Entry Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TXNCD

Attribute	Description	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCR_IND1

Attribute	Description	
Name	DRCR_IND1	
Datatype	String	
Description	Indicates Debit / Credit Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description

Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALREQD

Attribute	**Description**	
Name	REVALREQD	
Datatype	String	
Description	Indicates whether Revaluation is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REVALPRFGL

Attribute	**Description**	
Name	REVALPRFGL	
Datatype	String	
Description	Indicates Revaluation Profit GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALLOSSGL

Attribute	**Description**	
Name	REVALLOSSGL	
Datatype	String	
Description	Indicates Revaluation Loss GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALRATECD

Attribute	**Description**	
Name	REVALRATECD	
Datatype	String	
Description	Indicates Revaluation Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLTREAT

Attribute	Description
Name	HOLTREAT
Datatype	String
Description	Indicates Holiday Treatment. Y - Yes and N - No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHK

Attribute	Description
Name	BALCHK
Datatype	String
Description	Indicates whether Balance Check is Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DELINQPROD

Attribute	Description
Name	DELINQPROD
Datatype	String
Description	Indicates Delinquency Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATE_TYPE_INDICATOR

Attribute	Description
Name	RATE_TYPE_INDICATOR
Datatype	String
Description	Indicates Rate Type Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number

Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC

Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECTYPE

Attribute	Description	
Name	EXECTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description	
Name	Prod-Event-Udf-C	
Datatype		
Description	Indicates Character User Defined Field Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELDNAME

Attribute	Description	
Name	FIELDNAME	
Datatype	String	
Description	Indicates User Defined Field Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Indicates Advice Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DATA_TYPE

Attribute	Description

Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASDESC

Attribute	Description

Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,H,A,

TOP

Brn-Restr

Attribute	**Description**	
Name	Brn-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNDES

Attribute	**Description**	
Name	BRNDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Ccy-Restr

Attribute	**Description**	
Name	Ccy-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Prod-Dtls-Cust

Attribute	**Description**	
Name	Prod-Dtls-Cust	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCR

Attribute	**Description**	
Name	CCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description

Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

DFLTRULE

Attribute	Description
Name	DFLTRULE
Datatype	String
Description	Indicates default rule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Credit-Score-Rule-Expr

Attribute	Description
Name	Credit-Score-Rule-Expr
Datatype	
Description	Indicates Credit Score Rule Expression
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXPLINE

Attribute	Description
Name	EXPLINE
Datatype	String
Description	Indicates expression line
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RSLT

Attribute	Description
Name	RSLT
Datatype	String
Description	Indicates result
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTYTYPE

Attribute	Description
Name	PARTYTYPE
Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

PARTYTYPEDESC

Attribute	Description
Name	PARTYTYPEDESC
Datatype	String
Description	Indicates Party Type Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REPEATING

Attribute	Description
Name	REPEATING
Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	1

Restrictions	Description
maxLength	5

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	2000

TOP

2.35.4.MO-ModifyProduct-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-IO*
    - *PRDCD*
    - *PRDDESC*
    - *PRDSLG*
    - *PRDRMRKS*
    - *PRDSTRTDT*
    - *ENDDT*
    - *PRDGRP*
    - *NRMLRTVARI*
    - *MAXRTVARI*
    - *NORMVAR*
    - *MAXVAR*
    - *PARLIQ*
    - *LIQMOD*
    - *ALIQ_REV_PMT*
    - *RETAUTO_LIQ*
    - *TENOR*
    - *UDEUNIT*
    - *RPWNDTNR*

RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
TRCKREC
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
INTSTMT
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY
CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL
HOLCCYMAT
MOVACMN
SCHMNMT

CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASCDAC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
SECR_ALLOWED
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C
AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO
BONUSMTH1
BONUSMTH2

CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE
      AMTTAGTYPE
      MISHEAD
      REVLREQ
      REVLPRFTGL
      REVLLOSSGL
      REVLRATECD
      REVLTXNCD
      HOLTR
      GAAPIND
      BALCHKBAT
      DLNQPRD
      ENTPRNO
    Stch-Polcs

EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CAP
CMPREPTYPE
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT
PENBASCMP
PRIODICITY
PM_FORMULA_TYPE
RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH

ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
TRACK_RECEIVABLE
TRACK_PAYABLE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *EXPRTYPE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*

Comp-Frm-Moratorium
- *FORMULA*
- *RNDUPTO*

- *DFLTMORFRM*
- *MORLIQFRM*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*
- *LIQMORTOEMI*
- *RNDUPDWN*
- *Moratorium-Expr*
  - *EXPRLINE*
  - *EXPRTYPE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*
- *Comp-Frm-Book*
  - *FORMULA*
  - *AMORT*
  - *RNDUPTO*
  - *CMPDDAYS*
  - *CMPDMON*
  - *CMPDYR*
  - *AMORTBASELEM*
  - *RNDUPDWN*
  - *DUE_DATES_ON*
  - *START_MONTH*
  - *Book-Expr*
    - *EXPRLINE*
    - *EXPRTYPE*
    - *COND*
    - *RESULT*
    - *FRMTYPE*
- *Install-Status*
  - *STATCD*
  - *STATRULE*
  - *SEQNO*
  - *CMPPENACCR*
  - *STATDES*
  - *Stsh-Acct-Entry*
  - *Stsh-Chgs*
    - *CHGCMP*
  - *Stsh-Polcs*
    - *POLCD*
    - *EXECTYPE*
- *Rekey-Det*
  - *FLDNAME*

Prod-Summary
- *ROLLALWD*

Product-Cycle-C
- *PRODUCT_CODE*
- *CYCLE_CODE*
- *DFLT*

Product-Mis-Details
- *MISGRP*
- *POOLCD*
- *CSTCD1*
- *CSTCD2*
- *CSTCD4*
- *CSTCD5*
- *Default-Mis-Codes*
  - *MISTYP*
  - *MISCLS*
  - *MISCD*
  - *KYID*

UDFDETAILS
- *FLDNAM*
- *FLDVAL*

Prd-Dtls-Def
- *PRDCD*
- *Prod-Ude*
  - *RTCHGRES*
  - *PRDCD*
  - *UDEID*
  - *UDEDESC*
  - *UDETYP*
  - *UDECCY*
  - *MINUDEVAL*
  - *MAXUDEVAL*

Prod-Det-Rth
- *PRDCD*
- *CLASCD*
- *CLASS_DESC*
- *Rth*
  - *MAPTYP*
  - *ACCROLE*
  - *ROLTYP*
  - *ACCHEAD*
  - *ROLDESC*
  - *HEADDESC*
  - *Rth-Expr*

EXPRLINE
CONDITION
ACCHEAD
Prd-Dtls-Notc
PRDCD
Bill-Ntc
COND_NO
COND
NUM_DAYS
FRMT
Revision-Notc
CONDNO
COND
NUMDAYS
FRMT
Deliquency-Notc
COND_NO
COND
NUM_DAYS
FRMT
FREQ
Ddnotc-Det
CONDNO
COND
NUM_DAYS
TXNCD
FRMT
Stmtotrs-Det
COND_NO
COND
FREQ
STARTDT
FREQDAYS
FRMT
MSG_TYPE
Prd-Notc
NOTICE_ID
COND_NO
COND
FRMT
FREQ
STARTDT
TENOR
TXNCD

- NOTICE
- Prd-Dtls
  - PRDCD
  - CLASCD
  - CLASS_DESC
  - Prod-Events
    - EVTCODE
    - ESN
    - EVTDES
    - Prod-Event-Acct-Rule
      - RUL_NO
      - COND
      - Prd-Event-Acct-Entry
        - TXNCD
        - DRCR_IND1
        - NETTIND
        - ACCROLECD
        - AMTTAG
        - ROLTYP
        - AMTTAGTYPE
        - MISHEAD
        - REVALREQD
        - REVALPRFGL
        - REVALLOSSGL
        - REVALRATECD
        - REVALTXNCD
        - HOLTREAT
        - GAAPIND
        - BALCHK
        - DELINQPROD
        - ENTPRNO
    - Prod-Event-Adv-Rules
      - COND
      - Prod-Event-Adv-Entry
        - MSGTYPE
        - GENTIME
        - SUPPRESS
        - PRIORITY
        - CHGREQ
        - FRMT
    - Prod-Event-Chg
      - CHGCMP
    - Prod-Event-Polc
      - POLCD

EXECTYPE
Prod-Event-Udf-C
FIELDNAME
DESC
DATA_TYPE
FLDNO
Prod-Event-Udf-N
FLDNAME
DESC
DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BRNLST
CCYLST
CLASCD
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
CCR
CLASCD
Category-Restrictions

CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED
CUSDES
Prd-Dtls-Udf
PRDCD
Prd-Udf-Num
FLDNAME
FLDDESC
DATA_TYPE
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
DATA_TYPE
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
DATA_TYPE
FLDNO
Prod-Credit
PRDCD
Product-Party
PARTYTYPE
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
PRDCD

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDDESC

Attribute	Description
Name	PRDDESC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NORMVAR

Attribute	Description
Name	NORMVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

DSBRMD

Attribute	Description
Name	DSBRMD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

DRENT

Attribute	Description
Name	DRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

CRENT

Attribute	Description
Name	CRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TENUNIT

Attribute	**Description**	
Name	TENUNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

ROLLBY

Attribute	**Description**	
Name	ROLLBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y,

TOP

AUTOMROLL

Attribute	**Description**	
Name	AUTOMROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

UDEROLLBAS

Attribute	**Description**	
Name	UDEROLLBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,D,M,Y</td></tr></table>

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

TRCKREC

Attribute	Description
Name	TRCKREC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ATMFLG

Attribute	Description
Name	ATMFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRCKRECALIQ

Attribute	**Description**	
Name	TRCKRECALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AMDPASTPDSCH

Attribute	**Description**	
Name	AMDPASTPDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHBOOKFLG

Attribute	**Description**	
Name	CHBOOKFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	**Description**	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INTSTMT

Attribute	Description	
Name	INTSTMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	Description	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTACCR

Attribute	Description	
Name	SPLINTACCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CLAGBILL

Attribute	Description	
Name	CLAGBILL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NTCDAYBAS

Attribute	Description
Name	NTCDAYBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,A

TOP

LIMPRD

Attribute	Description
Name	LIMPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PACKCRFLAG

Attribute	Description
Name	PACKCRFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHBAS

Attribute	Description
Name	SCHBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,L,B,N</td></tr></table>

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

HOLCCYMAT

Attribute	**Description**	
Name	HOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

MOVACMN

Attribute	**Description**	
Name	MOVACMN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMNMT

Attribute	**Description**	
Name	SCHMNMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

CASSCH

Attribute	**Description**	
Name	CASSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	Description	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	Description	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	Description	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	Description	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	Description
Name	IGNHOL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FACHOLCCYMAT

Attribute	Description
Name	FACHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,D</td></tr></table>

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,</td></tr></table>

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,R,</td></tr></table>

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,P,A,</td></tr></table>

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / T,E,

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / V,I,

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASCDAC

Attribute	**Description**	
Name	CLASCDAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

STATUSAPPFORAGUA

Attribute	**Description**	
Name	STATUSAPPFORAGUA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LEASE_PAYMENT_MODE

Attribute	**Description**	
Name	LEASE_PAYMENT_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SECR_ALLOWED

Attribute	**Description**	
Name	SECR_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	**Description**	
Name	AUTO_LIQD_PERCENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTO_LIQD_BASIS

Attribute	**Description**	
Name	AUTO_LIQD_BASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,A

TOP

POWER_POCKET_C

Attribute	**Description**	
Name	POWER_POCKET_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>NORM,TDAT,FDAT,FDMD,TDVD</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

HOLPERD

Attribute	Description

Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,D,M,Y,F</td></tr></table>

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LEAST_CUR_FIN_YR

Attribute	Description
Name	LEAST_CUR_FIN_YR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPOUND_ON_STCH

Attribute	Description
Name	COMPOUND_ON_STCH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Status-Det

Attribute	**Description**	
Name	Status-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

TOSTAT

Attribute	**Description**	
Name	TOSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRVRULE

Attribute	**Description**	
Name	DRVRULE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

MVMTTYPE

Attribute	**Description**	
Name	MVMTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M,B,

TOP

CMPACCRSTCH

Attribute	Description	
Name	CMPACCRSTCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Stch-Acct-Entry

Attribute	Description	
Name	Stch-Acct-Entry	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

TXNCD

Attribute	Description	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCRIND

Attribute	Description	
Name	DRCRIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETIND

Attribute	Description

Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,C,I,

TOP

MISHEAD

Attribute	**Description**	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLREQ

Attribute	**Description**	
Name	REVLREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

REVLPRFTGL

Attribute	**Description**	
Name	REVLPRFTGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVLLOSSGL

Attribute	**Description**	
Name	REVLLOSSGL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / I,A,

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Component-Det

Attribute	**Description**	
Name	Component-Det	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	1

TOP

CMPNAME

Attribute	**Description**	
Name	CMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CMPDESC

Attribute	**Description**	
Name	CMPDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

CMPTYPE

Attribute	**Description**	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CAP

Attribute	Description
Name	CAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPREPTYPE

Attribute	Description
Name	CMPREPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

INTPOSTREQ

Attribute	Description

Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REPTYPE

Attribute	Description
Name	REPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPREQ

Attribute	Description
Name	PROPREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INCLUDEINEMI

Attribute	Description
Name	INCLUDEINEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYR

Attribute	**Description**	
Name	DAYSYR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,

TOP

GRCDAYS

Attribute	**Description**	
Name	GRCDAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VERFUNDS

Attribute	**Description**	
Name	VERFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSFRMCCY

Attribute	**Description**	
Name	DAYSFRMCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>5,6,3,8,1,4,7,C,10,11,12,</td></tr></table>

TOP

RATEUSE

Attribute	Description
Name	RATEUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

BASELEM

Attribute	Description
Name	BASELEM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

BALTYPE

Attribute	Description
Name	BALTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,C</td></tr></table>

TOP

MORPERD

Attribute	Description
Name	MORPERD

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MORPERDUN

Attribute	Description
Name	MORPERDUN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRPMTTHAMT

Attribute	Description
Name	PRPMTTHAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDINGREQ

Attribute	Description
Name	COMPOUNDINGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	Description
Name	COMPOUND_ON_OVERDUE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

TRACK_RECEIVABLE

Attribute	Description
Name	TRACK_RECEIVABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRACK_PAYABLE

Attribute	Description
Name	TRACK_PAYABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONSLRTYCHG_C

Attribute	Description	
Name	CONSLRTYCHG_C	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DAYSYRPRG_C

Attribute	Description	
Name	DAYSYRPRG_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description	
Name	DAYSMTHPRG_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description	
Name	BASIS_RND_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R,D,</td></tr></table>

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,H,Q,Y,B,W,

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,4,5,6,7,

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

CLSSN

Attribute	**Description**	
Name	CLSSN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHFLAG

Attribute	**Description**	
Name	SCHFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,M,

TOP

CAPTLD

Attribute	**Description**	
Name	CAPTLD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXPRTYPE

Attribute	**Description**	
Name	EXPRTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COND

Attribute	**Description**	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

RESULT

Attribute	**Description**	
Name	RESULT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

FRMTYPE

Attribute	**Description**	
Name	FRMTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description

Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPRTYPE

Attribute	Description
Name	EXPRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

AMORT

Attribute	Description

Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMORTBASELEM

Attribute	Description

Name	AMORTBASELEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / PRINCIPAL,

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

START_MONTH

Attribute	Description
Name	START_MONTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRTYPE

Attribute	Description
Name	EXPRTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 1

TOP

CHGCMP

Attribute	Description
Name	CHGCMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,A,O,

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 1

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISTYP

Attribute	Description
Name	MISTYP
Datatype	String
Description	Indicates MIS type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String

Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

KYID

Attribute	Description
Name	KYID
Datatype	String
Description	Indicates Key ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description	
Name	Prd-Dtls-Def	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Prod-Ude

Attribute	Description	
Name	Prod-Ude	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RTCHGRES

Attribute	Description	
Name	RTCHGRES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDETYP

Attribute	Description
Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description	Indicates Status Class Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Rth

Attribute	**Description**	
Name	Rth	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MAPTYP

Attribute	**Description**	
Name	MAPTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,U

TOP

ACCROLE

Attribute	**Description**	
Name	ACCROLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description

Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Deliquency-Notc

Attribute	Description
Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

NUM_DAYS

Attribute	Description	
Name	NUM_DAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	Description	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Ddnotc-Det

Attribute	Description	
Name	Ddnotc-Det	
Datatype		
Description	Indicates Deliquency days Notice Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CONDNO

Attribute	Description

Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det
Datatype	
Description	Indicates Stmtotrs-Det
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FREQDAYS

Attribute	**Description**	
Name	FREQDAYS	
Datatype	Number	
Description	Indicates FREQUENCY DAYS	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FRMT

Attribute	**Description**	
Name	FRMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MSG_TYPE

Attribute	**Description**	
Name	MSG_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	**Description**	
Name	Prd-Notc	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NOTICE_ID

Attribute	**Description**

Name	NOTICE_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

NOTICE

Attribute	Description
Name	NOTICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Prd-Dtls

Attribute	Description
Name	Prd-Dtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	**Description**	
Name	CLASS_DESC	
Datatype	String	
Description	Indicates Status Class Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	**Description**	
Name	Prod-Events	
Datatype		
Description	Indicates Product Event Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTCODE

Attribute	Description
Name	EVTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVTDES

Attribute	Description
Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COND

Attribute	**Description**	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Prd-Event-Acct-Entry

Attribute	**Description**	
Name	Prd-Event-Acct-Entry	
Datatype		
Description	Indicates Accounting Entry Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

TXNCD

Attribute	**Description**	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCR_IND1

Attribute	**Description**	
Name	DRCR_IND1	
Datatype	String	
Description	Indicates Debit / Credit Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETTIND

Attribute	Description
Name	NETTIND
Datatype	String
Description	Indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTTAGTYPE

Attribute	Description

Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVALREQD

Attribute	Description
Name	REVALREQD
Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL
Datatype	String
Description	Indicates Revaluation Loss GL

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REVALRATECD

Attribute	**Description**	
Name	REVALRATECD	
Datatype	String	
Description	Indicates Revaluation Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

REVALTXNCD

Attribute	**Description**	
Name	REVALTXNCD	
Datatype	String	
Description	Indicates Revaluation Transaction Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTREAT

Attribute	**Description**	
Name	HOLTREAT	
Datatype	String	
Description	Indicates Holiday Treatment. Y - Yes and N - No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

GAAPIND

Attribute	**Description**	
Name	GAAPIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHK

Attribute	Description
Name	BALCHK
Datatype	String
Description	Indicates whether Balance Check is Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DELINQPROD

Attribute	Description
Name	DELINQPROD
Datatype	String
Description	Indicates Delinquency Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND

Attribute	Description

Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description

Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,A,O,

TOP

Prod-Event-Udf-C

Attribute	Description
Name	Prod-Event-Udf-C
Datatype	
Description	Indicates Character User Defined Field Details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELDNAME

Attribute	**Description**	
Name	FIELDNAME	
Datatype	String	
Description	Indicates User Defined Field Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description	Indicates User Defined Field Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

DATA_TYPE

Attribute	**Description**	
Name	DATA_TYPE	
Datatype	String	
Description	Indicates User Defined Field Data Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FLDNO

Attribute	**Description**	
Name	FLDNO	
Datatype	Number	
Description	Indicates Field Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO

Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates User Defined Field Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,D

TOP

CLASCD

Attribute	**Description**	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

Currency-Balances

Attribute	**Description**	
Name	Currency-Balances	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CCYCD

Attribute	**Description**	
Name	CCYCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ATM_CASH_LIMIT

Attribute	**Description**	
Name	ATM_CASH_LIMIT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description	
Name	IRR_DENOM_DCOUNT_MTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,H,A,

TOP

Brn-Restr

Attribute	Description	
Name	Brn-Restr	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNDES

Attribute	Description	
Name	BRNDES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Ccy-Restr

Attribute	Description
Name	Ccy-Restr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CCYDESC

Attribute	Description
Name	CCYDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MINLNAMT

Attribute	Description
Name	MINLNAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXLNAMT

Attribute	Description
Name	MAXLNAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Dtls-Cust

Attribute	Description
Name	Prod-Dtls-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCR

Attribute	Description
Name	CCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALLOWED

Attribute	Description
Name	ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

DATA_TYPE

Attribute	Description

Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Product-Party

Attribute	Description
Name	Product-Party
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARTYTYPE

Attribute	**Description**	
Name	PARTYTYPE	
Datatype	String	
Description	Indicates Party Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REPEATING

Attribute	**Description**	
Name	REPEATING	
Datatype	String	
Description	Indicates Multi Party Allow? No : N Yes : Y	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MANDATORY

Attribute	**Description**	
Name	MANDATORY	
Datatype	String	
Description	Indicates Mandatory? No : N Yes : Y	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

Product-Diary

Attribute	**Description**
Name	Product-Diary
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTCODE

Attribute	**Description**	
Name	EVENTCODE	
Datatype	String	
Description	Indicates Event Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Product-Madc

Attribute	**Description**	
Name	Product-Madc	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

2.36.QueryPmntSch

QueryPmntSch

2.36.1.MO-PMNTSch-Qry-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-PMNTSch-Qry-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *INSTLNO*
    - *DUEDATE*
    - *STATUS*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) account

TOP

MO-PMNTSch-Qry-Req

Attribute	Description
Name	MO-PMNTSch-Qry-Req
Datatype	
Description	It indicates Payment Schedules Query Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

XREF

Attribute	**Description**	
Name	XREF	
Datatype	String	
Description	Indicates User Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ALTACCNO

Attribute	**Description**	
Name	ALTACCNO	
Datatype	String	
Description	Indicates Alternate Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number
Description	It indicates Installment Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>8</td></tr><tr><td>totalDigits</td><td>16</td></tr></table>

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	Indicates Status
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.36.2.MO-PMNTSch-Qry-Res-FULL-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-PMNTSch-Qry-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *INSTLNO*
    - *DUEDATE*
    - *STATUS*
  - *QUERY-PMNTSCH-Req*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *CUSTID*
    - *CUSTNAME*
    - *PRD*
    - *CCY*
    - *AMTFIN*
    - *ACCSTA*

COMPDET

- *COMPNAME*
- *COMPDESC*
- *COMPTYPE*
- *FORMULATYP*
- *DAYSMTH*
- *DAYSYEAR*
- *MAINCOMPFLAG*
- *CAPITALIZED*
- *PENALBASISCOMP*
- *SPLINTFLAG*
- *SPLINTAMT*
- *WAIVERFLAG*
- *STTLMTCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUEDT*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *CAPITALIZED*
  - *WAIVERFLAG*
- *SCHEDULE*
  - *DUEDATE*
  - *AMTDUE*
  - *AMTLCY*
  - *AMTSETT*
  - *EMIAMT*
  - *ACCRAMT*
  - *AMTREADJUSTED*
  - *ISCAP*
  - *ISWAIVE*
  - *GRACEDAYS*
  - *SCHSTATUS*

COMPDETBYDUEDT

DUEDATE
INSTLNO
INSTLSTATUS
PAIDSTATUS
PAIDDT
TOTAMTDUE
TOTAMTSETT
TOTEMIAMT
OVERDUEDAYS
SCHEDBYDUEDT
COMPNAME
AMTDUE
AMTLCY
AMTSETT
EMIAMT
EMIAMTLCY
EXPECTEDBAL
UDEDET
EFFDT
UDEVALS
UDEID
UDEVAL
RATECD
RATETYP
CODEUSE
RESOLVAL
COMPBAL
COMPNAME
BALANCE
VALDT
LCY_BAL
UDFDETAILS
FLDNM
FLDVAL
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) account

TOP

MO-PMNTSch-Qry-Req

Attribute	Description
Name	MO-PMNTSch-Qry-Req
Datatype	
Description	It indicates Payment Schedules Query Request details of Mortgages module

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number
Description	It indicates Installment Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	Indicates Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

QUERY-PMNTSCH-Req

Attribute	Description
Name	QUERY-PMNTSCH-Req
Datatype	

Description	It indicates Payment Schedules Query full Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AMTFIN

Attribute	Description
Name	AMTFIN
Datatype	Number
Description	Indicates Amount Financed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

ACCSTA

Attribute	Description
Name	ACCSTA
Datatype	String
Description	Indicates Account Status Active Account : A Liquidate : L Reversed : V Hold : H Inactive : I Uninitiated : Y Closed : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates Components details related to due date
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	Indicates Component Description
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULATYP

Attribute	Description
Name	FORMULATYP
Datatype	String
Description	Indicates Formula Type Simple : 1 Discounted : 3 True Discounted : 4 Amortized Reducing : 5 Amortized Rule : 78 User Defined : 7 Rate Only : 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	Indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DAYSYEAR

Attribute	Description	
Name	DAYSYEAR	
Datatype	String	
Description	Indicates Years null : 1 null : 2 Actual : 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	Description	
Name	MAINCOMPFLAG	
Datatype	String	
Description	Indicates Main Component Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description	Indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SPLINTFLAG

Attribute	**Description**	
Name	SPLINTFLAG	
Datatype	String	
Description	Indicates Special Interest Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTAMT

Attribute	**Description**	
Name	SPLINTAMT	
Datatype	Number	
Description	Indicates Special Interest Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description	Indicates Waive Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMTCCY

Attribute	**Description**
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description	Indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description	Indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description	Indicates Debit Product Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COMPSCH

Attribute	Description	
Name	COMPSCH	
Datatype		
Description	Indicates Component Schedules	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHTYPE

Attribute	Description	
Name	SCHTYPE	
Datatype	String	
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	It indicates the First Due Date for the schedule

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	String

Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String

Description	Indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	It indicates Schedules Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	It indicates EMI Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPDETBYDUEDT

Attribute	Description
Name	COMPDETBYDUEDT
Datatype	
Description	Indicates Components details related to Due Date
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number
Description	It indicates Installment Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

INSTLSTATUS

Attribute	Description
Name	INSTLSTATUS
Datatype	String
Description	Indicates Installment Status

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAIDSTATUS

Attribute	**Description**	
Name	PAIDSTATUS	
Datatype	String	
Description	It indicates Paid Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	7

TOP

PAIDDT

Attribute	**Description**	
Name	PAIDDT	
Datatype	Date	
Description	It indicates Paid Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TOTAMTDUE

Attribute	**Description**	
Name	TOTAMTDUE	
Datatype	Number	
Description	It indicates Total Amount Due	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

TOTAMTSETT

Attribute	**Description**	
Name	TOTAMTSETT	
Datatype	Number	
Description	It indicates Total Amount Settled	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

TOTEMIAMT

Attribute	Description
Name	TOTEMIAMT
Datatype	Number
Description	It indicates Total EMI Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	It indicates Over Due Days
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

SCHEDBYDUEDT

Attribute	Description
Name	SCHEDBYDUEDT
Datatype	
Description	Indicates Schedule details by due date
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	It indicates EMI Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	String
Description	It indicates Local Currency equivalent value of Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

EXPECTEDBAL

Attribute	Description
Name	EXPECTEDBAL
Datatype	Number
Description	It indicates Expected Balance Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	It indicates UDE Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	It indicates Effective Date

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description	Indicates User Data Elements Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description	Indicates User Data Elements Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	8
	totalDigits	16

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description	Indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description	Indicates Rate Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPBAL

Attribute	Description
Name	COMPBAL
Datatype	
Description	Indicates the Component balance Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BALANCE

Attribute	Description
Name	BALANCE
Datatype	Number
Description	It indicates Balance of GL details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>8</td></tr><tr><td>totalDigits</td><td>16</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	It indicates Value Date of Account Details

TOP

LCY_BAL

Attribute	Description
Name	LCY_BAL
Datatype	Number
Description	It indicates Lcy Balance of GL details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>8</td></tr><tr><td>totalDigits</td><td>16</td></tr></table>

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	It indicates UDF Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNM

Attribute	Description
Name	FLDNM

Datatype	String
Description	It indicates Name of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	It indicates Value of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description

Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.37.QueryPayment

QueryPayment

2.37.1.MO-Payment-Qry-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Query-Payment-Req*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *ESN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String

Description	
Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	

Restrictions	Description
enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) account

TOP

MO-Query-Payment-Req

Attribute	Description
Name	MO-Query-Payment-Req
Datatype	
Description	Indicates MO-Query Payment Request type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

XrefType

Attribute	Description

Name	XrefType
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

2.37.2.MO-Payment-Qry-Res-FULL-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Query-Payment-Res-Full*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *VALDT*
    - *EXECDT*
    - *PREPMNT_RECOMP_BASIS*
    - *PREPMNT_RECOMP_FROM*
    - *INSTALLMENT_PAYMENT*
    - *LIMIT_DATE*
    - *AMTPAIDBACK*
    - *MAKERID*
    - *MAKERSTAMP*
    - *CHECKERID*
    - *CHECKERSTAMP*
    - *REVR_MAKERID*
    - *REVR_CHECKERID*

REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
CUSTOMER_NO
MAIN_INT_RATE
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *CLPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
- *CLCOMPPMNT*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *COMPNAME*
  - *CCY*
  - *AMTDUE*
  - *ADJDUE*
  - *AMTOVDUE*

AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
MO-Query-Payment-Req
SCODE
XrefType
ACCNO
BRN
ESN
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) account

TOP

Query-Payment-Res-Full

Attribute	Description
Name	Query-Payment-Res-Full
Datatype	
Description	Indicates MO-Query Payment Response Full type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates the Value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates the Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String

Description	Indicates the Recomputation Basis Change EMI : E Reduce Tenor :T
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates the Recomputation Effective From Next Installment : I Value Date : V
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates the Installment(s). Y for Yes:N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates the Limit Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

AMTPAIDBACK

Attribute	Description
Name	AMTPAIDBACK
Datatype	Number

Description	Indicates the Excess Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the Maker ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates the Maker DateTime.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	Indicates the Checker ID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates the Checker DateTime.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_CHECKERID

Attribute	Description
Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP
Datatype	String
Description	Indicates the Maker DateTime when the maker has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Checker DateTime when the Checker has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates the Authorization Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

CONTSTAT

Attribute	Description	
Name	CONTSTAT	
Datatype	String	
Description	Indicates the Account Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

CUSTOMER_NO

Attribute	Description	
Name	CUSTOMER_NO	
Datatype	String	
Description	Indicates the Customer No.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MAIN_INT_RATE

Attribute	Description	
Name	MAIN_INT_RATE	
Datatype	Number	
Description	Indicates the Main Interest Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Indicates the Paid Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates the Due Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>24</td></tr></table>

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates the Paid date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicate paid status
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLPMNTDET

Attribute	Description
Name	CLPMNTDET
Datatype	
Description	Indicates MO Payment details
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates the Settlement Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description

Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	**Description**	
Name	UPLDSRC	
Datatype	String	
Description	Indicates the Upload Source	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	**Description**	
Name	RTNGNO	
Datatype	String	
Description	Indicates the Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	**Description**	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Indicates Component Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates the Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates the Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Indicates MO Component Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates the Component Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates the Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates the Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates the Adjustment Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates the Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates the Amount Not Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates the Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates the Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates the Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MO-Query-Payment-Req

Attribute	Description
Name	MO-Query-Payment-Req
Datatype	
Description	Indicates MO-Query Payment Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String

Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

FCUBS_ERROR_RESP

Attribute	Description

Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.38.AuthPayment

AuthPayment

2.38.1.MO-Pmnt-Auth-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Pmnt-Auth-Req-PK*
    - *ACCNO*
    - *BRN*
    - *ESN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

MO-Pmnt-Auth-Req-PK

Attribute	Description
Name	MO-Pmnt-Auth-Req-PK
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates account number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates branch

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

2.38.2.MO-Pmnt-Auth-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Query-Payment-Res-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Pmnt-Auth-Req-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to authorise a new MO(Mortgages) Payment

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Query-Payment-Res-PK

Attribute	Description
Name	Query-Payment-Res-PK
Datatype	
Description	Mortgages Query Payment Response PK Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	indicate account number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	indicate branch code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	indicate event sequence number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MO-Pmnt-Auth-Req-PK

Attribute	Description
Name	MO-Pmnt-Auth-Req-PK
Datatype	
Description	Mortgages Query Payment Request PK Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	indicate account number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	indicate branch code
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	indicate event sequence number
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.39.DelPayment

DelPayment

2.39.1.MO-Pmnt-Del-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Pmnt-Del-Res-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Pmnt-Del-Req-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Pmnt-Del-Res-PK

Attribute	Description
Name	Pmnt-Del-Res-PK
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

MO-Pmnt-Del-Req-PK

Attribute	Description
Name	MO-Pmnt-Del-Req-PK
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.39.2.MO-Pmnt-Del-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Pmnt-Del-Res-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Pmnt-Del-Req-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete a new MO(Mortgages) Payment

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Pmnt-Del-Res-PK

Attribute	Description
Name	Pmnt-Del-Res-PK
Datatype	
Description	Indicates Payment-Delete Response-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

MO-Pmnt-Del-Req-PK

Attribute	Description
Name	MO-Pmnt-Del-Req-PK
Datatype	
Description	Indicates Payment-Delete Request-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 38

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.40.RevPayment

RevPayment

2.40.1.MO-Pmnt-Rev-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Pmnt-Rev-Req-IO*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *ALTACCNO*
    - *VALDT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String

Description	
Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	

Restrictions	Description
enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a new MO(Mortgages) Payment

TOP

MO-Pmnt-Rev-Req-IO

Attribute	Description
Name	MO-Pmnt-Rev-Req-IO
Datatype	
Description	Indicates MO-Payment-Reverse Request-IO type

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

2.40.2.MO-Pmnt-Rev-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Query-Payment-Res-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Pmnt-Rev-Req-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Pmnt-Rev-Req-IO*
      - *ACCNO*
      - *BRN*
      - *ESN*
      - *ALTACCNO*
      - *VALDT*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a new MO(Mortgages) Payment

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Query-Payment-Res-PK

Attribute	Description
Name	Query-Payment-Res-PK
Datatype	
Description	Indicates Query-Payment- Response-PK type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

MO-Pmnt-Rev-Req-PK

Attribute	Description
Name	MO-Pmnt-Rev-Req-PK
Datatype	
Description	Indicates MO-Payment-Reverse Request-PK type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

MO-Pmnt-Rev-Req-IO

Attribute	Description
Name	MO-Pmnt-Rev-Req-IO
Datatype	
Description	Indicates MO-Payment-Reverse Input Only Request
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 38

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Flexcube warning response message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Flexcube error response message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.41.QueryVami

QueryVami

2.41.1.MO-Query-Vami-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Query-Vami-Req-IO*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to query a MO(Mortgages) Account Amendments

TOP

MO-Query-Vami-Req-IO

Attribute	Description
Name	MO-Query-Vami-Req-IO
Datatype	
Description	Mortgages Query Value Dated Amendment Initiation request IO Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.41.2.MO-Query-Vami-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Query-Vami-Res*
    - *ACCNO*
    - *BRN*
    - *EFFDT*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *MATDT*
    - *BOOKDT*
    - *NOOFINST*
    - *FREQUNIT*
    - *FREQ*
    - *DUEDATESON*
    - *EMIAMT*
    - *ALTACCNO*
    - *NETAMT*
    - *EXCHRT*

DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
VAMI_ACTION
MAX_RNOG
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRTYPE
ALIQREVERSEDPMT
ALLOWBACKPERIODENTRY
AMORTIZED
AMOUNTDISBURSED
APPLICATIONNUM
AUTOMANROLLOVER
BACKVALEFFDT
CALCREQD
EXECUTIONDATE
FUNDEDSTATUS
INTSTMT
USERDEFINEDSTATUS
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE

RATE_CHG_ACTION

LIQUIDATIONORDER

- *STAT*
- *COMP*
- *LIQORDER*

VAMIDET

- *EFFDT*
- *VBESN*
- *VIESN*
- *AMDAPP*
- *PRICHN*
- *MATDTCHN*
- *RATCHN*
- *SCHAFF*
- *ATHST*
- *VIACN*
- *ACTST*
- *RTCDCHN*
- *SIMTD*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

OTHAPPLCNT

- *CUSTID*
- *CUSTNAME*
- *RESP*
- *LIABPERCNT*
- *LIABAMT*
- *EFFDT*

CLCOMPDET

- *COMPNAME*
- *COMPDESC*
- *COMPTYPE*
- *FORMULATYP*
- *DAYSMTH*
- *DAYSYEAR*
- *MAINCOMPFLAG*
- *CAPITALIZED*

- *PENALBASISCOMP*
- *SPLINTFLAG*
- *SPLINTAMT*
- *WAIVERFLAG*
- *STTLMTCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *CRPRDACC*
- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *CAPITALIZED*
  - *WAIVERFLAG*
  - *SCHSTDT*
- *CLVWS_SCHEDULE*
  - *DUEDATE*
  - *AMTDUE*
  - *AMTSETT*
  - *ACCRAMT*
  - *EMIAMT*
  - *EMIAMTLCY*
  - *ISCAP*
  - *ISWAIVE*
  - *GRACEDAYS*
  - *OVERDUEDAYS*
- *DSBRSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *AMOUNT_TO_DISBR*
  - *SCHEDULE_LINKAGE*

INSTLDETS

- *DUEDATE*
- *INSTLNO*
- *INSTLSTATUS*

PAIDDT
PAIDSTATUS
TOTAMTSETT
TOTAMTSETT_LCY
EMIAMT
CLVWS_CHARGEDET
COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
CAPITALIZED
DRPRDACC
CRPRDACC
WAIVERFLAG
DRACCBRN
CRACCBRN
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
IRRAPPL
COMPDESC
EFFDATE
DRPAYMTMODE
CRPAYMTMODE
CLVWS_CHARGESCHEDULE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
AMTDUE
SETTLEMENT_CCY
EVENT_SEQ_NO
PROCESS_NO
SCHEDULE_NO
IRR_APPLICABLE
CRPRDACC
DRACCBRN
CRACCBRN
VERIFYFUNDS
COMPCCY
IRRAPPL

- *COMPDESC*
- *EFFDATE*
- *DRPAYMTMODE*
- *CRPAYMTMODE*

HOLIDAYPRD

- *PERIOD*

EVENTS

- *EVTNO*
- *EVTDT*
- *EVTCD*

UDEDET

- *EFFDT*
- *UDEVALS*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *RATETYP*
  - *CODEUSE*
  - *RESOLVAL*

LINKAGES

- *LINKAGE_SEQ_NO*
- *LINKTYPE*
- *LINKAGE_BRANCH*
- *LINKREFNO*
- *LINKAMT*
- *CUSTID*
- *SECPORTION*

UDERTPLAN

- *PERIOD_ST_DT*
- *PERIOD_END_DT*

COMMPREF

- *LAST_DSBR_DT*
- *MATURITY_DT*
- *DSBR_FLAG*

PROPERTY

- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*

PVALUE
OMARGIN
LMARGIN
VCCY
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2

- *COSTCODE3*
- *COSTCODE4*
- *COSTCODE5*
- *CUSTOMER*
- *FUNDMIS1*
- *FUNDMIS2*
- *FUNDMIS3*
- *FUNDMIS4*
- *FUNDMIS5*
- *FUNDMIS6*
- *FUNDMIS7*
- *FUNDMIS8*
- *FUNDMIS9*
- *FUNDMIS10*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*
- *CHANGE_AC*
- *CHANGE_RATE*
- *PARTY_INFO_ALLOWED*
- *COVER_REQUIRED*
- *NETTING_INDICATOR*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *INT_REIM_INST1*
- *INT_REIM_INST2*
- *INT_REIM_INST3*
- *INT_REIM_INST4*
- *RCVR_CORRESP1*

RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5

INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103

- REQD_103P
- AGREEMENT_ID
- POST_ACCOUNTING
- XREF_PC_CONTRACT_REF_NO
- EXT_PARTY_CLG_NTWK
- CUST_SPREAD
- EXTERNAL_EX_RATE
- SPREAD_DEFN
- RTGS_PAYMENT
- BANKING_PRIORITY
- RTGS_NETWORK

COMMITUTILS

- COMMIT_SEQ_NO
- COMMIT_EVENT
- LINK_BRN_CODE
- LINK_REF_NO
- LINK_DATE
- LINK_EVENT
- LINK_EVENT_SEQ_NO
- LINK_CCY
- LINK_CCY_AMOUNT
- COMMIT_AMOUNT
- INCR_DECR_FLAG
- COMMIT_BAL

ADVSUPPRESS

- MSGTYPE

EVENTREMK

- REMARK1
- REMARK2
- REMARK3
- REMARK4
- REMARK5
- REMARK6
- REMARK7
- REMARK8
- REMARK9
- REMARK10

UDFDETAILS

- FIELD_NAME
- FIELD_VALUE

CHARGEDET

- COMPNAME
- CHGCCY
- DRPAYMTMODE

CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the format of response message for a new MO(Mortgages) Vami Query

TOP

Query-Vami-Res

Attribute	Description
Name	Query-Vami-Res
Datatype	
Description	Mortgages Query Value Dated Amendment Initiation Full Response Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NOOFINST

Attribute	Description
Name	NOOFINST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

VAMI_ACTION

Attribute	Description
Name	VAMI_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALIQREVERSEDPMT

Attribute	Description
Name	ALIQREVERSEDPMT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOWBACKPERIODENTRY

Attribute	**Description**	
Name	ALLOWBACKPERIODENTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMOUNTDISBURSED

Attribute	**Description**	
Name	AMOUNTDISBURSED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

APPLICATIONNUM

Attribute	**Description**	
Name	APPLICATIONNUM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

AUTOMANROLLOVER

Attribute	Description
Name	AUTOMANROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXECUTIONDATE

Attribute	Description
Name	EXECUTIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FUNDEDSTATUS

Attribute	Description
Name	FUNDEDSTATUS

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

USERDEFINEDSTATUS

Attribute	Description
Name	USERDEFINEDSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**	
Name	ROLLOVER_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description

Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

VAMIDET

Attribute	Description
Name	VAMIDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

VBESN

Attribute	Description
Name	VBESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 6

TOP

VIESN

Attribute	Description
Name	VIESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 6

TOP

AMDAPP

Attribute	Description
Name	AMDAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRICHN

Attribute	Description
Name	PRICHN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATDTCHN

Attribute	Description
Name	MATDTCHN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATCHN

Attribute	Description
Name	RATCHN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHAFF

Attribute	Description
Name	SCHAFF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ATHST

Attribute	Description
Name	ATHST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

VIACN

Attribute	Description
Name	VIACN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ACTST

Attribute	Description
Name	ACTST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTCDCHN

Attribute	Description
Name	RTCDCHN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SIMTD

Attribute	Description
Name	SIMTD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

CLCOMPDET

Attribute	Description
Name	CLCOMPDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULATYP

Attribute	Description
Name	FORMULATYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 6; totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description

Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CLVWS_SCHEDULE

Attribute	Description
Name	CLVWS_SCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMTLCY

Attribute	Description
Name	EMIAMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 30

TOP

OVERDUEDAYS

Attribute	Description
Name	OVERDUEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 30

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description

Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 30

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSTLDETS

Attribute	Description
Name	INSTLDETS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSTLNO

Attribute	Description
Name	INSTLNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>2</td></tr><tr><td>totalDigits</td><td>6</td></tr></table>

TOP

INSTLSTATUS

Attribute	Description
Name	INSTLSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TOTAMTSETT

Attribute	**Description**	
Name	TOTAMTSETT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

TOTAMTSETT_LCY

Attribute	**Description**	
Name	TOTAMTSETT_LCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EMIAMT

Attribute	**Description**	
Name	EMIAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

CLVWS_CHARGEDET

Attribute	**Description**
Name	CLVWS_CHARGEDET
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>5</td></tr></table>

TOP

FUNDINT

Attribute	Description
Name	FUNDINT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CLVWS_CHARGESCHEDULE

Attribute	Description
Name	CLVWS_CHARGESCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description

Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 30

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 30

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 30

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 30

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description

Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 5

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD

Attribute	Description

Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EVENTS

Attribute	Description
Name	EVENTS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EVTNO

Attribute	Description
Name	EVTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EVTDT

Attribute	Description
Name	EVTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EVTCD

Attribute	Description
Name	EVTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESOLVAL

Attribute	**Description**	
Name	RESOLVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 4 totalDigits: 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 4 totalDigits: 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description	
Name	TXNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UNITTYPE

Attribute	Description
Name	UNITTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCODE2

Attribute	Description	
Name	COSTCODE2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE3

Attribute	Description	
Name	COSTCODE3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE4

Attribute	Description	
Name	COSTCODE4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	Description	
Name	COSTCODE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

SETTLDETAILS

Attribute	**Description**	
Name	SETTLDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	30

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

VALUE_DATE

Attribute	Description

Name	VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	**Description**	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	**Description**	
Name	CHANGE_AC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	**Description**	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	**Description**	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY5

Attribute	Description

Name	INTERMEDIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description	
Name	BENEF_INST5_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLEARING_NETWORK

Attribute	Description	
Name	CLEARING_NETWORK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENERATION_DATE

Attribute	Description	
Name	GENERATION_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	Description	
Name	IBAN_AC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	**Description**	
Name	OTHER_DETAILS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>5</td></tr></table>

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

LINK_BRN_CODE

Attribute	Description

Name	LINK_BRN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK5

Attribute	Description

Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

UDFDETAILS

Attribute	**Description**	
Name	UDFDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_NAME

Attribute	**Description**	
Name	FIELD_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FIELD_VALUE

Attribute	**Description**	
Name	FIELD_VALUE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRPAYMTMODE

Attribute	Description

Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.42.QueryAccTrfr

QueryAccTrfr

2.42.1.MO-QueryAccTrfr-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Master-IO*
  - *TRANSFER_ID*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.42.2.MO-QueryAccTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Master-IO*
      - *TRANSFER_ID*
    - *Master-Full*
      - *TRANSFER_ID*
      - *CURRENT_BRANCH*
      - *TARGET_BRANCH*
      - *TRANSFER_DATE*
      - *TARGET_BRANCH_NAME*
      - *CURRENT_BRANCH_NAME*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
      - *TXNSTAT*
      - *AUTHSTAT*
      - *Detail*
        - *ACCOUNT_NUMBER*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Master-Full

Attribute	Description
Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.43.QueryMortgage

QueryMortgage

2.43.1.MO-QueryMortgage-Req-IO-MSG.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *Account-Master-IO*
  - *ACCNO*
  - *BRN*
  - *USERREFNO*
  - *Acc-Liq-Order*
    - *STATUS*
    - *Liq-Order1*
      - *COMPONENT_NAME*
      - *LIQ_ORDER*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.43.2.MO-QueryMortgage-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Account-Master-IO*
      - *ACCNO*
      - *BRN*
      - *USERREFNO*
      - *Acc-Liq-Order*
        - *STATUS*
        - *Liq-Order1*
          - *COMPONENT_NAME*
          - *LIQ_ORDER*
          - *COMPONENT_NAME*
          - *LIQ_ORDER*
    - *Account-Master-Full*
      - *ACCNO*
      - *BRN*
      - *APPLNO*
      - *PROD*
      - *PRODCAT*
      - *USERDEFSTAT*

ALTACCNO
USERREFNO
SUBSIDYCUSTID
CUSTID
BOOKDT
VALDT
MATDT
CCY
AMTFINANCED
MATTYP
NETPRIN
INDEXXRATE
BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT

STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR

CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT

HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE
CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT
MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN

BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2
INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE
FREEZE
PID_NO
Promotions
- *BENCIF*
- *PRIORITY*
- *PROMOTYP*
- *PROMOID*

Account-Stats
- *COMPNAME*
- *EXPECTED*
- *OVERDUE*
- *OUTSTANDING*
- *ADVANCE*
- *COMPCCY*

Othr-Applicants
- *CUSTID*
- *CUSTNAME*
- *RESPONSIBILITY*
- *LIABPERCENT*
- *LIABILITYAMT*
- *EFFECDATE*

Hol-Periods
- *HOLPERDS*

Effec-Date
- *EFFDT*
- *Ude-Vals*
  - *UDEID*
  - *UDEVAL*
  - *RATECODE*
  - *CODEUSAGE*
  - *RESOLVEDVAL*

Roll-Comp

COMPNAME

Ude-Rate-Date

PERIODSTDT

PERIODENDDT

Checklist

DESC

CHECKED

Remarks

REMARK1

REMARK2

REMARK3

REMARK4

REMARK5

REMARK6

REMARK7

REMARK8

REMARK9

REMARK10

Components

PAYERADD1DR

PAYERADD2DR

PAYERADD3DR

PAYERADD4DR

GIROMODECR

GIROSERVICECR

GIRONUMBERCR

PAYERACCNOCR

PAYERBANKCDCR

PAYERBRNCR

PAYERADD1CR

PAYERADD2CR

PAYERADD3CR

PAYERADD4CR

IRRAPPL

SVCACCBRN

EXTACCNOCR

EXTACCNAMECR

CLGBANKCDCR

CLGBRNCDCR

PCCATCR

EXTACCNODR

EXTACCNAMEDR

CLGBANKCDDR

CLGBRNCDDR

CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE

NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR
Comp-Sch
- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *SCHTYP*
- *SCHFLG*

Acc-Sch-Cmp
- *SCHDUEDT*
- *GRACEDAYS*
- *ORIGAMTDUE*
- *AMTDUE*
- *ADJAMT*
- *AMTSETTL*
- *AMTOVERDUE*
- *ACCRAMT*

LCYEQUIV
DLYAVGAMT
EMAMT
SCHFLG
WAIVERFLG
SCHLINK
CAPITALIZED
PROCESSNO
AMTREADJ
ADJSETTL
SCHSTATUS
ACCGL
LASTPMNTVALDT
RETRYSTDT
MORAINT
SCHNO
WRITEOFFAMT
READJSETTL
LASTREADJXRATE
SUSPAMTDUE
SUSPAMTSETTL
SUSPAMTLCY
SUSPREADAMT
SUSPREADSETTL
LASTSUSPXRATE
AMTWAIVED
IRRAPPL
LISTDAYS
LISTAVGAMT
AMORTPRINC
PAYBYDATE
Disbursals
DTYPE
MANUALAMTDSBR
ACCNO
BRN
COMPNAME
SCHSTDT
SCHDUEDT
TOT_DISBR
SCHLINK
CUR_DISAMT
AMTDISBURSED
Cltbs-Split-Sttl-Detail

SPLSEQNO
SPLCUSTOMER
SPLACCCCY
SPLPERCENTAGE
SPLIT_AMT
SPLPAYMD
SPLACCNO
SPLACCBRN
AC_DESC
Revisions
ACCNO
BRN
COMPNAME
SCHSTDT
SCHDUEDT
APPLIEDFLG
SCHLINK
Comp-Gua-Cust
BRN
ACCNO
COMPNAME
LIQORD
CUSTNUM
CUSTNAME
Comp-Gua-Custacc
BRN
ACCNO
COMPNAME
GUACIFID
LIQORD
GUAACC
GUAACCBRN
GUACCY
Chg-Comp
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR

PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC

SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
CONSOLCHG
Chg-Sch
- *SETTLEMENTCCY*
- *DUEDATE*
- *AMTDUE*
- *AMTWAIVED*
- *FORMULANAME*
- *SCHTYPE*
- *SCHSTDATE*
- *GRACEDAYS*
- *ORGAMT*
- *ADJAMT*
- *AMTSETTLED*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUI*
- *DLYAVGAMT*
- *EMIAMT*
- *SCHFLAG*
- *WAIVER*
- *SCHLINKAGE*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJUST*
- *ADJSETTLED*
- *SCHSTAT*
- *ACCGL*
- *LASTPMTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTLED*
- *LASTREADJRATE*

SUSPAMTDUE
SUSPAMTSETTLED
SUSPAMTCCY
SUSPREADAMT
SUSPREADSETTLED
LASTSUSPXRATE
IRRAPPLICABLE
LISTDAYS
LISTAVGAMT
Chg-Dtls
COMPNAME
SCHDUEDT
AMTDUE
AMTSETTL
WAIVERFLG
EVENTCD
RECORDROWID
Linkages
BRN
LINKTYP
LINKREFNO
LINKAMT
AMTBLKNO
SECUREDPORTION
CUSTID
LINKBRN
LINKSEQNO
EXRATE
CONVERTLINKAMT
CONVERTPAIDAMT
Advices
MSGTYPE
SUPPRESS
PRIORITY
Adv-Suppress
MSGTYPE
Credit-Score
CREDIRSCORE
AUTOCRSCORE
AGENCYCD
EXTCRSCORE
RULENAME
Asset-Vehicle
ACCNO

BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
IDENTITYNO
REGNO
ADDRESS1
ADDRESS2
ADDRESS3
ADDRESS4

Asset-Home

ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
OCCUPANCYTYP
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETWIDTH
ASSETLENGTH
PURCHASEORDERNO
GEOCODE
BNACODE
MSACODE
ADDRESS1
ADDRESS2
ADDRESS3
ADDRESS4

Asset-Valuations

ASSET
VALDT
VALSOURCE
VALSUPPLEMENT
VALEDITION
WHOLESALEVALUE
RETAILVALUE

- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETBODY*
- *REGNO*
- *IDENTITYNO*
- *ADDRESS3*
- *ADDRESS4*
- *ADDRESS1*
- *ADDRESS2*

Asset-Prop

- *OFFSETMARGIN*
- *LENDMARGIN*
- *VALCCY*
- *ACCNO*
- *BRN*
- *PROPNAME*
- *COLLTYP*
- *PROPERTYADDR1*
- *ADDLN1*
- *ADDLN2*
- *ADDLN3*
- *COUNTRY*
- *PROPOWNER*
- *PROPAGE*
- *PROPVAL*

Financials

- *ACCNO*
- *BRN*
- *SEQNO*
- *FINANCETYP*
- *FINSOURCE*
- *CCY*
- *AMT*

- *COMMENTDET*

Liabilities

- *ACCNO*
- *BRN*
- *SEQNO*
- *LIABTYP*
- *ACCTYP*
- *CCY*
- *AMT*
- *FREQ*
- *BAL*
- *COMMENTDET*

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*

ACQTYP
CURNPVACCR
CALCNPV
NPVCALCDT

Swift

ACCNO
BRNCODE
ACCCY
TRNSTYP
COVRREQ
CHRGDET
OURCORRESP
RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1

ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5
BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3
BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Udf-Others
DESCCHAR1
DESCCHAR2
DESCCHAR3
DESCCHAR4
DESCCHAR5
DESCCHAR6
DESCCHAR7
DESCCHAR8
DESCCHAR9
DESCCHAR10
DESCCHAR11
DESCCHAR12
DESCCHAR13
DESCCHAR14
DESCCHAR15
DESCCHAR16
DESCCHAR17
DESCCHAR18
DESCCHAR19

DESCCHAR20
DESCCHAR22
DESCCHAR23
DESCCHAR24
DESCCHAR25
DESCCHAR26
DESCCHAR27
DESCCHAR28
DESCCHAR29
DESCCHAR30
DESCCHAR31
DESCCHAR32
DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN

POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER
POLICYAMOUNT
POLICYSTDATE
POLICYENDDATE
PREMIUMAMOUNT
INSUREDNAME
MANAGEDBY

Property

ACCNO
BRN
DEVELOPERCODE
PROJECTNAME
PROJECTDESC
PROPERTYTYPE
TITLEDEEDNO
TITILEDEEDISSDT
TITLEDEEDISSFROM
BUILDINGNAME
BUILDINGCOMPNAME
EVALUATOR
EVALUATIONVALUE
EVALUATIONDATE
REQUESTEDAMOUNT
PROPERTYUSAGE
MORTGAGEDEGREE
LOTNUMBER
PROPERTYSTATUS
COMPLETIONDATE
CONTACTPERSON
CONTACTNUMBER
WINGNAME
ASSETFINANCEAMT
PROPERTYVALUE
DOWNPAYMENT
MARKETVALUE
SALEVALUE

- REGISTEREDNAME
- REGISTRATIONNUMBER
- REGISTRATIONDT

Coll-Linkages

- ACCOUNT_NUMBER
- BRANCH_CODE
- LINKAGE_TYPE
- LINKED_REF_NO
- DESCRIPTION
- BRANCH
- CCY
- OVERALL_AMOUNT
- HAIRCUT
- LIMITAMT
- LINKED_AMOUNT
- LINKED_PER
- UTILIZATION_NO
- UTIL_AMT1
- COLLCAT
- COMMITMENTPROD
- STATUS_NEW
- TAKENOVER

Clvws-Account-Udf-Char

- FIELD_CHAR_1
- FIELD_NAME

Clvws-Account-Udf-Num

- FIELD_VALUE
- LBL_FIELD_NUM

Clvws-Account-Udf-Date

- FIELD_DATE_1
- LBL_FIELD_DATE

Acc-Liq-Order

- STATUS
- Liq-Order1
  - COMPONENT_NAME
  - LIQ_ORDER
  - COMPONENT_NAME
  - LIQ_ORDER

Misdetails

- CONREFNO
- LATESN
- MISGRP
- RELACC
- RELETED_REFERENCE

MISHEAD
RATEFLG
POOLCD
REFINANCE_RATE
REFRATETYP
PROCALCMTH
REFSPREAD
REFRATECD
COSTCD1
COSTCD2
COSTCD3
COSTCD4
COSTCD5
TXNMIS1
TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8

FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9
TRANMIS10
COMMIS1
COMMIS2
COMMIS3
COMMIS4
COMMIS5
COMMIS6
COMMIS7
COMMIS8
COMMIS9
COMMIS10
FUNMIS1
FUNMIS2
FUNMIS3
FUNMIS4
FUNMIS5
FUNMIS6
FUNMIS7
FUNMIS8
FUNMIS9
FUNMIS10
Txnmisdetails
Compmisdetails
Fundmisdetails
TXNUDFDETAILS
FLDNAME
FLDVAL
Extsys-Ws-Master
Extsys-Ws-Details
EXTWSRESP
USERREMARKS
Account-Main
ACCOUNT_NUMBER

Cont-Status-Movement

STATCHNGDON

SEC_REFNO

SNO

LOANSTATUS

Acc-Master

ACCNO

Vhc-Dtls

REGEMIRATE

REGNO

REGDT

DELIVERYDT

VENDORCD

AGENTNAME

AGENTBRN

AGENTSALESNAME

CCY

REQFINAMT

DOWNPMNT

VHCVAL

MAINTCOST

INSUAMT

ASSTFINAMT

PERCENTAMT

INSUREDBYBANK

INSURANCECOMP

PREMIUMAMT

APPRAISERNAME

APPRAISERVAL

APPRAISERDT

ASSETSEQNO

ASSETSTAT

ASSETTYP

ASSETCAT

DESC

YEAROFMANU

APPLNO

MAKERCD

SUBMODEL

YEARMODEL

CLASS

COLOR

NOOFCYL

ENGINENO

CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW
PROPTYP
DESC
PROPAREA
PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE

- *LOTNO*
- *INSUCOMP*
- *INSUVALU*
- *INSUPAIDBY*
- *PREMIUMAMT*
- *INSUEXPDT*
- *INSUNAME*
- *MANAGEDBY*
- *COMPANYNAME*
- *CONTACTPERSON*
- *CONTACTNO*
- *PROPSTATUS*
- *DATEOFCOMPLETION*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*

CHOSENBY
ACCVAL
ACCDT
ACCSTARTDT
ACCENDDT

Gooddtls

ASSTSEQNO
ASSTSTAT
BRANDCODE
DESC
QUANTITY
CCY
DOWNPMNT
ASSTFINAMT
DELLOC
DELDT
VENDCD
OSPRINC
OSPROF
VENDNAME

Builddtls

ASSTSEQNO
ASSTSTAT
GOODSTYP
DESC
CCY
DOWNPMNT
ASSTFINAMT
VENDCODE
PROFORMAINVOICENO
PROFORMAINVOICEDT
OSPRINC
OSPROF
VENDNAME

Serijadtls

ASSTSEQNO
ASSTSTAT
SERVTYP
GOODSTYPCD
BRANDCODE
QUNATITY
DELLOC
DELDATE
COURSENAME

EDUBENEF
EDUSTARTDT
EDUENDDT
RENTLOC
UNITNO
RENTPLOTNO
RENTBUILDNAME
PROJNAME
RENTAREA
RENTEMIRATE
TOTAREA
BUILTUPAREA
NOOFSTOREY
RENTSTDT
RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER

- CCY
- DOWNPMNT
- ASSTFINAMT
- DESC
- VENDCODE
- SELLDATE
- INVOICENO
- INVOICEDT
- VENDNAME
- OSPRINC
- OSPROF
- Equipvals
  - EVALNAME
  - EVALVAL
  - EVALDT

Master

- Doc-Upload
  - DCREFNO
  - DOC_CATEGORY
  - DOC_TYPE
  - REMARKS
- Ui-Columns

Auto-Prepay

- ACCNO
- BRN
- AUTOPRECUSTID
- AUTOPRECCY
- AUTOPRECUSBRN
- AUTOPRECUSACNO
- AUTOPRECUSACCY
- AUTOPREMINSWPBL
- AUTOPREMINPREAMT
- AUTOPREMAXPREAMT
- AUTOPREUNIT

Rates-Cycle

- ACCOUNT_NUMBER
- BRANCH_CODE
- Rates-Cycle-A
  - NEXT_CYCLE_CODE
  - INTEREST_RATE
  - UPTO
  - CYCLE_START_DT
  - CYCLE_END_DT
  - CYCLE_NO

CURRENT_CYCLE

UNITS

CURR_CYCLE_CODE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

PROD

Attribute	Description
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRODCAT

Attribute	Description
Name	PRODCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>F,C</td></tr></table>

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

COMMITTYP

Attribute	Description
Name	COMMITTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BILL_DUE_AMT

Attribute	Description
Name	BILL_DUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTAVL

Attribute	Description
Name	AMTAVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOMANROLL

Attribute	Description
Name	AUTOMANROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PASSBOOKFAC

Attribute	Description
Name	PASSBOOKFAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ATMFAC

Attribute	Description
Name	ATMFAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

TRACKRECEVALIQ

Attribute	Description
Name	TRACKRECEVALIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

TRACKRECEVMLIQ

Attribute	Description
Name	TRACKRECEVMLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RETRIESALIQ

Attribute	**Description**	
Name	RETRIESALIQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARTIALLIQD

Attribute	**Description**	
Name	PARTIALLIQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ALIQREVPMT

Attribute	**Description**	
Name	ALIQREVPMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ROLLBY

Attribute	**Description**	
Name	ROLLBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	Description	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	Description	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	Description	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

STOPDSBR

Attribute	Description	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RECALCANNUITY

Attribute	Description	
Name	RECALCANNUITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ALLOWBLKPMT

Attribute	Description	
Name	ALLOWBLKPMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOOFINS

Attribute	Description	
Name	NOOFINS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,W,Y,Q,H,B</td></tr></table>

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIROSVCCR

Attribute	**Description**	
Name	GIROSVCCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCCR

Attribute	**Description**	
Name	PAYERACCCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCEDR

Attribute	Description	
Name	UPSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSVCDR

Attribute	Description	
Name	GIROSVCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCDR

Attribute	Description	
Name	PAYERACCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,L,V,H,I,Y

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,U

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LEASEPAYMENTTYPE

Attribute	Description
Name	LEASEPAYMENTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INTERESTSUBSIDYLOAN

Attribute	Description
Name	INTERESTSUBSIDYLOAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALSUBSIDYALLOW

Attribute	Description
Name	RESIDUALSUBSIDYALLOW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALSUBSIDYVALUE

Attribute	Description
Name	RESIDUALSUBSIDYVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CALCREQD

Attribute	Description
Name	CALCREQD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BACKVALEFFDT

Attribute	**Description**	
Name	BACKVALEFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATECODEPREF

Attribute	**Description**	
Name	RATECODEPREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOWBACKPERIODENTRY

Attribute	**Description**	
Name	ALLOWBACKPERIODENTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTSTMT

Attribute	**Description**	
Name	INTSTMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDEDSTAT

Attribute	Description
Name	FUNDEDSTAT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALCACCD

Attribute	Description
Name	RECALCACCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ARVNAPPLIED

Attribute	Description
Name	ARVNAPPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,M,Q,H,Y

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C,F,G,

TOP

PROMOID

Attribute	Description
Name	PROMOID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXPECTED

Attribute	Description
Name	EXPECTED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSAGE

Attribute	Description

Name	CODEUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,A,

TOP

RESOLVEDVAL

Attribute	Description
Name	RESOLVEDVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Roll-Comp

Attribute	Description
Name	Roll-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Remarks

Attribute	**Description**	
Name	Remarks	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REMARK1

Attribute	**Description**	
Name	REMARK1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK2

Attribute	**Description**	
Name	REMARK2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK3

Attribute	**Description**	
Name	REMARK3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMEDR

Attribute	**Description**	
Name	EXTACCNAMEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDDR

Attribute	**Description**	
Name	CLGBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDDR

Attribute	**Description**	
Name	CLGBRNCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRDCDDR

Attribute	**Description**	
Name	CLGPRDCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	**Description**	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	**Description**	
Name	FUNDDURINGINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FUNDDURINGROLL

Attribute	**Description**	
Name	FUNDDURINGROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPCCY

Attribute	**Description**	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	**Description**	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SETTLCCY

Attribute	Description
Name	SETTLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>I,H,P,M,D,L,O,F,S,R</td></tr></table>

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SPLINT

Attribute	Description
Name	SPLINT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHANGERATE

Attribute	Description
Name	EXCHANGERATE
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATEDRATE

Attribute	**Description**	
Name	NEGOTIATEDRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATIONREFNO

Attribute	**Description**	
Name	NEGOTIATIONREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ORGEXCHRATE

Attribute	**Description**	
Name	ORGEXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQUIDATION_MODE

Attribute	**Description**	
Name	LIQUIDATION_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

NEGCOSTRATE

Attribute	**Description**
Name	NEGCOSTRATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGREFNO

Attribute	Description
Name	NEGREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXCHANGERTDER

Attribute	Description
Name	EXCHANGERTDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGRATEDR

Attribute	Description
Name	NEGRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGREFNODR

Attribute	Description
Name	NEGREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,W,M,Q,H,Y,B</td></tr></table>

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BENBANK

Attribute	Description
Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS

Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYEAR

Attribute	**Description**	
Name	DAYSYEAR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULANAME

Attribute	**Description**	
Name	FORMULANAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHSTARTDT

Attribute	**Description**	
Name	SCHSTARTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,P,D</td></tr></table>

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,M</td></tr></table>

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGAMTDUE

Attribute	**Description**	
Name	ORIGAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ADJAMT

Attribute	**Description**	
Name	ADJAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTSETTL

Attribute	**Description**	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMAMT

Attribute	Description
Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,M</td></tr></table>

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description

Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTL

Attribute	Description
Name	READJSETTL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJXRATE

Attribute	**Description**	
Name	LASTREADJXRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTL

Attribute	**Description**	
Name	SUSPAMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTLCY

Attribute	**Description**	
Name	SUSPAMTLCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description

Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOT_DISBR

Attribute	Description
Name	TOT_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SPLPERCENTAGE

Attribute	**Description**	
Name	SPLPERCENTAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SPLIT_AMT

Attribute	**Description**	
Name	SPLIT_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SPLPAYMD

Attribute	**Description**	
Name	SPLPAYMD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SPLACCNO

Attribute	**Description**	
Name	SPLACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIQORD

Attribute	**Description**	
Name	LIQORD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTNUM

Attribute	**Description**	
Name	CUSTNUM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Comp-Gua-Custacc

Attribute	**Description**	
Name	Comp-Gua-Custacc	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LIQORD

Attribute	Description

Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCNOCR

Attribute	**Description**	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMECR

Attribute	Description	
Name	EXTACCNAMECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDCR

Attribute	Description	
Name	CLGBANKCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDCR

Attribute	Description	
Name	CLGBRNCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	**Description**	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

GIROMODEDR

Attribute	**Description**	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description	
Name	PAYERACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	Description	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description
Name	SETTLCHGCCY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

CONSOLCHG

Attribute	Description
Name	CONSOLCHG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Chg-Sch

Attribute	Description
Name	Chg-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SETTLEMENTCCY

Attribute	Description
Name	SETTLEMENTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCRAMT

Attribute	**Description**	
Name	ACCRAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LCYEQUI

Attribute	**Description**	
Name	LCYEQUI	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DLYAVGAMT

Attribute	**Description**	
Name	DLYAVGAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EMIAMT

Attribute	**Description**	
Name	EMIAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHFLAG

Attribute	**Description**	
Name	SCHFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description
Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTREADJRATE

Attribute	Description

Name	LASTREADJRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTSETTLED

Attribute	Description
Name	SUSPAMTSETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTCCY

Attribute	Description
Name	SUSPAMTCCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SECUREDPORTION

Attribute	Description
Name	SECUREDPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKBRN

Attribute	Description
Name	LINKBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKSEQNO

Attribute	Description
Name	LINKSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CONVERTLINKAMT

Attribute	Description	
Name	CONVERTLINKAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CONVERTPAIDAMT

Attribute	Description	
Name	CONVERTPAIDAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Advices

Attribute	Description	
Name	Advices	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MSGTYPE

Attribute	Description	
Name	MSGTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

RULENAME

Attribute	Description
Name	RULENAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETMODEL

Attribute	**Description**	
Name	ASSETMODEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETBODY

Attribute	**Description**	
Name	ASSETBODY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

IDENTITYNO

Attribute	**Description**	
Name	IDENTITYNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Home

Attribute	Description
Name	Asset-Home
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSETMAKE

Attribute	**Description**	
Name	ASSETMAKE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETMODEL

Attribute	**Description**	
Name	ASSETMODEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETWIDTH

Attribute	**Description**	
Name	ASSETWIDTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETLENGTH

Attribute	**Description**	
Name	ASSETLENGTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	Description
Name	PURCHASEORDERNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GEOCODE

Attribute	Description
Name	GEOCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BNACODE

Attribute	Description
Name	BNACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MSACODE

Attribute	Description
Name	MSACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Vehicle,Home,Others,None

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSETMAKE

Attribute	**Description**	
Name	ASSETMAKE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETMODEL

Attribute	**Description**	
Name	ASSETMODEL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ASSETBODY

Attribute	**Description**	
Name	ASSETBODY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

IDENTITYNO

Attribute	Description	
Name	IDENTITYNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS4

Attribute	Description	
Name	ADDRESS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS1

Attribute	Description	
Name	ADDRESS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALCCY

Attribute	Description
Name	VALCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COUNTRY

Attribute	Description
Name	COUNTRY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Other-Income

Attribute	Description
Name	Other-Income
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Udf

Attribute	Description

Name	Udf
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDCHAR1

Attribute	Description
Name	FLDCHAR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDCHAR2

Attribute	Description
Name	FLDCHAR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDCHAR6

Attribute	Description
Name	FLDCHAR6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COLLATERAL_CODE

Attribute	Description
Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER

Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRNCODE

Attribute	**Description**	
Name	BRNCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ACCCY

Attribute	**Description**	
Name	ACCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TRNSTYP

Attribute	**Description**	
Name	TRNSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,C,

TOP

COVRREQ

Attribute	Description	
Name	COVRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHRGDET

Attribute	Description	
Name	CHRGDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	O,B,U

TOP

OURCORRESP

Attribute	Description	
Name	OURCORRESP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

RECVR

Attribute	Description	
Name	RECVR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	Description
Name	INTRIMINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRIMINST2

Attribute	Description
Name	INTRIMINST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRIMINST3

Attribute	Description
Name	INTRIMINST3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRIMINST4

Attribute	Description
Name	INTRIMINST4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVRCORRESP5

Attribute	**Description**	
Name	RCVRCORRESP5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRMDRY1

Attribute	**Description**	
Name	INTRMDRY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRMDRY2

Attribute	**Description**	
Name	INTRMDRY2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRMDRY3

Attribute	**Description**	
Name	INTRMDRY3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRMDRY4

Attribute	**Description**	
Name	INTRMDRY4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRMDRY5

Attribute	**Description**	
Name	INTRMDRY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACCINST1

Attribute	**Description**	
Name	ACCINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACCINST2

Attribute	**Description**	
Name	ACCINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS2

Attribute	Description
Name	PYMTDTLS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PYMTDTLS3

Attribute	Description
Name	PYMTDTLS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PYMTDTLS4

Attribute	Description
Name	PYMTDTLS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDRRCVRINFO1

Attribute	Description
Name	SNDRRCVRINFO1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN3

Attribute	Description
Name	BNFINSTUTN3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BNFINSTUTN4

Attribute	Description
Name	BNFINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BNFINSTUTN5

Attribute	Description
Name	BNFINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULTBENF1

Attribute	Description
Name	ULTBENF1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINST2CVR

Attribute	**Description**	
Name	BNFINST2CVR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINST3CVR

Attribute	**Description**	
Name	BNFINST3CVR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINST4CVR

Attribute	**Description**	
Name	BNFINST4CVR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINST5CVR

Attribute	**Description**	
Name	BNFINST5CVR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR4

Attribute	Description
Name	DESCCHAR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR5

Attribute	Description
Name	DESCCHAR5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR6

Attribute	Description
Name	DESCCHAR6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR7

Attribute	Description
Name	DESCCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR8

Attribute	Description
Name	DESCCHAR8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR9

Attribute	Description
Name	DESCCHAR9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR10

Attribute	Description
Name	DESCCHAR10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR11

Attribute	Description
Name	DESCCHAR11
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR12

Attribute	Description
Name	DESCCHAR12
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR13

Attribute	**Description**	
Name	DESCCHAR13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR14

Attribute	**Description**	
Name	DESCCHAR14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR15

Attribute	**Description**	
Name	DESCCHAR15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR16

Attribute	**Description**	
Name	DESCCHAR16	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR22

Attribute	Description	
Name	DESCCHAR22	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR23

Attribute	Description	
Name	DESCCHAR23	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR24

Attribute	Description	
Name	DESCCHAR24	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR25

Attribute	Description	
Name	DESCCHAR25	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	Description
Name	DESCCHAR26
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR27

Attribute	Description
Name	DESCCHAR27
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR28

Attribute	Description
Name	DESCCHAR28
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR29

Attribute	Description
Name	DESCCHAR29
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR30

Attribute	Description
Name	DESCCHAR30

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR31

Attribute	Description
Name	DESCCHAR31
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR32

Attribute	Description
Name	DESCCHAR32
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR33

Attribute	Description
Name	DESCCHAR33
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR34

Attribute	Description
Name	DESCCHAR34
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR36

Attribute	**Description**	
Name	DESCCHAR36	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR37

Attribute	**Description**	
Name	DESCCHAR37	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR38

Attribute	**Description**	
Name	DESCCHAR38	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR39

Attribute	**Description**	
Name	DESCCHAR39	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR49

Attribute	Description
Name	DESCCHAR49
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

Cltbs-Account-Statement

Attribute	Description
Name	Cltbs-Account-Statement
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,H,Y,

TOP

START_DATE

Attribute	**Description**	
Name	START_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FREQUENCYUNIT

Attribute	**Description**	
Name	FREQUENCYUNIT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Account-Emi-Chg

Attribute	**Description**	
Name	Account-Emi-Chg	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

CHGEMIAMT

Attribute	**Description**	
Name	CHGEMIAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGEMIPCNT

Attribute	**Description**
Name	CHGEMIPCNT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Intermediary

Attribute	Description
Name	Intermediary
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INTERMEDIARY_CODE

Attribute	Description
Name	INTERMEDIARY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERMEDIARYNAME

Attribute	Description
Name	INTERMEDIARYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

POLICYTYPE

Attribute	**Description**	
Name	POLICYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,P

TOP

INSURER

Attribute	**Description**	
Name	INSURER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

INSURERADDR1

Attribute	**Description**	
Name	INSURERADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

INSURERADDR2

Attribute	**Description**	
Name	INSURERADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Property

Attribute	Description
Name	Property
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNUMBER

Attribute	**Description**	
Name	CONTACTNUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

WINGNAME

Attribute	**Description**	
Name	WINGNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETFINANCEAMT

Attribute	**Description**	
Name	ASSETFINANCEAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PROPERTYVALUE

Attribute	**Description**	
Name	PROPERTYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description
Name	LINKED_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LBL_FIELD_DATE

Attribute	Description
Name	LBL_FIELD_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,X,F,P

TOP

PROCALCMTH

Attribute	Description
Name	PROCALCMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REFRATECD

Attribute	Description
Name	REFRATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COSTCD1

Attribute	Description
Name	COSTCD1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD5

Attribute	Description
Name	COSTCD5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

MISGRPFUN

Attribute	Description
Name	MISGRPFUN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS1

Attribute	Description
Name	TRANMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS4

Attribute	Description
Name	COMMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS8

Attribute	**Description**	
Name	COMMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS9

Attribute	**Description**	
Name	COMMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS10

Attribute	**Description**	
Name	COMMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS1

Attribute	**Description**	
Name	FUNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS2

Attribute	**Description**	
Name	FUNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS3

Attribute	**Description**	
Name	FUNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS4

Attribute	**Description**	
Name	FUNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS5

Attribute	**Description**	
Name	FUNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS6

Attribute	Description
Name	FUNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FLDNAME

Attribute	**Description**	
Name	FLDNAME	
Datatype	String	
Description	Indicates Field Name	
Restrictions	**Restrictions**	**Description**
	maxLength	105
	minLength	1

TOP

FLDVAL

Attribute	**Description**	
Name	FLDVAL	
Datatype	String	
Description	Indicates Field Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255
	minLength	0

TOP

Extsys-Ws-Master

Attribute	**Description**	
Name	Extsys-Ws-Master	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Extsys-Ws-Details

Attribute	**Description**	
Name	Extsys-Ws-Details	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Acc-Master

Attribute	Description

Name	Acc-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Vhc-Dtls

Attribute	Description
Name	Vhc-Dtls
Datatype	
Description	Indicates Vehicle Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REGEMIRATE

Attribute	Description
Name	REGEMIRATE
Datatype	String
Description	Indicates whether Vehicle is Registered in Emirates
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGDT

Attribute	Description
Name	REGDT
Datatype	Date
Description	Indicates Vehicle Registration Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AGENTSALESNAME

Attribute	**Description**	
Name	AGENTSALESNAME	
Datatype	String	
Description	Indicates Vehicle Agent Sales Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REQFINAMT

Attribute	**Description**	
Name	REQFINAMT	
Datatype	Number	
Description	Indicates Vehicle Finance Amount Requested	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DOWNPMNT

Attribute	**Description**	
Name	DOWNPMNT	
Datatype	Number	
Description	Indicates Vehicle Down payment Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAINTCOST

Attribute	Description
Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUREDBYBANK

Attribute	Description

Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description
Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

YEAROFMANU

Attribute	**Description**	
Name	YEAROFMANU	
Datatype	String	
Description	Indicates Vehicle Year of Manufacture	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8

TOP

APPLNO

Attribute	**Description**	
Name	APPLNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

MAKERCD

Attribute	**Description**	
Name	MAKERCD	
Datatype	String	
Description	Indicates Vehicle Maker Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP

Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME
Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,S</td></tr></table>

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description	
Name	AREAINEMIRATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DISTORAREA

Attribute	Description	
Name	DISTORAREA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AREAINANOCOUNTRY

Attribute	Description	
Name	AREAINANOCOUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	Description	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description	
Name	BUILDINGNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROJECTNAME

Attribute	Description	
Name	PROJECTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

VILLAORAPTNO

Attribute	Description	
Name	VILLAORAPTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTACTNO

Attribute	Description
Name	CONTACTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPSTATUS

Attribute	Description
Name	PROPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DATEOFCOMPLETION

Attribute	Description
Name	DATEOFCOMPLETION
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDTYP

Attribute	Description
Name	VENDTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

BRANDCODE

Attribute	**Description**	
Name	BRANDCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Builddtls

Attribute	**Description**	
Name	Builddtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

GOODSTYP

Attribute	**Description**	
Name	GOODSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROFORMAINVOICEDT

Attribute	Description
Name	PROFORMAINVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME

Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Serijadtls

Attribute	Description
Name	Serijadtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTSTDT

Attribute	Description
Name	RENTSTDT
Datatype	Date
Description	Indicates Rent Ijarah Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTENDDT

Attribute	Description
Name	RENTENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTTYP

Attribute	Description
Name	EVENTTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENTLOC

Attribute	Description
Name	EVENTLOC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENTPLOTNO

Attribute	Description
Name	EVENTPLOTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

HOTELTOTAREA

Attribute	**Description**	
Name	HOTELTOTAREA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CAPACITY

Attribute	**Description**	
Name	CAPACITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALBENEF

Attribute	**Description**	
Name	MEDICALBENEF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

MEDICALSTDT

Attribute	**Description**	
Name	MEDICALSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	Description
Name	STREET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description

Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description

Name	EVALVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	Description
Name	AUTOPRECUSBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLE_END_DT

Attribute	Description
Name	CYCLE_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLE_NO

Attribute	Description
Name	CYCLE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CURRENT_CYCLE

Attribute	Description
Name	CURRENT_CYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.44.QueryNotaryConfirm

QueryNotaryConfirm

2.44.1.MO-QueryNotaryConfirm-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltbs-Notary-Confirm-IO*
    - *BRANCHCODE*
    - *ACCOUNTNUMBER*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	Mortgage Notary Confirm IO Type

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.44.2.MO-QueryNotaryConfirm-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltbs-Notary-Confirm-IO*
      - *BRANCHCODE*
      - *ACCOUNTNUMBER*
    - *Cltbs-Notary-Confirm-Full*
      - *BRANCHCODE*
      - *ACCOUNTNUMBER*
      - *NOTARYCONFDT*
      - *REMARKS*
      - *NOTARYSTATUS*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
      - *TXNSTAT*
      - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltbs-Notary-Confirm-IO

Attribute	Description
Name	Cltbs-Notary-Confirm-IO
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Cltbs-Notary-Confirm-Full

Attribute	Description
Name	Cltbs-Notary-Confirm-Full
Datatype	
Description	

TOP

BRANCHCODE

Attribute	Description
Name	BRANCHCODE
Datatype	String
Description	Indicates Branch Code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCOUNTNUMBER

Attribute	Description
Name	ACCOUNTNUMBER
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOTARYCONFDT

Attribute	Description
Name	NOTARYCONFDT
Datatype	Date
Description	Indicates Notary Confirm Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	Indicates Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

NOTARYSTATUS

Attribute	Description
Name	NOTARYSTATUS
Datatype	String
Description	Indicates Notary Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,R

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	Indicates MAKER ID

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates MAKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

CHECKER

Attribute	**Description**	
Name	CHECKER	
Datatype	String	
Description	Indicates CHECKER ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CHECKERSTAMP

Attribute	**Description**	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates CHECKER Date Stamp	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

MODNO

Attribute	**Description**	
Name	MODNO	
Datatype	Number	
Description	Indicates Modulation Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	Transaction Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Authorization Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String

Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.45.QueryProdTrfr

QueryProdTrfr

2.45.1.MO-QueryProdTrfr-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-IO*
    - *TRANSFER_ID*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.45.2.MO-QueryProdTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltb-Prod-Brn-Transfer-IO*
      - *TRANSFER_ID*
    - *Cltb-Prod-Brn-Transfer-Full*
      - *PRODUCT_CODE*
      - *CURRENT_BRANCH_CODESS*
      - *TARGET_BRANCH_CODESS*
      - *TRANSFER_DATE*
      - *TRANSFER_ID*
      - *CATGPRDDESC*
      - *CURRENT_BRANCH_NAME*
      - *TARGET_BRANCH_NAME*
      - *MAKER*
      - *MAKERSTAMP*
      - *CHECKER*
      - *CHECKERSTAMP*
      - *MODNO*
      - *TXNSTAT*
      - *AUTHSTAT*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CURRENT_BRANCH_CODESS

Attribute	Description

Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.46.QueryProduct

Query of Mortgage Product

2.46.1.MO-QueryProduct-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Product-Details-IO*
    - *PRDCD*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

2.46.2.MO-QueryProduct-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Product-Details-IO*
      - *PRDCD*
    - *Product-Details-Full*
      - *PRDCD*
      - *PRDDESC*
      - *PRDSLG*
      - *PRDRMRKS*
      - *PRDSTRTDT*
      - *ENDDT*
      - *PRDGRP*
      - *NRMLRTVARI*
      - *MAXRTVARI*
      - *RTCODEPRFERD*
      - *RATECDPREF*
      - *PRDTYPE*
      - *RML*
      - *RATETYPE*
      - *NORMVAR*

MAXVAR
PARLIQ
LIQMOD
ALIQ_REV_PMT
RETAUTO_LIQ
TENOR
UDEUNIT
RPWNDTNR
RPWNDUNIT
DSBRMD
DRENT
CRENT
MINTEN
STDTEN
MAXTEN
TENUNIT
ROLLBY
AUTOMROLL
UDEROLLBAS
ROLLWINT
VAMIACT
VAMIEMI
ACINST
INTERESTONLYPERD
INTERESTONLYUNIT
PASSBLFLG
ATMFLG
TRCKRECALIQ
AMDPASTPDSCH
CHBOOKFLG
LIQBAKVLSCH
BCKVALDTFLG
SPLINTACCR
CLAGBILL
NTCDAYBAS
LIMPRD
PACKCRFLAG
SCHBAS
HOLCHKMAT
NOTCONFREQD
BRNHOLMAT
IGNHOLMATVAL
MVACMMATVLDT
FACHOLCCY

CONHOLCCY
LOCHOLCCY
SCHMVMTMATVAL
HOLCCYMAT
MOVACMN
SCHMNMT
CASSCH
ADHOCHOLTRREQ
HOLCHK
BRNHOLSCH
HOLCCYSCH
IGNHOL
FACHOLCCYMAT
CONHOLCCYMAT
LOCHOLCCYMAT
LIQCOMFLG
YACRFRQ
PRPAYTR
ACQTYPE
RECMPBAS
PRPMTFROM
PRPAYEMI
MINEMICCY
MINEMIAMT
CLASCD
CLASDESC
CLASCDAC
CLASS_DESC
STATUSAPPFORAGUA
LEASE_PAYMENT_MODE
LOAN_AGAINST_SAL
RETRIES_FOR_ADVICE
REVOLVING_TYPE
CREDITDAYS
OPEN_LINE_LOANS
AUTO_LIQD_PERCENT
AUTO_LIQD_BASIS
POWER_POCKET_C
PROJECT_ACCOUNT
BONLN_C
RATE_CHANGE_ACTION
PGPERAPP_C
MULTNR_C
INTCALCREQ_C

AUTOPREPAY
MIN_AMOUNT_C
MAX_AMOUNT_C
BONUSPERCENT
INIT_UPTO
BONUSMTH1
CYCLE_BASED_RATE
BONUSMTH2
CONVERTIBLE_CLASS
INIT_UNITS
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Holperiod-Det
  HOLPERD
Rollcomp-Det
  CMPNAME
Status-Level
  STATCD
  STATDES
  ADVERSTYLVL
  STOPREV
  READINSTAT
  TENOR
  UNIT
  LEAST_CUE_FIN_YR
  LEAST_CUR_FIN_YR
  COMPOUND_ON_STCH
  Status-Det
    TOSTAT
    DRVRULE
    MVMTTYPE
    CMPACCRSTCH
    Stch-Acct-Entry
      TXNCD
      DRCRIND
      NETIND
      ACCROLECD
      AMTTAG
      ROLETYPE

AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stch-Polcs
EXECTYPE
POLCD
Stch-Adv
MSGTYPE
GENTIME
SUPRESS
PRIORITY
CHGREQ
FRMT
Stch-Chgs
CHGCMP
Liq-Order
CMPNAME
LIQORDR
Component-Det
CMPNAME
CMPDESC
CMPTYPE
MAINCMP
CMPCCY
INTPOSTREQ
REPTYPE
PROPREQ
INCLUDEINEMI
DAYSMTH
DAYSYR
GRCDAYS
VERFUNDS
DAYSFRMCCY
IRRAPP
SPLINT

PENBASCMP
PRIODICITY
PM_FORMULA_TYPE
RATEUSE
BASELEM
BALTYPE
MORPERD
MORPERDUN
ACREQ_C
ACCRFREQ
ACCRSTMTH
ACCRSTDATE
PRPMTTHCCY
PRPMTTHAMT
COMPOUNDINGREQ
COMPOUND_ON_OVERDUE
LIQUIDATION_MODE
CONSLCHG_C
CONSLRTYCHG_C
DAYSYRPRG_C
DAYSMTHPRG_C
BASIS_RND_TYPE
BASIS_RND_UPTO
Dflt-Schedules
- *SCHTYPE*
- *STREF*
- *FREQ*
- *FRQUNIT*
- *STARTDAY*
- *STARTDT*
- *STARTMON*
- *NOOFSCH*
- *FORMULA*
- *CLSSN*
- *SCHFLAG*
- *CAPTLD*
- *DUEON*

Comp-Frm-Intermediate
- *FORMULA*
- *RNDUPTO*
- *BKFLG*
- *CMPDDAYS*
- *CMPDMON*
- *CMPDYR*

- *RNDUPDWN*
- *Intermediate-Expr*
  - *EXPRLINE*
  - *COND*
  - *RESULT*
  - *FRMTYPE*
- *Comp-Frm-Moratorium*
  - *FORMULA*
  - *RNDUPTO*
  - *DFLTMORFRM*
  - *MORLIQFRM*
  - *CMPDDAYS*
  - *CMPDMON*
  - *CMPDYR*
  - *LIQMORTOEMI*
  - *RNDUPDWN*
  - *Moratorium-Expr*
    - *EXPRLINE*
    - *COND*
    - *RESULT*
    - *FRMTYPE*
- *Comp-Frm-Book*
  - *FORMULA*
  - *AMORT*
  - *RNDUPTO*
  - *CMPDDAYS*
  - *CMPDMON*
  - *CMPDYR*
  - *AMORTBASELEM*
  - *RNDUPDWN*
  - *DUE_DATES_ON*
  - *START_MONTH*
  - *Book-Expr*
    - *EXPRLINE*
    - *COND*
    - *RESULT*
    - *FRMTYPE*
- *Install-Status*
  - *STATCD*
  - *STATRULE*
  - *SEQNO*
  - *CMPPENACCR*
  - *STATDES*
  - *Stsh-Acct-Entry*

TXNCD
DRCRIND
NETIND
ACCROLECD
AMTTAG
ROLETYPE
AMTTAGTYPE
MISHEAD
REVLREQ
REVLPRFTGL
REVLLOSGL
REVLRATECD
REVLTXNCD
HOLTR
GAAPIND
BALCHKBAT
DLNQPRD
ENTPRNO
Stsh-Chgs
CHGCMP
Stsh-Polcs
POLCD
EXECTYPE
Rekey-Det
FLDNAME
Cvs-Liq
Prod-Summary
MODULECD
PRDCD
PRDDESC
ENDDT
PRDCAT
PRDTYP
ROLLALWD
Product-Cycle-C
CYCLE_CODE
DFLT
Product-Mis-Details
MISGRP
POOLCD
CSTCD1
CSTCD2
CSTCD4
CSTCD5

- *Default-Mis-Codes*
  - *MISCLS*
  - *MISCD*
- *UDFDETAILS*
  - *FLDNAM*
  - *FLDVAL*
- *Prd-Dtls-Def*
  - *PRDCD*
  - *PRDDESC*
  - *Prod-Ude*
    - *RTCHGRES*
    - *UDEID*
    - *UDEDESC*
    - *UDETYP*
    - *UDECCY*
    - *MINUDEVAL*
    - *MAXUDEVAL*
- *Prod-Det-Rth*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Rth*
    - *MAPTYP*
    - *ACCROLE*
    - *ROLTYP*
    - *ACCHEAD*
    - *ROLDESC*
    - *HEADDESC*
    - *Rth-Expr*
      - *EXPRLINE*
      - *CONDITION*
      - *ACCHEAD*
- *Prd-Dtls-Notc*
  - *PRDCD*
  - *PRDDESC*
  - *Bill-Ntc*
    - *COND_NO*
    - *COND*
    - *NUM_DAYS*
    - *FRMT*
  - *Revision-Notc*
    - *CONDNO*
    - *COND*

- *NUMDAYS*
- *FRMT*
- *Deliquency-Notc*
  - *COND_NO*
  - *COND*
  - *NUM_DAYS*
  - *FRMT*
  - *FREQ*
- *Ddnotc-Det*
  - *CONDNO*
  - *COND*
  - *NUM_DAYS*
  - *TXNCD*
  - *FRMT*
- *Stmtotrs-Det*
  - *COND_NO*
  - *COND*
  - *FREQ*
  - *STARTDT*
  - *FREQDAYS*
  - *FRMT*
  - *MSG_TYPE*
- *Prd-Notc*
  - *NOTICE_ID*
  - *COND_NO*
  - *COND*
  - *FRMT*
  - *FREQ*
  - *STARTDT*
  - *TENOR*
  - *NUMDAYS*
  - *TXNCD*
  - *NOTICE*
- *Prd-Dtls*
  - *PRDCD*
  - *PRDDESC*
  - *CLASCD*
  - *CLASS_DESC*
  - *Prod-Events*
    - *EVTCODE*
    - *EVTDES*
    - *Prod-Event-Acct-Rule*
      - *RUL_NO*
      - *COND*

- *Prd-Event-Acct-Entry*
  - *TXNCD*
  - *DRCR_IND1*
  - *NETTIND*
  - *ACCROLECD*
  - *AMTTAG*
  - *ROLTYP*
  - *AMTTAGTYPE*
  - *MISHEAD*
  - *REVALREQD*
  - *REVALPRFGL*
  - *REVALLOSSGL*
  - *REVALRATECD*
  - *REVALTXNCD*
  - *HOLTREAT*
  - *GAAPIND*
  - *BALCHK*
  - *DELINQPROD*
  - *ENTPRNO*
  - *RATE_TYPE_INDICATOR*
- *Prod-Event-Adv-Rules*
  - *RULENO*
  - *COND*
  - *Prod-Event-Adv-Entry*
    - *MSGTYPE*
    - *GENTIME*
    - *SUPPRESS*
    - *PRIORITY*
    - *CHGREQ*
    - *FRMT*
    - *DESC*
- *Prod-Event-Chg*
  - *CHGCMP*
- *Prod-Event-Polc*
  - *POLCD*
  - *EXECTYPE*
- *Prod-Event-Udf-C*
  - *FIELDNAME*
  - *DESC*
  - *DATA_TYPE*
  - *FLDNO*
- *Prod-Event-Udf-N*
  - *FLDNAME*
  - *DESC*

DATATYP
FLDNO
Prod-Event-Udf-D
FLDNAME
DESC
DATA_TYPE
FLDNO
Prod-Dtls-Ccy
PRDCD
BICDESC
BRNLST
CCYLST
CLASCD
CLASDESC
Currency-Balances
CCYCD
ATM_CASH_LIMIT
RESIDUAL_AMOUNT
NEG_RESIDUE_AMT
EMI_ROUND_UPTO
EMI_ROUND_UP_DOWN
IRR_NUMER_DCOUNT_METH
IRR_DENOM_DCOUNT_MTH
Brn-Restr
BRN
BRNDES
Ccy-Restr
CCYCD
CCYDESC
MINLNAMT
MAXLNAMT
UNITS
Prod-Dtls-Cust
PRDCD
PRDDESC
CCR
CLASCD
CLASDESC
Category-Restrictions
CUSCAT
CUSCATDES
Customer-Restrictions
CUSNO
ALLOWED

CUSDES
Prd-Dtls-Udf
PRDCD
PRDDESC
Prd-Udf-Num
FLDNAME
FLDDESC
FLDNO
Prd-Udf-Char
FLDNAME
FLDDESC
FIELDNO
Prd-Udf-Dt
FLDNAME
FLDDESC
FLDNO
Prod-Credit
Credit-Score-Rule
RULNAME
DFLTRULE
Credit-Score-Rule-Expr
RULNAME
EXPLINE
COND
RSLT
Product-Party
PARTYTYPE
PARTYTYPEDESC
REPEATING
MANDATORY
Product-Diary
EVENTCODE
Product-Madc
Min-Amt-Due-Rule
MADC_RULE_NAME
MADC_DEFAULT_RULE
Min-Amt-Due-Rule-Exp
MADC_EXPR_LINE
CONDITION
RESULT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 4

TOP

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 1
Restrictions	Restrictions: maxLength; Description: 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRDSLG

Attribute	Description
Name	PRDSLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

PRDRMRKS

Attribute	Description
Name	PRDRMRKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

PRDSTRTDT

Attribute	Description
Name	PRDSTRTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDGRP

Attribute	Description
Name	PRDGRP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

NRMLRTVARI

Attribute	Description
Name	NRMLRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXRTVARI

Attribute	Description
Name	MAXRTVARI
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RTCODEPRFERD

Attribute	Description
Name	RTCODEPRFERD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATECDPREF

Attribute	Description
Name	RATECDPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDTYPE

Attribute	Description
Name	PRDTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RML

Attribute	Description
Name	RML
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,C</td></tr></table>

TOP

RATETYPE

Attribute	Description
Name	RATETYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

NORMVAR

Attribute	Description
Name	NORMVAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXVAR

Attribute	Description
Name	MAXVAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARLIQ

Attribute	Description
Name	PARLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQMOD

Attribute	Description
Name	LIQMOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

ALIQ_REV_PMT

Attribute	Description
Name	ALIQ_REV_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETAUTO_LIQ

Attribute	Description
Name	RETAUTO_LIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEUNIT

Attribute	Description
Name	UDEUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

RPWNDTNR

Attribute	Description
Name	RPWNDTNR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RPWNDUNIT

Attribute	Description
Name	RPWNDUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Y,

TOP

DSBRMD

Attribute	Description
Name	DSBRMD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

DRENT

Attribute	Description
Name	DRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

CRENT

Attribute	Description
Name	CRENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

MINTEN

Attribute	Description
Name	MINTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STDTEN

Attribute	Description
Name	STDTEN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAXTEN

Attribute	Description
Name	MAXTEN
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TENUNIT

Attribute	**Description**	
Name	TENUNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

ROLLBY

Attribute	**Description**	
Name	ROLLBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y,

TOP

AUTOMROLL

Attribute	**Description**	
Name	AUTOMROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

UDEROLLBAS

Attribute	**Description**	
Name	UDEROLLBAS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,C

TOP

ROLLWINT

Attribute	Description
Name	ROLLWINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,S

TOP

VAMIACT

Attribute	Description
Name	VAMIACT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / T,E

TOP

VAMIEMI

Attribute	Description
Name	VAMIEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

ACINST

Attribute	Description
Name	ACINST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

INTERESTONLYPERD

Attribute	Description
Name	INTERESTONLYPERD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTERESTONLYUNIT

Attribute	Description
Name	INTERESTONLYUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,D,M,Y</td></tr></table>

TOP

PASSBLFLG

Attribute	Description
Name	PASSBLFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ATMFLG

Attribute	Description
Name	ATMFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

TRCKRECALIQ

Attribute	Description
Name	TRCKRECALIQ
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AMDPASTPDSCH

Attribute	**Description**	
Name	AMDPASTPDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHBOOKFLG

Attribute	**Description**	
Name	CHBOOKFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQBAKVLSCH

Attribute	**Description**	
Name	LIQBAKVLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BCKVALDTFLG

Attribute	**Description**	
Name	BCKVALDTFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTACCR

Attribute	Description
Name	SPLINTACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CLAGBILL

Attribute	Description
Name	CLAGBILL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NTCDAYBAS

Attribute	Description
Name	NTCDAYBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,A

TOP

LIMPRD

Attribute	Description
Name	LIMPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PACKCRFLAG

Attribute	Description
Name	PACKCRFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHBAS

Attribute	Description
Name	SCHBAS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

HOLCHKMAT

Attribute	Description
Name	HOLCHKMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,L,B,N

TOP

NOTCONFREQD

Attribute	Description
Name	NOTCONFREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BRNHOLMAT

Attribute	Description
Name	BRNHOLMAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

IGNHOLMATVAL

Attribute	Description
Name	IGNHOLMATVAL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

MVACMMATVLDT

Attribute	Description
Name	MVACMMATVLDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FACHOLCCY

Attribute	Description
Name	FACHOLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CONHOLCCY

Attribute	Description
Name	CONHOLCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCY

Attribute	Description
Name	LOCHOLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHMVMTMATVAL

Attribute	Description
Name	SCHMVMTMATVAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,P

TOP

HOLCCYMAT

Attribute	Description
Name	HOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MOVACMN

Attribute	Description
Name	MOVACMN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHMNMT

Attribute	**Description**	
Name	SCHMNMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,P

TOP

CASSCH

Attribute	**Description**	
Name	CASSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ADHOCHOLTRREQ

Attribute	**Description**	
Name	ADHOCHOLTRREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCHK

Attribute	**Description**	
Name	HOLCHK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	C,L,B,N

TOP

BRNHOLSCH

Attribute	Description	
Name	BRNHOLSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

HOLCCYSCH

Attribute	Description	
Name	HOLCCYSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

IGNHOL

Attribute	Description	
Name	IGNHOL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FACHOLCCYMAT

Attribute	Description	
Name	FACHOLCCYMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CONHOLCCYMAT

Attribute	Description
Name	CONHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LOCHOLCCYMAT

Attribute	Description
Name	LOCHOLCCYMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMFLG

Attribute	Description
Name	LIQCOMFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,D

TOP

YACRFRQ

Attribute	Description
Name	YACRFRQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,

TOP

PRPAYTR

Attribute	Description
Name	PRPAYTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,R,</td></tr></table>

TOP

ACQTYPE

Attribute	Description
Name	ACQTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,D,P,A,</td></tr></table>

TOP

RECMPBAS

Attribute	Description
Name	RECMPBAS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>T,E,</td></tr></table>

TOP

PRPMTFROM

Attribute	Description
Name	PRPMTFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>V,I,</td></tr></table>

TOP

PRPAYEMI

Attribute	Description
Name	PRPAYEMI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,M,

TOP

MINEMICCY

Attribute	Description
Name	MINEMICCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINEMIAMT

Attribute	Description
Name	MINEMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CLASCDAC

Attribute	Description
Name	CLASCDAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

STATUSAPPFORAGUA

Attribute	Description
Name	STATUSAPPFORAGUA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LEASE_PAYMENT_MODE

Attribute	Description
Name	LEASE_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,R

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETRIES_FOR_ADVICE

Attribute	Description
Name	RETRIES_FOR_ADVICE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REVOLVING_TYPE

Attribute	Description
Name	REVOLVING_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CREDITDAYS

Attribute	Description
Name	CREDITDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OPEN_LINE_LOANS

Attribute	Description
Name	OPEN_LINE_LOANS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

AUTO_LIQD_PERCENT

Attribute	**Description**	
Name	AUTO_LIQD_PERCENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTO_LIQD_BASIS

Attribute	**Description**	
Name	AUTO_LIQD_BASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,A

TOP

POWER_POCKET_C

Attribute	**Description**	
Name	POWER_POCKET_C	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PROJECT_ACCOUNT

Attribute	**Description**	
Name	PROJECT_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

BONLN_C

Attribute	Description
Name	BONLN_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPERAPP_C

Attribute	Description
Name	PGPERAPP_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MULTNR_C

Attribute	Description
Name	MULTNR_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ_C

Attribute	Description
Name	INTCALCREQ_C

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / NORM,TDAT,FDAT,FDMD,TDVD

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MIN_AMOUNT_C

Attribute	Description
Name	MIN_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAX_AMOUNT_C

Attribute	Description
Name	MAX_AMOUNT_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONUSPERCENT

Attribute	Description
Name	BONUSPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INIT_UPTO

Attribute	Description
Name	INIT_UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONUSMTH1

Attribute	Description
Name	BONUSMTH1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BONUSMTH2

Attribute	Description
Name	BONUSMTH2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTIBLE_CLASS

Attribute	Description
Name	CONVERTIBLE_CLASS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

INIT_UNITS

Attribute	Description
Name	INIT_UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / M,Y,

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

Holperiod-Det

Attribute	Description
Name	Holperiod-Det
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

HOLPERD

Attribute	Description
Name	HOLPERD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Rollcomp-Det

Attribute	Description
Name	Rollcomp-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Status-Level

Attribute	Description
Name	Status-Level
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

STATDES

Attribute	Description
Name	STATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ADVERSTYLVL

Attribute	Description
Name	ADVERSTYLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

STOPREV

Attribute	Description
Name	STOPREV
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,R,C,T,

TOP

READINSTAT

Attribute	Description
Name	READINSTAT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,C,

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,D,M,Y,F

TOP

LEAST_CUE_FIN_YR

Attribute	Description
Name	LEAST_CUE_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LEAST_CUR_FIN_YR

Attribute	Description
Name	LEAST_CUR_FIN_YR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUND_ON_STCH

Attribute	Description
Name	COMPOUND_ON_STCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Status-Det

Attribute	Description
Name	Status-Det
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TOSTAT

Attribute	Description
Name	TOSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRVRULE

Attribute	Description
Name	DRVRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

MVMTTYPE

Attribute	Description

Name	MVMTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M,B,

TOP

CMPACCRSTCH

Attribute	Description
Name	CMPACCRSTCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Stch-Acct-Entry

Attribute	Description
Name	Stch-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLLOSSGL

Attribute	Description
Name	REVLLOSSGL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Stch-Polcs

Attribute	Description
Name	Stch-Polcs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,A,O,

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Stch-Adv

Attribute	Description
Name	Stch-Adv
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GENTIME

Attribute	Description

Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,A,

TOP

SUPRESS

Attribute	Description
Name	SUPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stch-Chgs

Attribute	Description
Name	Stch-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Liq-Order

Attribute	Description
Name	Liq-Order
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQORDR

Attribute	Description
Name	LIQORDR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Component-Det

Attribute	Description
Name	Component-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CMPDESC

Attribute	Description
Name	CMPDESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

CMPTYPE

Attribute	Description
Name	CMPTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,G,S,

TOP

MAINCMP

Attribute	Description
Name	MAINCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CMPCCY

Attribute	Description
Name	CMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INTPOSTREQ

Attribute	Description
Name	INTPOSTREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

REPTYPE

Attribute	Description
Name	REPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPREQ

Attribute	Description	
Name	PROPREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

INCLUDEINEMI

Attribute	Description	
Name	INCLUDEINEMI	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

DAYSMTH

Attribute	Description	
Name	DAYSMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	3,1,2,

TOP

DAYSYR

Attribute	Description	
Name	DAYSYR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	1,2,3,

TOP

GRCDAYS

Attribute	Description
Name	GRCDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERFUNDS

Attribute	Description
Name	VERFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DAYSFRMCCY

Attribute	Description
Name	DAYSFRMCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

IRRAPP

Attribute	Description
Name	IRRAPP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PENBASCMP

Attribute	Description
Name	PENBASCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRIODICITY

Attribute	Description
Name	PRIODICITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,P,

TOP

PM_FORMULA_TYPE

Attribute	Description
Name	PM_FORMULA_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 5,6,3,8,1,4,7,C,10,11,12,

TOP

RATEUSE

Attribute	Description
Name	RATEUSE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BASELEM

Attribute	**Description**	
Name	BASELEM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

BALTYPE

Attribute	**Description**	
Name	BALTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C

TOP

MORPERD

Attribute	**Description**	
Name	MORPERD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MORPERDUN

Attribute	**Description**	
Name	MORPERDUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Y,

TOP

ACREQ_C

Attribute	Description
Name	ACREQ_C
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ACCRFREQ

Attribute	Description
Name	ACCRFREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,H,Q,Y,

TOP

ACCRSTMTH

Attribute	Description
Name	ACCRSTMTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRSTDATE

Attribute	Description
Name	ACCRSTDATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRPMTTHCCY

Attribute	Description
Name	PRPMTTHCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRPMTTHAMT

Attribute	**Description**	
Name	PRPMTTHAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPOUNDINGREQ

Attribute	**Description**	
Name	COMPOUNDINGREQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

COMPOUND_ON_OVERDUE

Attribute	**Description**	
Name	COMPOUND_ON_OVERDUE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATION_MODE

Attribute	**Description**	
Name	LIQUIDATION_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

CONSLCHG_C

Attribute	Description
Name	CONSLCHG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CONSLRTYCHG_C

Attribute	Description
Name	CONSLRTYCHG_C
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSYRPRG_C

Attribute	Description
Name	DAYSYRPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,2,1,3

TOP

DAYSMTHPRG_C

Attribute	Description
Name	DAYSMTHPRG_C
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,3,2

TOP

BASIS_RND_TYPE

Attribute	Description
Name	BASIS_RND_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,IU,IR,ID

TOP

BASIS_RND_UPTO

Attribute	Description
Name	BASIS_RND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Dflt-Schedules

Attribute	Description
Name	Dflt-Schedules
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,R,D,

TOP

STREF

Attribute	Description
Name	STREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRQUNIT

Attribute	Description
Name	FRQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,H,Q,Y,B,W,</td></tr></table>

TOP

STARTDAY

Attribute	Description
Name	STARTDAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>1,2,3,4,5,6,7,</td></tr></table>

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STARTMON

Attribute	Description
Name	STARTMON
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

CLSSN

Attribute	**Description**	
Name	CLSSN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHFLAG

Attribute	**Description**	
Name	SCHFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,M,

TOP

CAPTLD

Attribute	**Description**
Name	CAPTLD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DUEON

Attribute	Description
Name	DUEON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Comp-Frm-Intermediate

Attribute	Description
Name	Comp-Frm-Intermediate
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BKFLG

Attribute	Description
Name	BKFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Intermediate-Expr

Attribute	Description
Name	Intermediate-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description

Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

Comp-Frm-Moratorium

Attribute	Description
Name	Comp-Frm-Moratorium
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DFLTMORFRM

Attribute	Description
Name	DFLTMORFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

MORLIQFRM

Attribute	Description
Name	MORLIQFRM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIQMORTOEMI

Attribute	Description
Name	LIQMORTOEMI
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

Moratorium-Expr

Attribute	Description
Name	Moratorium-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description

Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Comp-Frm-Book

Attribute	Description
Name	Comp-Frm-Book
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

AMORT

Attribute	Description
Name	AMORT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RNDUPTO

Attribute	Description
Name	RNDUPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDDAYS

Attribute	Description
Name	CMPDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDMON

Attribute	Description
Name	CMPDMON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CMPDYR

Attribute	Description
Name	CMPDYR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMORTBASELEM

Attribute	Description
Name	AMORTBASELEM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / PRINCIPAL,

TOP

RNDUPDWN

Attribute	Description
Name	RNDUPDWN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,U,

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

START_MONTH

Attribute	Description
Name	START_MONTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Book-Expr

Attribute	Description
Name	Book-Expr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

FRMTYPE

Attribute	Description
Name	FRMTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Install-Status

Attribute	Description
Name	Install-Status
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCD

Attribute	Description
Name	STATCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

STATRULE

Attribute	Description
Name	STATRULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CMPPENACCR

Attribute	Description
Name	CMPPENACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATDES

Attribute	Description
Name	STATDES

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Stsh-Acct-Entry

Attribute	Description
Name	Stsh-Acct-Entry
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRCRIND

Attribute	Description
Name	DRCRIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,C,

TOP

NETIND

Attribute	Description
Name	NETIND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

ACCROLECD

Attribute	Description
Name	ACCROLECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLETYPE

Attribute	Description
Name	ROLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,R,

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N,C,I,

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLREQ

Attribute	Description
Name	REVLREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVLPRFTGL

Attribute	Description
Name	REVLPRFTGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLLOSGL

Attribute	Description
Name	REVLLOSGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVLRATECD

Attribute	Description
Name	REVLRATECD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr></table>

TOP

REVLTXNCD

Attribute	Description
Name	REVLTXNCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

HOLTR

Attribute	Description
Name	HOLTR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,</td></tr></table>

TOP

GAAPIND

Attribute	Description
Name	GAAPIND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2</td></tr></table>

TOP

BALCHKBAT

Attribute	Description
Name	BALCHKBAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,D,F,P,

TOP

DLNQPRD

Attribute	Description
Name	DLNQPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Stsh-Chgs

Attribute	Description
Name	Stsh-Chgs
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Stsh-Polcs

Attribute	Description
Name	Stsh-Polcs
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,A,O,</td></tr></table>

TOP

Rekey-Det

Attribute	Description
Name	Rekey-Det
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

Cvs-Liq

Attribute	Description
Name	Cvs-Liq
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Summary

Attribute	Description
Name	Prod-Summary
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MODULECD

Attribute	Description
Name	MODULECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 2

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PRDTYP

Attribute	Description
Name	PRDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,C

TOP

ROLLALWD

Attribute	Description
Name	ROLLALWD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Cycle-C

Attribute	Description
Name	Product-Cycle-C
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

CYCLE_CODE

Attribute	Description
Name	CYCLE_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

DFLT

Attribute	Description
Name	DFLT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Product-Mis-Details

Attribute	Description
Name	Product-Mis-Details
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD1

Attribute	Description
Name	CSTCD1
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD2

Attribute	Description
Name	CSTCD2
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD4

Attribute	Description
Name	CSTCD4
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CSTCD5

Attribute	Description
Name	CSTCD5
Datatype	String
Description	Indicates Cost Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

Default-Mis-Codes

Attribute	Description
Name	Default-Mis-Codes
Datatype	
Description	Indicates Default MIS Codes
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISCLS

Attribute	Description
Name	MISCLS
Datatype	String
Description	Indicates MIS class.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

MISCD

Attribute	Description
Name	MISCD
Datatype	String

Description	Indicates MIS code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

Prd-Dtls-Def

Attribute	Description
Name	Prd-Dtls-Def
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	Description	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Prod-Ude

Attribute	Description	
Name	Prod-Ude	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RTCHGRES

Attribute	Description	
Name	RTCHGRES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UDEID

Attribute	Description

Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEDESC

Attribute	Description
Name	UDEDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

UDETYP

Attribute	Description
Name	UDETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,R,B,C,

TOP

UDECCY

Attribute	Description
Name	UDECCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

MINUDEVAL

Attribute	Description
Name	MINUDEVAL
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXUDEVAL

Attribute	Description
Name	MAXUDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Det-Rth

Attribute	Description
Name	Prod-Det-Rth
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLASCD

Attribute	Description
Name	CLASCD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLASS_DESC

Attribute	Description
Name	CLASS_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Rth

Attribute	Description
Name	Rth
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MAPTYP

Attribute	Description
Name	MAPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,U

TOP

ACCROLE

Attribute	Description
Name	ACCROLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLDESC

Attribute	Description
Name	ROLDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

HEADDESC

Attribute	Description
Name	HEADDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Rth-Expr

Attribute	Description
Name	Rth-Expr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EXPRLINE

Attribute	Description
Name	EXPRLINE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

ACCHEAD

Attribute	Description
Name	ACCHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Prd-Dtls-Notc

Attribute	Description
Name	Prd-Dtls-Notc
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Bill-Ntc

Attribute	Description
Name	Bill-Ntc
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

Revision-Notc

Attribute	Description
Name	Revision-Notc
Datatype	
Description	Indicates Revision Notice
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Deliquency-Notc

Attribute	Description
Name	Deliquency-Notc
Datatype	
Description	Indicates Deliquency Notice
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description

Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Ddnotc-Det

Attribute	Description
Name	Ddnotc-Det
Datatype	
Description	Indicates Deliquency days Notice Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CONDNO

Attribute	Description
Name	CONDNO
Datatype	Number
Description	Indicates CONDITION NO
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

NUM_DAYS

Attribute	Description
Name	NUM_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Stmtotrs-Det

Attribute	Description
Name	Stmtotrs-Det
Datatype	
Description	Indicates Stmtotrs-Det
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

FREQ

Attribute	Description

Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQDAYS

Attribute	Description
Name	FREQDAYS
Datatype	Number
Description	Indicates FREQUENCY DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / CL_INT_STMT,CL_LOAN_STMT,

TOP

Prd-Notc

Attribute	Description
Name	Prd-Notc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOTICE_ID

Attribute	Description
Name	NOTICE_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COND_NO

Attribute	Description
Name	COND_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STARTDT

Attribute	Description
Name	STARTDT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TENOR

Attribute	Description
Name	TENOR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NUMDAYS

Attribute	Description
Name	NUMDAYS
Datatype	Number
Description	Indicates NUMBER OF DAYS
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TXNCD

Attribute	Description
Name	TXNCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

NOTICE

Attribute	**Description**	
Name	NOTICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prd-Dtls

Attribute	**Description**	
Name	Prd-Dtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRDCD

Attribute	**Description**	
Name	PRDCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDDESC

Attribute	**Description**	
Name	PRDDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLASS_DESC

Attribute	Description	
Name	CLASS_DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Prod-Events

Attribute	Description	
Name	Prod-Events	
Datatype		
Description	Indicates Product Event Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVTCODE

Attribute	Description	
Name	EVTCODE	
Datatype	String	
Description	Indicates Event Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EVTDES

Attribute	Description

Name	EVTDES
Datatype	String
Description	Indicate Event Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 75

TOP

Prod-Event-Acct-Rule

Attribute	Description
Name	Prod-Event-Acct-Rule
Datatype	
Description	Indicates Accounting Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RUL_NO

Attribute	Description
Name	RUL_NO
Datatype	Number
Description	Indicates Accounting Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Prd-Event-Acct-Entry

Attribute	Description
Name	Prd-Event-Acct-Entry
Datatype	
Description	Indicates Accounting Entry Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNCD

Attribute	Description	
Name	TXNCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRCR_IND1

Attribute	Description	
Name	DRCR_IND1	
Datatype	String	
Description	Indicates Debit / Credit Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,C,

TOP

NETTIND

Attribute	Description	
Name	NETTIND	
Datatype	String	
Description	Indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

ACCROLECD

Attribute	Description	
Name	ACCROLECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTTAG

Attribute	Description
Name	AMTTAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ROLTYP

Attribute	Description
Name	ROLTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMTTAGTYPE

Attribute	Description
Name	AMTTAGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N,C,I,</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REVALREQD

Attribute	Description
Name	REVALREQD

Datatype	String
Description	Indicates whether Revaluation is Required
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

REVALPRFGL

Attribute	Description
Name	REVALPRFGL
Datatype	String
Description	Indicates Revaluation Profit GL
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVALLOSSGL

Attribute	Description
Name	REVALLOSSGL
Datatype	String
Description	Indicates Revaluation Loss GL
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REVALRATECD

Attribute	Description
Name	REVALRATECD
Datatype	String
Description	Indicates Revaluation Rate Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

REVALTXNCD

Attribute	Description
Name	REVALTXNCD
Datatype	String
Description	Indicates Revaluation Transaction Code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

HOLTREAT

Attribute	**Description**	
Name	HOLTREAT	
Datatype	String	
Description	Indicates Holiday Treatment. Y - Yes and N - No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N,

TOP

GAAPIND

Attribute	**Description**	
Name	GAAPIND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2

TOP

BALCHK

Attribute	**Description**	
Name	BALCHK	
Datatype	String	
Description	Indicates whether Balance Check is Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	R,D,F,P,

TOP

DELINQPROD

Attribute	**Description**	
Name	DELINQPROD	
Datatype	String	
Description	Indicates Delinquency Product Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENTPRNO

Attribute	Description
Name	ENTPRNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATE_TYPE_INDICATOR

Attribute	Description
Name	RATE_TYPE_INDICATOR
Datatype	String
Description	Indicates Rate Type Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / M,B,S,

TOP

Prod-Event-Adv-Rules

Attribute	Description
Name	Prod-Event-Adv-Rules
Datatype	
Description	Indicates Advice Rule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULENO

Attribute	Description
Name	RULENO
Datatype	Number
Description	Indicates Advice Rule Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COND

Attribute	Description
Name	COND
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Prod-Event-Adv-Entry

Attribute	Description
Name	Prod-Event-Adv-Entry
Datatype	
Description	Indicates Advice Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GENTIME

Attribute	Description
Name	GENTIME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,A,

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates whether Advice needs to be Suppressed
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N,

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGREQ

Attribute	Description
Name	CHGREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

FRMT

Attribute	Description
Name	FRMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prod-Event-Chg

Attribute	Description
Name	Prod-Event-Chg
Datatype	
Description	Indicates Charge Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGCMP

Attribute	Description
Name	CHGCMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

Prod-Event-Polc

Attribute	Description
Name	Prod-Event-Polc
Datatype	
Description	Indicates Policy Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLCD

Attribute	Description
Name	POLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXECTYPE

Attribute	Description
Name	EXECTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,A,O,

TOP

Prod-Event-Udf-C

Attribute	**Description**	
Name	Prod-Event-Udf-C	
Datatype		
Description	Indicates Character User Defined Field Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELDNAME

Attribute	**Description**	
Name	FIELDNAME	
Datatype	String	
Description	Indicates User Defined Field Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description	Indicates Advice Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DATA_TYPE

Attribute	**Description**	
Name	DATA_TYPE	
Datatype	String	
Description	Indicates User Defined Field Data Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Event-Udf-N

Attribute	Description
Name	Prod-Event-Udf-N
Datatype	
Description	Indicates Number User Defined Field Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

DATATYP

Attribute	Description
Name	DATATYP
Datatype	String

Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Event-Udf-D

Attribute	Description
Name	Prod-Event-Udf-D
Datatype	
Description	Indicates Date User Defined Field Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Advice Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DATA_TYPE

Attribute	Description
Name	DATA_TYPE
Datatype	String
Description	Indicates User Defined Field Data Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prod-Dtls-Ccy

Attribute	Description
Name	Prod-Dtls-Ccy
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

BICDESC

Attribute	Description
Name	BICDESC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BRNLST

Attribute	Description
Name	BRNLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CCYLST

Attribute	Description
Name	CCYLST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Currency-Balances

Attribute	Description
Name	Currency-Balances
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ATM_CASH_LIMIT

Attribute	Description
Name	ATM_CASH_LIMIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEG_RESIDUE_AMT

Attribute	Description
Name	NEG_RESIDUE_AMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UPTO

Attribute	Description
Name	EMI_ROUND_UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMI_ROUND_UP_DOWN

Attribute	Description
Name	EMI_ROUND_UP_DOWN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,U,IU,IR,ID,

TOP

IRR_NUMER_DCOUNT_METH

Attribute	Description
Name	IRR_NUMER_DCOUNT_METH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,U,A,

TOP

IRR_DENOM_DCOUNT_MTH

Attribute	Description
Name	IRR_DENOM_DCOUNT_MTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / L,H,A,

TOP

Brn-Restr

Attribute	Description
Name	Brn-Restr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRNDES

Attribute	Description
Name	BRNDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Ccy-Restr

Attribute	Description
Name	Ccy-Restr
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CCYCD

Attribute	Description
Name	CCYCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCYDESC

Attribute	**Description**	
Name	CCYDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MINLNAMT

Attribute	**Description**	
Name	MINLNAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MAXLNAMT

Attribute	**Description**	
Name	MAXLNAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UNITS

Attribute	**Description**	
Name	UNITS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Prod-Dtls-Cust

Attribute	**Description**
Name	Prod-Dtls-Cust

Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCR

Attribute	Description
Name	CCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,D

TOP

CLASCD

Attribute	Description
Name	CLASCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLASDESC

Attribute	Description
Name	CLASDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Category-Restrictions

Attribute	Description
Name	Category-Restrictions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSCAT

Attribute	Description
Name	CUSCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CUSCATDES

Attribute	Description
Name	CUSCATDES
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Customer-Restrictions

Attribute	Description
Name	Customer-Restrictions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSNO

Attribute	Description
Name	CUSNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALLOWED

Attribute	Description
Name	ALLOWED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CUSDES

Attribute	Description
Name	CUSDES
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Prd-Dtls-Udf

Attribute	Description
Name	Prd-Dtls-Udf

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRDCD

Attribute	Description
Name	PRDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDDESC

Attribute	Description
Name	PRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Prd-Udf-Num

Attribute	Description
Name	Prd-Udf-Num
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Prd-Udf-Char

Attribute	Description
Name	Prd-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FIELDNO

Attribute	Description
Name	FIELDNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Prd-Udf-Dt

Attribute	Description
Name	Prd-Udf-Dt
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 200

TOP

FLDDESC

Attribute	Description
Name	FLDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

FLDNO

Attribute	Description
Name	FLDNO
Datatype	Number
Description	Indicates Field Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prod-Credit

Attribute	Description
Name	Prod-Credit
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Credit-Score-Rule

Attribute	Description
Name	Credit-Score-Rule
Datatype	
Description	Indicates Credit Score Rule
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RULNAME

Attribute	Description
Name	RULNAME
Datatype	String
Description	Indicates Rule name
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

DFLTRULE

Attribute	Description
Name	DFLTRULE
Datatype	String
Description	Indicates default rule

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Credit-Score-Rule-Expr

Attribute	**Description**	
Name	Credit-Score-Rule-Expr	
Datatype		
Description	Indicates Credit Score Rule Expression	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

RULNAME

Attribute	**Description**	
Name	RULNAME	
Datatype	String	
Description	Indicates Rule name	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXPLINE

Attribute	**Description**	
Name	EXPLINE	
Datatype	String	
Description	Indicates expression line	
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COND

Attribute	**Description**	
Name	COND	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

RSLT

Attribute	Description	
Name	RSLT	
Datatype	String	
Description	Indicates result	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

Product-Party

Attribute	Description	
Name	Product-Party	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARTYTYPE

Attribute	Description	
Name	PARTYTYPE	
Datatype	String	
Description	Indicates Party Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

PARTYTYPEDESC

Attribute	Description	
Name	PARTYTYPEDESC	
Datatype	String	
Description	Indicates Party Type Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REPEATING

Attribute	Description
Name	REPEATING

Datatype	String
Description	Indicates Multi Party Allow? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANDATORY

Attribute	Description
Name	MANDATORY
Datatype	String
Description	Indicates Mandatory? No : N Yes : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Product-Diary

Attribute	Description
Name	Product-Diary
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENTCODE

Attribute	Description
Name	EVENTCODE
Datatype	String
Description	Indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

Product-Madc

Attribute	Description
Name	Product-Madc
Datatype	
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Min-Amt-Due-Rule

Attribute	Description
Name	Min-Amt-Due-Rule
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_RULE_NAME

Attribute	Description
Name	MADC_RULE_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

MADC_DEFAULT_RULE

Attribute	Description
Name	MADC_DEFAULT_RULE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Min-Amt-Due-Rule-Exp

Attribute	Description
Name	Min-Amt-Due-Rule-Exp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MADC_EXPR_LINE

Attribute	Description
Name	MADC_EXPR_LINE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>5</td></tr></table>

TOP

CONDITION

Attribute	Description
Name	CONDITION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

RESULT

Attribute	Description
Name	RESULT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description

Name	WDESC
Datatype	String
Description	

TOP

2.47.AuthRenog

AuthRenog

2.47.1.MO-RENOG-AUTH-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-RENOG-AUTH-REQ*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) product

TOP

MO-RENOG-AUTH-REQ

Attribute	Description
Name	MO-RENOG-AUTH-REQ
Datatype	
Description	It indicates Renegotiation Authorization Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.47.2.MO-RENOG-AUTH-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *RENOG-AUTH-RES-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-RENOG-AUTH-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-RENOG-AUTH-REQ-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to authorize the Renog Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

RENOG-AUTH-RES-PK

Attribute	Description
Name	RENOG-AUTH-RES-PK
Datatype	
Description	It indicates Renegotiation Authorization PK Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MO-RENOG-AUTH-REQ

Attribute	Description
Name	MO-RENOG-AUTH-REQ
Datatype	
Description	It indicates Renegotiation Authorization Request details of Mortgages module
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

MO-RENOG-AUTH-REQ-PK

Attribute	Description
Name	MO-RENOG-AUTH-REQ-PK
Datatype	
Description	It indicates Renegotiation Authorization PK Request details of Mortgages module
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description

Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.48.DeleteRenog

DeleteRenog

2.48.1.MO-RENOG-DEL-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-RENOG-DEL-REQ*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete a Renog Account

TOP

MO-RENOG-DEL-REQ

Attribute	Description
Name	MO-RENOG-DEL-REQ
Datatype	
Description	Indicates MO-RENOG Delete Request type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.48.2.MO-RENOG-DEL-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *RENOG-DEL-RES*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-RENOG-DEL-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete a Renog Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

RENOG-DEL-RES

Attribute	Description
Name	RENOG-DEL-RES
Datatype	
Description	Indicates Renegotiation Delete Response
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates the Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MO-RENOG-DEL-REQ

Attribute	Description
Name	MO-RENOG-DEL-REQ
Datatype	
Description	Indicates MO-RENOG Delete Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Flexcube warning response message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Flexcube error response message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.49.QueryRenog

QueryRenog

2.49.1.MO-RENOG-QRY-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-RENOG-QRY-Req*
    - *SCODE*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to Query a Renog of an Account

TOP

MO-RENOG-QRY-Req

Attribute	Description
Name	MO-RENOG-QRY-Req
Datatype	
Description	It indicates Renegotiation Query Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.49.2.MO-RENOG-QRY-Res-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *RENOG-QRY-RES-FULL*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *TOTAMTTOBEPAID*
    - *TOTAMTTOBEPAID_LCY*
    - *LIQUIDATIONORDER*
      - *STAT*
      - *COMP*
      - *LIQORDER*
    - *AUTOPREPAYMENT*
      - *AUTO_PREPAY_CUSTID*

- *AUTO_PREPAY_CCY*
- *AUTO_PREPAY_CUST_BRN*
- *AUTO_PREPAY_CUST_ACNO*
- *AUTO_PREPAY_CUST_ACCCY*
- *AUTO_PREPAY_MIN_SWEEPBAL*
- *AUTO_PREPAY_MIN_AMT*
- *AUTO_PREPAY_MAX_AMT*
- *AUTO_PREPAY_EXP_DT*
- *AUTO_PREPAY_UNIT*

ROLLCOMPDET

- *COMPNAME*
- *AMTOUT*
- *LIQDAMT*
- *ROLLAMT*
- *WAIVEAMT*
- *ACCNO*
- *BRN*
- *ESN*

DRROLLSETT

- *STTLREF*
- *DRCRSTTL*
- *PMNTMODE*
- *AMTSTTL*
- *EXCHRATE*
- *AMTSTTLACY*
- *STTLCCY*
- *STTLBRN*
- *STTLACC*
- *STTLPRD*
- *INSTRNO*
- *CLRHOUSE*
- *REMBANK*
- *REMBRN*
- *REMACC*
- *ROUTING*
- *ENDPT*
- *CARDNO*
- *EXTACNO*
- *EXTACNM*
- *CLGBK*
- *CLGBRN*
- *SECTOR*
- *UPSOURCE*
- *ACCNO*

BRN
ESN
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
CRROLLSETT
STTLREF
DRCRSTTL
PMNTMODE
AMTSTTL
EXCHRATE
AMTSTTLACY
STTLCCY
STTLBRN
STTLACC
STTLPRD
INSTRNO
CLRHOUSE
REMBANK
REMBRN
REMACC
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
ACCNO
BRN
ESN
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN

ESN
STTLREF
ROLLLOANDET
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
CONTSTAT
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR

PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_BANK_CODE_CR
PAYER_BRANCH_CR
PAYER_ACC_NO_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED

AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM

MAKERID
MAKERSTAMP
CHECKERID
CHECKERSTAMP
CLGBKCR
AUTHSTAT1
AUTO_PREPAY
BONUS_AMT_FINANCED
BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
- *CYCLENO*
- *CURRCYCLE*
- *UNITS*
- *UPTO*
- *CYCLESTARTDT*
- *CYCLEENDDT*
- *NEXTCYCLECODE*
- *INTERESTRATE*

ESN
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
PROMOTIONS
- *ACCNO*
- *BRN*
- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

OTHAPPLCNT
- *ACCNO*

- BRN
- CUSTID
- CUSTNAME
- RESP
- LIABPERCNT
- LIABAMT
- EFFDT

UDEDET

- ACCNO
- BRN
- EFFDT
- UDEVALS
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL

HOLIDAYPRD

- ACCNO
- BRN
- PERIOD

ROLLCOMP

- ACCNO
- BRN
- COMPNAME

CHECKLIST

- ACCNO
- BRN
- DESCRIPTION
- ESN
- CHECKED

REMARK

- ACCNO
- BRN
- ESN
- REMARK1
- REMARK2
- REMARK3
- REMARK4
- REMARK5

- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *WAIVERFLAG*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*
- *EXTACNMDR*
- *CLGBKDR*
- *CLGBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTNOCR*
- *ROUTINGCR*
- *ENDPTCR*
- *CLGPRODCR*
- *SECTORCR*
- *INSTNODR*
- *ROUTINGDR*
- *ENDPTDR*
- *CLGPRODDR*
- *SECTORDR*

VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*

- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*
- *DAYS_MTH*
- *DAYS_YEAR*
- *DSBRSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *AMOUNT_TO_DISBR*
  - *SCHEDULE_LINKAGE*
- *REVNSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *APPLIED_FLAG*
  - *SCHEDULE_LINKAGE*

DSBRSCHEDULE

- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *AMOUNT_TO_DISBR*
- *SCHEDULE_LINKAGE*

SCHEDULE

- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*

EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET

COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR

EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR

PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*
- *SUSP_AMT_LCY*
- *SUSP_READ_AMT*
- *SUSP_READ_SETTLED*
- *LAST_SUSP_XRATE*
- *READJ_SETTLED*
- *LAST_READJ_XRATE*
- *ADJ_SETTLED*
- *SCHSTATUS*
- *ACCOUNT_GL*
- *LAST_PMNT_VALUE_DATE*
- *RETRY_START_DATE*
- *MORA_INT*
- *SCHEDULE_NO*
- *WRITEOFF_AMT*

AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
LINKAGES
LINKTYPE
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
COMMPREF
LAST_DSBR_DT
MATURITY_DT
DSBR_FLAG
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER
PAGE
PVALUE
OMARGIN
LMARGIN
VCCY
EVENTADVICES
EVENT_CODE
EVENT_SEQ_NO
MSG_TYPE
DCN
SUPPRESS
PRIORITY
FORMAT
GENERATION_TIME
ADVSUPPRESS

MSGTYPE

MIS-MASTER

MISDETAILS

BRANCH

CUSTNO

MISGRP

RELREF

RELACC

MISHD

POOLCD

REFRT

REFRTTYPE

REFXRT

CALCMETH

MISGRPTXN

REFRTCD

REFRTSPRD

FUNDMIS1

FUNDMIS2

FUNDMIS3

FUNDMIS4

FUNDMIS5

FUNDMIS6

FUNDMIS7

FUNDMIS8

FUNDMIS9

FUNDMIS10

MISGRPCOMP

COMPMIS1

COMPMIS2

COMPMIS3

COMPMIS4

COMPMIS5

COMPMIS6

COMPMIS7

COMPMIS8

COMPMIS9

COMPMIS10

COSTCOD1

COSTCOD2

COSTCOD3

COSTCOD4

COSTCOD5

LINKGRP

CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS

COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description

Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to Qry the Renog Account

TOP

RENOG-QRY-RES-FULL

Attribute	Description
Name	RENOG-QRY-RES-FULL
Datatype	
Description	It indicates Renegotiation Query full Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISAVAIL

Attribute	**Description**	
Name	ISAVAIL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TOTAMTTOBEPAID

Attribute	**Description**	
Name	TOTAMTTOBEPAID	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

TOTAMTTOBEPAID_LCY

Attribute	**Description**	
Name	TOTAMTTOBEPAID_LCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTO_PREPAY_CCY

Attribute	Description
Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description

Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description
Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_PREPAY_UNIT

Attribute	Description
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

ROLLCOMPDET

Attribute	Description
Name	ROLLCOMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTOUT

Attribute	Description
Name	AMTOUT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DRCRSTTL

Attribute	**Description**	
Name	DRCRSTTL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXCHRATE

Attribute	**Description**	
Name	EXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CRROLLSETT

Attribute	**Description**	
Name	CRROLLSETT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STTLREF

Attribute	**Description**	
Name	STTLREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DRCRSTTL

Attribute	**Description**	
Name	DRCRSTTL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description	
Name	STTLACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLPRD

Attribute	Description	
Name	STTLPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ROUTING

Attribute	Description
Name	ROUTING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLLOANDET

Attribute	Description
Name	ROLLLOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description

Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTLIQ

Attribute	Description	
Name	PARTLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIALIQ

Attribute	Description	
Name	TRKRECIALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIMLIQ

Attribute	Description	
Name	TRKRECIMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDEROLLBASIS

Attribute	Description	
Name	UDEROLLBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description

Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCEDR

Attribute	Description	
Name	UPSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CUTOFFTRN

Attribute	Description	
Name	CUTOFFTRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	**Description**	
Name	PAYER_ADDRESS3_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	**Description**	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIRO_MODE_CR

Attribute	**Description**	
Name	GIRO_MODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_SERVICE_CR

Attribute	**Description**	
Name	GIRO_SERVICE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_ADDRESS1_CR

Attribute	Description	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_CR

Attribute	Description	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	Description	
Name	PAYER_ADDRESS3_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_CR

Attribute	Description	
Name	PAYER_ADDRESS4_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

APPLICATION_NUM

Attribute	Description

Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description	
Name	DR_PAYMENT_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DR_PROD_AC

Attribute	Description	
Name	DR_PROD_AC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXECUTION_DATE

Attribute	Description	
Name	EXECUTION_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXT_ACC_NO_CR

Attribute	Description	
Name	EXT_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LINKAGE_TYPE

Attribute	**Description**	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKED_REFERENCE

Attribute	**Description**	
Name	LINKED_REFERENCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LIQ_COMP_DATES_FLAG

Attribute	**Description**	
Name	LIQ_COMP_DATES_FLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MATURITY_TYPE

Attribute	**Description**	
Name	MATURITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

AUTHSTAT1

Attribute	**Description**	
Name	AUTHSTAT1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTO_PREPAY

Attribute	**Description**	
Name	AUTO_PREPAY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BONUS_AMT_FINANCED

Attribute	**Description**	
Name	BONUS_AMT_FINANCED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

BONUS_RELATED_REF

Attribute	**Description**	
Name	BONUS_RELATED_REF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_LOAN

Attribute	Description

Name	BONUS_LOAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLENO

Attribute	**Description**	
Name	CYCLENO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

CURRCYCLE

Attribute	**Description**	
Name	CURRCYCLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UNITS

Attribute	**Description**	
Name	UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UPTO

Attribute	**Description**	
Name	UPTO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	**Description**	
Name	RECALCANNUITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MORTGAGEG

Attribute	**Description**	
Name	MORTGAGEG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STOPDSBR

Attribute	**Description**	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description

Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String

Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COMPDET

Attribute	**Description**	
Name	COMPDET	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DRPAYMTMODE

Attribute	Description

Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	**Description**	
Name	SVCACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BEN_ACCOUNT

Attribute	Description

Name	BEN_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPOUND_DAYS

Attribute	**Description**	
Name	COMPOUND_DAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_MONTHS

Attribute	**Description**	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHEDULE_LINKAGE

Attribute	Description

Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISCAP

Attribute	Description

Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	**Description**	
Name	SCHEDULE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	**Description**	
Name	WRITEOFF_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_WAIVED

Attribute	**Description**	
Name	AMOUNT_WAIVED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

IRR_APPLICABLE

Attribute	**Description**
Name	IRR_APPLICABLE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLMTCCY

Attribute	**Description**	
Name	STTLMTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

COMPTYPE

Attribute	**Description**	
Name	COMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description

Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDINT

Attribute	**Description**	
Name	FUNDINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	**Description**	
Name	FUNDROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPCCY

Attribute	**Description**	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UPSOURCEDR

Attribute	**Description**	
Name	UPSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

UPSOURCERCR

Attribute	Description	
Name	UPSOURCERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GIROMDDR

Attribute	Description	
Name	GIROMDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	Description	
Name	GIROSERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description

Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKREFNO

Attribute	**Description**	
Name	LINKREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKAMT

Attribute	**Description**	
Name	LINKAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMT_BLOCK_NO

Attribute	**Description**	
Name	AMT_BLOCK_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SECPORTION

Attribute	**Description**
Name	SECPORTION
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAGE

Attribute	Description
Name	PAGE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS

Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 9

TOP

REFRTCD

Attribute	Description

Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	Description	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	**Description**	
Name	COSTCOD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	**Description**	
Name	LINKGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description	
Name	RTFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	Description	
Name	PROCFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	Description	
Name	TXNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	Description	
Name	TXNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	**Description**	
Name	FUNDMIS9LBL9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 0 Restrictions: totalDigits; Description: 5

TOP

LINK_CCY

Attribute	Description

Name	LINK_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.50.ReverseRenog

ReverseRenog

2.50.1.MO-RENOG-REV-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-RENOG-REV-REQ-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *ESN*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Renog Account

TOP

MO-RENOG-REV-REQ-IO

Attribute	Description
Name	MO-RENOG-REV-REQ-IO
Datatype	
Description	Indicates MO-RENOG Reverse Request-IO type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.

TOP

2.50.2.MO-RENOG-REV-Req-Msg.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
MO-RENOG-REV-REQ
SCODE
XREF
ACCNO
BRN
ALTACCNO
ESN
AUTHSTAT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Renog Account

TOP

MO-RENOG-REV-REQ

Attribute	Description
Name	MO-RENOG-REV-REQ
Datatype	
Description	Indicates MO-RENOG Reverse Request type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	Indicates the Authorization Status.

TOP

2.50.3.MO-RENOG-REV-Res-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *RENOG-REV-RES*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *EXECDT*
      - *VALDT*
      - *CUSTID*
      - *ESN*
      - *ISAVAIL*
    - *MO-RENOG-REV-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *ESN*

AUTHSTAT

MO-RENOG-REV-REQ-IO

SCODE

XREF

ACCNO

BRN

ALTACCNO

ESN

AUTHSTAT

MO-RENOG-REV-REQ-PK

SCODE

ACCNO

BRN

ESN

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Renog Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

RENOG-REV-RES

Attribute	Description
Name	RENOG-REV-RES
Datatype	
Description	Indicates RENOG Reverse Response type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	Indicates the Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates the Rollover Status. Y for Yes;N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-RENOG-REV-REQ

Attribute	Description
Name	MO-RENOG-REV-REQ
Datatype	
Description	Indicates MO-RENOG Reverse Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.

TOP

MO-RENOG-REV-REQ-IO

Attribute	Description
Name	MO-RENOG-REV-REQ-IO
Datatype	
Description	Indicates MO-RENOG Reverse Request-IO type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates the Branch.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ALTACCNO

Attribute	Description	
Name	ALTACCNO	
Datatype	String	
Description	Indicates the Alternate Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.

TOP

MO-RENOG-REV-REQ-PK

Attribute	Description
Name	MO-RENOG-REV-REQ-PK
Datatype	
Description	Indicates MO-RENOG Reverse Request-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.50.4.MO-RENOG-REV-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *RENOG-REV-RES*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *EXECDT*
      - *VALDT*
      - *CUSTID*
      - *ESN*
      - *ISAVAIL*
    - *MO-RENOG-REV-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *ESN*

AUTHSTAT

MO-RENOG-REV-REQ-IO

SCODE

XREF

ACCNO

BRN

ALTACCNO

ESN

AUTHSTAT

MO-RENOG-REV-REQ-PK

SCODE

ACCNO

BRN

ESN

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Renog Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

RENOG-REV-RES

Attribute	Description
Name	RENOG-REV-RES
Datatype	
Description	Indicates RENOG Reverse Response type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	Indicates the Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates the Rollover Status. Y for Yes;N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-RENOG-REV-REQ

Attribute	Description
Name	MO-RENOG-REV-REQ
Datatype	
Description	Indicates MO-RENOG Reverse Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.

TOP

MO-RENOG-REV-REQ-IO

Attribute	Description
Name	MO-RENOG-REV-REQ-IO
Datatype	
Description	Indicates MO-RENOG Reverse Request-IO type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.

TOP

MO-RENOG-REV-REQ-PK

Attribute	Description
Name	MO-RENOG-REV-REQ-PK
Datatype	
Description	Indicates MO-RENOG Reverse Request-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number.

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.51.SaveRenog

SaveRenog

2.51.1.MO-RENOG-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-RENOG-REQ-FULL*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *AUTHSTAT*
    - *AUTO_PREPAY*
    - *BONUS_AMT_FINANCED*

BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
- *CYCLENO*
- *CURRCYCLE*
- *UNITS*
- *UPTO*
- *CYCLESTARTDT*
- *CYCLEENDDT*
- *NEXTCYCLECODE*
- *INTERESTRATE*

CALCGR
ROLLCOMPONENT
- *COMPNAME*
- *LIQDAMT*
- *ROLLAMT*
- *WAIVEAMT*

LIQUIDATIONORDER
- *STAT*
- *COMP*
- *LIQORDER*

AUTOPREPAYMENT
- *AUTO_PREPAY_CUSTID*
- *AUTO_PREPAY_CCY*
- *AUTO_PREPAY_CUST_BRN*
- *AUTO_PREPAY_CUST_ACNO*
- *AUTO_PREPAY_CUST_ACCCY*
- *AUTO_PREPAY_MIN_SWEEPBAL*
- *AUTO_PREPAY_MIN_AMT*
- *AUTO_PREPAY_MAX_AMT*
- *AUTO_PREPAY_EXP_DT*
- *AUTO_PREPAY_UNIT*

DRROLLSETT
- *PMNTMODE*
- *STTLCCY*
- *AMTSTTL*
- *AMTSTTLACY*

EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR

UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
LOANDET
AMOUNT
VALDT
MATDT
BOOKDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR

PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8

FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY

AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
LOANTOVALUE
RECALCANNUITY
MORTGAGEG

STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED
  MAINCOMPFLAG
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN
  DRPRDACC
  CRPRDACC
  SVCACC
  SVCACCBRN
  EXTACNOCR
  EXTACNMCR
  CLGBKCR
  CLGBRNCR
  PCCATCR
  EXTACNODR
  EXTACNMDR
  CLGBKDR
  CLGBRNDR
  PCCATDR
  CARDNO
  INSTNOCR
  ROUTINGCR
  ENDPTCR
  CLGPRODCR
  SECTORCR
  UPSOURCERCR
  INSTNODR

- *ROUTINGDR*
- *ENDPTDR*
- *CLGPRODDR*
- *SECTORDR*
- *UPSOURCEDR*
- *GIROSERDR*
- *GIROMDDR*
- *GIRONUMDR*
- *PAYERBKDR*
- *PAYERBRNDR*
- *PAYERACNODR*
- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROSERCR*
- *GIROMDCR*
- *GIRONUMCR*
- *PAYERBKCR*
- *PAYERBRNCR*
- *PAYERACNOCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *FUNDINT*
- *FUNDROLL*
- *VERIFYFUNDS*
- *IRRAPPL*
- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *CAPITALIZED*
  - *WAIVERFLAG*
  - *SCHSTDT*
  - *DUEDTON*
- *UDEDET*

- EFFDT
- UDEVALS
  - UDEVAL
  - UDEID
  - RESOLVAL
  - RATECD
  - CODEUSE
  - RATETYP
- OTHAPPLCNT
  - CUSTID
  - CUSTNAME
  - RESP
  - LIABPERCNT
  - LIABAMT
  - EFFDATE
- LINKAGES
  - LINKAGE_SEQ_NO
  - LINKTYPE
  - LINKAGE_BRANCH
  - LINKREFNO
  - LINKAMT
  - CUSTID
  - SECPORTION
- UDERTPLAN
  - PERIOD_ST_DT
  - PERIOD_END_DT
- COMMPREF
  - LAST_DSBR_DT
  - MATURITY_DT
  - DSBR_FLAG
- PROPERTY
  - PNAME
  - PTYPE
  - PADDRESS1
  - PADDRESS2
  - PADDRESS3
  - PADDRESS4
  - COUNTRY
  - POWNER
  - PAGE
  - PVALUE
  - OMARGIN
  - LMARGIN
  - VCCY

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

MISDETAILS

- *RATEFLAG*
- *POOLCODE*
- *PRCFLAG*
- *REFRATE*
- *REFRTTY*
- *CALCMETHO*
- *CCY*
- *REFRTCD*
- *REFSPREAD*
- *RELACC*
- *RELREF*
- *SERIALNO*
- *MISGROUP*
- *MISGRTXN*
- *MISHEAD*
- *MISGRCOMP*
- *TXNMIS1*
- *TXNMIS2*
- *TXNMIS3*
- *TXNMIS4*
- *TXNMIS5*
- *TXNMIS6*
- *TXNMIS7*
- *TXNMIS8*
- *TXNMIS9*
- *TXNMIS10*
- *UNITTYPE*
- *COMPMIS1*
- *COMPMIS2*
- *COMPMIS3*
- *COMPMIS4*
- *COMPMIS5*
- *COMPMIS6*
- *COMPMIS7*
- *COMPMIS8*
- *COMPMIS9*
- *COMPMIS10*
- *COSTCODE1*

COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
ROLLPENALRATE

UDENM

UDEVAL

EFFDT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO Renog Account

TOP

MO-RENOG-REQ-FULL

Attribute	Description
Name	MO-RENOG-REQ-FULL
Datatype	
Description	It indicates Renegotiation full Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTO_PREPAY

Attribute	Description
Name	AUTO_PREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BONUS_AMT_FINANCED

Attribute	Description
Name	BONUS_AMT_FINANCED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

BONUS_RELATED_REF

Attribute	Description
Name	BONUS_RELATED_REF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLCOMPONENT

Attribute	Description
Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

AUTO_PREPAY_CUSTID

Attribute	**Description**	
Name	AUTO_PREPAY_CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTO_PREPAY_CCY

Attribute	**Description**	
Name	AUTO_PREPAY_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTO_PREPAY_CUST_BRN

Attribute	**Description**	
Name	AUTO_PREPAY_CUST_BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	**Description**	
Name	AUTO_PREPAY_CUST_ACNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description	
Name	AUTO_PREPAY_CUST_ACCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description	
Name	AUTO_PREPAY_MIN_SWEEPBAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description	
Name	AUTO_PREPAY_MIN_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description	
Name	AUTO_PREPAY_MAX_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTO_PREPAY_UNIT

Attribute	Description
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	**Description**	
Name	STTLACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLPRD

Attribute	**Description**	
Name	STTLPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

REMBANK

Attribute	**Description**	
Name	REMBANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REMBRN

Attribute	**Description**	
Name	REMBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPT

Attribute	Description	
Name	ENDPT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNM

Attribute	Description	
Name	EXTACNM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF

Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>8</td></tr><tr><td>totalDigits</td><td>16</td></tr></table>

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNM

Attribute	**Description**	
Name	EXTACNM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBK

Attribute	**Description**	
Name	CLGBK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRN

Attribute	**Description**	
Name	CLGBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SECTOR

Attribute	**Description**	
Name	SECTOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LOANDET

Attribute	Description
Name	LOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date

Description	

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

TRKRECIALIQ

Attribute	**Description**	
Name	TRKRECIALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIMLIQ

Attribute	**Description**	
Name	TRKRECIMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDEROLLBASIS

Attribute	**Description**	
Name	UDEROLLBASIS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLAMT

Attribute	**Description**	
Name	SPLAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ACC_NO_CR

Attribute	**Description**	
Name	PAYER_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BRANCH_CR

Attribute	**Description**	
Name	PAYER_BRANCH_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BANK_CODE_CR

Attribute	**Description**	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_CR

Attribute	**Description**	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_15

Attribute	**Description**	
Name	FIELD_CHAR_15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMORTIZED

Attribute	Description	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMOUNT_DISBURSED

Attribute	Description	
Name	AMOUNT_DISBURSED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

APPLICATION_NUM

Attribute	Description	
Name	APPLICATION_NUM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ARVN_APPLIED

Attribute	Description	
Name	ARVN_APPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

DERIVED_STATUS

Attribute	Description

Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**	
Name	ROLLOVER_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	**Description**	
Name	RECALCANNUITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMPDET

Attribute	Description
Name	COMPDET

Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SPLINTFLAG

Attribute	**Description**	
Name	SPLINTFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTAMT

Attribute	**Description**	
Name	SPLINTAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

WAIVERFLAG

Attribute	Description	
Name	WAIVERFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMTCCY

Attribute	Description	
Name	STTLMTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	Description	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SVCACC

Attribute	Description
Name	SVCACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIROMDDR

Attribute	**Description**	
Name	GIROMDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRONUMDR

Attribute	**Description**	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKDR

Attribute	**Description**	
Name	PAYERBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

VERIFYFUNDS

Attribute	**Description**	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPSCH

Attribute	**Description**	
Name	COMPSCH	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHTYPE

Attribute	**Description**	
Name	SCHTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 3

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UNITTYPE

Attribute	Description
Name	UNITTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE4

Attribute	Description
Name	COSTCODE4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	**Description**	
Name	COSTCODE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	**Description**	
Name	CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK10

Attribute	Description	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVERFLAG

Attribute	Description	
Name	WAIVERFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ROLLPENALRATE

Attribute	Description
Name	ROLLPENALRATE
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.51.2.MO-RENOG-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-RENOG-REQ-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *AUTHSTAT*
    - *CALCGR*
    - *ROLLCOMPONENT*
      - *COMPNAME*
      - *LIQDAMT*
      - *ROLLAMT*

WAIVEAMT

DRROLLSETT

PMNTMODE

STTLCCY

AMTSTTL

AMTSTTLACY

EXCHRATE

STTLBRN

STTLACC

STTLPRD

REMBANK

REMBRN

REMACC

INSTRNO

CLRHOUSE

ROUTING

ENDPT

CARDNO

EXTACNO

EXTACNM

CLGBK

CLGBRN

SECTOR

UPSOURCE

ROLLCOMPPMNTDET

COMPNAME

AMTSETTL

CRROLLSETT

PMNTMODE

STTLCCY

AMTSTTL

AMTSTTLACY

EXCHRATE

STTLBRN

STTLACC

STTLPRD

REMBANK

REMBRN

REMACC

INSTRNO

CLRHOUSE

ROUTING

ENDPT

CARDNO

EXTACNO

EXTACNM

CLGBK

CLGBRN

SECTOR

UPSOURCE

ROLLCOMPPMNTDET

COMPNAME

AMTSETTL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	

Description	This XSD gives the message format for a request to create a new MO Renog Account

TOP

MO-RENOG-REQ-IO

Attribute	Description
Name	MO-RENOG-REQ-IO
Datatype	
Description	It indicates Renegotiation IO Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLCOMPONENT

Attribute	Description
Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLAMT

Attribute	Description

Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	Description	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXCHRATE

Attribute	Description	
Name	EXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	8
	totalDigits	16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET

Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description	
Name	STTLACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLPRD

Attribute	Description	
Name	STTLPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

REMBANK

Attribute	Description	
Name	REMBANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

ROUTING

Attribute	Description
Name	ROUTING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBK

Attribute	**Description**
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRN

Attribute	**Description**
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECTOR

Attribute	**Description**
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCE

Attribute	**Description**
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

2.51.3.MO-RENOG-Res-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *RENOG-RES-FULL*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *RNOG_NO*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *TOTAMTTOBEPAID*
    - *TOTAMTTOBEPAID_LCY*
    - *ROLLCOMPDET*
      - *COMPNAME*
      - *AMTOUT*
      - *LIQDAMT*
      - *ROLLAMT*

WAIVEAMT
ACCNO
BRN
ESN
LIQUIDATIONORDER
STAT
COMP
LIQORDER
AUTOPREPAYMENT
AUTO_PREPAY_CUSTID
AUTO_PREPAY_CCY
AUTO_PREPAY_CUST_BRN
AUTO_PREPAY_CUST_ACNO
AUTO_PREPAY_CUST_ACCCY
AUTO_PREPAY_MIN_SWEEPBAL
AUTO_PREPAY_MIN_AMT
AUTO_PREPAY_MAX_AMT
AUTO_PREPAY_EXP_DT
AUTO_PREPAY_UNIT
DRROLLSETT
STTLREF
DRCRSTTL
PMNTMODE
AMTSTTL
EXCHRATE
AMTSTTLACY
STTLCCY
STTLBRN
STTLACC
STTLPRD
INSTRNO
CLRHOUSE
REMBANK
REMBRN
REMACC
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE

ACCNO
BRN
ESN
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
STTLREF
DRCRSTTL
PMNTMODE
AMTSTTL
EXCHRATE
AMTSTTLACY
STTLCCY
STTLBRN
STTLACC
STTLPRD
INSTRNO
CLRHOUSE
REMBANK
REMBRN
REMACC
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
ACCNO
BRN
ESN
ROLLCOMPPMNTDET

COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
ROLLLOANDET
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
CONTSTAT
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ

PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_BANK_CODE_CR

PAYER_BRANCH_CR
PAYER_ACC_NO_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS

CALCGP
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
CHECKERID
CHECKERSTAMP
CLGBKCR
AUTHSTAT1
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
  CYCLENO
  CURRCYCLE
  UNITS
  UPTO
  CYCLESTARTDT
  CYCLEENDDT
  NEXTCYCLECODE
  INTERESTRATE
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
PROMOTIONS
  ACCNO
  BRN
  PRTYP

- *PRID*
- *BENEFCIF*
- *PRIORITY*

OTHAPPLCNT

- *ACCNO*
- *BRN*
- *CUSTID*
- *CUSTNAME*
- *RESP*
- *LIABPERCNT*
- *LIABAMT*
- *EFFDT*

UDEDET

- *ACCNO*
- *BRN*
- *EFFDT*
- *UDEVALS*
  - *ACCNO*
  - *BRN*
  - *EFFDT*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*
  - *RESOLVAL*
  - *UDEVAL*
  - *UDEID*
  - *RESOLVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*

HOLIDAYPRD

- *ACCNO*
- *BRN*
- *PERIOD*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*

ESN
CHECKED
REMARK
ACCNO
BRN
ESN
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
COMPDET
COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
WAIVERFLAG
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR

CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
  SCHTYPE
  SCHFLAG
  FORMULA

SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
  SCHEDULE_ST_DATE
  SCHEDULE_DUE_DATE
  AMOUNT_TO_DISBR
  SCHEDULE_LINKAGE
REVNSCHEDULE
  SCHEDULE_ST_DATE
  SCHEDULE_DUE_DATE
  APPLIED_FLAG
  SCHEDULE_LINKAGE
SCHTYPE
SCHFLAG
FORMULA
FIRSTDUE
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
CAPITALIZED
WAIVERFLAG
SCHSTDT

DUEDTON

DSBRSCHEDULE

SCHEDULE_ST_DATE

SCHEDULE_DUE_DATE

AMOUNT_TO_DISBR

SCHEDULE_LINKAGE

SCHEDULE

FORMULA_NAME

SCHEDULE_TYPE

SCHEDULE_ST_DATE

DUEDATE

GRACEDAYS

ORIG_AMOUNT_DUE

AMTDUE

ADJ_AMOUNT

AMTSETT

AMOUNT_OVERDUE

ACCRAMT

SETTLEMENT_CCY

AMTLCY

DLY_AVG_AMT

EMIAMT

SCHEDULE_FLAG

ISWAIVE

EVENT_SEQ_NO

SCHEDULE_LINKAGE

ISCAP

PROCESS_NO

AMTREADJUSTED

SUSP_AMT_DUE

SUSP_AMT_SETTLED

SUSP_AMT_LCY

SUSP_READ_AMT

SUSP_READ_SETTLED

LAST_SUSP_XRATE

READJ_SETTLED

LAST_READJ_XRATE

ADJ_SETTLED

SCHSTATUS

ACCOUNT_GL

LAST_PMNT_VALUE_DATE

RETRY_START_DATE

MORA_INT

SCHEDULE_NO

WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET

COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR

VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*

EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
COMMPREF
LAST_DSBR_DT

- *MATURITY_DT*
- *DSBR_FLAG*

PROPERTY

- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

EVENTADVICES

- *EVENT_CODE*
- *EVENT_SEQ_NO*
- *MSG_TYPE*
- *DCN*
- *SUPPRESS*
- *PRIORITY*
- *FORMAT*
- *GENERATION_TIME*

ADVSUPPRESS

- *MSGTYPE*

MIS-MASTER

- *MISDETAILS*
  - *BRANCH*
  - *CUSTNO*
  - *MISGRP*
  - *RELREF*
  - *RELACC*
  - *MISHD*
  - *POOLCD*
  - *REFRT*
  - *REFRTTYPE*
  - *REFXRT*
  - *CALCMETH*
  - *MISGRPTXN*
  - *REFRTCD*
  - *REFRTSPRD*
  - *FUNDMIS1*

FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5

FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
ROLLPENALRATE
UDENM
UDEVAL
EFFDT
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
MO-RENOG-REQ-FULL
SCODE
XREF
ACCNO
BRN
ALTACCNO
EXECDT
VALDT
PRD
CCY
ESN
CUSTID

ISAVAIL
AUTHSTAT
AUTO_PREPAY
BONUS_AMT_FINANCED
BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
  CYCLENO
  CURRCYCLE
  UNITS
  UPTO
  CYCLESTARTDT
  CYCLEENDDT
  NEXTCYCLECODE
  INTERESTRATE
CALCGR
ROLLCOMPONENT
  COMPNAME
  LIQDAMT
  ROLLAMT
  WAIVEAMT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
AUTOPREPAYMENT
  AUTO_PREPAY_CUSTID
  AUTO_PREPAY_CCY
  AUTO_PREPAY_CUST_BRN
  AUTO_PREPAY_CUST_ACNO
  AUTO_PREPAY_CUST_ACCCY
  AUTO_PREPAY_MIN_SWEEPBAL
  AUTO_PREPAY_MIN_AMT
  AUTO_PREPAY_MAX_AMT
  AUTO_PREPAY_EXP_DT
  AUTO_PREPAY_UNIT
DRROLLSETT

PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD

- *REMBANK*
- *REMBRN*
- *REMACC*
- *INSTRNO*
- *CLRHOUSE*
- *ROUTING*
- *ENDPT*
- *CARDNO*
- *EXTACNO*
- *EXTACNM*
- *CLGBK*
- *CLGBRN*
- *SECTOR*
- *UPSOURCE*
- *STTLREF*
- *ROLLCOMPPMNTDET*
  - *COMPNAME*
  - *AMTSETTL*
  - *CMPSTTLCCY*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *STTLREF*
  - *COMPNAME*
  - *AMTSETTL*
  - *COMPNAME*
  - *AMTSETTL*
- *LOANDET*
  - *AMOUNT*
  - *VALDT*
  - *MATDT*
  - *BOOKDT*
  - *NO_OF_INST*
  - *FREQ_UNIT*
  - *FREQ*
  - *FIRST_INS_DATE*
  - *DUE_DATES_ON*
  - *EMIAMT*
  - *ALTACCNO*
  - *NETAMT*
  - *EXCHRT*
  - *DOWNPAYAMT*
  - *ORIGSTDT*
  - *CHEQBOOK*

AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR

PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10

FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE

LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED
  MAINCOMPFLAG
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN

DRPRDACC
CRPRDACC
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR

PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT
FUNDROLL
VERIFYFUNDS
IRRAPPL
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*
- *DAYS_MTH*
- *DAYS_YEAR*
- *DSBRSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *AMOUNT_TO_DISBR*
  - *SCHEDULE_LINKAGE*
- *REVNSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *APPLIED_FLAG*
  - *SCHEDULE_LINKAGE*
- *SCHTYPE*

- SCHFLAG
- FORMULA
- FIRSTDUE
- NOOFSCH
- FREQ
- UNIT
- ENDDT
- AMOUNT
- CAPITALIZED
- WAIVERFLAG
- SCHSTDT
- DUEDTON

UDEDET

- EFFDT
- UDEVALS
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL
  - UDEVAL
  - UDEID
  - RESOLVAL
  - RATECD
  - CODEUSE
  - RATETYP

OTHAPPLCNT

- CUSTID
- CUSTNAME
- RESP
- LIABPERCNT
- LIABAMT
- EFFDATE

LINKAGES

- LINKAGE_SEQ_NO
- LINKTYPE
- LINKAGE_BRANCH
- LINKREFNO
- LINKAMT
- CUSTID

- *SECPORTION*

UDERTPLAN

- *PERIOD_ST_DT*
- *PERIOD_END_DT*

COMMPREF

- *LAST_DSBR_DT*
- *MATURITY_DT*
- *DSBR_FLAG*

PROPERTY

- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

MISDETAILS

- *RATEFLAG*
- *POOLCODE*
- *PRCFLAG*
- *REFRATE*
- *REFRTTY*
- *CALCMETHO*
- *CCY*
- *REFRTCD*
- *REFSPREAD*
- *RELACC*
- *RELREF*
- *SERIALNO*
- *MISGROUP*
- *MISGRTXN*
- *MISHEAD*
- *MISGRCOMP*

TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4

REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
ROLLPENALRATE
UDENM
UDEVAL
EFFDT
MO-RENOG-REQ-IO
SCODE
XREF
ACCNO
BRN
ALTACCNO
EXECDT
VALDT
PRD
CCY
ESN
CUSTID
ISAVAIL
AUTHSTAT
CALCGR
ROLLCOMPONENT
COMPNAME
LIQDAMT
ROLLAMT

WAIVEAMT

DRROLLSETT

PMNTMODE

STTLCCY

AMTSTTL

AMTSTTLACY

EXCHRATE

STTLBRN

STTLACC

STTLPRD

REMBANK

REMBRN

REMACC

INSTRNO

CLRHOUSE

ROUTING

ENDPT

CARDNO

EXTACNO

EXTACNM

CLGBK

CLGBRN

SECTOR

UPSOURCE

ROLLCOMPPMNTDET

COMPNAME

AMTSETTL

CMPSTTLCCY

ACCNO

BRN

ESN

STTLREF

COMPNAME

AMTSETTL

COMPNAME

AMTSETTL

CRROLLSETT

PMNTMODE

STTLCCY

AMTSTTL

AMTSTTLACY

EXCHRATE

STTLBRN

STTLACC

STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
MO-RENOG-REQ-PK
SCODE
XREF
ACCNO
BRN
EXECDT
VALDT
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO Renog Account

TOP

RENOG-RES-FULL

Attribute	Description
Name	RENOG-RES-FULL
Datatype	
Description	It indicates Renegotiation full Response details of Mortgages module

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TOTAMTTOBEPAID

Attribute	Description
Name	TOTAMTTOBEPAID
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

TOTAMTTOBEPAID_LCY

Attribute	Description
Name	TOTAMTTOBEPAID_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLCOMPDET

Attribute	Description
Name	ROLLCOMPDET
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTOUT

Attribute	**Description**	
Name	AMTOUT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

LIQDAMT

Attribute	**Description**	
Name	LIQDAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

ROLLAMT

Attribute	**Description**	
Name	ROLLAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** totalDigits: 4

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTO_PREPAY_CCY

Attribute	Description
Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description
Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description
Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AUTO_PREPAY_UNIT

Attribute	Description
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 4

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

DRCRSTTL

Attribute	Description
Name	DRCRSTTL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMBRN

Attribute	Description
Name	REMBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	35

TOP

DRCRSTTL

Attribute	Description
Name	DRCRSTTL
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

STTLREF

Attribute	**Description**	
Name	STTLREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	**Description**	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLLOANDET

Attribute	Description
Name	ROLLLOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

PASSBOOK

Attribute	Description

Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTDR

Attribute	**Description**	
Name	ENDPTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODDR

Attribute	**Description**	
Name	CLGPRODDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	**Description**	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCEDR

Attribute	**Description**	
Name	UPSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CUTOFFTRN

Attribute	**Description**	
Name	CUTOFFTRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DELIQSTAT

Attribute	**Description**	
Name	DELIQSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_BANK_CODE_CR

Attribute	**Description**	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_BRANCH_CR

Attribute	**Description**	
Name	PAYER_BRANCH_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_ACC_NO_CR

Attribute	**Description**	
Name	PAYER_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_ADDRESS1_CR

Attribute	**Description**	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description	
Name	ALLOW_BACK_PERIOD_ENTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMORTIZED

Attribute	Description	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMOUNT_DISBURSED

Attribute	Description	
Name	AMOUNT_DISBURSED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

APPLICATION_NUM

Attribute	Description	
Name	APPLICATION_NUM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description	
Name	NEXT_ACCR_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description	
Name	PRIMARY_APPLICANT_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	Description	
Name	PROCESS_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	Description

Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	**Description**	
Name	DERIVED_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

USGT_STATUS

Attribute	**Description**	
Name	USGT_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCGP

Attribute	**Description**	
Name	CALCGP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

VERNO

Attribute	**Description**	
Name	VERNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MAKERSTAMP

Attribute	Description

Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CYCLEBASEDRATE

Attribute	**Description**	
Name	CYCLEBASEDRATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CYCLETYPE

Attribute	**Description**	
Name	CYCLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FREEZE

Attribute	**Description**	
Name	FREEZE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACCCYCLERATES

Attribute	**Description**	
Name	ACCCYCLERATES	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>E,T</td></tr></table>

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	Description	
Name	RATETYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESOLVAL

Attribute	Description	
Name	RESOLVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String

Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRPRDACC

Attribute	**Description**	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDINT

Attribute	Description	
Name	FUNDINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	**Description**	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	**Description**	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3DR

Attribute	**Description**	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDCR

Attribute	Description	
Name	GIROMDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	Description	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	Description	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPDESC

Attribute	Description
Name	COMPDESC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description

Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	Description	
Name	ENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE

Attribute	**Description**	
Name	SCHEDULE	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**
Name	FORMULA_NAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLMTCCY

Attribute	Description

Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	**Description**	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	**Description**	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3DR

Attribute	**Description**	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDCR

Attribute	Description	
Name	GIROMDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	Description	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	Description	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	Description	
Name	PAYERACNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	Description	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	Description	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	Description	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPDESC

Attribute	Description
Name	COMPDESC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAGE

Attribute	Description
Name	PAGE

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DCN

Attribute	**Description**	
Name	DCN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SUPPRESS

Attribute	**Description**	
Name	SUPPRESS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PRIORITY

Attribute	**Description**	
Name	PRIORITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FORMAT

Attribute	**Description**	
Name	FORMAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

RELACC

Attribute	Description	
Name	RELACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	Description	
Name	MISHD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

POOLCD

Attribute	Description	
Name	POOLCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRT

Attribute	Description	
Name	REFRT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFRTCD

Attribute	Description

Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	**Description**	
Name	COSTCOD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	**Description**	
Name	LINKGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	**Description**	
Name	FUNDMIS9LBL9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description	
Name	COMPMIS3LBL3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	**Description**	
Name	TXNMIS9LBL9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	**Description**	
Name	TXNMIS10LBL10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROLLPENALRATE

Attribute	Description
Name	ROLLPENALRATE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MO-RENOG-REQ-FULL

Attribute	Description
Name	MO-RENOG-REQ-FULL
Datatype	
Description	It indicates Renegotiation full Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISAVAIL

Attribute	**Description**	
Name	ISAVAIL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTO_PREPAY

Attribute	**Description**	
Name	AUTO_PREPAY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BONUS_AMT_FINANCED

Attribute	**Description**	
Name	BONUS_AMT_FINANCED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

BONUS_RELATED_REF

Attribute	Description
Name	BONUS_RELATED_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 16

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 3

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** totalDigits: 4

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FREEZE

Attribute	Description
Name	FREEZE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLCOMPONENT

Attribute	Description
Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AUTO_PREPAY_CCY

Attribute	Description
Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description
Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description
Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_PREPAY_UNIT

Attribute	Description
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

DRROLLSETT

Attribute	**Description**	
Name	DRROLLSETT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	**Description**	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

CMPSTTLCCY

Attribute	**Description**	
Name	CMPSTTLCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXCHRATE

Attribute	**Description**
Name	EXCHRATE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AMTSETTL

Attribute	Description

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOANDET

Attribute	Description
Name	LOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIRST_INS_DATE

Attribute	Description

Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SPLAMT

Attribute	Description

Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	**Description**	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	**Description**	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_MODE_DR

Attribute	**Description**	
Name	GIRO_MODE_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_SERVICE_DR

Attribute	**Description**	
Name	GIRO_SERVICE_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PAYER_ACC_NO_DR

Attribute	**Description**	
Name	PAYER_ACC_NO_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_BRANCH_DR

Attribute	**Description**	
Name	PAYER_BRANCH_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BANK_CODE_DR

Attribute	Description	
Name	PAYER_BANK_CODE_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

GIRO_NUMBER_DR

Attribute	Description	
Name	GIRO_NUMBER_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_DR

Attribute	Description	
Name	PAYER_ADDRESS1_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_DR

Attribute	Description	
Name	PAYER_ADDRESS2_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	Description	
Name	PAYER_ADDRESS3_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	Description	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIRO_MODE_CR

Attribute	Description	
Name	GIRO_MODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_SERVICE_CR

Attribute	Description	
Name	GIRO_SERVICE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_2

Attribute	**Description**	
Name	FIELD_CHAR_2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_3

Attribute	**Description**	
Name	FIELD_CHAR_3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_4

Attribute	**Description**	
Name	FIELD_CHAR_4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_5

Attribute	**Description**	
Name	FIELD_CHAR_5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXECUTION_DATE

Attribute	**Description**	
Name	EXECUTION_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXT_ACC_NO_CR

Attribute	**Description**	
Name	EXT_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_ACC_NO_DR

Attribute	**Description**	
Name	EXT_ACC_NO_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

FUNDED_STATUS

Attribute	**Description**	
Name	FUNDED_STATUS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description	
Name	PRIMARY_APPLICANT_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	Description	
Name	PROCESS_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	Description	
Name	RATE_CODE_PREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 3 totalDigits; 22

TOP

COMMITMENT_TYPE

Attribute	Description

Name	COMMITMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MORTGAGEG

Attribute	**Description**	
Name	MORTGAGEG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STOPDSBR

Attribute	**Description**	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	**Description**	
Name	SUBCUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	**Description**	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMTCCY

Attribute	**Description**	
Name	STTLMTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REVNSCHEDULE

Attribute	**Description**
Name	REVNSCHEDULE

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYPE

Attribute	Description

Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROPERTY

Attribute	Description

Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PADDRESS3

Attribute	**Description**	
Name	PADDRESS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PADDRESS4

Attribute	**Description**	
Name	PADDRESS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	**Description**	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

POWNER

Attribute	**Description**	
Name	POWNER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

VCCY

Attribute	Description	
Name	VCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PROMOTIONS

Attribute	Description	
Name	PROMOTIONS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PRTYP

Attribute	Description	
Name	PRTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRID

Attribute	Description	
Name	PRID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFCIF

Attribute	Description

Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	**Description**	
Name	UNITTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE4

Attribute	Description
Name	COSTCODE4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE5

Attribute	Description
Name	COSTCODE5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ROLLPENALRATE

Attribute	Description
Name	ROLLPENALRATE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MO-RENOG-REQ-IO

Attribute	Description
Name	MO-RENOG-REQ-IO
Datatype	
Description	It indicates Renegotiation IO Request details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT

Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLCOMPONENT

Attribute	Description
Name	ROLLCOMPONENT
Datatype	
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SECTOR

Attribute	**Description**	
Name	SECTOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCE

Attribute	**Description**	
Name	UPSOURCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMPPMNTDET

Attribute	**Description**	
Name	ROLLCOMPPMNTDET	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-RENOG-REQ-PK

Attribute	Description
Name	MO-RENOG-REQ-PK
Datatype	
Description	It indicates Renegotiation PK Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.51.4.MO-RENOG-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *RENOG-RES-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-RENOG-REQ-FULL*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *EXECDT*
      - *VALDT*
      - *PRD*
      - *CCY*
      - *ESN*
      - *CUSTID*
      - *ISAVAIL*

AUTHSTAT
AUTO_PREPAY
BONUS_AMT_FINANCED
BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
  CYCLENO
  CURRCYCLE
  UNITS
  UPTO
  CYCLESTARTDT
  CYCLEENDDT
  NEXTCYCLECODE
  INTERESTRATE
CALCGR
ROLLCOMPONENT
  COMPNAME
  LIQDAMT
  ROLLAMT
  WAIVEAMT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
AUTOPREPAYMENT
  AUTO_PREPAY_CUSTID
  AUTO_PREPAY_CCY
  AUTO_PREPAY_CUST_BRN
  AUTO_PREPAY_CUST_ACNO
  AUTO_PREPAY_CUST_ACCCY
  AUTO_PREPAY_MIN_SWEEPBAL
  AUTO_PREPAY_MIN_AMT
  AUTO_PREPAY_MAX_AMT
  AUTO_PREPAY_EXP_DT
  AUTO_PREPAY_UNIT
DRROLLSETT
  PMNTMODE

STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO

- *EXTACNO*
- *EXTACNM*
- *CLGBK*
- *CLGBRN*
- *SECTOR*
- *UPSOURCE*
- *STTLREF*
- *ROLLCOMPPMNTDET*
  - *COMPNAME*
  - *AMTSETTL*
  - *COMPNAME*
  - *AMTSETTL*

LOANDET

- *AMOUNT*
- *VALDT*
- *MATDT*
- *BOOKDT*
- *NO_OF_INST*
- *FREQ_UNIT*
- *FREQ*
- *FIRST_INS_DATE*
- *DUE_DATES_ON*
- *EMIAMT*
- *ALTACCNO*
- *NETAMT*
- *EXCHRT*
- *DOWNPAYAMT*
- *ORIGSTDT*
- *CHEQBOOK*
- *AMENDPAST*
- *ATMFACILITY*
- *NOTARYAUTO*
- *PASSBOOK*
- *LIQDBACK*
- *ALLOW_BULK_PAYMENT*
- *AUTOLIQ*
- *PARTLIQ*
- *RETRIES*
- *TRKRECIALIQ*
- *TRKRECIMLIQ*
- *UDEROLLBASIS*
- *SPLAMT*
- *SCHBASIS*
- *ROLLOVRMODE*

ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1

FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15

FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP

AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED
  MAINCOMPFLAG
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN
  DRPRDACC
  CRPRDACC
  SVCACC
  SVCACCBRN
  EXTACNOCR
  EXTACNMCR
  CLGBKCR
  CLGBRNCR
  PCCATCR
  EXTACNODR
  EXTACNMDR
  CLGBKDR
  CLGBRNDR
  PCCATDR
  CARDNO

INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT
FUNDROLL
VERIFYFUNDS
IRRAPPL
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *FIRSTDUE*
- *NOOFSCH*
- *FREQ*
- *UNIT*

ENDDT
AMOUNT
CAPITALIZED
WAIVERFLAG
SCHSTDT
DUEDTON
UDEDET
EFFDT
UDEVALS
UDEVAL
UDEID
RESOLVAL
RATECD
CODEUSE
RATETYP
OTHAPPLCNT
CUSTID
CUSTNAME
RESP
LIABPERCNT
LIABAMT
EFFDATE
LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
CUSTID
SECPORTION
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
COMMPREF
LAST_DSBR_DT
MATURITY_DT
DSBR_FLAG
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4

COUNTRY
POWNER
PAGE
PVALUE
OMARGIN
LMARGIN
VCCY
PROMOTIONS
PRTYP
PRID
BENEFCIF
PRIORITY
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4

COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN

CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
ROLLPENALRATE
UDENM
UDEVAL
EFFDT
MO-RENOG-REQ-IO
SCODE
XREF
ACCNO
BRN
ALTACCNO
EXECDT
VALDT
PRD
CCY
ESN
CUSTID
ISAVAIL
AUTHSTAT
CALCGR
ROLLCOMPONENT
COMPNAME
LIQDAMT
ROLLAMT
WAIVEAMT
DRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE

ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
MO-RENOG-REQ-PK
SCODE

XREF
ACCNO
BRN
EXECDT
VALDT
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO Renog Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

RENOG-RES-PK

Attribute	Description
Name	RENOG-RES-PK
Datatype	
Description	It indicates Renegotiation PK Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MO-RENOG-REQ-FULL

Attribute	Description
Name	MO-RENOG-REQ-FULL
Datatype	
Description	It indicates Renegotiation full Request details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISAVAIL

Attribute	Description

Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_PREPAY

Attribute	Description
Name	AUTO_PREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BONUS_AMT_FINANCED

Attribute	Description
Name	BONUS_AMT_FINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

BONUS_RELATED_REF

Attribute	Description
Name	BONUS_RELATED_REF
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BONUS_PERCENTAGE

Attribute	**Description**	
Name	BONUS_PERCENTAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	3

TOP

PROGRESS_PERIOD_END_DT

Attribute	**Description**
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	**Description**	
Name	BONUS_MONTH_1	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

BONUS_MONTH_2

Attribute	**Description**	
Name	BONUS_MONTH_2	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

ACCCYCLERATES

Attribute	Description

Name	ACCCYCLERATES
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLCOMPONENT

Attribute	**Description**	
Name	ROLLCOMPONENT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LIQDAMT

Attribute	**Description**	
Name	LIQDAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

ROLLAMT

Attribute	**Description**	
Name	ROLLAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTO_PREPAY_CCY

Attribute	Description
Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description
Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description

Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_PREPAY_UNIT

Attribute	Description
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>8</td></tr><tr><td>totalDigits</td><td>16</td></tr></table>

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

REMBANK

Attribute	Description

Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	**Description**
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPT

Attribute	**Description**
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	**Description**
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	**Description**
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOANDET

Attribute	Description
Name	LOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCERCR

Attribute	**Description**	
Name	UPSOURCERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_SERVICE_CR

Attribute	**Description**	
Name	GIRO_SERVICE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_NUMBER_CR

Attribute	**Description**	
Name	GIRO_NUMBER_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ACC_NO_CR

Attribute	**Description**	
Name	PAYER_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BRANCH_CR

Attribute	**Description**	
Name	PAYER_BRANCH_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description	
Name	PAYER_ADDRESS4_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FIELD_CHAR_1

Attribute	Description	
Name	FIELD_CHAR_1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_2

Attribute	Description	
Name	FIELD_CHAR_2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_3

Attribute	Description	
Name	FIELD_CHAR_3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_13

Attribute	**Description**	
Name	FIELD_CHAR_13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_14

Attribute	**Description**	
Name	FIELD_CHAR_14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_15

Attribute	**Description**	
Name	FIELD_CHAR_15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description	
Name	ALIQ_REVERSED_PMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description	
Name	ALLOW_BACK_PERIOD_ENTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMORTIZED

Attribute	Description	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMOUNT_DISBURSED

Attribute	Description	
Name	AMOUNT_DISBURSED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description

Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	**Description**	
Name	USER_DEFINED_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	**Description**	
Name	DERIVED_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

USGT_STATUS

Attribute	**Description**	
Name	USGT_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCGP

Attribute	**Description**	
Name	CALCGP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>E,T</td></tr></table>

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD

Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPAYMTMODE

Attribute	Description

Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	Description	
Name	CLGBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTDR

Attribute	**Description**	
Name	ENDPTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODDR

Attribute	**Description**	
Name	CLGPRODDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	**Description**	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FUNDINT

Attribute	Description	
Name	FUNDINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	Description	
Name	FUNDROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDTON

Attribute	Description

Name	DUEDTON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 3

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description	
Name	LINKAGE_SEQ_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKTYPE

Attribute	Description	
Name	LINKTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKAGE_BRANCH

Attribute	Description	
Name	LINKAGE_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LINKREFNO

Attribute	Description	
Name	LINKREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_ST_DT

Attribute	Description

Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRID

Attribute	Description

Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	Description	
Name	TXNMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	Description
Name	UNITTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE3

Attribute	**Description**	
Name	COSTCODE3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE4

Attribute	**Description**	
Name	COSTCODE4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	**Description**	
Name	COSTCODE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	**Description**	
Name	CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REMARK1

Attribute	**Description**	
Name	REMARK1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK2

Attribute	**Description**	
Name	REMARK2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK3

Attribute	**Description**	
Name	REMARK3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK4

Attribute	**Description**	
Name	REMARK4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CHARGEDET

Attribute	**Description**	
Name	CHARGEDET	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHGCCY

Attribute	**Description**	
Name	CHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ROLLPENALRATE

Attribute	Description

Name	ROLLPENALRATE
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 3

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MO-RENOG-REQ-IO

Attribute	Description
Name	MO-RENOG-REQ-IO
Datatype	
Description	It indicates Renegotiation IO Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISAVAIL

Attribute	Description	
Name	ISAVAIL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCGR

Attribute	Description	
Name	CALCGR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLCOMPONENT

Attribute	Description
Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLPRD

Attribute	**Description**	
Name	STTLPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

REMBANK

Attribute	**Description**	
Name	REMBANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REMBRN

Attribute	**Description**	
Name	REMBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REMACC

Attribute	**Description**	
Name	REMACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNM

Attribute	Description	
Name	EXTACNM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBK

Attribute	Description	
Name	CLGBK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

MO-RENOG-REQ-PK

Attribute	Description
Name	MO-RENOG-REQ-PK
Datatype	
Description	It indicates Renegotiation PK Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description

Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.52.ActiveRollover

ActiveRollover

2.52.1.MO-ROLLOVER-ACT-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-ROLLOVER-ACT-REQ-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to Active Rollover Account

TOP

MO-ROLLOVER-ACT-REQ-IO

Attribute	Description
Name	MO-ROLLOVER-ACT-REQ-IO
Datatype	
Description	Indicates MO-Rollover ACT Request-IO type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.52.2.MO-ROLLOVER-ACT-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *ROLLOVER-RES-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *ISAVAIL*
      - *AUTHSTAT*
    - *MO-ROLLOVER-ACT-REQ-IO*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-ROLLOVER-ACT-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*

ALTACCNO
ISAVAIL
AUTHSTAT
MO-ROLLOVER-ACT-REQ-PK
SCODE
XREF
ACCNO
BRN
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to Active Rollover Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

ROLLOVER-RES-PK

Attribute	Description
Name	ROLLOVER-RES-PK
Datatype	
Description	Indicates Rollover Response-PK type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates the Rollover Status. Y for Yes;N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MO-ROLLOVER-ACT-REQ-IO

Attribute	**Description**	
Name	MO-ROLLOVER-ACT-REQ-IO	
Datatype		
Description	Indicates MO-Rollover ACT Request-IO type	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCODE

Attribute	**Description**	
Name	SCODE	
Datatype	String	
Description	Indicates Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

XREF

Attribute	**Description**	
Name	XREF	
Datatype	String	
Description	Indicates the reference number of the external system.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates the Account Number	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MO-ROLLOVER-ACT-REQ

Attribute	Description
Name	MO-ROLLOVER-ACT-REQ
Datatype	
Description	Indicates MO-Rollover ACT Request type
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates the Rollover Status. Y for Yes;N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-ROLLOVER-ACT-REQ-PK

Attribute	Description
Name	MO-ROLLOVER-ACT-REQ-PK
Datatype	
Description	Indicates MO-Rollover ACT Request-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.53.AuthRollover

AuthRollover

2.53.1.MO-ROLLOVER-AUTH-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-ROLLOVER-AUTH-REQ*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) product

TOP

MO-ROLLOVER-AUTH-REQ

Attribute	Description
Name	MO-ROLLOVER-AUTH-REQ
Datatype	
Description	It indicates Rollover Authorize Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.53.2.MO-ROLLOVER-AUTH-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *ROLLOVER-AUTH-RES-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-ROLLOVER-AUTH-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-ROLLOVER-AUTH-REQ-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to authorize the Rollover Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

ROLLOVER-AUTH-RES-PK

Attribute	Description
Name	ROLLOVER-AUTH-RES-PK
Datatype	
Description	It indicates Rollover Authorize PK Response details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

MO-ROLLOVER-AUTH-REQ

Attribute	Description
Name	MO-ROLLOVER-AUTH-REQ
Datatype	
Description	It indicates Rollover Authorize Request details of Mortgages module
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MO-ROLLOVER-AUTH-REQ-PK

Attribute	Description
Name	MO-ROLLOVER-AUTH-REQ-PK
Datatype	
Description	It indicates Rollover Authorize PK Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.54.DeleteRollover

DeleteRollover

2.54.1.MO-ROLLOVER-DEL-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-ROLLOVER-DEL-REQ*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ESN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String

Description	
Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	

Restrictions	Description
enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete a Rollover Account

TOP

MO-ROLLOVER-DEL-REQ

Attribute	Description
Name	MO-ROLLOVER-DEL-REQ
Datatype	
Description	Indicates MO-Rollover Delete Request type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: totalDigits / 5

TOP

2.54.2.MO-ROLLOVER-DEL-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *ROLLOVER-DEL-RES*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-ROLLOVER-DEL-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ESN*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to delete a Rollover Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

ROLLOVER-DEL-RES

Attribute	Description
Name	ROLLOVER-DEL-RES
Datatype	
Description	Indicates Rollover Delete Response type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates the Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

MO-ROLLOVER-DEL-REQ

Attribute	Description
Name	MO-ROLLOVER-DEL-REQ
Datatype	
Description	Indicates MO Rollover Delete Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** totalDigits / 5

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description

Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.55.QueryRollover

QueryRollover

2.55.1.MO-ROLLOVER-QRY-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-ROLLOVER-QRY-Req*
    - *SCODE*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to Query a Rollover Account

TOP

MO-ROLLOVER-QRY-Req

Attribute	Description
Name	MO-ROLLOVER-QRY-Req
Datatype	
Description	Indicates MO-Rollover Query Request type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

2.55.2.MO-ROLLOVER-QRY-Res-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *ROLLOVER-QRY-RES-FULL*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *TOTAMTTOBEPAID*
    - *TOTAMTTOBEPAID_LCY*
    - *LIQUIDATIONORDER*
      - *STAT*
      - *COMP*
      - *LIQORDER*
    - *AUTOPREPAYMENT*
      - *AUTO_PREPAY_CUSTID*

- *AUTO_PREPAY_CCY*
- *AUTO_PREPAY_CUST_BRN*
- *AUTO_PREPAY_CUST_ACNO*
- *AUTO_PREPAY_CUST_ACCCY*
- *AUTO_PREPAY_MIN_SWEEPBAL*
- *AUTO_PREPAY_MIN_AMT*
- *AUTO_PREPAY_MAX_AMT*
- *AUTO_PREPAY_EXP_DT*
- *AUTO_PREPAY_UNIT*

ROLLCOMPDET

- *COMPNAME*
- *AMTOUT*
- *LIQDAMT*
- *ROLLAMT*
- *WAIVEAMT*
- *ACCNO*
- *BRN*
- *ESN*

DRROLLSETT

- *STTLREF*
- *DRCRSTTL*
- *PMNTMODE*
- *AMTSTTL*
- *EXCHRATE*
- *AMTSTTLACY*
- *STTLCCY*
- *STTLBRN*
- *STTLACC*
- *STTLPRD*
- *INSTRNO*
- *CLRHOUSE*
- *REMBANK*
- *REMBRN*
- *REMACC*
- *ROUTING*
- *ENDPT*
- *CARDNO*
- *EXTACNO*
- *EXTACNM*
- *CLGBK*
- *CLGBRN*
- *SECTOR*
- *UPSOURCE*
- *ACCNO*

- *BRN*
- *ESN*
- *ROLLCOMPPMNTDET*
  - *COMPNAME*
  - *AMTSETTL*
  - *CMPSTTLCCY*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *STTLREF*

CRROLLSETT

- *STTLREF*
- *DRCRSTTL*
- *PMNTMODE*
- *AMTSTTL*
- *EXCHRATE*
- *AMTSTTLACY*
- *STTLCCY*
- *STTLBRN*
- *STTLACC*
- *STTLPRD*
- *INSTRNO*
- *CLRHOUSE*
- *REMBANK*
- *REMBRN*
- *REMACC*
- *ROUTING*
- *ENDPT*
- *CARDNO*
- *EXTACNO*
- *EXTACNM*
- *CLGBK*
- *CLGBRN*
- *SECTOR*
- *UPSOURCE*
- *ACCNO*
- *BRN*
- *ESN*
- *ROLLCOMPPMNTDET*
  - *COMPNAME*
  - *AMTSETTL*
  - *CMPSTTLCCY*
  - *ACCNO*
  - *BRN*

ESN
STTLREF
ROLLLOANDET
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
CONTSTAT
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR

PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_BANK_CODE_CR
PAYER_BRANCH_CR
PAYER_ACC_NO_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED

AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
AUTHSTAT
AUTO_PREPAY
BONUS_AMT_FINANCED
BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLETYPE

FREEZE
ACCCYCLERATES
- *CYCLENO*
- *CURRCYCLE*
- *UNITS*
- *UPTO*
- *CYCLESTARTDT*
- *CYCLEENDDT*
- *NEXTCYCLECODE*
- *INTERESTRATE*

USGT_STATUS
CALCGP
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
CHECKERID
CHECKERSTAMP
CLGBKCR
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
PROMOTIONS
- *ACCNO*
- *BRN*
- *PRTYP*

- *PRID*
- *BENEFCIF*
- *PRIORITY*

OTHAPPLCNT

- *ACCNO*
- *BRN*
- *CUSTID*
- *CUSTNAME*
- *RESP*
- *LIABPERCNT*
- *LIABAMT*
- *EFFDT*

UDEDET

- *ACCNO*
- *BRN*
- *EFFDT*
- *UDEVALS*
  - *ACCNO*
  - *BRN*
  - *EFFDT*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*
  - *RESOLVAL*

SETTLDETAILS

- *ACC_CCY*
- *TRANSFER_TYPE*
- *COVER_REQUIRED*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *ORDERING_CUSTOMER1*
- *ORDERING_CUSTOMER2*
- *ORDERING_CUSTOMER3*
- *ORDERING_CUSTOMER4*

HOLIDAYPRD

- *ACCNO*
- *BRN*
- *PERIOD*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *WAIVERFLAG*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*

EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE

- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *SCHSTDT*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *PAYMENT_MODE*
  - *PMNT_PROD_AC*
  - *PAYMENT_DETAILS*
  - *BEN_ACCOUNT*
  - *BEN_BANK*
  - *BEN_NAME*
  - *CAPITALIZED*
  - *FIRSTDUE*
  - *WAIVERFLAG*
  - *COMPOUND_DAYS*
  - *COMPOUND_MONTHS*
  - *COMPOUND_YEARS*
  - *EMIAMT*
  - *DUE_DATES_ON*
  - *DAYS_MTH*
  - *DAYS_YEAR*
  - *DSBRSCHEDULE*
    - *SCHEDULE_ST_DATE*
    - *SCHEDULE_DUE_DATE*
    - *AMOUNT_TO_DISBR*
    - *SCHEDULE_LINKAGE*
  - *REVNSCHEDULE*
    - *SCHEDULE_ST_DATE*
    - *SCHEDULE_DUE_DATE*
    - *APPLIED_FLAG*
    - *SCHEDULE_LINKAGE*
- *DSBRSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *AMOUNT_TO_DISBR*
  - *SCHEDULE_LINKAGE*
- *SCHEDULE*
  - *FORMULA_NAME*
  - *SCHEDULE_TYPE*

SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET
COMPNAME
STTLMTCCY

COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR

PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*

SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE

LINKAGES
LINKTYPE
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID

UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT

COMMPREF
LAST_DSBR_DT
MATURITY_DT
DSBR_FLAG

PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER

- PAGE
- PVALUE
- OMARGIN
- LMARGIN
- VCCY

EVENTADVICES

- EVENT_CODE
- EVENT_SEQ_NO
- MSG_TYPE
- DCN
- SUPPRESS
- PRIORITY
- FORMAT
- GENERATION_TIME

ADVSUPPRESS

- MSGTYPE

MIS-MASTER

- MISDETAILS
  - BRANCH
  - CUSTNO
  - MISGRP
  - RELREF
  - RELACC
  - MISHD
  - POOLCD
  - REFRT
  - REFRTTYPE
  - REFXRT
  - CALCMETH
  - MISGRPTXN
  - REFRTCD
  - REFRTSPRD
  - FUNDMIS1
  - FUNDMIS2
  - FUNDMIS3
  - FUNDMIS4
  - FUNDMIS5
  - FUNDMIS6
  - FUNDMIS7
  - FUNDMIS8
  - FUNDMIS9
  - FUNDMIS10
  - MISGRPCOMP
  - COMPMIS1

COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6

COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to Qry the Rollover Account

TOP

ROLLOVER-QRY-RES-FULL

Attribute	Description
Name	ROLLOVER-QRY-RES-FULL
Datatype	
Description	Indicates Rollover-Query-Response Full type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

XREF

Attribute	Description

Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TOTAMTTOBEPAID

Attribute	Description
Name	TOTAMTTOBEPAID
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

TOTAMTTOBEPAID_LCY

Attribute	Description
Name	TOTAMTTOBEPAID_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 0 Restrictions: totalDigits; Description: 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	Attribute: maxOccurs; Description: unbounded Attribute: minOccurs; Description: 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

AUTO_PREPAY_CCY

Attribute	Description

Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description
Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	**Description**	
Name	AUTO_PREPAY_MIN_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	**Description**	
Name	AUTO_PREPAY_MAX_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AUTO_PREPAY_EXP_DT

Attribute	**Description**	
Name	AUTO_PREPAY_EXP_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTO_PREPAY_UNIT

Attribute	**Description**	
Name	AUTO_PREPAY_UNIT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 4

TOP

ROLLCOMPDET

Attribute	Description
Name	ROLLCOMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

AMTOUT

Attribute	Description
Name	AMTOUT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DRCRSTTL

Attribute	Description
Name	DRCRSTTL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DRCRSTTL

Attribute	Description
Name	DRCRSTTL
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 3 totalDigits; 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 8 totalDigits; 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMBRN

Attribute	Description
Name	REMBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	**Description**	
Name	EXTACNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNM

Attribute	**Description**	
Name	EXTACNM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBK

Attribute	**Description**	
Name	CLGBK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRN

Attribute	**Description**	
Name	CLGBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** totalDigits: 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

ROLLLOANDET

Attribute	Description

Name	ROLLLOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQ_UNIT

Attribute	Description	
Name	FREQ_UNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FREQ

Attribute	Description	
Name	FREQ	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

FIRST_INS_DATE

Attribute	Description	
Name	FIRST_INS_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUE_DATES_ON

Attribute	Description	
Name	DUE_DATES_ON	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BULK_PAYMENT

Attribute	**Description**	
Name	ALLOW_BULK_PAYMENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTOLIQ

Attribute	**Description**	
Name	AUTOLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTLIQ

Attribute	**Description**	
Name	PARTLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRKRECIALIQ

Attribute	**Description**	
Name	TRKRECIALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description	
Name	ROLLOVRMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRTYPE

Attribute	Description	
Name	ROLLOVRTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CLGBRNCR

Attribute	Description	
Name	CLGBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCERCR

Attribute	**Description**	
Name	UPSOURCERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGDR

Attribute	Description	
Name	ROUTINGDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIRO_MODE_CR

Attribute	**Description**	
Name	GIRO_MODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_SERVICE_CR

Attribute	**Description**	
Name	GIRO_SERVICE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_NUMBER_CR

Attribute	**Description**	
Name	GIRO_NUMBER_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_BANK_CODE_CR

Attribute	**Description**	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTO_MAN_ROLLOVER

Attribute	Description

Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description	
Name	EXECUTION_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXT_ACC_NO_CR

Attribute	Description	
Name	EXT_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_ACC_NO_DR

Attribute	Description	
Name	EXT_ACC_NO_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

FUNDED_STATUS

Attribute	Description	
Name	FUNDED_STATUS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

HAS_PROBLEMS

Attribute	Description

Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUAL_AMOUNT

Attribute	**Description**	
Name	RESIDUAL_AMOUNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

STOP_ACCRUALS

Attribute	**Description**	
Name	STOP_ACCRUALS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	**Description**	
Name	USER_DEFINED_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	**Description**	
Name	DERIVED_STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_PREPAY

Attribute	Description
Name	AUTO_PREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BONUS_AMT_FINANCED

Attribute	Description
Name	BONUS_AMT_FINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

BONUS_RELATED_REF

Attribute	Description
Name	BONUS_RELATED_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_MATDT

Attribute	**Description**	
Name	L_MATDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_CCY

Attribute	**Description**	
Name	L_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

L_CUSTID

Attribute	**Description**	
Name	L_CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

L_CUSTNM

Attribute	**Description**	
Name	L_CUSTNM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 20

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**	
Name	ROLLOVER_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERCODE

Attribute	Description	
Name	INTERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATE_CHG_ACTION

Attribute	Description	
Name	RATE_CHG_ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PROMOTIONS

Attribute	Description	
Name	PROMOTIONS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RESP

Attribute	**Description**	
Name	RESP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIABPERCNT

Attribute	**Description**	
Name	LIABPERCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LIABAMT

Attribute	**Description**	
Name	LIABAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description	
Name	COVER_REQUIRED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

ORDERING_CUSTOMER1

Attribute	Description	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	35

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESCRIPTION

Attribute	Description

Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COMPDET

Attribute	**Description**	
Name	COMPDET	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DRPAYMTMODE

Attribute	Description

Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	**Description**	
Name	SVCACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BEN_ACCOUNT

Attribute	Description

Name	BEN_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_LINKAGE

Attribute	Description

Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description

Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIST_DAYS

Attribute	**Description**	
Name	LIST_DAYS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	**Description**	
Name	LIST_AVG_AMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	**Description**	
Name	AMORT_PRINC	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

CHARGEDET

Attribute	**Description**
Name	CHARGEDET
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLMTCCY

Attribute	**Description**	
Name	STTLMTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

COMPTYPE

Attribute	**Description**	
Name	COMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description

Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	**Description**	
Name	EXTACNMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	**Description**	
Name	CLGBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	**Description**	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	**Description**	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	**Description**	
Name	CLGBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDINT

Attribute	**Description**	
Name	FUNDINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	**Description**	
Name	FUNDROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPCCY

Attribute	**Description**	
Name	COMPCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UPSOURCEDR

Attribute	**Description**	
Name	UPSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

UPSOURCERCR

Attribute	Description	
Name	UPSOURCERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GIROMDDR

Attribute	Description	
Name	GIROMDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	Description	
Name	GIROSERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description

Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKREFNO

Attribute	Description	
Name	LINKREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKAMT

Attribute	Description	
Name	LINKAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMT_BLOCK_NO

Attribute	Description	
Name	AMT_BLOCK_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAGE

Attribute	Description
Name	PAGE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 4; totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS

Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFRTCD

Attribute	Description

Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	**Description**	
Name	COSTCOD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	**Description**	
Name	LINKGRP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	**Description**	
Name	FUNDMIS9LBL9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	**Description**	
Name	TXNMIS9LBL9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	**Description**	
Name	TXNMIS10LBL10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: fractionDigits; Description: 0 Restrictions: totalDigits; Description: 5

TOP

LINK_CCY

Attribute	Description

Name	LINK_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.56.ReverseRollover

ReverseRollover

2.56.1.MO-ROLLOVER-REV-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-ROLLOVER-REV-REQ-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *ESN*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Rollover Account

TOP

MO-ROLLOVER-REV-REQ-IO

Attribute	Description
Name	MO-ROLLOVER-REV-REQ-IO
Datatype	
Description	Indicates MO-Rollover Reverse Request-IO message type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status

TOP

2.56.2.MO-ROLLOVER-REV-Req-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-ROLLOVER-REV-REQ*
  - *SCODE*
  - *XREF*
  - *ACCNO*
  - *BRN*
  - *ALTACCNO*
  - *ESN*
  - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Rollover Account

TOP

MO-ROLLOVER-REV-REQ

Attribute	Description
Name	MO-ROLLOVER-REV-REQ
Datatype	
Description	Indicates MO-Rollover Reverse Request type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	Indicates the Authorization Status

TOP

2.56.3.MO-ROLLOVER-REV-Res-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *ROLLOVER-REV-RES*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *EXECDT*
      - *VALDT*
      - *CUSTID*
      - *ESN*
      - *ISAVAIL*
    - *MO-ROLLOVER-REV-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *ESN*

AUTHSTAT

MO-ROLLOVER-REV-REQ-IO

SCODE

XREF

ACCNO

BRN

ALTACCNO

ESN

AUTHSTAT

MO-ROLLOVER-REV-REQ-PK

SCODE

ACCNO

BRN

ESN

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Rollover Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

ROLLOVER-REV-RES

Attribute	Description
Name	ROLLOVER-REV-RES
Datatype	
Description	Indicates Rollover-Reverse Response type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	Indicates the Execution Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates Rollover Status. Yes "Y";No "N".
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MO-ROLLOVER-REV-REQ

Attribute	Description
Name	MO-ROLLOVER-REV-REQ
Datatype	
Description	Indicates Rollover-Reverse Request type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status

TOP

MO-ROLLOVER-REV-REQ-IO

Attribute	Description
Name	MO-ROLLOVER-REV-REQ-IO
Datatype	
Description	Indicates Rollover-Reverse Request IO type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status

TOP

MO-ROLLOVER-REV-REQ-PK

Attribute	Description
Name	MO-ROLLOVER-REV-REQ-PK
Datatype	
Description	Indicates Rollover-Reverse Request-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.56.4.MO-ROLLOVER-REV-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *ROLLOVER-REV-RES*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *EXECDT*
      - *VALDT*
      - *CUSTID*
      - *ESN*
      - *ISAVAIL*
    - *MO-ROLLOVER-REV-REQ*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *ESN*

AUTHSTAT

MO-ROLLOVER-REV-REQ-IO

SCODE

XREF

ACCNO

BRN

ALTACCNO

ESN

AUTHSTAT

MO-ROLLOVER-REV-REQ-PK

SCODE

ACCNO

BRN

ESN

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse a Rollover Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

ROLLOVER-REV-RES

Attribute	Description
Name	ROLLOVER-REV-RES
Datatype	
Description	Indicates Rollover-Reverse Response type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	Indicates the Execution Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates Rollover Status. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-ROLLOVER-REV-REQ

Attribute	Description
Name	MO-ROLLOVER-REV-REQ
Datatype	
Description	Indicates Rollover-Reverse Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status

TOP

MO-ROLLOVER-REV-REQ-IO

Attribute	Description
Name	MO-ROLLOVER-REV-REQ-IO
Datatype	
Description	Indicates Rollover-Reverse Request IO type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status

TOP

MO-ROLLOVER-REV-REQ-PK

Attribute	Description
Name	MO-ROLLOVER-REV-REQ-PK
Datatype	
Description	Indicates Rollover-Reverse Request-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates the Event Sequence Number

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.57.SaveRollover

SaveRollover

2.57.1.MO-ROLLOVER-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-ROLLOVER-REQ-FULL*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *AUTHSTAT*
    - *AUTO_PREPAY*
    - *BONUS_AMT_FINANCED*

BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
- *CYCLENO*
- *CURRCYCLE*
- *UNITS*
- *UPTO*
- *CYCLESTARTDT*
- *CYCLEENDDT*
- *NEXTCYCLECODE*
- *INTERESTRATE*

CALCGR
ROLLCOMPONENT
- *COMPNAME*
- *LIQDAMT*
- *ROLLAMT*
- *WAIVEAMT*

LIQUIDATIONORDER
- *STAT*
- *COMP*
- *LIQORDER*

AUTOPREPAYMENT
- *AUTO_PREPAY_CUSTID*
- *AUTO_PREPAY_CCY*
- *AUTO_PREPAY_CUST_BRN*
- *AUTO_PREPAY_CUST_ACNO*
- *AUTO_PREPAY_CUST_ACCCY*
- *AUTO_PREPAY_MIN_SWEEPBAL*
- *AUTO_PREPAY_MIN_AMT*
- *AUTO_PREPAY_MAX_AMT*
- *AUTO_PREPAY_EXP_DT*
- *AUTO_PREPAY_UNIT*

DRROLLSETT
- *PMNTMODE*
- *STTLCCY*
- *AMTSTTL*
- *AMTSTTLACY*

EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR

UPSOURCE
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
LOANDET
AMOUNT
VALDT
MATDT
BOOKDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR

CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9

FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED

AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION

HOLIDAYPRD

PERIOD

COMPDET

COMPNAME

COMPTYPE

COMPCCY

CAPITALIZED

MAINCOMPFLAG

PENALBASISCOMP

SPLINTFLAG

SPLINTAMT

WAIVERFLAG

STTLMTCCY

DRPAYMTMODE

CRPAYMTMODE

DRACCBRN

CRACCBRN

DRPRDACC

CRPRDACC

SVCACC

SVCACCBRN

EXTACNOCR

EXTACNMCR

CLGBKCR

CLGBRNCR

PCCATCR

EXTACNODR

EXTACNMDR

CLGBKDR

CLGBRNDR

PCCATDR

CARDNO

INSTNOCR

ROUTINGCR

ENDPTCR

CLGPRODCR

SECTORCR

UPSOURCERCR

INSTNODR

ROUTINGDR

ENDPTDR

CLGPRODDR

SECTORDR

UPSOURCEDR

GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT
FUNDROLL
VERIFYFUNDS
IRRAPPL
COMPSCH
SCHTYPE
SCHFLAG
FORMULA
FIRSTDUE
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
CAPITALIZED
WAIVERFLAG
SCHSTDT
DUEDTON
UDEDET
EFFDT
UDEVALS
UDEVAL
UDEID
RESOLVAL

RATECD
CODEUSE
RATETYP
OTHAPPLCNT
CUSTID
CUSTNAME
RESP
LIABPERCNT
LIABAMT
EFFDATE
LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
CUSTID
SECPORTION
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
COMMPREF
LAST_DSBR_DT
MATURITY_DT
DSBR_FLAG
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER
PAGE
PVALUE
OMARGIN
LMARGIN
VCCY
PROMOTIONS
PRTYP
PRID
BENEFCIF
PRIORITY

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*
- *CHANGE_AC*
- *CHANGE_RATE*
- *PARTY_INFO_ALLOWED*
- *COVER_REQUIRED*
- *NETTING_INDICATOR*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *INT_REIM_INST1*
- *INT_REIM_INST2*
- *INT_REIM_INST3*
- *INT_REIM_INST4*
- *RCVR_CORRESP1*
- *RCVR_CORRESP2*
- *RCVR_CORRESP3*
- *RCVR_CORRESP4*
- *INTERMEDIARY1*
- *INTERMEDIARY2*
- *INTERMEDIARY3*
- *INTERMEDIARY4*
- *ACC_WITH_INSTN1*
- *ACC_WITH_INSTN2*
- *ACC_WITH_INSTN3*
- *ACC_WITH_INSTN4*
- *PAYMENT_DETAILS1*
- *PAYMENT_DETAILS2*
- *PAYMENT_DETAILS3*

PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK

GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG
POOLCODE

PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3

FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
ROLLPENALRATE
UDENM
UDEVAL
EFFDT
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This.xsd gives the message format for a request to create a new MO Rollover Account

TOP

MO-ROLLOVER-REQ-FULL

Attribute	Description
Name	MO-ROLLOVER-REQ-FULL
Datatype	
Description	Indicates MO-Rollover-Request Full type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISAVAIL

Attribute	**Description**	
Name	ISAVAIL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTO_PREPAY

Attribute	**Description**	
Name	AUTO_PREPAY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BONUS_AMT_FINANCED

Attribute	Description
Name	BONUS_AMT_FINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

BONUS_RELATED_REF

Attribute	Description
Name	BONUS_RELATED_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERESTRATE

Attribute	**Description**	
Name	INTERESTRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

CALCGR

Attribute	**Description**	
Name	CALCGR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLCOMPONENT

Attribute	**Description**	
Name	ROLLCOMPONENT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTO_PREPAY_CCY

Attribute	Description
Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description
Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description
Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_PREPAY_UNIT

Attribute	Description
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPT

Attribute	Description
Name	ENDPT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LOANDET

Attribute	Description
Name	LOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description

Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_DR

Attribute	**Description**	
Name	PAYER_ADDRESS1_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_DR

Attribute	**Description**	
Name	PAYER_ADDRESS2_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	**Description**	
Name	PAYER_ADDRESS3_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	**Description**	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BRANCH_CR

Attribute	Description	
Name	PAYER_BRANCH_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BANK_CODE_CR

Attribute	Description	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_CR

Attribute	Description	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_CR

Attribute	Description	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_8

Attribute	**Description**	
Name	FIELD_CHAR_8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_9

Attribute	**Description**	
Name	FIELD_CHAR_9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_10

Attribute	**Description**	
Name	FIELD_CHAR_10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_11

Attribute	**Description**	
Name	FIELD_CHAR_11	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_4

Attribute	Description

Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DR_ACC_BRN

Attribute	**Description**	
Name	DR_ACC_BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DR_PAYMENT_MODE

Attribute	**Description**	
Name	DR_PAYMENT_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DR_PROD_AC

Attribute	**Description**	
Name	DR_PROD_AC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXECUTION_DATE

Attribute	**Description**	
Name	EXECUTION_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

USGT_STATUS

Attribute	Description

Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STOPDSBR

Attribute	**Description**	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	**Description**	
Name	SUBCUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	**Description**	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERCODE

Attribute	**Description**	
Name	INTERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	**Description**	
Name	CLGBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGCR

Attribute	Description	
Name	ROUTINGCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTCR

Attribute	Description	
Name	ENDPTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	Description	
Name	CLGPRODCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCR

Attribute	Description	
Name	SECTORCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERADD1DR

Attribute	**Description**	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2DR

Attribute	**Description**	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3DR

Attribute	**Description**	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4DR

Attribute	**Description**	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIROMDCR

Attribute	**Description**	
Name	GIROMDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description

Name	UDEVALS
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
totalDigits	3

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
fractionDigits	3
totalDigits	22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OTHAPPLCNT

Attribute	**Description**	
Name	OTHAPPLCNT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LINKREFNO

Attribute	**Description**	
Name	LINKREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKAMT

Attribute	**Description**	
Name	LINKAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SECPORTION

Attribute	**Description**	
Name	SECPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description

Name	PTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	**Description**	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

POWNER

Attribute	**Description**	
Name	POWNER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAGE

Attribute	**Description**	
Name	PAGE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	2
	totalDigits	5

TOP

PVALUE

Attribute	**Description**	
Name	PVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 4 totalDigits: 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 4 totalDigits: 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	Description	
Name	EX_RATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	Description	
Name	VALUE_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	Description	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

PAY_RECEIVE

Attribute	Description	
Name	PAY_RECEIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	**Description**	
Name	INT_REIM_INST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	**Description**	
Name	INT_REIM_INST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	**Description**	
Name	INT_REIM_INST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	**Description**	
Name	RCVR_CORRESP1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	Description	
Name	RCVR_CORRESP2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	Description	
Name	RCVR_CORRESP3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	Description	
Name	RCVR_CORRESP4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	Description	
Name	INTERMEDIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO4

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO5

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO6

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	Description	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	Description	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	Description	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	**Description**	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	**Description**	
Name	INTERMEDIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	**Description**	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	Description	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	Description	
Name	RCVR_CORRESP5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	Description	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	Description	
Name	SEND_MESG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST3_FOR_COVER

Attribute	Description

Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	**Description**	
Name	IBAN_AC_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	Description	
Name	ROUTING_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	Description	
Name	OTHER_DETAILS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	Description	
Name	OTHER_DETAILS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	**Description**	
Name	OTHER_DETAILS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	**Description**	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	**Description**	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	**Description**	
Name	COVER_BY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description	
Name	EXT_PARTY_BIC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	Description	
Name	EXT_PARTY_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	**Description**	
Name	BANKING_PRIORITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MISDETAILS

Attribute	**Description**	
Name	MISDETAILS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATEFLAG

Attribute	**Description**	
Name	RATEFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>22</td></tr></table>

TOP

RELACC

Attribute	Description

Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISHEAD

Attribute	**Description**	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRCOMP

Attribute	**Description**	
Name	MISGRCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UNITTYPE

Attribute	Description
Name	UNITTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE1

Attribute	**Description**	
Name	COSTCODE1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE2

Attribute	**Description**	
Name	COSTCODE2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE3

Attribute	**Description**	
Name	COSTCODE3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE4

Attribute	**Description**	
Name	COSTCODE4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	**Description**	
Name	COSTCODE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	**Description**	
Name	CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLPENALRATE

Attribute	Description
Name	ROLLPENALRATE
Datatype	
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 3

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.57.2.MO-ROLLOVER-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-ROLLOVER-REQ-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *ALTACCNO*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *AUTHSTAT*
    - *CALCGR*
    - *ROLLCOMPONENT*
      - *COMPNAME*
      - *LIQDAMT*
      - *ROLLAMT*

WAIVEAMT

DRROLLSETT

PMNTMODE

STTLCCY

AMTSTTL

AMTSTTLACY

EXCHRATE

STTLBRN

STTLACC

STTLPRD

REMBANK

REMBRN

REMACC

INSTRNO

CLRHOUSE

ROUTING

ENDPT

CARDNO

EXTACNO

EXTACNM

CLGBK

CLGBRN

SECTOR

UPSOURCE

STTLREF

ROLLCOMPPMNTDET

COMPNAME

AMTSETTL

CRROLLSETT

PMNTMODE

STTLCCY

AMTSTTL

AMTSTTLACY

EXCHRATE

STTLBRN

STTLACC

STTLPRD

REMBANK

REMBRN

REMACC

INSTRNO

CLRHOUSE

ROUTING

ENDPT

CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This.xsd gives the message format for a request to create a new MO Rollover Account

TOP

MO-ROLLOVER-REQ-IO

Attribute	Description
Name	MO-ROLLOVER-REQ-IO
Datatype	
Description	Mortgage Rollover IO Request

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCGR

Attribute	**Description**	
Name	CALCGR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLCOMPONENT

Attribute	**Description**	
Name	ROLLCOMPONENT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LIQDAMT

Attribute	**Description**	
Name	LIQDAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description	
Name	STTLACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLPRD

Attribute	Description	
Name	STTLPRD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

REMBANK

Attribute	Description	
Name	REMBANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

ROUTING

Attribute	Description
Name	ROUTING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBK

Attribute	**Description**	
Name	CLGBK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRN

Attribute	**Description**	
Name	CLGBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SECTOR

Attribute	**Description**	
Name	SECTOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCE

Attribute	**Description**	
Name	UPSOURCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description

Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

2.57.3.MO-ROLLOVER-Res-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *ROLLOVER-RES-FULL*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *EXECDT*
    - *VALDT*
    - *PRD*
    - *CCY*
    - *ESN*
    - *CUSTID*
    - *ISAVAIL*
    - *TOTAMTTOBEPAID*
    - *TOTAMTTOBEPAID_LCY*
    - *ROLLCOMPDET*
      - *COMPNAME*
      - *AMTOUT*
      - *LIQDAMT*
      - *ROLLAMT*
      - *WAIVEAMT*

ACCNO
BRN
ESN
LIQUIDATIONORDER
STAT
COMP
LIQORDER
DRROLLSETT
STTLREF
DRCRSTTL
PMNTMODE
AMTSTTL
EXCHRATE
AMTSTTLACY
STTLCCY
STTLBRN
STTLACC
STTLPRD
INSTRNO
CLRHOUSE
REMBANK
REMBRN
REMACC
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
ACCNO
BRN
ESN
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME

AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
STTLREF
DRCRSTTL
PMNTMODE
AMTSTTL
EXCHRATE
AMTSTTLACY
STTLCCY
STTLBRN
STTLACC
STTLPRD
INSTRNO
CLRHOUSE
REMBANK
REMBRN
REMACC
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
ACCNO
BRN
ESN
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
ROLLLOANDET

SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
CONTSTAT
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR

EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_BANK_CODE_CR
PAYER_BRANCH_CR
PAYER_ACC_NO_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM

ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
AUTHSTAT
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
- *CYCLENO*
- *CURRCYCLE*
- *UNITS*
- *UPTO*
- *CYCLESTARTDT*
- *CYCLEENDDT*
- *NEXTCYCLECODE*

- *INTERESTRATE*

USGT_STATUS

CALCGP

VERNO

L_AMOUNT

L_NETAMT

L_VALDAT

L_MATDT

L_CCY

L_CUSTID

L_CUSTNM

MAKERID

MAKERSTAMP

CHECKERID

CHECKERSTAMP

CLGBKCR

AUTHSTAT1

ESN

AMT_AVAILABLE

COMMITMENT_TYPE

ROLLOVER_ALLOWED

LOAN_TYPE

USER_REF_NO

LOANTOVALUE

RECALCANNUITY

MORTGAGEG

STOPDSBR

SUBCUSTID

INTERINIT

INTERCODE

RATE_CHG_ACTION

PROMOTIONS

- *ACCNO*
- *BRN*
- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

OTHAPPLCNT

- *ACCNO*
- *BRN*
- *CUSTID*
- *CUSTNAME*
- *RESP*

- *LIABPERCNT*
- *LIABAMT*
- *EFFDT*

UDEDET

- *ACCNO*
- *BRN*
- *EFFDT*
- *UDEVALS*
  - *ACCNO*
  - *BRN*
  - *EFFDT*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*
  - *RESOLVAL*
  - *UDEVAL*
  - *UDEID*
  - *RESOLVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*

HOLIDAYPRD

- *ACCNO*
- *BRN*
- *PERIOD*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*

CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2

BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2

- *OTHER_DETAILS3*
- *OTHER_DETAILS4*
- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*

REMARK7
REMARK8
REMARK9
REMARK10
COMPDET
COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
WAIVERFLAG
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS

FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*

- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*
- *DAYS_MTH*
- *DAYS_YEAR*
- *DSBRSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *AMOUNT_TO_DISBR*
  - *SCHEDULE_LINKAGE*
- *REVNSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *APPLIED_FLAG*
  - *SCHEDULE_LINKAGE*
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *FIRSTDUE*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *CAPITALIZED*
- *WAIVERFLAG*
- *SCHSTDT*
- *DUEDTON*

DSBRSCHEDULE

- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *AMOUNT_TO_DISBR*
- *SCHEDULE_LINKAGE*

SCHEDULE

- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*

ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET
COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG

SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*
- *SUSP_AMT_LCY*
- *SUSP_READ_AMT*

SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE

LINKAGES
- *LINKAGE_SEQ_NO*
- *LINKTYPE*
- *LINKAGE_BRANCH*
- *LINKREFNO*
- *LINKAMT*
- *AMT_BLOCK_NO*
- *SECPORTION*
- *CUSTID*

UDERTPLAN
- *PERIOD_ST_DT*
- *PERIOD_END_DT*

COMMPREF
- *LAST_DSBR_DT*
- *MATURITY_DT*
- *DSBR_FLAG*

PROPERTY
- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*

- PVALUE
- OMARGIN
- LMARGIN
- VCCY

EVENTADVICES

- EVENT_CODE
- EVENT_SEQ_NO
- MSG_TYPE
- DCN
- SUPPRESS
- PRIORITY
- FORMAT
- GENERATION_TIME

ADVSUPPRESS

- MSGTYPE

MIS-MASTER

- MISDETAILS
  - BRANCH
  - CUSTNO
  - MISGRP
  - RELREF
  - RELACC
  - MISHD
  - POOLCD
  - REFRT
  - REFRTTYPE
  - REFXRT
  - CALCMETH
  - MISGRPTXN
  - REFRTCD
  - REFRTSPRD
  - FUNDMIS1
  - FUNDMIS2
  - FUNDMIS3
  - FUNDMIS4
  - FUNDMIS5
  - FUNDMIS6
  - FUNDMIS7
  - FUNDMIS8
  - FUNDMIS9
  - FUNDMIS10
  - MISGRPCOMP
  - COMPMIS1
  - COMPMIS2

COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7

COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
ROLLPENALRATE
UDENM
UDEVAL
EFFDT
MO-ROLLOVER-REQ-FULL
SCODE
XREF
ACCNO
BRN
ALTACCNO
EXECDT
VALDT
PRD
CCY
ESN
CUSTID
ISAVAIL
AUTHSTAT

AUTO_PREPAY
BONUS_AMT_FINANCED
BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
  CYCLENO
  CURRCYCLE
  UNITS
  UPTO
  CYCLESTARTDT
  CYCLEENDDT
  NEXTCYCLECODE
  INTERESTRATE
CALCGR
ROLLCOMPONENT
  COMPNAME
  LIQDAMT
  ROLLAMT
  WAIVEAMT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
AUTOPREPAYMENT
  AUTO_PREPAY_CUSTID
  AUTO_PREPAY_CCY
  AUTO_PREPAY_CUST_BRN
  AUTO_PREPAY_CUST_ACNO
  AUTO_PREPAY_CUST_ACCCY
  AUTO_PREPAY_MIN_SWEEPBAL
  AUTO_PREPAY_MIN_AMT
  AUTO_PREPAY_MAX_AMT
  AUTO_PREPAY_EXP_DT
  AUTO_PREPAY_UNIT
DRROLLSETT
  PMNTMODE
  STTLCCY

AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN

- *REMACC*
- *INSTRNO*
- *CLRHOUSE*
- *ROUTING*
- *ENDPT*
- *CARDNO*
- *EXTACNO*
- *EXTACNM*
- *CLGBK*
- *CLGBRN*
- *SECTOR*
- *UPSOURCE*
- *ROLLCOMPPMNTDET*
  - *COMPNAME*
  - *AMTSETTL*
  - *CMPSTTLCCY*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *STTLREF*
  - *COMPNAME*
  - *AMTSETTL*
  - *COMPNAME*
  - *AMTSETTL*
- *LOANDET*
  - *AMOUNT*
  - *VALDT*
  - *MATDT*
  - *BOOKDT*
  - *NO_OF_INST*
  - *FREQ_UNIT*
  - *FREQ*
  - *FIRST_INS_DATE*
  - *DUE_DATES_ON*
  - *EMIAMT*
  - *ALTACCNO*
  - *NETAMT*
  - *EXCHRT*
  - *DOWNPAYAMT*
  - *ORIGSTDT*
  - *CHEQBOOK*
  - *AMENDPAST*
  - *ATMFACILITY*
  - *NOTARYAUTO*

PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR

PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3

FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE

NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED
  MAINCOMPFLAG
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN
  DRPRDACC
  CRPRDACC
  SVCACC
  SVCACCBRN
  EXTACNOCR
  EXTACNMCR
  CLGBKCR

CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT
FUNDROLL
VERIFYFUNDS
IRRAPPL

COMPSCH

- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*
- *DAYS_MTH*
- *DAYS_YEAR*
- *DSBRSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *AMOUNT_TO_DISBR*
  - *SCHEDULE_LINKAGE*
- *REVNSCHEDULE*
  - *SCHEDULE_ST_DATE*
  - *SCHEDULE_DUE_DATE*
  - *APPLIED_FLAG*
  - *SCHEDULE_LINKAGE*
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *FIRSTDUE*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*

- AMOUNT
- CAPITALIZED
- WAIVERFLAG
- SCHSTDT
- DUEDTON

UDEDET

- EFFDT
- UDEVALS
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL
  - UDEVAL
  - UDEID
  - RESOLVAL
  - RATECD
  - CODEUSE
  - RATETYP

OTHAPPLCNT

- CUSTID
- CUSTNAME
- RESP
- LIABPERCNT
- LIABAMT
- EFFDATE

LINKAGES

- LINKAGE_SEQ_NO
- LINKTYPE
- LINKAGE_BRANCH
- LINKREFNO
- LINKAMT
- CUSTID
- SECPORTION

UDERTPLAN

- PERIOD_ST_DT
- PERIOD_END_DT

COMMPREF

- LAST_DSBR_DT
- MATURITY_DT

- *DSBR_FLAG*

PROPERTY

- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*
- *CHANGE_AC*
- *CHANGE_RATE*
- *PARTY_INFO_ALLOWED*
- *COVER_REQUIRED*
- *NETTING_INDICATOR*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*

RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG

ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID

EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10

UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET

COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
ROLLPENALRATE
UDENM
UDEVAL
EFFDT
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
MO-ROLLOVER-REQ-IO
SCODE
XREF
ACCNO
BRN
ALTACCNO
EXECDT
VALDT
PRD
CCY
ESN
CUSTID
ISAVAIL
AUTHSTAT
CALCGR
ROLLCOMPONENT
COMPNAME
LIQDAMT
ROLLAMT
WAIVEAMT
DRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE

STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE

ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
CMPSTTLCCY
ACCNO
BRN
ESN
STTLREF
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
MO-ROLLOVER-REQ-PK
SCODE
XREF
ACCNO
BRN
EXECDT
VALDT
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO Rollover Account

TOP

ROLLOVER-RES-FULL

Attribute	Description
Name	ROLLOVER-RES-FULL
Datatype	
Description	Indicates Rollover-Response full type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TOTAMTTOBEPAID

Attribute	Description
Name	TOTAMTTOBEPAID
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

TOTAMTTOBEPAID_LCY

Attribute	Description
Name	TOTAMTTOBEPAID_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLCOMPDET

Attribute	Description
Name	ROLLCOMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTOUT

Attribute	Description
Name	AMTOUT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DRCRSTTL

Attribute	Description
Name	DRCRSTTL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description	
Name	REMBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REMACC

Attribute	Description	
Name	REMACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROUTING

Attribute	Description	
Name	ROUTING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPT

Attribute	Description	
Name	ENDPT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	**Description**	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	**Description**	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

DRCRSTTL

Attribute	Description
Name	DRCRSTTL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ROUTING

Attribute	Description
Name	ROUTING

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBK

Attribute	**Description**
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRN

Attribute	**Description**
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECTOR

Attribute	**Description**
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCE

Attribute	**Description**
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description	
Name	ESN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

STTLREF

Attribute	Description	
Name	STTLREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	Description	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ROLLLOANDET

Attribute	Description
Name	ROLLLOANDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description

Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description

Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_DR

Attribute	**Description**	
Name	PAYER_ADDRESS2_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	**Description**	
Name	PAYER_ADDRESS3_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	**Description**	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIRO_MODE_CR

Attribute	**Description**	
Name	GIRO_MODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_ACC_NO_CR

Attribute	Description	
Name	PAYER_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_ADDRESS1_CR

Attribute	Description	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_CR

Attribute	Description	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	Description	
Name	PAYER_ADDRESS3_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CALC_REQD

Attribute	**Description**	
Name	CALC_REQD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CR_ACC_BRN

Attribute	**Description**	
Name	CR_ACC_BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CR_PAYMENT_MODE

Attribute	**Description**	
Name	CR_PAYMENT_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CR_PROD_AC

Attribute	**Description**	
Name	CR_PROD_AC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	**Description**	
Name	LAST_INTRADAY_ACCR_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LINKAGE_TYPE

Attribute	**Description**	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKED_REFERENCE

Attribute	**Description**	
Name	LINKED_REFERENCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LIQ_COMP_DATES_FLAG

Attribute	**Description**	
Name	LIQ_COMP_DATES_FLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	**Description**	
Name	RATE_CODE_PREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALC_ACTION_CODE

Attribute	**Description**	
Name	RECALC_ACTION_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUAL_AMOUNT

Attribute	**Description**	
Name	RESIDUAL_AMOUNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_MATDT

Attribute	**Description**	
Name	L_MATDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_CCY

Attribute	**Description**	
Name	L_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

L_CUSTID

Attribute	**Description**	
Name	L_CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

L_CUSTNM

Attribute	**Description**	
Name	L_CUSTNM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**	
Name	ROLLOVER_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERCODE

Attribute	Description	
Name	INTERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATE_CHG_ACTION

Attribute	Description	
Name	RATE_CHG_ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PROMOTIONS

Attribute	Description	
Name	PROMOTIONS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

ACCOUNT

Attribute	Description	
Name	ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	Description	
Name	ACC_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	Description	
Name	CCY_RESTRICTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	Description	
Name	EX_RATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	**Description**	
Name	NETTING_INDICATOR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	**Description**	
Name	CHARGES_DETAILS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	**Description**	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	**Description**	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	**Description**	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description	
Name	SNDR_TO_RCVR_INFO4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description	
Name	SNDR_TO_RCVR_INFO5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description	
Name	SNDR_TO_RCVR_INFO6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION1

Attribute	Description	
Name	ORDERING_INSTITUTION1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	**Description**	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	**Description**	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description

Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST1_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST3_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST3_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST4_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST4_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>6</td></tr></table>

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	**Description**	
Name	EXT_PARTY_CLG_NTWK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUST_SPREAD

Attribute	**Description**	
Name	CUST_SPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	**Description**	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	**Description**	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	**Description**	
Name	CLGBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description	
Name	ENDPTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	Description	
Name	CLGPRODCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCR

Attribute	Description	
Name	SECTORCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTNODR

Attribute	Description	
Name	INSTNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

REVNSCHEDULE

Attribute	Description

Name	REVNSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DSBRSCHEDULE

Attribute	Description

Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIG_AMOUNT_DUE

Attribute	**Description**	
Name	ORIG_AMOUNT_DUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	**Description**	
Name	ADJ_AMOUNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTAMT

Attribute	**Description**	
Name	SPLINTAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description	
Name	EXTACNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	**Description**	
Name	PAYERBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	**Description**	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	**Description**	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3DR

Attribute	Description	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDCR

Attribute	Description	
Name	GIROMDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	Description	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMT_BLOCK_NO

Attribute	Description

Name	AMT_BLOCK_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PERIOD_END_DT

Attribute	**Description**	
Name	PERIOD_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMPREF

Attribute	**Description**	
Name	COMMPREF	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

LAST_DSBR_DT

Attribute	**Description**	
Name	LAST_DSBR_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MATURITY_DT

Attribute	**Description**	
Name	MATURITY_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DSBR_FLAG

Attribute	**Description**
Name	DSBR_FLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROPERTY

Attribute	**Description**	
Name	PROPERTY	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PNAME

Attribute	**Description**	
Name	PNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

PTYPE

Attribute	**Description**	
Name	PTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

PADDRESS1

Attribute	**Description**	
Name	PADDRESS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PADDRESS2

Attribute	Description	
Name	PADDRESS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PADDRESS3

Attribute	Description	
Name	PADDRESS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PADDRESS4

Attribute	Description	
Name	PADDRESS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>2</td></tr><tr><td>totalDigits</td><td>5</td></tr></table>

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>4</td></tr><tr><td>totalDigits</td><td>7</td></tr></table>

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>4</td></tr><tr><td>totalDigits</td><td>7</td></tr></table>

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EVENT_SEQ_NO

Attribute	Description

Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description

Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRT

Attribute	**Description**	
Name	REFRT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

REFRTTYPE

Attribute	**Description**	
Name	REFRTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	**Description**	
Name	REFXRT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	**Description**	
Name	CALCMETH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	Description	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	Description	
Name	FUNDMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	Description	
Name	COSTCOD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	Description	
Name	COSTCOD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	**Description**	
Name	COMPMIS10LBL10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	**Description**	
Name	TXNMIS1LBL1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	**Description**	
Name	TXNMIS2LBL2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	**Description**	
Name	TXNMIS3LBL3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	**Description**	
Name	TXNMIS4LBL4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	Description	
Name	TXNMIS5LBL5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	Description	
Name	TXNMIS6LBL6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	Description	
Name	TXNMIS7LBL7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	Description	
Name	TXNMIS8LBL8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>5</td></tr></table>

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	

Restrictions	Description
fractionDigits	3
totalDigits	22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
fractionDigits	3
totalDigits	22

TOP

ROLLPENALRATE

Attribute	Description
Name	ROLLPENALRATE
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	35

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MO-ROLLOVER-REQ-FULL

Attribute	Description
Name	MO-ROLLOVER-REQ-FULL
Datatype	
Description	Indicates MO-Rollover-Request full type.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTO_PREPAY

Attribute	Description
Name	AUTO_PREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BONUS_AMT_FINANCED

Attribute	Description
Name	BONUS_AMT_FINANCED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

BONUS_RELATED_REF

Attribute	Description

Name	BONUS_RELATED_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CALCGR

Attribute	Description

Name	CALCGR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLCOMPONENT

Attribute	Description
Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTO_PREPAY_CCY

Attribute	Description
Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description
Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description

Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_PREPAY_UNIT

Attribute	Description
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

COMPNAME

Attribute	Description

Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	Description	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXCHRATE

Attribute	Description	
Name	EXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	8
	totalDigits	16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

LOANDET

Attribute	Description
Name	LOANDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTARYAUTO

Attribute	Description	
Name	NOTARYAUTO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PASSBOOK

Attribute	Description	
Name	PASSBOOK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIQDBACK

Attribute	Description	
Name	LIQDBACK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description	
Name	ALLOW_BULK_PAYMENT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_DR

Attribute	**Description**	
Name	PAYER_ADDRESS1_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_DR

Attribute	**Description**	
Name	PAYER_ADDRESS2_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	**Description**	
Name	PAYER_ADDRESS3_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	**Description**	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BRANCH_CR

Attribute	Description	
Name	PAYER_BRANCH_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BANK_CODE_CR

Attribute	Description	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_CR

Attribute	Description	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_CR

Attribute	Description	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_8

Attribute	**Description**	
Name	FIELD_CHAR_8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_9

Attribute	**Description**	
Name	FIELD_CHAR_9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_10

Attribute	**Description**	
Name	FIELD_CHAR_10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_11

Attribute	**Description**	
Name	FIELD_CHAR_11	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_4

Attribute	Description

Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DR_ACC_BRN

Attribute	**Description**	
Name	DR_ACC_BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DR_PAYMENT_MODE

Attribute	**Description**	
Name	DR_PAYMENT_MODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DR_PROD_AC

Attribute	**Description**	
Name	DR_PROD_AC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXECUTION_DATE

Attribute	**Description**	
Name	EXECUTION_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

USGT_STATUS

Attribute	Description

Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STOPDSBR

Attribute	**Description**	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	**Description**	
Name	SUBCUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	**Description**	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERCODE

Attribute	**Description**	
Name	INTERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMTCCY

Attribute	**Description**	
Name	STTLMTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDCR

Attribute	**Description**	
Name	GIROMDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

PMNT_PROD_AC

Attribute	Description	
Name	PMNT_PROD_AC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	Description	
Name	PAYMENT_DETAILS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_ACCOUNT

Attribute	Description	
Name	BEN_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_BANK

Attribute	Description	
Name	BEN_BANK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

APPLIED_FLAG

Attribute	**Description**	
Name	APPLIED_FLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHTYPE

Attribute	**Description**	
Name	SCHTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	**Description**
Name	SCHFLAG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RESP

Attribute	Description	
Name	RESP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIABPERCNT

Attribute	Description	
Name	LIABPERCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>50</td></tr></table>

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PROMOTIONS

Attribute	**Description**	
Name	PROMOTIONS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PRTYP

Attribute	**Description**	
Name	PRTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRID

Attribute	**Description**	
Name	PRID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFCIF

Attribute	**Description**	
Name	BENEFCIF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RECEIVER

Attribute	Description
Name	RECEIVER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	**Description**	
Name	RCVR_CORRESP1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	**Description**	
Name	RCVR_CORRESP2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	**Description**	
Name	RCVR_CORRESP3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	**Description**	
Name	RCVR_CORRESP4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO6

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION1

Attribute	**Description**	
Name	ORDERING_INSTITUTION1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION2

Attribute	**Description**	
Name	ORDERING_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	**Description**	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	Description	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	Description	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	Description	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	**Description**	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	**Description**	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	**Description**	
Name	INTERMEDIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description

Name	CLEARING_NETWORK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	**Description**	
Name	COVER_BY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	**Description**	
Name	EXT_PROD_CATEGORY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	**Description**	
Name	EXT_STATION_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	**Description**	
Name	EXT_SOURCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description	
Name	AGREEMENT_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	Description	
Name	POST_ACCOUNTING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	**Description**	
Name	UNITTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE4

Attribute	Description
Name	COSTCODE4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE5

Attribute	Description
Name	COSTCODE5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	**Description**	
Name	CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description

Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK4

Attribute	Description	
Name	REMARK4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ROLLPENALRATE

Attribute	Description
Name	ROLLPENALRATE
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDERTPLAN

Attribute	**Description**	
Name	UDERTPLAN	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PERIOD_ST_DT

Attribute	**Description**	
Name	PERIOD_ST_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PERIOD_END_DT

Attribute	**Description**	
Name	PERIOD_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MO-ROLLOVER-REQ-IO

Attribute	**Description**	
Name	MO-ROLLOVER-REQ-IO	
Datatype		
Description	Indicates MO-Rollover-Request IO type.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCODE

Attribute	**Description**
Name	SCODE
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ROLLCOMPONENT

Attribute	Description

Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

DRROLLSETT

Attribute	**Description**	
Name	DRROLLSETT	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXCHRATE

Attribute	**Description**
Name	EXCHRATE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

CMPSTTLCCY

Attribute	Description
Name	CMPSTTLCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** totalDigits: 4

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AMTSETTL

Attribute	Description

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-ROLLOVER-REQ-PK

Attribute	Description
Name	MO-ROLLOVER-REQ-PK
Datatype	
Description	Indicates MO-Rollover-Request PK type.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.57.4.MO-ROLLOVER-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *ROLLOVER-Res-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-ROLLOVER-REQ-FULL*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *ALTACCNO*
      - *EXECDT*
      - *VALDT*
      - *PRD*
      - *CCY*
      - *ESN*
      - *CUSTID*
      - *ISAVAIL*

AUTHSTAT
AUTO_PREPAY
BONUS_AMT_FINANCED
BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
  CYCLENO
  CURRCYCLE
  UNITS
  UPTO
  CYCLESTARTDT
  CYCLEENDDT
  NEXTCYCLECODE
  INTERESTRATE
CALCGR
ROLLCOMPONENT
  COMPNAME
  LIQDAMT
  ROLLAMT
  WAIVEAMT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
AUTOPREPAYMENT
  AUTO_PREPAY_CUSTID
  AUTO_PREPAY_CCY
  AUTO_PREPAY_CUST_BRN
  AUTO_PREPAY_CUST_ACNO
  AUTO_PREPAY_CUST_ACCCY
  AUTO_PREPAY_MIN_SWEEPBAL
  AUTO_PREPAY_MIN_AMT
  AUTO_PREPAY_MAX_AMT
  AUTO_PREPAY_EXP_DT
  AUTO_PREPAY_UNIT
DRROLLSETT
  PMNTMODE

STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO

- *EXTACNO*
- *EXTACNM*
- *CLGBK*
- *CLGBRN*
- *SECTOR*
- *UPSOURCE*
- *ROLLCOMPPMNTDET*
  - *COMPNAME*
  - *AMTSETTL*
  - *COMPNAME*
  - *AMTSETTL*

LOANDET

- *AMOUNT*
- *VALDT*
- *MATDT*
- *BOOKDT*
- *NO_OF_INST*
- *FREQ_UNIT*
- *FREQ*
- *FIRST_INS_DATE*
- *DUE_DATES_ON*
- *EMIAMT*
- *ALTACCNO*
- *NETAMT*
- *EXCHRT*
- *DOWNPAYAMT*
- *ORIGSTDT*
- *CHEQBOOK*
- *AMENDPAST*
- *ATMFACILITY*
- *NOTARYAUTO*
- *PASSBOOK*
- *LIQDBACK*
- *ALLOW_BULK_PAYMENT*
- *AUTOLIQ*
- *PARTLIQ*
- *RETRIES*
- *TRKRECIALIQ*
- *TRKRECIMLIQ*
- *UDEROLLBASIS*
- *SPLAMT*
- *SCHBASIS*
- *ROLLOVRMODE*
- *ROLLOVRTYPE*

CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2

FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16

FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
LOANTOVALUE

RECALCANNUITY
MORTGAGEG
STOPDSBR
SUBCUSTID
INTERINIT
INTERCODE
RATE_CHG_ACTION
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED
  MAINCOMPFLAG
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN
  DRPRDACC
  CRPRDACC
  SVCACC
  SVCACCBRN
  EXTACNOCR
  EXTACNMCR
  CLGBKCR
  CLGBRNCR
  PCCATCR
  EXTACNODR
  EXTACNMDR
  CLGBKDR
  CLGBRNDR
  PCCATDR
  CARDNO
  INSTNOCR
  ROUTINGCR
  ENDPTCR
  CLGPRODCR
  SECTORCR

UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT
FUNDROLL
VERIFYFUNDS
IRRAPPL
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *FIRSTDUE*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *CAPITALIZED*
- *WAIVERFLAG*
- *SCHSTDT*

- DUEDTON
- UDEDET
  - EFFDT
  - UDEVALS
    - UDEVAL
    - UDEID
    - RESOLVAL
    - RATECD
    - CODEUSE
    - RATETYP
- OTHAPPLCNT
  - CUSTID
  - CUSTNAME
  - RESP
  - LIABPERCNT
  - LIABAMT
  - EFFDATE
- LINKAGES
  - LINKAGE_SEQ_NO
  - LINKTYPE
  - LINKAGE_BRANCH
  - LINKREFNO
  - LINKAMT
  - CUSTID
  - SECPORTION
- UDERTPLAN
  - PERIOD_ST_DT
  - PERIOD_END_DT
- COMMPREF
  - LAST_DSBR_DT
  - MATURITY_DT
  - DSBR_FLAG
- PROPERTY
  - PNAME
  - PTYPE
  - PADDRESS1
  - PADDRESS2
  - PADDRESS3
  - PADDRESS4
  - COUNTRY
  - POWNER
  - PAGE
  - PVALUE
  - OMARGIN

- LMARGIN
- VCCY

PROMOTIONS

- PRTYP
- PRID
- BENEFCIF
- PRIORITY

SETTLDETAILS

- EVENT_SEQ_NO
- AMOUNT_TAG
- VERSION_FLAG
- TAG_CCY
- ACC_BRANCH
- ACCOUNT
- ACC_CCY
- CCY_RESTRICTION
- EX_RATE
- VALUE_DATE
- SETTLEMENT_AMT
- PAY_RECEIVE
- PAYMENT_BY
- TRANSFER_TYPE
- INSTRUMENT_TYPE
- INSTRUMENT_NO
- CHANGE_AC
- CHANGE_RATE
- PARTY_INFO_ALLOWED
- COVER_REQUIRED
- NETTING_INDICATOR
- CHARGES_DETAILS
- OUR_CORRESPONDENT
- RECEIVER
- INT_REIM_INST1
- INT_REIM_INST2
- INT_REIM_INST3
- INT_REIM_INST4
- RCVR_CORRESP1
- RCVR_CORRESP2
- RCVR_CORRESP3
- RCVR_CORRESP4
- INTERMEDIARY1
- INTERMEDIARY2
- INTERMEDIARY3
- INTERMEDIARY4

ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO

INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE

SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2

COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
ROLLPENALRATE
UDENM

- UDEVAL
- EFFDT
- UDERTPLAN
  - PERIOD_ST_DT
  - PERIOD_END_DT

MO-ROLLOVER-REQ-IO

- SCODE
- XREF
- ACCNO
- BRN
- ALTACCNO
- EXECDT
- VALDT
- PRD
- CCY
- ESN
- CUSTID
- ISAVAIL
- AUTHSTAT
- CALCGR
- ROLLCOMPONENT
  - COMPNAME
  - LIQDAMT
  - ROLLAMT
  - WAIVEAMT
- DRROLLSETT
  - PMNTMODE
  - STTLCCY
  - AMTSTTL
  - AMTSTTLACY
  - EXCHRATE
  - STTLBRN
  - STTLACC
  - STTLPRD
  - REMBANK
  - REMBRN
  - REMACC
  - INSTRNO
  - CLRHOUSE
  - ROUTING
  - ENDPT
  - CARDNO
  - EXTACNO
  - EXTACNM

CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
CRROLLSETT
PMNTMODE
STTLCCY
AMTSTTL
AMTSTTLACY
EXCHRATE
STTLBRN
STTLACC
STTLPRD
REMBANK
REMBRN
REMACC
INSTRNO
CLRHOUSE
ROUTING
ENDPT
CARDNO
EXTACNO
EXTACNM
CLGBK
CLGBRN
SECTOR
UPSOURCE
STTLREF
ROLLCOMPPMNTDET
COMPNAME
AMTSETTL
COMPNAME
AMTSETTL
MO-ROLLOVER-REQ-PK
SCODE
XREF
ACCNO
BRN

EXECDT

VALDT

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	

Description	This XSD gives the message format for a request to create a new MO Rollover Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

ROLLOVER-Res-PK

Attribute	Description
Name	ROLLOVER-Res-PK
Datatype	
Description	Indicates Rollover Response-PK type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MO-ROLLOVER-REQ-FULL

Attribute	Description
Name	MO-ROLLOVER-REQ-FULL
Datatype	
Description	Indicates MO-Rollover-Request Full type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_PREPAY

Attribute	Description
Name	AUTO_PREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BONUS_AMT_FINANCED

Attribute	Description
Name	BONUS_AMT_FINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

BONUS_RELATED_REF

Attribute	Description
Name	BONUS_RELATED_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	Date
Description	

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CYCLEBASEDRATE

Attribute	**Description**	
Name	CYCLEBASEDRATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CYCLETYPE

Attribute	**Description**	
Name	CYCLETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FREEZE

Attribute	**Description**	
Name	FREEZE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACCCYCLERATES

Attribute	**Description**	
Name	ACCCYCLERATES	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLENO

Attribute	Description
Name	CYCLENO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

CURRCYCLE

Attribute	Description
Name	CURRCYCLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UNITS

Attribute	Description
Name	UNITS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLCOMPONENT

Attribute	Description
Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTO_PREPAY_CCY

Attribute	Description
Name	AUTO_PREPAY_CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description
Name	AUTO_PREPAY_CUST_BRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description
Name	AUTO_PREPAY_CUST_ACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description
Name	AUTO_PREPAY_CUST_ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description
Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_PREPAY_MAX_AMT

Attribute	**Description**
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_PREPAY_EXP_DT

Attribute	**Description**
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTO_PREPAY_UNIT

Attribute	**Description**
Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

DRROLLSETT

Attribute	**Description**
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 8; totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

CLRHOUSE

Attribute	Description

Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLCCY

Attribute	Description	
Name	STTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	Description	
Name	AMTSTTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXCHRATE

Attribute	Description	
Name	EXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>8</td></tr><tr><td>totalDigits</td><td>16</td></tr></table>

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRN

Attribute	Description
Name	CLGBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMPPMNTDET

Attribute	**Description**	
Name	ROLLCOMPPMNTDET	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	**Description**	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

LOANDET

Attribute	Description
Name	LOANDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIES

Attribute	Description
Name	RETRIES

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	**Description**	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCEDR

Attribute	**Description**	
Name	UPSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CUTOFFTRN

Attribute	**Description**	
Name	CUTOFFTRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DELIQSTAT

Attribute	**Description**	
Name	DELIQSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description	
Name	PAYER_BANK_CODE_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

GIRO_NUMBER_DR

Attribute	Description	
Name	GIRO_NUMBER_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_DR

Attribute	Description	
Name	PAYER_ADDRESS1_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_DR

Attribute	Description	
Name	PAYER_ADDRESS2_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_CR

Attribute	**Description**	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	**Description**	
Name	PAYER_ADDRESS3_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_CR

Attribute	**Description**	
Name	PAYER_ADDRESS4_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FIELD_CHAR_1

Attribute	**Description**	
Name	FIELD_CHAR_1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	**Description**	
Name	FIELD_CHAR_19	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_20

Attribute	**Description**	
Name	FIELD_CHAR_20	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_2

Attribute	**Description**	
Name	FIELD_DATE_2	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_8

Attribute	Description

Name	FIELD_DATE_8
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description

Name	DERIVED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MORTGAGEG

Attribute	**Description**	
Name	MORTGAGEG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STOPDSBR

Attribute	**Description**	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	**Description**	
Name	SUBCUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	**Description**	
Name	INTERINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	**Description**	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRNDR

Attribute	**Description**	
Name	CLGBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERACNODR

Attribute	**Description**	
Name	PAYERACNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERADD1DR

Attribute	**Description**	
Name	PAYERADD1DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2DR

Attribute	**Description**	
Name	PAYERADD2DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3DR

Attribute	**Description**	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIROSERCR

Attribute	Description	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIROMDCR

Attribute	Description	
Name	GIROMDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRONUMCR

Attribute	Description	
Name	GIRONUMCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RESP

Attribute	Description	
Name	RESP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIABPERCNT

Attribute	Description	
Name	LIABPERCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DSBR_FLAG

Attribute	Description
Name	DSBR_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>50</td></tr></table>

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PROMOTIONS

Attribute	**Description**	
Name	PROMOTIONS	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRTYP

Attribute	**Description**	
Name	PRTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PRID

Attribute	**Description**	
Name	PRID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BENEFCIF

Attribute	**Description**	
Name	BENEFCIF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

VERSION_FLAG

Attribute	Description

Name	VERSION_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	**Description**	
Name	CCY_RESTRICTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	**Description**	
Name	VALUE_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	**Description**	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RECEIVER

Attribute	Description
Name	RECEIVER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	**Description**	
Name	RCVR_CORRESP1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	**Description**	
Name	RCVR_CORRESP2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	**Description**	
Name	RCVR_CORRESP3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	**Description**	
Name	RCVR_CORRESP4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO6

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION1

Attribute	**Description**	
Name	ORDERING_INSTITUTION1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION2

Attribute	**Description**	
Name	ORDERING_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	**Description**	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	Description	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	Description	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	Description	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	**Description**	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	**Description**	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	**Description**	
Name	INTERMEDIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description

Name	CLEARING_NETWORK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	**Description**	
Name	OTHER_DETAILS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	**Description**	
Name	OTHER_DETAILS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	**Description**	
Name	COVER_BY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	**Description**	
Name	EXT_PROD_CATEGORY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	**Description**	
Name	EXT_STATION_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	**Description**	
Name	EXT_SOURCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description	
Name	AGREEMENT_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	Description	
Name	POST_ACCOUNTING	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS

Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	**Description**	
Name	UNITTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE4

Attribute	Description
Name	COSTCODE4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE5

Attribute	Description
Name	COSTCODE5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	**Description**	
Name	CUSTOMER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK4

Attribute	**Description**	
Name	REMARK4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK5

Attribute	**Description**	
Name	REMARK5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK6

Attribute	**Description**	
Name	REMARK6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK7

Attribute	**Description**	
Name	REMARK7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	Description	
Name	DRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description	
Name	CRPAYMTMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ROLLPENALRATE

Attribute	Description
Name	ROLLPENALRATE
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDENM

Attribute	Description
Name	UDENM
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDERTPLAN

Attribute	**Description**	
Name	UDERTPLAN	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PERIOD_ST_DT

Attribute	**Description**	
Name	PERIOD_ST_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PERIOD_END_DT

Attribute	**Description**	
Name	PERIOD_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MO-ROLLOVER-REQ-IO

Attribute	**Description**	
Name	MO-ROLLOVER-REQ-IO	
Datatype		
Description	Indicates MO-Rollover-Request IO type	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCODE

Attribute	**Description**
Name	SCODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCGR

Attribute	Description
Name	CALCGR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ROLLCOMPONENT

Attribute	Description

Name	ROLLCOMPONENT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQDAMT

Attribute	Description
Name	LIQDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ROLLAMT

Attribute	Description
Name	ROLLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVEAMT

Attribute	Description
Name	WAIVEAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DRROLLSETT

Attribute	Description
Name	DRROLLSETT
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 8 totalDigits: 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBK

Attribute	Description
Name	CLGBK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRN

Attribute	Description
Name	CLGBRN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

CRROLLSETT

Attribute	Description
Name	CRROLLSETT
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTSTTLACY

Attribute	Description

Name	AMTSTTLACY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 8 totalDigits / 16

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

REMBANK

Attribute	Description
Name	REMBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMBRN

Attribute	Description
Name	REMBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMACC

Attribute	Description
Name	REMACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CLRHOUSE

Attribute	Description
Name	CLRHOUSE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING

Attribute	Description
Name	ROUTING
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNM

Attribute	Description	
Name	EXTACNM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBK

Attribute	Description	
Name	CLGBK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLGBRN

Attribute	Description	
Name	CLGBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SECTOR

Attribute	Description
Name	SECTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCE

Attribute	Description
Name	UPSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

STTLREF

Attribute	Description
Name	STTLREF
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ROLLCOMPPMNTDET

Attribute	Description
Name	ROLLCOMPPMNTDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-ROLLOVER-REQ-PK

Attribute	Description
Name	MO-ROLLOVER-REQ-PK
Datatype	
Description	Indicates MO Rollover Request-PK type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	Date
Description	

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.58.ReopenAccTrfr

ReopenAccTrfr

2.58.1.MO-ReopenAccTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*

UDFDETAILS

FLDNAM

FLDVAL

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Master-Full

Attribute	Description

Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description

Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description

Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>150</td></tr><tr><td>minLength</td><td>0</td></tr></table>

TOP

2.58.2.MO-ReopenAccTrfr-Req-IO-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
Master-IO
TRANSFER_ID
MAKER
MAKERSTAMP
MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MAKER

Attribute	Description
Name	MAKER

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

2.58.3.MO-ReopenAccTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Master-Full*
    - *TRANSFER_ID*
    - *CURRENT_BRANCH*
    - *TARGET_BRANCH*
    - *TRANSFER_DATE*
    - *TARGET_BRANCH_NAME*
    - *CURRENT_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
    - *Detail*
      - *ACCOUNT_NUMBER*
    - *UDFDETAILS*
      - *FLDNAM*
      - *FLDVAL*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Master-Full

Attribute	Description
Name	Master-Full
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CURRENT_BRANCH

Attribute	Description
Name	CURRENT_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TARGET_BRANCH

Attribute	Description
Name	TARGET_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

TARGET_BRANCH_NAME

Attribute	**Description**	
Name	TARGET_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CURRENT_BRANCH_NAME

Attribute	**Description**	
Name	CURRENT_BRANCH_NAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

MAKER

Attribute	**Description**	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

Detail

Attribute	Description
Name	Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAM

Attribute	Description
Name	FLDNAM
Datatype	String
Description	Indicates the Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates the Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 150 minLength / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Master-PK*
      - *TRANSFER_ID*
    - *Master-IO*
      - *TRANSFER_ID*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Master-PK

Attribute	Description
Name	Master-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Master-IO

Attribute	Description
Name	Master-IO
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.59.ReopenProdTrfr

ReopenProdTrfr

2.59.1.MO-ReopenProdTrfr-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.59.2.MO-ReopenProdTrfr-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-IO*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *MAKER*
    - *MAKERSTAMP*
    - *MODNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MAKER

Attribute	Description
Name	MAKER
Datatype	String

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.59.3.MO-ReopenProdTrfr-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Cltb-Prod-Brn-Transfer-Full*
    - *PRODUCT_CODE*
    - *CURRENT_BRANCH_CODESS*
    - *TARGET_BRANCH_CODESS*
    - *TRANSFER_DATE*
    - *TRANSFER_ID*
    - *CATGPRDDESC*
    - *CURRENT_BRANCH_NAME*
    - *TARGET_BRANCH_NAME*
    - *MAKER*
    - *MAKERSTAMP*
    - *CHECKER*
    - *CHECKERSTAMP*
    - *MODNO*
    - *TXNSTAT*
    - *AUTHSTAT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Cltb-Prod-Brn-Transfer-Full

Attribute	Description

Name	Cltb-Prod-Brn-Transfer-Full
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description
Name	TARGET_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRANSFER_DATE

Attribute	Description
Name	TRANSFER_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CATGPRDDESC

Attribute	Description
Name	CATGPRDDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CURRENT_BRANCH_NAME

Attribute	Description
Name	CURRENT_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

TARGET_BRANCH_NAME

Attribute	Description
Name	TARGET_BRANCH_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MAKER

Attribute	Description

Name	MAKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHECKER

Attribute	Description
Name	CHECKER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TXNSTAT

Attribute	**Description**	
Name	TXNSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FCUBS_ERROR_RESP

Attribute	**Description**	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ERROR

Attribute	**Description**	
Name	ERROR	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

ECODE

Attribute	**Description**

Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.59.4.MO-ReopenProdTrfr-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Cltb-Prod-Brn-Transfer-PK*
      - *TRANSFER_ID*
    - *Cltb-Prod-Brn-Transfer-IO*
      - *PRODUCT_CODE*
      - *CURRENT_BRANCH_CODESS*
      - *TARGET_BRANCH_CODESS*
      - *TRANSFER_DATE*
      - *TRANSFER_ID*
      - *MAKER*
      - *MAKERSTAMP*
      - *MODNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Cltb-Prod-Brn-Transfer-PK

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-PK
Datatype	
Description	

TOP

TRANSFER_ID

Attribute	Description
Name	TRANSFER_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cltb-Prod-Brn-Transfer-IO

Attribute	Description
Name	Cltb-Prod-Brn-Transfer-IO
Datatype	
Description	

TOP

PRODUCT_CODE

Attribute	Description
Name	PRODUCT_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CURRENT_BRANCH_CODESS

Attribute	Description
Name	CURRENT_BRANCH_CODESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

TARGET_BRANCH_CODESS

Attribute	Description	
Name	TARGET_BRANCH_CODESS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

TRANSFER_DATE

Attribute	Description	
Name	TRANSFER_DATE	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

TRANSFER_ID

Attribute	Description	
Name	TRANSFER_ID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MODNO

Attribute	Description
Name	MODNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.60.CreateMortgage

Creation of Mortgage

2.60.1.MO-CreateMortgage-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*

MATTYP
NETPRIN
INDEXXRATE
BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT

DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE

CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT
MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2

INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE
FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1

REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10

Components

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN

CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR

Comp-Sch

- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *SCHTYP*
- *SCHFLG*

Acc-Sch-Cmp

- *SCHDUEDT*
- *GRACEDAYS*
- *ORIGAMTDUE*
- *AMTDUE*
- *ADJAMT*
- *AMTSETTL*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUIV*
- *DLYAVGAMT*
- *EMAMT*
- *SCHFLG*
- *WAIVERFLG*
- *SCHLINK*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJ*

- *ADJSETTL*
- *SCHSTATUS*
- *ACCGL*
- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

- *Revisions*
  - *ACCNO*
  - *BRN*
  - *COMPNAME*
  - *SCHSTDT*
  - *SCHDUEDT*
  - *APPLIEDFLG*
  - *SCHLINK*
- *Comp-Gua-Cust*
  - *BRN*
  - *ACCNO*
  - *COMPNAME*
  - *LIQORD*
  - *CUSTNUM*
  - *CUSTNAME*
  - *Comp-Gua-Custacc*
    - *BRN*
    - *ACCNO*
    - *COMPNAME*
    - *GUACIFID*
    - *LIQORD*
    - *GUAACC*
    - *GUAACCBRN*
    - *GUACCY*

Chg-Comp

- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROMODECR*
- *GIROSERVICECR*
- *GIRONUMBERCR*
- *PAYERACCNOCR*
- *PAYERBANKCDCR*
- *PAYERBRNCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *IRRAPPL*
- *SVCACCBRN*
- *EXTACCNOCR*
- *EXTACCNAMECR*
- *CLGBANKCDCR*

CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE

EFFDT

CONSOLCHG

Chg-Sch

- *SETTLEMENTCCY*
- *DUEDATE*
- *AMTDUE*
- *AMTWAIVED*
- *FORMULANAME*
- *SCHTYPE*
- *SCHSTDATE*
- *GRACEDAYS*
- *ORGAMT*
- *ADJAMT*
- *AMTSETTLED*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUI*
- *DLYAVGAMT*
- *EMIAMT*
- *SCHFLAG*
- *WAIVER*
- *SCHLINKAGE*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJUST*
- *ADJSETTLED*
- *SCHSTAT*
- *ACCGL*
- *LASTPMTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTLED*
- *LASTREADJRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTLED*
- *SUSPAMTCCY*
- *SUSPREADAMT*
- *SUSPREADSETTLED*
- *LASTSUSPXRATE*
- *IRRAPPLICABLE*
- *LISTDAYS*
- *LISTAVGAMT*

- *Chg-Dtls*
  - *COMPNAME*
  - *SCHDUEDT*
  - *AMTDUE*
  - *AMTSETTL*
  - *WAIVERFLG*
  - *EVENTCD*
  - *RECORDROWID*
- *Linkages*
  - *BRN*
  - *LINKTYP*
  - *LINKREFNO*
  - *LINKAMT*
  - *AMTBLKNO*
  - *SECUREDPORTION*
  - *CUSTID*
  - *LINKBRN*
  - *LINKSEQNO*
  - *EXRATE*
  - *CONVERTLINKAMT*
  - *CONVERTPAIDAMT*
- *Advices*
  - *MSGTYPE*
  - *SUPPRESS*
  - *PRIORITY*
- *Adv-Suppress*
  - *MSGTYPE*
- *Credit-Score*
  - *CREDIRSCORE*
  - *AUTOCRSCORE*
  - *AGENCYCD*
  - *EXTCRSCORE*
  - *RULENAME*
- *Asset-Vehicle*
  - *ACCNO*
  - *BRN*
  - *ASSETCLASS*
  - *ASSETTYP*
  - *ASSETSUBTYP*
  - *ASSETSTATUS*
  - *ASSETYEAR*
  - *ASSETMAKE*
  - *ASSETMODEL*
  - *ASSETBODY*

- *IDENTITYNO*
- *REGNO*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*

ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT

- FREQ
- BAL
- COMMENTDET

Other-Income

- ACCNO
- BRN
- SEQNO
- INCOMETYP
- CCY
- AMT
- FREQ

Udf

- FLDCHAR1
- FLDCHAR2
- FLDCHAR6
- FLDCHAR7
- FLDCHAR8
- FLDCHAR9
- FLDCHAR10
- FLDDATE6
- FLDDATE7

Coll-Linkages-A

- Takeovrdet
  - BRANCH_CODE
  - COLLATERAL_CODE
  - AMOUNT_SETTLED
  - TAK_REF
  - DT_OF_TKOVR
  - ACCNUM
  - EVENT_SEQUENCE_NUMBER

Irr

- EFFDT
- IRR
- ACCRAMT
- NPV
- ACQTYP
- CURNPVACCR
- CALCNPV
- NPVCALCDT

Swift

- ACCNO
- BRNCODE
- ACCCY
- TRNSTYP

COVRREQ
CHRGDET
OURCORRESP
RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5

BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3
BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Udf-Others
DESCCHAR1
DESCCHAR2
DESCCHAR3
DESCCHAR4
DESCCHAR5
DESCCHAR6
DESCCHAR7
DESCCHAR8
DESCCHAR9
DESCCHAR10
DESCCHAR11
DESCCHAR12
DESCCHAR13
DESCCHAR14
DESCCHAR15
DESCCHAR16
DESCCHAR17
DESCCHAR18
DESCCHAR19
DESCCHAR20
DESCCHAR22
DESCCHAR23
DESCCHAR24
DESCCHAR25
DESCCHAR26
DESCCHAR27
DESCCHAR28
DESCCHAR29

DESCCHAR30
DESCCHAR31
DESCCHAR32
DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER

- *POLICYAMOUNT*
- *POLICYSTDATE*
- *POLICYENDDATE*
- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*
- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*

- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*
- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*

COSTCD4
COSTCD5
TXNMIS1
TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9

- *TRANMIS10*
- *COMMIS1*
- *COMMIS2*
- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*

DELIVERYDT
VENDORCD
AGENTNAME
AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW

PROPTYP
DESC
PROPAREA
PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO

- *PROPSTATUS*
- *DATEOFCOMPLETION*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*

- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *DELLOC*
- *DELDT*
- *VENDCD*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Builddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*
- *OSPRINC*
- *OSPROF*
- *VENDNAME*

Serijadtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*

BUILTUPAREA
NOOFSTOREY
RENTSTDT
RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF

Equipvals
EVALNAME
EVALVAL
EVALDT
Master
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Ui-Columns
Auto-Prepay
ACCNO
BRN
AUTOPRECUSTID
AUTOPRECCY
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
INTEREST_RATE
UPTO
CYCLE_START_DT
CYCLE_END_DT
CYCLE_NO
CURRENT_CYCLE
UNITS
CURR_CYCLE_CODE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Request

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

APPLNO

Attribute	**Description**	
Name	APPLNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROD

Attribute	**Description**	
Name	PROD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRODCAT

Attribute	**Description**	
Name	PRODCAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BOOKDT

Attribute	Description	
Name	BOOKDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VALDT

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MATDT

Attribute	Description	
Name	MATDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COMMITTYP

Attribute	**Description**	
Name	COMMITTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,R

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BILL_DUE_AMT

Attribute	**Description**	
Name	BILL_DUE_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTAVL

Attribute	**Description**	
Name	AMTAVL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTOMANROLL

Attribute	**Description**
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CLGBKCR

Attribute	Description	
Name	CLGBKCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCR

Attribute	Description	
Name	CLGBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INSTNOCR

Attribute	Description	
Name	INSTNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNOCR

Attribute	Description	
Name	ROUTINGNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACCNOCR

Attribute	Description	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMECR

Attribute	Description	
Name	EXTACCNAMECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GIROMODEDR

Attribute	**Description**	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSVCDR

Attribute	**Description**	
Name	GIROSVCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMDR

Attribute	**Description**	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCDR

Attribute	**Description**	
Name	PAYERACCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 11

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C,F,G,

TOP

PROMOID

Attribute	Description
Name	PROMOID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPECTED

Attribute	Description
Name	EXPECTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

RESPONSIBILITY

Attribute	Description	
Name	RESPONSIBILITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	enumeration	AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description	
Name	LIABPERCENT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

Components

Attribute	**Description**	
Name	Components	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCNOCR

Attribute	**Description**	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	**Description**	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVE

Attribute	**Description**	
Name	WAIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DRPRODAC

Attribute	**Description**	
Name	DRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SETTLCCY

Attribute	**Description**	
Name	SETTLCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	**Description**	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHANGERATE

Attribute	Description
Name	EXCHANGERATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATE

Attribute	Description
Name	NEGOTIATEDRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNO

Attribute	Description
Name	NEGOTIATIONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATION_MODE

Attribute	Description
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

NEGCOSTRATE

Attribute	**Description**	
Name	NEGCOSTRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNO

Attribute	**Description**	
Name	NEGREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXCHANGERTDER

Attribute	**Description**	
Name	EXCHANGERTDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGRATEDR

Attribute	**Description**	
Name	NEGRATEDR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGREFNODR

Attribute	**Description**
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description
Name	READJSETTL
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LASTREADJXRATE

Attribute	Description
Name	LASTREADJXRATE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTSETTL

Attribute	Description
Name	SUSPAMTSETTL
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPAMTLCY

Attribute	Description
Name	SUSPAMTLCY
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOT_DISBR

Attribute	Description
Name	TOT_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIQORD

Attribute	Description	
Name	LIQORD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTNUM

Attribute	Description	
Name	CUSTNUM	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTNAME

Attribute	Description	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRODCDDR

Attribute	**Description**	
Name	CLGPRODCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	**Description**	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	**Description**	
Name	FUNDDURINGINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FUNDDURINGROLL

Attribute	**Description**	
Name	FUNDDURINGROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	Attribute: minOccurs; Description: 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Chg-Dtls

Attribute	**Description**	
Name	Chg-Dtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHDUEDT

Attribute	**Description**	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTSETTL

Attribute	**Description**

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Vehicle,Home,Others,None</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	Description	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description	
Name	ASSETTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSUBTYP

Attribute	Description	
Name	ASSETSUBTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	Description	
Name	ASSETSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

PROPERTYADDR1

Attribute	**Description**	
Name	PROPERTYADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN1

Attribute	**Description**	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN2

Attribute	**Description**	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN3

Attribute	**Description**	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS2

Attribute	Description
Name	PYMTDTLS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS3

Attribute	Description
Name	PYMTDTLS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS4

Attribute	Description
Name	PYMTDTLS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO1

Attribute	Description
Name	SNDRRCVRINFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	**Description**	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR4

Attribute	**Description**	
Name	DESCCHAR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR5

Attribute	**Description**	
Name	DESCCHAR5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR6

Attribute	**Description**	
Name	DESCCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR7

Attribute	**Description**	
Name	DESCCHAR7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR8

Attribute	Description	
Name	DESCCHAR8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR9

Attribute	Description	
Name	DESCCHAR9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR10

Attribute	Description	
Name	DESCCHAR10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR11

Attribute	Description	
Name	DESCCHAR11	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR12

Attribute	Description	
Name	DESCCHAR12	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR13

Attribute	Description	
Name	DESCCHAR13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR14

Attribute	Description	
Name	DESCCHAR14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR15

Attribute	Description	
Name	DESCCHAR15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR30

Attribute	Description
Name	DESCCHAR30
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR31

Attribute	Description
Name	DESCCHAR31
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR32

Attribute	Description
Name	DESCCHAR32
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR33

Attribute	Description
Name	DESCCHAR33
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR34

Attribute	Description
Name	DESCCHAR34
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR36

Attribute	Description
Name	DESCCHAR36
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR37

Attribute	Description
Name	DESCCHAR37
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR38

Attribute	Description
Name	DESCCHAR38
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>D,M,Q,H,Y,</td></tr></table>

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHGEMIPCNT

Attribute	**Description**	
Name	CHGEMIPCNT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

Intermediary

Attribute	**Description**	
Name	Intermediary	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

INTERMEDIARY_CODE

Attribute	**Description**	
Name	INTERMEDIARY_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERMEDIARYNAME

Attribute	**Description**
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description	
Name	POLICYNUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

POLICYTYPE

Attribute	Description	
Name	POLICYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,P

TOP

INSURER

Attribute	Description	
Name	INSURER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

INSURERADDR1

Attribute	Description	
Name	INSURERADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Property

Attribute	Description
Name	Property
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description
Name	LINKED_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LBL_FIELD_DATE

Attribute	**Description**	
Name	LBL_FIELD_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Acc-Liq-Order

Attribute	**Description**	
Name	Acc-Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCD5

Attribute	Description
Name	COSTCD5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS1

Attribute	**Description**	
Name	TRANMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS9

Attribute	**Description**	
Name	COMMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS10

Attribute	**Description**	
Name	COMMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS1

Attribute	**Description**	
Name	FUNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS2

Attribute	**Description**	
Name	FUNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS3

Attribute	Description
Name	FUNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS4

Attribute	Description
Name	FUNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS5

Attribute	Description
Name	FUNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS6

Attribute	Description
Name	FUNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Vhc-Dtls

Attribute	**Description**	
Name	Vhc-Dtls	
Datatype		
Description	Indicates Vehicle Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

REGEMIRATE

Attribute	**Description**	
Name	REGEMIRATE	
Datatype	String	
Description	Indicates whether Vehicle is Registered in Emirates	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description
Name	DISTORAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINANOCOUNTRY

Attribute	Description
Name	AREAINANOCOUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITY

Attribute	Description
Name	CITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CONTACTPERSON

Attribute	**Description**	
Name	CONTACTPERSON	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNO

Attribute	**Description**	
Name	CONTACTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPSTATUS

Attribute	**Description**	
Name	PROPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DATEOFCOMPLETION

Attribute	**Description**	
Name	DATEOFCOMPLETION	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

GOODSTYP

Attribute	**Description**	
Name	GOODSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROFORMAINVOICEDT

Attribute	**Description**	
Name	PROFORMAINVOICEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	**Description**	
Name	OSPRINC	
Datatype	Number	
Description	Indicates Vehicle Outstanding Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPROF

Attribute	**Description**	
Name	OSPROF	
Datatype	Number	
Description	Indicates Vehicle Outstanding Profit	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDNAME

Attribute	**Description**	
Name	VENDNAME	
Datatype	String	
Description	Indicates Vehicle Vendor Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Serijadtls

Attribute	**Description**
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CAPACITY

Attribute	Description	
Name	CAPACITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALBENEF

Attribute	Description	
Name	MEDICALBENEF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

MEDICALSTDT

Attribute	Description	
Name	MEDICALSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALENDDT

Attribute	Description	
Name	MEDICALENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	**Description**	
Name	AUTOPRECUSBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description	
Name	CYCLE_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLE_NO

Attribute	Description	
Name	CYCLE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CURRENT_CYCLE

Attribute	Description	
Name	CURRENT_CYCLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UNITS

Attribute	Description	
Name	UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

2.60.2.MO-CreateMortgage-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-IO*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*
    - *MATTYP*
    - *INDEXXRATE*
    - *BILLREFNO*
    - *COMMITTYP*
    - *LOANTOVALUE*

BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
DOWNPAYAMT
ORIGSTDT
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR

ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
CARDNO
CALCGP
VERSION
VERNO

DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE
CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT
MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT

ENDDATE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
RETRIES_ADVICE_DAYS
MAX_RNOG
AUTO_CLOSE_COLLATERAL
STATUS_CHANGE_MODE
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2
INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE
Promotions
- *BENCIF*
- *PRIORITY*
- *PROMOTYP*
- *PROMOID*

Account-Stats
- *COMPNAME*
- *EXPECTED*
- *OVERDUE*
- *OUTSTANDING*
- *ADVANCE*
- *COMPCCY*

Othr-Applicants
- *CUSTID*
- *RESPONSIBILITY*
- *LIABPERCENT*
- *LIABILITYAMT*
- *EFFECDATE*

Hol-Periods
- *HOLPERDS*

Effec-Date

- *EFFDT*
- *Ude-Vals*
  - *UDEID*
  - *UDEVAL*
  - *RATECODE*
  - *CODEUSAGE*
- *Roll-Comp*
  - *COMPNAME*
- *Ude-Rate-Date*
  - *PERIODSTDT*
  - *PERIODENDDT*
- *Checklist*
  - *CHECKED*
- *Remarks*
  - *REMARK1*
  - *REMARK2*
  - *REMARK3*
  - *REMARK4*
  - *REMARK5*
  - *REMARK6*
  - *REMARK7*
  - *REMARK8*
  - *REMARK9*
  - *REMARK10*
- *Components*
  - *PAYERADD1DR*
  - *PAYERADD2DR*
  - *PAYERADD3DR*
  - *PAYERADD4DR*
  - *GIROMODECR*
  - *GIROSERVICECR*
  - *GIRONUMBERCR*
  - *PAYERACCNOCR*
  - *PAYERBANKCDCR*
  - *PAYERBRNCR*
  - *PAYERADD1CR*
  - *PAYERADD2CR*
  - *PAYERADD3CR*
  - *PAYERADD4CR*
  - *IRRAPPL*
  - *SVCACCBRN*
  - *EXTACCNOCR*
  - *EXTACCNAMECR*
  - *CLGBANKCDCR*

CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR

NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR
Comp-Sch
- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *SCHTYP*
- *SCHFLG*

Acc-Sch-Cmp
- *GRACEDAYS*
- *WAIVERFLG*
- *SCHLINK*
- *CAPITALIZED*

- *PROCESSNO*
- *AMTREADJ*
- *ADJSETTL*
- *SCHSTATUS*
- *ACCGL*
- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHLINK*
- *Cltbs-Split-Sttl-Detail*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLACCNO*
  - *SPLACCBRN*

Revisions

- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *APPLIEDFLG*
- *SCHLINK*

Comp-Gua-Cust

- *BRN*

ACCNO
COMPNAME
CUSTNUM
Comp-Gua-Custacc
BRN
ACCNO
COMPNAME
GUACIFID
GUAACC
Chg-Comp
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN

SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
CONSOLCHG
Chg-Sch
- *SETTLEMENTCCY*
- *AMTDUE*
- *AMTWAIVED*
- *FORMULANAME*
- *SCHTYPE*
- *SCHSTDATE*
- *GRACEDAYS*
- *ORGAMT*
- *ADJAMT*
- *AMTSETTLED*
- *AMTOVERDUE*
- *ACCRAMT*
- *LCYEQUI*
- *DLYAVGAMT*
- *EMIAMT*

- SCHFLAG
- WAIVER
- SCHLINKAGE
- CAPITALIZED
- PROCESSNO
- AMTREADJUST
- ADJSETTLED
- SCHSTAT
- ACCGL
- LASTPMTVALDT
- RETRYSTDT
- MORAINT
- SCHNO
- WRITEOFFAMT
- READJSETTLED
- LASTREADJRATE
- SUSPAMTDUE
- SUSPAMTSETTLED
- SUSPAMTCCY
- SUSPREADAMT
- SUSPREADSETTLED
- LASTSUSPXRATE
- IRRAPPLICABLE
- LISTDAYS
- LISTAVGAMT

Chg-Dtls

- COMPNAME
- SCHDUEDT
- AMTDUE
- AMTSETTL
- WAIVERFLG
- EVENTCD
- RECORDROWID

Linkages

- BRN
- LINKTYP
- LINKREFNO
- LINKAMT
- AMTBLKNO
- SECUREDPORTION
- CUSTID
- LINKBRN
- LINKSEQNO
- EXRATE

CONVERTLINKAMT
CONVERTPAIDAMT
Advices
SUPPRESS
PRIORITY
Adv-Suppress
MSGTYPE
Credit-Score
CREDIRSCORE
AGENCYCD
EXTCRSCORE
RULENAME
Asset-Vehicle
ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
IDENTITYNO
REGNO
ADDRESS1
ADDRESS2
ADDRESS3
ADDRESS4
Asset-Home
ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
OCCUPANCYTYP
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETWIDTH
ASSETLENGTH
PURCHASEORDERNO
GEOCODE

- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETBODY*
- *REGNO*
- *IDENTITYNO*
- *ADDRESS3*
- *ADDRESS4*
- *ADDRESS1*
- *ADDRESS2*

Asset-Prop

- *OFFSETMARGIN*
- *LENDMARGIN*
- *VALCCY*
- *ACCNO*
- *BRN*
- *PROPNAME*
- *COLLTYP*
- *PROPERTYADDR1*
- *ADDLN1*

- *ADDLN2*
- *ADDLN3*
- *COUNTRY*
- *PROPOWNER*
- *PROPAGE*
- *PROPVAL*

Financials

- *ACCNO*
- *BRN*
- *SEQNO*
- *FINANCETYP*
- *FINSOURCE*
- *CCY*
- *AMT*
- *COMMENTDET*

Liabilities

- *ACCNO*
- *BRN*
- *SEQNO*
- *LIABTYP*
- *ACCTYP*
- *CCY*
- *AMT*
- *FREQ*
- *BAL*
- *COMMENTDET*

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Takeovrdet

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*
- *COVRREQ*
- *CHRGDET*
- *OURCORRESP*
- *RECVR*
- *INTRIMINST1*
- *INTRIMINST2*
- *INTRIMINST3*
- *INTRIMINST4*
- *INTRIMINST5*
- *RCVRCORRESP1*
- *RCVRCORRESP2*
- *RCVRCORRESP3*
- *RCVRCORRESP4*
- *RCVRCORRESP5*
- *INTRMDRY1*
- *INTRMDRY2*
- *INTRMDRY3*
- *INTRMDRY4*
- *INTRMDRY5*
- *ACCINST1*
- *ACCINST2*
- *ACCINST3*
- *ACCINST4*
- *ACCINST5*
- *PYMTDTLS1*
- *PYMTDTLS2*
- *PYMTDTLS3*
- *PYMTDTLS4*
- *SNDRRCVRINFO1*

SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5
BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3
BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT
Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT
Intermediary
INTERMEDIARY_CODE
INTERMEDIARY_RATIO
Insurance

ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER
POLICYAMOUNT
POLICYSTDATE
POLICYENDDATE
PREMIUMAMOUNT
INSUREDNAME
MANAGEDBY

Property

ACCNO
BRN
DEVELOPERCODE
PROJECTNAME
PROJECTDESC
PROPERTYTYPE
TITLEDEEDNO
TITILEDEEDISSDT
TITLEDEEDISSFROM
BUILDINGNAME
BUILDINGCOMPNAME
EVALUATOR
EVALUATIONVALUE
EVALUATIONDATE
REQUESTEDAMOUNT
PROPERTYUSAGE
MORTGAGEDEGREE
LOTNUMBER
PROPERTYSTATUS
COMPLETIONDATE
CONTACTPERSON
CONTACTNUMBER
WINGNAME
ASSETFINANCEAMT
PROPERTYVALUE
DOWNPAYMENT

- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*
- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*
- *HAIRCUT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *COLLCAT*
- *COMMITMENTPROD*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*

Clvws-Account-Udf-Num

- *FIELD_VALUE*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*

REFRATECD
COSTCD1
COSTCD2
COSTCD3
COSTCD4
COSTCD5
TXNMIS1
TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
Txnmisdetails
Compmisdetails
Fundmisdetails
TXNUDFDETAILS
FLDNAME

- FLDVAL
- Extsys-Ws-Master
  - KEYID
  - Extsys-Ws-Details
    - USERREMARKS
- Account-Main
  - ACCOUNT_NUMBER
  - Cont-Status-Movement
- Acc-Master
  - VERNO
  - ACCNO
  - Vhc-Dtls
    - REGEMIRATE
    - REGNO
    - REGDT
    - DELIVERYDT
    - VENDORCD
    - AGENTNAME
    - AGENTBRN
    - AGENTSALESNAME
    - CCY
    - REQFINAMT
    - DOWNPMNT
    - VHCVAL
    - MAINTCOST
    - INSUAMT
    - PERCENTAMT
    - INSUREDBYBANK
    - INSURANCECOMP
    - PREMIUMAMT
    - APPRAISERNAME
    - APPRAISERVAL
    - APPRAISERDT
    - ASSETSTAT
    - ASSETTYP
    - ASSETCAT
    - DESC
    - YEAROFMANU
    - APPLNO
    - MAKERCD
    - SUBMODEL
    - YEARMODEL
    - CLASS
    - COLOR

NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
Prop-Dtls
ASSTSTAT
PROPTYPNEW
PROPTYP
DESC
PROPAREA
PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU

- *INSUPAIDBY*
- *PREMIUMAMT*
- *INSUEXPDT*
- *INSUNAME*
- *MANAGEDBY*
- *COMPANYNAME*
- *CONTACTPERSON*
- *CONTACTNO*
- *PROPSTATUS*
- *DATEOFCOMPLETION*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSTAT*
- *BRANDCODE*
- *DESC*

- *QUANTITY*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *DELLOC*
- *DELDT*
- *VENDCD*

Builddtls

- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*

Serijadtls

- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*
- *BUILTUPAREA*
- *NOOFSTOREY*
- *RENTSTDT*
- *RENTENDDT*
- *EVENTTYP*
- *EVENTLOC*
- *EVENTPLOTNO*

EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
Equipdtls
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
Equipvals
EVALNAME
EVALVAL
EVALDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY
DOC_TYPE
REMARKS
Auto-Prepay
ACCNO

BRN
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
CYCLE_END_DT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about IO Request

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

PROD

Attribute	Description
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COMMITTYP

Attribute	Description
Name	COMMITTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,R

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BILL_DUE_AMT

Attribute	Description
Name	BILL_DUE_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTAVL

Attribute	Description
Name	AMTAVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOMANROLL

Attribute	Description
Name	AUTOMANROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,C</td></tr></table>

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,C</td></tr></table>

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>S,C</td></tr></table>

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PASSBOOKFAC

Attribute	Description
Name	PASSBOOKFAC
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	**Description**	
Name	LIQUIDATIONMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	Description
Name	ROLLALLOWED

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOTARYAUTOCONF

Attribute	Description
Name	NOTARYAUTOCONF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INTERCODE

Attribute	Description	
Name	INTERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PACKCREDIT

Attribute	Description	
Name	PACKCREDIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

STOPDSBR

Attribute	Description	
Name	STOPDSBR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RECALCANNUITY

Attribute	Description	
Name	RECALCANNUITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACCNAMEDR

Attribute	**Description**	
Name	EXTACCNAMEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBKDR

Attribute	**Description**	
Name	CLGBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNDR

Attribute	**Description**	
Name	CLGBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

CALCGP

Attribute	**Description**	
Name	CALCGP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERSION

Attribute	**Description**	
Name	VERSION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VERNO

Attribute	**Description**	
Name	VERNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DERIVED_STAT

Attribute	**Description**	
Name	DERIVED_STAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LEASEPAYMENTTYPE

Attribute	Description
Name	LEASEPAYMENTTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INTERESTSUBSIDYLOAN

Attribute	Description
Name	INTERESTSUBSIDYLOAN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALSUBSIDYALLOW

Attribute	Description
Name	RESIDUALSUBSIDYALLOW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALSUBSIDYVALUE

Attribute	Description
Name	RESIDUALSUBSIDYVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CALCREQD

Attribute	Description
Name	CALCREQD
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BACKVALEFFDT

Attribute	**Description**	
Name	BACKVALEFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATECODEPREF

Attribute	**Description**	
Name	RATECODEPREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOWBACKPERIODENTRY

Attribute	**Description**	
Name	ALLOWBACKPERIODENTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTSTMT

Attribute	**Description**	
Name	INTSTMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FUNDEDSTAT

Attribute	Description
Name	FUNDEDSTAT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RECALCACCD

Attribute	Description
Name	RECALCACCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ARVNAPPLIED

Attribute	Description
Name	ARVNAPPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,M,Q,H,Y

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PROJECT_ACCOUNT

Attribute	**Description**	
Name	PROJECT_ACCOUNT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

RETRIES_ADVICE_DAYS

Attribute	**Description**	
Name	RETRIES_ADVICE_DAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MAX_RNOG

Attribute	**Description**	
Name	MAX_RNOG	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	**Description**	
Name	AUTO_CLOSE_COLLATERAL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>E,T</td></tr></table>

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,M,B</td></tr></table>

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>C,F,</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C,F,G,

TOP

PROMOID

Attribute	Description
Name	PROMOID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXPECTED

Attribute	Description
Name	EXPECTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW</td></tr></table>

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LIABILITYAMT

Attribute	Description

Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSAGE

Attribute	Description
Name	CODEUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,A,

TOP

Roll-Comp

Attribute	Description
Name	Roll-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 225

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description	
Name	FUNDDURINGINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FUNDDURINGROLL

Attribute	Description	
Name	FUNDDURINGROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UPLDSOURCEDR

Attribute	Description	
Name	UPLDSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

UPLDSOURCECR

Attribute	Description	
Name	UPLDSOURCECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	**Description**	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	**Description**	
Name	PAYERACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	**Description**	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description	
Name	ENDPOINTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCDCR

Attribute	Description	
Name	CLGPRODCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDCR

Attribute	Description	
Name	SECTORCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRUNODR

Attribute	Description	
Name	INSTRUNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SETTLCCY

Attribute	Description
Name	SETTLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description

Name	ORGEXCHRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHANGERATE

Attribute	Description
Name	EXCHANGERATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATE

Attribute	Description
Name	NEGOTIATEDRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNO

Attribute	Description
Name	NEGOTIATIONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATION_MODE

Attribute	Description

Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

NEGCOSTRATE

Attribute	Description
Name	NEGCOSTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGREFNO

Attribute	Description
Name	NEGREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXCHANGERTDER

Attribute	Description
Name	EXCHANGERTDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGRATEDR

Attribute	Description
Name	NEGRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGREFNODR

Attribute	Description
Name	NEGREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PAYMODE

Attribute	**Description**	
Name	PAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PMNTPRODAC

Attribute	**Description**	
Name	PMNTPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYDTLS

Attribute	**Description**	
Name	PAYDTLS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BENACC

Attribute	**Description**	
Name	BENACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BENBANK

Attribute	Description
Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>R,P,D</td></tr></table>

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,M</td></tr></table>

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLG

Attribute	**Description**	
Name	WAIVERFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHLINK

Attribute	**Description**	
Name	SCHLINK	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PROCESSNO

Attribute	**Description**

Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTL

Attribute	Description
Name	READJSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTREADJXRATE

Attribute	Description
Name	LASTREADJXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTSETTL

Attribute	Description
Name	SUSPAMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTLCY

Attribute	Description
Name	SUSPAMTLCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPREADSETTL

Attribute	Description

Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Disbursals

Attribute	Description
Name	Disbursals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGPRODCDDR

Attribute	Description
Name	CLGPRODCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDDURINGINIT

Attribute	Description	
Name	FUNDDURINGINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FUNDDURINGROLL

Attribute	Description	
Name	FUNDDURINGROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UPLDSOURCEDR

Attribute	Description	
Name	UPLDSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

UPLDSOURCECR

Attribute	Description	
Name	UPLDSOURCECR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

CONSOLCHG

Attribute	Description
Name	CONSOLCHG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Chg-Sch

Attribute	Description
Name	Chg-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SETTLEMENTCCY

Attribute	Description
Name	SETTLEMENTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description

Name	ORGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description
Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTREADJRATE

Attribute	Description
Name	LASTREADJRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTSETTLED

Attribute	Description

Name	SUSPAMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPAMTCCY

Attribute	Description
Name	SUSPAMTCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

LINKREFNO

Attribute	Description

Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SECUREDPORTION

Attribute	Description
Name	SECUREDPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKBRN

Attribute	Description
Name	LINKBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKSEQNO

Attribute	Description
Name	LINKSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Credit-Score

Attribute	**Description**	
Name	Credit-Score	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CREDIRSCORE

Attribute	**Description**	
Name	CREDIRSCORE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AGENCYCD

Attribute	**Description**	
Name	AGENCYCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTCRSCORE

Attribute	**Description**	
Name	EXTCRSCORE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RULENAME

Attribute	Description
Name	RULENAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Asset-Home

Attribute	Description
Name	Asset-Home
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PURCHASEORDERNO

Attribute	Description
Name	PURCHASEORDERNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GEOCODE

Attribute	Description
Name	GEOCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BNACODE

Attribute	Description
Name	BNACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MSACODE

Attribute	Description
Name	MSACODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRESS1

Attribute	**Description**	
Name	ADDRESS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS2

Attribute	**Description**	
Name	ADDRESS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS3

Attribute	**Description**	
Name	ADDRESS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS4

Attribute	**Description**	
Name	ADDRESS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Vehicle,Home,Others,None

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALSUPPLEMENT

Attribute	Description

Name	VALSUPPLEMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	**Description**	
Name	ASSETTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSUBTYP

Attribute	**Description**	
Name	ASSETSUBTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	**Description**	
Name	ASSETSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

PROPERTYADDR1

Attribute	**Description**	
Name	PROPERTYADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN1

Attribute	**Description**	
Name	ADDLN1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN2

Attribute	**Description**	
Name	ADDLN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDLN3

Attribute	**Description**	
Name	ADDLN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCCY

Attribute	Description

Name	ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

RECVR

Attribute	**Description**	
Name	RECVR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST4

Attribute	Description
Name	INTRIMINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST2

Attribute	Description
Name	ACCINST2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS2

Attribute	Description
Name	PYMTDTLS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS3

Attribute	Description
Name	PYMTDTLS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS4

Attribute	Description
Name	PYMTDTLS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO1

Attribute	Description
Name	SNDRRCVRINFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN2

Attribute	**Description**	
Name	BNFINSTUTN2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	Description	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF2

Attribute	Description	
Name	ULTBENF2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF3

Attribute	Description	
Name	ULTBENF3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF4

Attribute	Description	
Name	ULTBENF4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Cltbs-Account-Statement

Attribute	Description
Name	Cltbs-Account-Statement
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description

Name	CHGEMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGEMIPCNT

Attribute	Description
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Intermediary

Attribute	Description
Name	Intermediary
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INTERMEDIARY_CODE

Attribute	Description
Name	INTERMEDIARY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

POLICYTYPE

Attribute	Description
Name	POLICYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / L,P

TOP

INSURER

Attribute	Description
Name	INSURER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

INSURERADDR1

Attribute	Description
Name	INSURERADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Property

Attribute	Description
Name	Property
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNUMBER

Attribute	**Description**	
Name	CONTACTNUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

WINGNAME

Attribute	**Description**	
Name	WINGNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETFINANCEAMT

Attribute	**Description**	
Name	ASSETFINANCEAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PROPERTYVALUE

Attribute	**Description**	
Name	PROPERTYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description
Name	LINKED_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COLLCAT

Attribute	**Description**	
Name	COLLCAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

COMMITMENTPROD

Attribute	**Description**	
Name	COMMITMENTPROD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Clvws-Account-Udf-Char

Attribute	**Description**	
Name	Clvws-Account-Udf-Char	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_CHAR_1

Attribute	**Description**	
Name	FIELD_CHAR_1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	40

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFINANCE_RATE

Attribute	Description

Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,X,F,P

TOP

PROCALCMTH

Attribute	Description
Name	PROCALCMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REFRATECD

Attribute	Description
Name	REFRATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COSTCD1

Attribute	Description
Name	COSTCD1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD5

Attribute	Description
Name	COSTCD5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3

Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String

Description	Indicates Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEYID

Attribute	Description
Name	KEYID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Vhc-Dtls

Attribute	Description
Name	Vhc-Dtls
Datatype	
Description	Indicates Vehicle Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REGEMIRATE

Attribute	Description
Name	REGEMIRATE
Datatype	String
Description	Indicates whether Vehicle is Registered in Emirates
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGDT

Attribute	Description
Name	REGDT
Datatype	Date
Description	Indicates Vehicle Registration Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AGENTBRN

Attribute	**Description**	
Name	AGENTBRN	
Datatype	String	
Description	Indicates Vehicle Agent Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AGENTSALESNAME

Attribute	**Description**	
Name	AGENTSALESNAME	
Datatype	String	
Description	Indicates Vehicle Agent Sales Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REQFINAMT

Attribute	**Description**	
Name	REQFINAMT	
Datatype	Number	
Description	Indicates Vehicle Finance Amount Requested	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAINTCOST

Attribute	Description
Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUREDBYBANK

Attribute	Description

Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description
Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC

Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

YEARMODEL

Attribute	**Description**	
Name	YEARMODEL	
Datatype	String	
Description	Indicates Vehicle Model Year	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLASS

Attribute	**Description**	
Name	CLASS	
Datatype	String	
Description	Indicates Vehicle Class	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COLOR

Attribute	**Description**	
Name	COLOR	
Datatype	String	
Description	Indicates Vehicle Color	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

NOOFCYL

Attribute	**Description**	
Name	NOOFCYL	
Datatype	Number	
Description	Indicates No of Cylinders in Vehicle	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ENGINENO

Attribute	Description	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CHASSISNO

Attribute	Description	
Name	CHASSISNO	
Datatype	String	
Description	Indicates Vehicle Chassis Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

VEHICLECOND

Attribute	Description	
Name	VEHICLECOND	
Datatype	String	
Description	Indicates Vehicle Condition	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGTYP

Attribute	Description	
Name	REGTYP	
Datatype	String	
Description	Indicates Vehicle Registration Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME
Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 500

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description	
Name	AREAINEMIRATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DISTORAREA

Attribute	Description	
Name	DISTORAREA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AREAINANOCOUNTRY

Attribute	Description	
Name	AREAINANOCOUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	Description	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description	
Name	BUILDINGNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROJECTNAME

Attribute	Description	
Name	PROJECTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

VILLAORAPTNO

Attribute	Description	
Name	VILLAORAPTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNO

Attribute	Description
Name	CONTACTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPSTATUS

Attribute	Description
Name	PROPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DATEOFCOMPLETION

Attribute	Description
Name	DATEOFCOMPLETION
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	
Restrictions	

Restrictions	Description
enumeration	C,N,P,

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	
Restrictions	

Restrictions	Description
maxLength	12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	
Restrictions	

Restrictions	Description
enumeration	B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

BRANDCODE

Attribute	Description

Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

GOODSTYP

Attribute	Description
Name	GOODSTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROFORMAINVOICEDT

Attribute	Description
Name	PROFORMAINVOICEDT
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Serijadtls

Attribute	Description
Name	Serijadtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EDUBENEF

Attribute	**Description**	
Name	EDUBENEF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

EDUSTARTDT

Attribute	**Description**	
Name	EDUSTARTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EDUENDDT

Attribute	**Description**	
Name	EDUENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTLOC

Attribute	**Description**	
Name	RENTLOC	
Datatype	String	
Description	Indicates Rent Ijarah Location	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CAPACITY

Attribute	Description
Name	CAPACITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALBENEF

Attribute	Description
Name	MEDICALBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MEDICALSTDT

Attribute	Description
Name	MEDICALSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,S</td></tr></table>

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>50</td></tr></table>

TOP

EQUIPLOC

Attribute	Description
Name	EQUIPLOC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

STREET

Attribute	Description

Name	STREET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DOWNPMNT

Attribute	**Description**	
Name	DOWNPMNT	
Datatype	Number	
Description	Indicates Vehicle Down payment Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTFINAMT

Attribute	**Description**	
Name	ASSTFINAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description	Indicates Vehicle Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTOPRECUSBRN

Attribute	Description
Name	AUTOPRECUSBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

Rates-Cycle-A

Attribute	**Description**	
Name	Rates-Cycle-A	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NEXT_CYCLE_CODE

Attribute	**Description**	
Name	NEXT_CYCLE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CYCLE_END_DT

Attribute	**Description**	
Name	CYCLE_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

2.60.3.MO-CreateMortgage-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Full*
    - *ACCNO*
    - *BRN*
    - *APPLNO*
    - *PROD*
    - *PRODCAT*
    - *USERDEFSTAT*
    - *ALTACCNO*
    - *USERREFNO*
    - *SUBSIDYCUSTID*
    - *CUSTID*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *CCY*
    - *AMTFINANCED*
    - *MATTYP*
    - *NETPRIN*
    - *INDEXXRATE*

BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
CUSTNAME
DOWNPAYAMT
ORIGSTDT
PRIMAPPLID
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC

CRACCBRN
CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR

PAYERADD4DR
CARDNO
CALCGP
TXNSTAT
AUTHSTATS
MAKERID
MAKERDT
CHECHKERID
CHECKERSTAMP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE
CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT

MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
PRIMAPPNAME
USEGUARANTOR
STREQD
EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
MINAMTDUERULE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
TOTAL_PRIN
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
MAX_RNOG
PRODUCT_DESC
RNOG_NO
AUTO_CLOSE_COLLATERAL
SECR_STATUS
STATUS_CHANGE_MODE
COLL_TAKOVR
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2
INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE

FREEZE
PID_NO
Promotions
  BENCIF
  PRIORITY
  PROMOTYP
  PROMOID
Account-Stats
  COMPNAME
  EXPECTED
  OVERDUE
  OUTSTANDING
  ADVANCE
  COMPCCY
Othr-Applicants
  CUSTID
  CUSTNAME
  RESPONSIBILITY
  LIABPERCENT
  LIABILITYAMT
  EFFECDATE
Hol-Periods
  HOLPERDS
Effec-Date
  EFFDT
  Ude-Vals
    UDEID
    UDEVAL
    RATECODE
    CODEUSAGE
    RESOLVEDVAL
Roll-Comp
  COMPNAME
Ude-Rate-Date
  PERIODSTDT
  PERIODENDDT
Checklist
  DESC
  CHECKED
Remarks
  REMARK1
  REMARK2
  REMARK3
  REMARK4

REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10

Components

PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC

WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR
Comp-Sch
  UNIT
  SCHENDDT

AMT
PAYMODE
PMNTPRODAC
PAYDTLS
BENACC
BENBANK
BENNAME
CAPITALIZED
FIRSTDUEDT
WAIVERFLG
COMPOUNDDAYS
COMPOUNDMONTHS
COMPOUNDYEARS
EMIAMT
DUEDATESON
DAYSMTH
DAYSYEAR
FREQ
FORMULANAME
SCHSTARTDT
NOOFSCH
SCHTYP
SCHFLG
Acc-Sch-Cmp
SCHDUEDT
GRACEDAYS
ORIGAMTDUE
AMTDUE
ADJAMT
AMTSETTL
AMTOVERDUE
ACCRAMT
LCYEQUIV
DLYAVGAMT
EMAMT
SCHFLG
WAIVERFLG
SCHLINK
CAPITALIZED
PROCESSNO
AMTREADJ
ADJSETTL
SCHSTATUS
ACCGL

- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *SCHNO*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*
- *AMORTPRINC*
- *PAYBYDATE*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*
- *TOT_DISBR*
- *SCHLINK*
- *CUR_DISAMT*
- *AMTDISBURSED*
- *Cltbs-Split-Sttl-Detail*
  - *SPLSEQNO*
  - *SPLCUSTOMER*
  - *SPLACCCCY*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLPAYMD*
  - *SPLACCNO*
  - *SPLACCBRN*
  - *AC_DESC*

Revisions

- *ACCNO*
- *BRN*

COMPNAME
SCHSTDT
SCHDUEDT
APPLIEDFLG
SCHLINK
Comp-Gua-Cust
BRN
ACCNO
COMPNAME
LIQORD
CUSTNUM
CUSTNAME
Comp-Gua-Custacc
BRN
ACCNO
COMPNAME
GUACIFID
LIQORD
GUAACC
GUAACCBRN
GUACCY
Chg-Comp
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR

EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
COMPCHGCCY
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCHGCCY
CMPTYPE
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
CONSOLCHG
Chg-Sch

SETTLEMENTCCY
DUEDATE
AMTDUE
AMTWAIVED
FORMULANAME
SCHTYPE
SCHSTDATE
GRACEDAYS
ORGAMT
ADJAMT
AMTSETTLED
AMTOVERDUE
ACCRAMT
LCYEQUI
DLYAVGAMT
EMIAMT
SCHFLAG
WAIVER
SCHLINKAGE
CAPITALIZED
PROCESSNO
AMTREADJUST
ADJSETTLED
SCHSTAT
ACCGL
LASTPMTVALDT
RETRYSTDT
MORAINT
SCHNO
WRITEOFFAMT
READJSETTLED
LASTREADJRATE
SUSPAMTDUE
SUSPAMTSETTLED
SUSPAMTCCY
SUSPREADAMT
SUSPREADSETTLED
LASTSUSPXRATE
IRRAPPLICABLE
LISTDAYS
LISTAVGAMT
Chg-Dtls
COMPNAME
SCHDUEDT

- *AMTDUE*
- *AMTSETTL*
- *WAIVERFLG*
- *EVENTCD*
- *RECORDROWID*

Linkages

- *BRN*
- *LINKTYP*
- *LINKREFNO*
- *LINKAMT*
- *AMTBLKNO*
- *SECUREDPORTION*
- *CUSTID*
- *LINKBRN*
- *LINKSEQNO*
- *EXRATE*
- *CONVERTLINKAMT*
- *CONVERTPAIDAMT*

Advices

- *MSGTYPE*
- *SUPPRESS*
- *PRIORITY*

Adv-Suppress

- *MSGTYPE*

Credit-Score

- *CREDIRSCORE*
- *AUTOCRSCORE*
- *AGENCYCD*
- *EXTCRSCORE*
- *RULENAME*

Asset-Vehicle

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETBODY*
- *IDENTITYNO*
- *REGNO*
- *ADDRESS1*

- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Home

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *OCCUPANCYTYP*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*

ASSETMODEL
ASSETBODY
REGNO
IDENTITYNO
ADDRESS3
ADDRESS4
ADDRESS1
ADDRESS2

Asset-Prop

OFFSETMARGIN
LENDMARGIN
VALCCY
ACCNO
BRN
PROPNAME
COLLTYP
PROPERTYADDR1
ADDLN1
ADDLN2
ADDLN3
COUNTRY
PROPOWNER
PROPAGE
PROPVAL

Financials

ACCNO
BRN
SEQNO
FINANCETYP
FINSOURCE
CCY
AMT
COMMENTDET

Liabilities

ACCNO
BRN
SEQNO
LIABTYP
ACCTYP
CCY
AMT
FREQ
BAL
COMMENTDET

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*
- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Coll-Linkages-A

- *Takeovrdet*
  - *BRANCH_CODE*
  - *COLLATERAL_CODE*
  - *AMOUNT_SETTLED*
  - *TAK_REF*
  - *DT_OF_TKOVR*
  - *ACCNUM*
  - *EVENT_SEQUENCE_NUMBER*

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*
- *COVRREQ*
- *CHRGDET*
- *OURCORRESP*

RECVR
INTRIMINST1
INTRIMINST2
INTRIMINST3
INTRIMINST4
INTRIMINST5
RCVRCORRESP1
RCVRCORRESP2
RCVRCORRESP3
RCVRCORRESP4
RCVRCORRESP5
INTRMDRY1
INTRMDRY2
INTRMDRY3
INTRMDRY4
INTRMDRY5
ACCINST1
ACCINST2
ACCINST3
ACCINST4
ACCINST5
PYMTDTLS1
PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5
BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3

BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Udf-Others
DESCCHAR1
DESCCHAR2
DESCCHAR3
DESCCHAR4
DESCCHAR5
DESCCHAR6
DESCCHAR7
DESCCHAR8
DESCCHAR9
DESCCHAR10
DESCCHAR11
DESCCHAR12
DESCCHAR13
DESCCHAR14
DESCCHAR15
DESCCHAR16
DESCCHAR17
DESCCHAR18
DESCCHAR19
DESCCHAR20
DESCCHAR22
DESCCHAR23
DESCCHAR24
DESCCHAR25
DESCCHAR26
DESCCHAR27
DESCCHAR28
DESCCHAR29
DESCCHAR30
DESCCHAR31
DESCCHAR32

DESCCHAR33
DESCCHAR34
DESCCHAR36
DESCCHAR37
DESCCHAR38
DESCCHAR39
DESCCHAR40
DESCCHAR41
DESCCHAR42
DESCCHAR43
DESCCHAR45
DESCCHAR46
DESCCHAR47
DESCCHAR48
DESCCHAR49

Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT

Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary
INTERMEDIARY_CODE
INTERMEDIARYNAME
INTERMEDIARY_RATIO

Insurance
ACCNO
BRN
POLICYNUMBER
POLICYTYPE
INSURER
INSURERADDR1
INSURERADDR2
INSURERADDR3
INSURERADDR4
INSURANCEEXPIRY
CUSTOMER
POLICYAMOUNT
POLICYSTDATE
POLICYENDDATE

PREMIUMAMOUNT
INSUREDNAME
MANAGEDBY
Property
ACCNO
BRN
DEVELOPERCODE
PROJECTNAME
PROJECTDESC
PROPERTYTYPE
TITLEDEEDNO
TITILEDEEDISSDT
TITLEDEEDISSFROM
BUILDINGNAME
BUILDINGCOMPNAME
EVALUATOR
EVALUATIONVALUE
EVALUATIONDATE
REQUESTEDAMOUNT
PROPERTYUSAGE
MORTGAGEDEGREE
LOTNUMBER
PROPERTYSTATUS
COMPLETIONDATE
CONTACTPERSON
CONTACTNUMBER
WINGNAME
ASSETFINANCEAMT
PROPERTYVALUE
DOWNPAYMENT
MARKETVALUE
SALEVALUE
REGISTEREDNAME
REGISTRATIONNUMBER
REGISTRATIONDT
Coll-Linkages
ACCOUNT_NUMBER
BRANCH_CODE
LINKAGE_TYPE
LINKED_REF_NO
DESCRIPTION
BRANCH
CCY
OVERALL_AMOUNT

- *HAIRCUT*
- *LIMITAMT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *UTIL_AMT1*
- *COLLCAT*
- *COMMITMENTPROD*
- *STATUS_NEW*
- *TAKENOVER*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*
- *FIELD_NAME*

Clvws-Account-Udf-Num

- *FIELD_VALUE*
- *LBL_FIELD_NUM*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*
- *LBL_FIELD_DATE*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*
- *REFINANCE_RATE*
- *REFRATETYP*
- *PROCALCMTH*
- *REFSPREAD*
- *REFRATECD*
- *COSTCD1*
- *COSTCD2*
- *COSTCD3*
- *COSTCD4*
- *COSTCD5*
- *TXNMIS1*

TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
TRANMIS1
TRANMIS2
TRANMIS3
TRANMIS4
TRANMIS5
TRANMIS6
TRANMIS7
TRANMIS8
TRANMIS9
TRANMIS10
COMMIS1
COMMIS2

- *COMMIS3*
- *COMMIS4*
- *COMMIS5*
- *COMMIS6*
- *COMMIS7*
- *COMMIS8*
- *COMMIS9*
- *COMMIS10*
- *FUNMIS1*
- *FUNMIS2*
- *FUNMIS3*
- *FUNMIS4*
- *FUNMIS5*
- *FUNMIS6*
- *FUNMIS7*
- *FUNMIS8*
- *FUNMIS9*
- *FUNMIS10*
- *Txnmisdetails*
- *Compmisdetails*
- *Fundmisdetails*

TXNUDFDETAILS

- *FLDNAME*
- *FLDVAL*

Extsys-Ws-Master

- *Extsys-Ws-Details*
  - *EXTWSRESP*
  - *USERREMARKS*

Account-Main

- *ACCOUNT_NUMBER*
- *Cont-Status-Movement*
  - *STATCHNGDON*
  - *SEC_REFNO*
  - *SNO*
  - *LOANSTATUS*

Acc-Master

- *ACCNO*
- *Vhc-Dtls*
  - *REGEMIRATE*
  - *REGNO*
  - *REGDT*
  - *DELIVERYDT*
  - *VENDORCD*
  - *AGENTNAME*

AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
ASSTFINAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSEQNO
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD
SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
VENDNAME
OSPRINC
OSPROF
Prop-Dtls
ASSTSEQNO
ASSTSTAT
PROPTYPNEW
PROPTYP
DESC
PROPAREA

PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
ASSTFINAMT
PROPUSAGE
MORTAGEDEGREE
LOTNO
INSUCOMP
INSUVALU
INSUPAIDBY
PREMIUMAMT
INSUEXPDT
INSUNAME
MANAGEDBY
COMPANYNAME
CONTACTPERSON
CONTACTNO
PROPSTATUS
DATEOFCOMPLETION
OSPRINC

- *OSPROF*
- *VENDNAME*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *OSPRINC*
- *OSPROF*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSEQNO*
- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*

DELLOC
DELDT
VENDCD
OSPRINC
OSPROF
VENDNAME

Builddtls

ASSTSEQNO
ASSTSTAT
GOODSTYP
DESC
CCY
DOWNPMNT
ASSTFINAMT
VENDCODE
PROFORMAINVOICENO
PROFORMAINVOICEDT
OSPRINC
OSPROF
VENDNAME

Serijadtls

ASSTSEQNO
ASSTSTAT
SERVTYP
GOODSTYPCD
BRANDCODE
QUNATITY
DELLOC
DELDATE
COURSENAME
EDUBENEF
EDUSTARTDT
EDUENDDT
RENTLOC
UNITNO
RENTPLOTNO
RENTBUILDNAME
PROJNAME
RENTAREA
RENTEMIRATE
TOTAREA
BUILTUPAREA
NOOFSTOREY
RENTSTDT

RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
OSPRINC
OSPROF
VENDNAME
Equipdtls
ASSTSEQNO
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
VENDNAME
OSPRINC
OSPROF
Equipvals
EVALNAME
EVALVAL

EVALDT

Master

Doc-Upload

DCREFNO

DOC_CATEGORY

DOC_TYPE

REMARKS

Ui-Columns

Auto-Prepay

ACCNO

BRN

AUTOPRECUSTID

AUTOPRECCY

AUTOPRECUSBRN

AUTOPRECUSACNO

AUTOPRECUSACCY

AUTOPREMINSWPBL

AUTOPREMINPREAMT

AUTOPREMAXPREAMT

AUTOPREUNIT

Rates-Cycle

ACCOUNT_NUMBER

BRANCH_CODE

Rates-Cycle-A

NEXT_CYCLE_CODE

INTEREST_RATE

UPTO

CYCLE_START_DT

CYCLE_END_DT

CYCLE_NO

CURRENT_CYCLE

UNITS

CURR_CYCLE_CODE

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER

Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID

Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

TOP

Account-Master-Full

Attribute	Description
Name	Account-Master-Full
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

APPLNO

Attribute	**Description**
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROD

Attribute	**Description**
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRODCAT

Attribute	**Description**
Name	PRODCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTFINANCED

Attribute	Description
Name	AMTFINANCED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

MATTYP

Attribute	Description
Name	MATTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / F,C

TOP

NETPRIN

Attribute	Description
Name	NETPRIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INDEXXRATE

Attribute	Description
Name	INDEXXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COMMITTYP

Attribute	**Description**	
Name	COMMITTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,R

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BILL_DUE_AMT

Attribute	**Description**	
Name	BILL_DUE_AMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTAVL

Attribute	**Description**	
Name	AMTAVL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AUTOMANROLL

Attribute	**Description**
Name	AUTOMANROLL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PASSBOOKFAC

Attribute	**Description**	
Name	PASSBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

ATMFAC

Attribute	**Description**	
Name	ATMFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVALIQ

Attribute	**Description**	
Name	TRACKRECEVALIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TRACKRECEVMLIQ

Attribute	**Description**	
Name	TRACKRECEVMLIQ	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	Description
Name	AMENDPASTPAIDSCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CHEQUEBOOKFAC

Attribute	Description
Name	CHEQUEBOOKFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQDBACKVALUESCH

Attribute	Description
Name	LIQDBACKVALUESCH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LIQCOMPDATESFLG

Attribute	Description
Name	LIQCOMPDATESFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	**Description**	
Name	ROLLALLOWED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

NOTARYAUTOCONF

Attribute	**Description**	
Name	NOTARYAUTOCONF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CUSTNAME

Attribute	**Description**	
Name	CUSTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

DOWNPAYAMT

Attribute	**Description**	
Name	DOWNPAYAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRIMAPPLID

Attribute	Description
Name	PRIMAPPLID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUNIT

Attribute	Description
Name	FREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description
Name	INSSTDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMODE

Attribute	**Description**	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	**Description**	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCDR

Attribute	Description
Name	PAYERACCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

CALCGP

Attribute	Description	
Name	CALCGP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

TXNSTAT

Attribute	Description
Name	TXNSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,L,V,H,I,Y</td></tr></table>

TOP

AUTHSTATS

Attribute	Description
Name	AUTHSTATS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,U</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAKERDT

Attribute	Description
Name	MAKERDT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CHECHKERID

Attribute	Description
Name	CHECHKERID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description
Name	LINKEDREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAGETYPE

Attribute	Description
Name	LINKAGETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUTOFFTRANS

Attribute	Description
Name	CUTOFFTRANS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELINQUENCYST

Attribute	Description
Name	DELINQUENCYST
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMAPPNAME

Attribute	Description
Name	PRIMAPPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINEMI

Attribute	Description
Name	MINEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,M,Q,H,Y</td></tr></table>

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MINAMTDUERULE

Attribute	Description
Name	MINAMTDUERULE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TOTAL_PRIN

Attribute	Description
Name	TOTAL_PRIN
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PRODUCT_DESC

Attribute	Description
Name	PRODUCT_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RNOG_NO

Attribute	Description
Name	RNOG_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SECR_STATUS

Attribute	Description
Name	SECR_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ,S,M,E

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

COLL_TAKOVR

Attribute	Description
Name	COLL_TAKOVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,FDAT,TDAT,TDVD,FDMD

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,F,

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PID_NO

Attribute	Description
Name	PID_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C,F,G,

TOP

PROMOID

Attribute	Description
Name	PROMOID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPECTED

Attribute	Description
Name	EXPECTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description
Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	**Description**	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

RESOLVEDVAL

Attribute	**Description**	
Name	RESOLVEDVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Roll-Comp

Attribute	**Description**	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description
Name	Ude-Rate-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	225

TOP

Components

Attribute	**Description**	
Name	Components	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4CR

Attribute	**Description**	
Name	PAYERADD4CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

IRRAPPL

Attribute	**Description**	
Name	IRRAPPL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACCNOCR

Attribute	**Description**	
Name	EXTACCNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGPRDCDDR

Attribute	Description
Name	CLGPRDCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

SECTORCDDR

Attribute	Description
Name	SECTORCDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACCAC

Attribute	**Description**	
Name	SVCACCAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRODAC

Attribute	**Description**	
Name	CRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVE

Attribute	**Description**	
Name	WAIVE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

GIROMODEDR

Attribute	Description	
Name	GIROMODEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M

TOP

GIROSERVICEDR

Attribute	Description	
Name	GIROSERVICEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	Description	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	Description	
Name	PAYERACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	Description	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	Description	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

DRPRODAC

Attribute	**Description**
Name	DRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLCCY

Attribute	**Description**
Name	SETTLCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CMPTYPE

Attribute	**Description**
Name	CMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	**Description**
Name	MAINCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description
Name	ORGEXCHRATEDR
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHANGERATE

Attribute	**Description**	
Name	EXCHANGERATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATEDRATE

Attribute	**Description**	
Name	NEGOTIATEDRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEGOTIATIONREFNO

Attribute	**Description**	
Name	NEGOTIATIONREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ORGEXCHRATE

Attribute	**Description**	
Name	ORGEXCHRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LIQUIDATION_MODE

Attribute	**Description**
Name	LIQUIDATION_MODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

NEGCOSTRATE

Attribute	Description
Name	NEGCOSTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGREFNO

Attribute	Description
Name	NEGREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXCHANGERTDER

Attribute	Description
Name	EXCHANGERTDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGRATEDR

Attribute	Description
Name	NEGRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGREFNODR

Attribute	Description
Name	NEGREFNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PAYMODE

Attribute	Description
Name	PAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PMNTPRODAC

Attribute	Description
Name	PMNTPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYDTLS

Attribute	Description
Name	PAYDTLS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENACC

Attribute	Description
Name	BENACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENBANK

Attribute	Description

Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGAMTDUE

Attribute	Description
Name	ORIGAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTL

Attribute	Description
Name	AMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUIV

Attribute	Description
Name	LCYEQUIV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMAMT

Attribute	Description

Name	EMAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

READJSETTL

Attribute	Description	
Name	READJSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJXRATE

Attribute	Description	
Name	LASTREADJXRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	Description	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTL

Attribute	Description	
Name	SUSPAMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTLCY

Attribute	Description	
Name	SUSPAMTLCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTL

Attribute	Description
Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

AMORTPRINC

Attribute	Description
Name	AMORTPRINC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

PAYBYDATE

Attribute	Description
Name	PAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Disbursals

Attribute	Description
Name	Disbursals

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOT_DISBR

Attribute	Description
Name	TOT_DISBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUR_DISAMT

Attribute	Description
Name	CUR_DISAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDISBURSED

Attribute	Description
Name	AMTDISBURSED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SPLSEQNO

Attribute	Description
Name	SPLSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLCUSTOMER

Attribute	Description
Name	SPLCUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SPLACCCCY

Attribute	Description
Name	SPLACCCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SPLPAYMD

Attribute	Description
Name	SPLPAYMD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AC_DESC

Attribute	Description
Name	AC_DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LIQORD

Attribute	Description
Name	LIQORD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

GUAACCBRN

Attribute	Description
Name	GUAACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

GUACCY

Attribute	Description
Name	GUACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDDR

Attribute	Description
Name	CLGBANKCDDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNCDDR

Attribute	Description
Name	CLGBRNCDDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRODCDDR

Attribute	**Description**	
Name	CLGPRODCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	**Description**	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	**Description**	
Name	FUNDDURINGINIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

FUNDDURINGROLL

Attribute	**Description**	
Name	FUNDDURINGROLL	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

COMPCHGCCY

Attribute	Description
Name	COMPCHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>B,P</td></tr></table>

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBANKCDDR

Attribute	Description
Name	PAYERBANKCDDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRUNODR

Attribute	Description	
Name	INSTRUNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNODR

Attribute	Description	
Name	ROUTINGNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPOINTDR

Attribute	Description	
Name	ENDPOINTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

DRPRODAC

Attribute	Description	
Name	DRPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SETTLCHGCCY

Attribute	Description	
Name	SETTLCHGCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CMPTYPE

Attribute	Description	
Name	CMPTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,H,P,M,D,L,O,F,S,R

TOP

MAINCOMP

Attribute	Description	
Name	MAINCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINT

Attribute	Description	
Name	SPLINT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC</td></tr></table>

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

CONSOLCHG

Attribute	Description	
Name	CONSOLCHG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

Chg-Sch

Attribute	Description	
Name	Chg-Sch	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENTCCY

Attribute	Description	
Name	SETTLEMENTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description
Name	ORGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description

Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LASTREADJRATE

Attribute	**Description**	
Name	LASTREADJRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTDUE

Attribute	**Description**	
Name	SUSPAMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTSETTLED

Attribute	**Description**	
Name	SUSPAMTSETTLED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPAMTCCY

Attribute	**Description**	
Name	SUSPAMTCCY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADAMT

Attribute	**Description**	
Name	SUSPREADAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Chg-Dtls

Attribute	Description
Name	Chg-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTSETTL

Attribute	Description

Name	AMTSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

EVENTCD

Attribute	Description
Name	EVENTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SECUREDPORTION

Attribute	**Description**	
Name	SECUREDPORTION	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKBRN

Attribute	**Description**	
Name	LINKBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKSEQNO

Attribute	**Description**	
Name	LINKSEQNO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

Credit-Score

Attribute	Description
Name	Credit-Score
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CREDIRSCORE

Attribute	Description
Name	CREDIRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AUTOCRSCORE

Attribute	Description
Name	AUTOCRSCORE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AGENCYCD

Attribute	Description
Name	AGENCYCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTCRSCORE

Attribute	Description
Name	EXTCRSCORE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RULENAME

Attribute	Description

Name	RULENAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Home

Attribute	**Description**	
Name	Asset-Home	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETCLASS

Attribute	**Description**	
Name	ASSETCLASS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PURCHASEORDERNO

Attribute	**Description**	
Name	PURCHASEORDERNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GEOCODE

Attribute	**Description**	
Name	GEOCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BNACODE

Attribute	**Description**	
Name	BNACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MSACODE

Attribute	**Description**	
Name	MSACODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Vehicle,Home,Others,None</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALSUPPLEMENT

Attribute	Description
Name	VALSUPPLEMENT
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Prop

Attribute	Description
Name	Asset-Prop
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OFFSETMARGIN

Attribute	Description
Name	OFFSETMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LENDMARGIN

Attribute	Description
Name	LENDMARGIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALCCY

Attribute	Description
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages-A

Attribute	Description
Name	Coll-Linkages-A
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLLATERAL_CODE

Attribute	Description

Name	COLLATERAL_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

AMOUNT_SETTLED

Attribute	Description
Name	AMOUNT_SETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TAK_REF

Attribute	Description
Name	TAK_REF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DT_OF_TKOVR

Attribute	Description
Name	DT_OF_TKOVR
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNUM

Attribute	Description
Name	ACCNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQUENCE_NUMBER

Attribute	Description
Name	EVENT_SEQUENCE_NUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPV

Attribute	Description	
Name	NPV	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACQTYP

Attribute	Description	
Name	ACQTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CURNPVACCR

Attribute	Description	
Name	CURNPVACCR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CALCNPV

Attribute	Description	
Name	CALCNPV	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NPVCALCDT

Attribute	Description	
Name	NPVCALCDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCCY

Attribute	Description
Name	ACCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

RECVR

Attribute	Description
Name	RECVR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST4

Attribute	**Description**	
Name	INTRIMINST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST2

Attribute	Description
Name	ACCINST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS2

Attribute	**Description**	
Name	PYMTDTLS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS3

Attribute	**Description**	
Name	PYMTDTLS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PYMTDTLS4

Attribute	**Description**	
Name	PYMTDTLS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDRRCVRINFO1

Attribute	**Description**	
Name	SNDRRCVRINFO1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN3

Attribute	**Description**	
Name	BNFINSTUTN3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN4

Attribute	**Description**	
Name	BNFINSTUTN4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BNFINSTUTN5

Attribute	**Description**	
Name	BNFINSTUTN5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULTBENF1

Attribute	**Description**	
Name	ULTBENF1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Udf-Others

Attribute	Description
Name	Udf-Others
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESCCHAR1

Attribute	Description
Name	DESCCHAR1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR2

Attribute	Description
Name	DESCCHAR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR3

Attribute	Description
Name	DESCCHAR3
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR4

Attribute	**Description**	
Name	DESCCHAR4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR5

Attribute	**Description**	
Name	DESCCHAR5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR6

Attribute	**Description**	
Name	DESCCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR7

Attribute	**Description**	
Name	DESCCHAR7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR8

Attribute	Description
Name	DESCCHAR8
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR9

Attribute	Description
Name	DESCCHAR9
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR10

Attribute	Description
Name	DESCCHAR10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR11

Attribute	Description
Name	DESCCHAR11
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR12

Attribute	Description	
Name	DESCCHAR12	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR13

Attribute	Description	
Name	DESCCHAR13	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR14

Attribute	Description	
Name	DESCCHAR14	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR15

Attribute	Description	
Name	DESCCHAR15	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR16

Attribute	Description
Name	DESCCHAR16
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR17

Attribute	Description
Name	DESCCHAR17
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR18

Attribute	Description
Name	DESCCHAR18
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR19

Attribute	Description
Name	DESCCHAR19
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR20

Attribute	Description
Name	DESCCHAR20

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR22

Attribute	Description
Name	DESCCHAR22
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR23

Attribute	Description
Name	DESCCHAR23
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR24

Attribute	Description
Name	DESCCHAR24
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR25

Attribute	Description
Name	DESCCHAR25
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR26

Attribute	**Description**	
Name	DESCCHAR26	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR27

Attribute	**Description**	
Name	DESCCHAR27	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR28

Attribute	**Description**	
Name	DESCCHAR28	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR29

Attribute	**Description**	
Name	DESCCHAR29	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR30

Attribute	Description
Name	DESCCHAR30
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR31

Attribute	Description
Name	DESCCHAR31
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR32

Attribute	Description
Name	DESCCHAR32
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR33

Attribute	Description
Name	DESCCHAR33
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1000

TOP

DESCCHAR34

Attribute	Description	
Name	DESCCHAR34	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR36

Attribute	Description	
Name	DESCCHAR36	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR37

Attribute	Description	
Name	DESCCHAR37	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR38

Attribute	Description	
Name	DESCCHAR38	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR39

Attribute	Description
Name	DESCCHAR39
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR40

Attribute	Description
Name	DESCCHAR40
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR41

Attribute	Description
Name	DESCCHAR41
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR42

Attribute	Description
Name	DESCCHAR42
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1000</td></tr></table>

TOP

DESCCHAR43

Attribute	Description
Name	DESCCHAR43

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR45

Attribute	Description
Name	DESCCHAR45
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR46

Attribute	Description
Name	DESCCHAR46
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR47

Attribute	Description
Name	DESCCHAR47
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1000

TOP

DESCCHAR48

Attribute	Description
Name	DESCCHAR48
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

DESCCHAR49

Attribute	**Description**	
Name	DESCCHAR49	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1000

TOP

Cltbs-Account-Statement

Attribute	**Description**	
Name	Cltbs-Account-Statement	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCOUNT_NUMBER

Attribute	**Description**	
Name	ACCOUNT_NUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGEMIPCNT

Attribute	**Description**
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDT

Attribute	**Description**
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Intermediary

Attribute	**Description**
Name	Intermediary
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INTERMEDIARY_CODE

Attribute	**Description**
Name	INTERMEDIARY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERMEDIARYNAME

Attribute	**Description**
Name	INTERMEDIARYNAME
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 32

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POLICYNUMBER

Attribute	Description	
Name	POLICYNUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

POLICYTYPE

Attribute	Description	
Name	POLICYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,P

TOP

INSURER

Attribute	Description	
Name	INSURER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

INSURERADDR1

Attribute	Description	
Name	INSURERADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

INSURERADDR2

Attribute	Description
Name	INSURERADDR2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MANAGEDBY

Attribute	**Description**	
Name	MANAGEDBY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

Property

Attribute	**Description**	
Name	Property	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DEVELOPERCODE

Attribute	Description	
Name	DEVELOPERCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PROJECTNAME

Attribute	Description	
Name	PROJECTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROJECTDESC

Attribute	Description	
Name	PROJECTDESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROPERTYTYPE

Attribute	Description	
Name	PROPERTYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNUMBER

Attribute	Description
Name	CONTACTNUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETFINANCEAMT

Attribute	Description
Name	ASSETFINANCEAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYVALUE

Attribute	Description
Name	PROPERTYVALUE

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKAGE_TYPE

Attribute	Description	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description	
Name	LINKED_REF_NO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description

Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

LIMITAMT

Attribute	Description
Name	LIMITAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UTIL_AMT1

Attribute	Description
Name	UTIL_AMT1
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COLLCAT

Attribute	Description
Name	COLLCAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

COMMITMENTPROD

Attribute	Description
Name	COMMITMENTPROD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUS_NEW

Attribute	Description
Name	STATUS_NEW
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

TAKENOVER

Attribute	Description
Name	TAKENOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

Clvws-Account-Udf-Char

Attribute	Description
Name	Clvws-Account-Udf-Char
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 40

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LBL_FIELD_NUM

Attribute	Description
Name	LBL_FIELD_NUM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4000</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LBL_FIELD_DATE

Attribute	**Description**	
Name	LBL_FIELD_DATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Acc-Liq-Order

Attribute	**Description**	
Name	Acc-Liq-Order	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>P,R</td></tr></table>

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

REFINANCE_RATE

Attribute	Description
Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,X,F,P

TOP

PROCALCMTH

Attribute	**Description**	
Name	PROCALCMTH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REFRATECD

Attribute	**Description**	
Name	REFRATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

COSTCD1

Attribute	**Description**	
Name	COSTCD1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD2

Attribute	Description	
Name	COSTCD2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD3

Attribute	Description	
Name	COSTCD3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD4

Attribute	Description	
Name	COSTCD4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCD5

Attribute	Description	
Name	COSTCD5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

TRANMIS1

Attribute	**Description**	
Name	TRANMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS2

Attribute	Description
Name	TRANMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS3

Attribute	Description
Name	TRANMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS4

Attribute	Description
Name	TRANMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS5

Attribute	Description
Name	TRANMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

TRANMIS6

Attribute	Description
Name	TRANMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS7

Attribute	Description
Name	TRANMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS8

Attribute	Description
Name	TRANMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS9

Attribute	Description
Name	TRANMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

TRANMIS10

Attribute	Description
Name	TRANMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS1

Attribute	Description
Name	COMMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS2

Attribute	Description
Name	COMMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS3

Attribute	Description
Name	COMMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

COMMIS4

Attribute	Description
Name	COMMIS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS5

Attribute	Description
Name	COMMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS6

Attribute	Description
Name	COMMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS7

Attribute	Description
Name	COMMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMMIS8

Attribute	Description
Name	COMMIS8
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS9

Attribute	**Description**	
Name	COMMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

COMMIS10

Attribute	**Description**	
Name	COMMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS1

Attribute	**Description**	
Name	FUNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

FUNMIS2

Attribute	**Description**	
Name	FUNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS3

Attribute	Description
Name	FUNMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS4

Attribute	Description
Name	FUNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS5

Attribute	Description
Name	FUNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS6

Attribute	Description
Name	FUNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

FUNMIS7

Attribute	Description
Name	FUNMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS8

Attribute	Description
Name	FUNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS9

Attribute	Description
Name	FUNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNMIS10

Attribute	Description
Name	FUNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String
Description	Indicates Field Name
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr><tr><td>minLength</td><td>1</td></tr></table>

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EXTWSRESP

Attribute	Description
Name	EXTWSRESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STATCHNGDON

Attribute	Description
Name	STATCHNGDON
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SEC_REFNO

Attribute	Description
Name	SEC_REFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SNO

Attribute	Description
Name	SNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LOANSTATUS

Attribute	Description
Name	LOANSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Vhc-Dtls

Attribute	**Description**
Name	Vhc-Dtls
Datatype	
Description	Indicates Vehicle Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REGEMIRATE

Attribute	**Description**
Name	REGEMIRATE
Datatype	String
Description	Indicates whether Vehicle is Registered in Emirates
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGNO

Attribute	**Description**
Name	REGNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGDT

Attribute	**Description**
Name	REGDT
Datatype	Date
Description	Indicates Vehicle Registration Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTBRN

Attribute	Description
Name	AGENTBRN
Datatype	String
Description	Indicates Vehicle Agent Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AGENTSALESNAME

Attribute	Description
Name	AGENTSALESNAME
Datatype	String

Description	Indicates Vehicle Agent Sales Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REQFINAMT

Attribute	Description
Name	REQFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAINTCOST

Attribute	Description

Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUREDBYBANK

Attribute	Description
Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description

Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETSEQNO

Attribute	Description
Name	ASSETSEQNO
Datatype	Number
Description	Indicates Vehicle Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

YEARMODEL

Attribute	Description
Name	YEARMODEL
Datatype	String
Description	Indicates Vehicle Model Year
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLASS

Attribute	Description
Name	CLASS
Datatype	String
Description	Indicates Vehicle Class
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COLOR

Attribute	Description
Name	COLOR
Datatype	String
Description	Indicates Vehicle Color
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NOOFCYL

Attribute	Description
Name	NOOFCYL
Datatype	Number
Description	Indicates No of Cylinders in Vehicle
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

CHASSISNO

Attribute	Description
Name	CHASSISNO
Datatype	String
Description	Indicates Vehicle Chassis Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

VEHICLECOND

Attribute	Description
Name	VEHICLECOND
Datatype	String
Description	Indicates Vehicle Condition
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGTYP

Attribute	Description
Name	REGTYP
Datatype	String
Description	Indicates Vehicle Registration Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME

Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 500

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description
Name	AREAINEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DISTORAREA

Attribute	Description	
Name	DISTORAREA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AREAINANOCOUNTRY

Attribute	Description	
Name	AREAINANOCOUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	**Description**	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VILLAORAPTNO

Attribute	Description
Name	VILLAORAPTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CONTACTPERSON

Attribute	**Description**	
Name	CONTACTPERSON	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNO

Attribute	**Description**	
Name	CONTACTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROPSTATUS

Attribute	**Description**	
Name	PROPSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DATEOFCOMPLETION

Attribute	**Description**	
Name	DATEOFCOMPLETION	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDCODE

Attribute	Description

Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSEQNO

Attribute	**Description**	
Name	ASSTSEQNO	
Datatype	Number	
Description	Indicates Property Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

GOODSTYP

Attribute	**Description**	
Name	GOODSTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	2000

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

PROFORMAINVOICEDT

Attribute	**Description**	
Name	PROFORMAINVOICEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPRINC

Attribute	**Description**	
Name	OSPRINC	
Datatype	Number	
Description	Indicates Vehicle Outstanding Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OSPROF

Attribute	**Description**	
Name	OSPROF	
Datatype	Number	
Description	Indicates Vehicle Outstanding Profit	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDNAME

Attribute	**Description**	
Name	VENDNAME	
Datatype	String	
Description	Indicates Vehicle Vendor Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

Serijadtls

Attribute	**Description**
Name	Serijadtls

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

SERVTYP

Attribute	Description
Name	SERVTYP
Datatype	String
Description	Indicates Ijarah Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GOODSTYPCD

Attribute	Description
Name	GOODSTYPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EDUBENEF

Attribute	**Description**	
Name	EDUBENEF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

EDUSTARTDT

Attribute	**Description**	
Name	EDUSTARTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EDUENDDT

Attribute	**Description**	
Name	EDUENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTLOC

Attribute	**Description**	
Name	RENTLOC	
Datatype	String	
Description	Indicates Rent Ijarah Location	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CAPACITY

Attribute	Description
Name	CAPACITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALBENEF

Attribute	Description
Name	MEDICALBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MEDICALSTDT

Attribute	Description
Name	MEDICALSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MEDICALENDDT

Attribute	Description
Name	MEDICALENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 2000

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

OSPRINC

Attribute	Description
Name	OSPRINC
Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSEQNO

Attribute	Description
Name	ASSTSEQNO
Datatype	Number
Description	Indicates Property Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

ENGINENO

Attribute	**Description**	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

EQUIPLOC

Attribute	**Description**	
Name	EQUIPLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

STREET

Attribute	**Description**	
Name	STREET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	Indicates Vehicle Finance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>2000</td></tr></table>

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDNAME

Attribute	Description
Name	VENDNAME
Datatype	String
Description	Indicates Vehicle Vendor Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

OSPRINC

Attribute	Description
Name	OSPRINC

Datatype	Number
Description	Indicates Vehicle Outstanding Principal
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

OSPROF

Attribute	Description
Name	OSPROF
Datatype	Number
Description	Indicates Vehicle Outstanding Profit
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description

Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Ui-Columns

Attribute	Description
Name	Ui-Columns
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECUSTID

Attribute	**Description**	
Name	AUTOPRECUSTID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTOPRECCY

Attribute	**Description**	
Name	AUTOPRECCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTOPRECUSBRN

Attribute	**Description**	
Name	AUTOPRECUSBRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Rates-Cycle-A

Attribute	Description
Name	Rates-Cycle-A
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NEXT_CYCLE_CODE

Attribute	Description
Name	NEXT_CYCLE_CODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

INTEREST_RATE

Attribute	Description
Name	INTEREST_RATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UPTO

Attribute	Description
Name	UPTO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_START_DT

Attribute	Description
Name	CYCLE_START_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CYCLE_END_DT

Attribute	Description	
Name	CYCLE_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLE_NO

Attribute	Description	
Name	CYCLE_NO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CURRENT_CYCLE

Attribute	Description	
Name	CURRENT_CYCLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

UNITS

Attribute	Description	
Name	UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	M,Y,

TOP

CURR_CYCLE_CODE

Attribute	Description
Name	CURR_CYCLE_CODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.60.4.MO-CreateMortgage-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Account-Master-PK*
      - *ACCNO*
      - *BRN*
    - *Account-Master-IO*
      - *ACCNO*
      - *BRN*
      - *APPLNO*
      - *PROD*
      - *USERDEFSTAT*
      - *ALTACCNO*
      - *USERREFNO*
      - *SUBSIDYCUSTID*
      - *CUSTID*
      - *VALDT*
      - *MATDT*
      - *CCY*
      - *AMTFINANCED*
      - *MATTYP*

INDEXXRATE
BILLREFNO
COMMITTYP
LOANTOVALUE
BILL_DUE_AMT
AMTAVL
AUTOMANROLL
SCHBASIS
UDEROLLOVER
ROLLOVERTYP
SPLAMT
PASSBOOKFAC
ATMFAC
TRACKRECEVALIQ
TRACKRECEVMLIQ
LIQUIDATIONMODE
AMENDPASTPAIDSCH
CHEQUEBOOKFAC
LIQDBACKVALUESCH
LIQCOMPDATESFLG
RETRIESALIQ
PARTIALLIQD
ALIQREVPMT
ROLLBY
ROLLALLOWED
NOTARYAUTOCONF
DOWNPAYAMT
ORIGSTDT
INTERINIT
INTERCODE
PACKCREDIT
STOPDSBR
RECALCANNUITY
ALLOWBLKPMT
NOOFINS
EMIAMT
DUEDATESON
FREQ
FREQUNIT
INSSTDT
DRPAYMODE
CRPAYMODE
CRPRODAC
CRACCBRN

CLGBKCR
CLGBRNCR
INSTNOCR
ROUTINGNOCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCECR
GIROMODECR
GIROSVCCR
GIRONUMCR
PAYERACCCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
EXTACCNOCR
EXTACCNAMECR
PCCATCR
DRPRODAC
DRACCBRN
EXTACCDR
EXTACCNAMEDR
CLGBKDR
CLGBRNDR
PCCATDR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROMODEDR
GIROSVCDR
GIRONUMDR
PAYERACCDR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR

CARDNO
CALCGP
VERSION
VERNO
DERIVED_STAT
PROCESSNO
RESIDUALVALBASIS
RESIDUALVAL
RESIDUALAUTOLIQD
LEASETYPE
LEASEPAYMENTTYPE
INTERESTSUBSIDYLOAN
RESIDUALSUBSIDYALLOW
RESIDUALSUBSIDYVALUE
SUPPLIERID
FAASSETREF
INSURANCECOMPCD
LEASEEXTEND
CALCREQD
BACKVALEFFDT
RATECODEPREF
ALLOWBACKPERIODENTRY
INTSTMT
RESIDUALAMT
NEXTACCRDT
HASPROB
AMTDSBR
STOPACCR
FUNDEDSTAT
AMORTIZED
RECALCACCD
ARVNAPPLIED
LINKEDREF
LINKAGETYPE
CUTOFFTRANS
DELINQUENCYST
EXECUTIONDT
MIGRATIONDT
LASTINTRAACCRDT
LOANTYPE
LINEID
MORTGAGEGRP
USEGUARANTOR
STREQD

EMIFREQ
MINEMI
MAXEMI
EMIFREQUNIT
ENDDATE
FIRSTPAYBYDATE
LOAN_AGAINST_SAL
PROJECT_ACCOUNT
RETRIES_ADVICE_DAYS
MAX_RNOG
AUTO_CLOSE_COLLATERAL
STATUS_CHANGE_MODE
RATE_CHANGE_ACTION
PGPRENDT
BONSLN
BONSAMTFIN
BONSRELREF
BONSPER
POWRPCKT
POWRPKTMIN
POWRPKTMXAMT
AUTOPREPAY
BONSMNTH1
BONSMTH2
INTCALCREQ
CYCLE_BASED_RATE
CYCLE_TYPE
Promotions
- *BENCIF*
- *PRIORITY*
- *PROMOTYP*
- *PROMOID*

Account-Stats
- *COMPNAME*
- *EXPECTED*
- *OVERDUE*
- *OUTSTANDING*
- *ADVANCE*
- *COMPCCY*

Othr-Applicants
- *CUSTID*
- *RESPONSIBILITY*
- *LIABPERCENT*
- *LIABILITYAMT*

- EFFECDATE
- Hol-Periods
  - HOLPERDS
- Effec-Date
  - EFFDT
  - Ude-Vals
    - UDEID
    - UDEVAL
    - RATECODE
    - CODEUSAGE
- Roll-Comp
  - COMPNAME
- Ude-Rate-Date
  - PERIODSTDT
  - PERIODENDDT
- Checklist
  - CHECKED
- Remarks
  - REMARK1
  - REMARK2
  - REMARK3
  - REMARK4
  - REMARK5
  - REMARK6
  - REMARK7
  - REMARK8
  - REMARK9
  - REMARK10
- Components
  - PAYERADD1DR
  - PAYERADD2DR
  - PAYERADD3DR
  - PAYERADD4DR
  - GIROMODECR
  - GIROSERVICECR
  - GIRONUMBERCR
  - PAYERACCNOCR
  - PAYERBANKCDCR
  - PAYERBRNCR
  - PAYERADD1CR
  - PAYERADD2CR
  - PAYERADD3CR
  - PAYERADD4CR
  - IRRAPPL

SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRDCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
UPLDSOURCEDR
UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
WAIVE
VERIFYFUNDS
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
SETTLCCY
MAINCOMP
SPLINT
SPLINTAMT

PENALBASISCOMP
DRPAYMENTMODE
CRPAYMENTMODE
EXCHANGERATEDR
NEGOTIATEDRATEDR
NEGOTIATIONREFNODR
ORGEXCHRATEDR
EXCHANGERATE
NEGOTIATEDRATE
NEGOTIATIONREFNO
ORGEXCHRATE
LIQUIDATION_MODE
NEGCOSTRATE
NEGREFNO
EXCHANGERTDER
NEGRATEDR
NEGREFNODR
Comp-Sch
- *UNIT*
- *SCHENDDT*
- *AMT*
- *PAYMODE*
- *PMNTPRODAC*
- *PAYDTLS*
- *BENACC*
- *BENBANK*
- *BENNAME*
- *CAPITALIZED*
- *FIRSTDUEDT*
- *WAIVERFLG*
- *COMPOUNDDAYS*
- *COMPOUNDMONTHS*
- *COMPOUNDYEARS*
- *EMIAMT*
- *DUEDATESON*
- *DAYSMTH*
- *DAYSYEAR*
- *FREQ*
- *FORMULANAME*
- *SCHSTARTDT*
- *NOOFSCH*
- *SCHTYP*
- *SCHFLG*

Acc-Sch-Cmp

- *GRACEDAYS*
- *WAIVERFLG*
- *SCHLINK*
- *CAPITALIZED*
- *PROCESSNO*
- *AMTREADJ*
- *ADJSETTL*
- *SCHSTATUS*
- *ACCGL*
- *LASTPMNTVALDT*
- *RETRYSTDT*
- *MORAINT*
- *WRITEOFFAMT*
- *READJSETTL*
- *LASTREADJXRATE*
- *SUSPAMTDUE*
- *SUSPAMTSETTL*
- *SUSPAMTLCY*
- *SUSPREADAMT*
- *SUSPREADSETTL*
- *LASTSUSPXRATE*
- *AMTWAIVED*
- *IRRAPPL*
- *LISTDAYS*
- *LISTAVGAMT*

Disbursals

- *DTYPE*
- *MANUALAMTDSBR*
- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHLINK*
- *Cltbs-Split-Sttl-Detail*
  - *SPLPERCENTAGE*
  - *SPLIT_AMT*
  - *SPLACCNO*
  - *SPLACCBRN*

Revisions

- *ACCNO*
- *BRN*
- *COMPNAME*
- *SCHSTDT*
- *SCHDUEDT*

APPLIEDFLG
SCHLINK
Comp-Gua-Cust
BRN
ACCNO
COMPNAME
CUSTNUM
Comp-Gua-Custacc
BRN
ACCNO
COMPNAME
GUACIFID
GUAACC
Chg-Comp
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMODECR
GIROSERVICECR
GIRONUMBERCR
PAYERACCNOCR
PAYERBANKCDCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
SVCACCBRN
EXTACCNOCR
EXTACCNAMECR
CLGBANKCDCR
CLGBRNCDCR
PCCATCR
EXTACCNODR
EXTACCNAMEDR
CLGBANKCDDR
CLGBRNCDDR
CLGPRODCDDR
SECTORCDDR
FUNDDURINGINIT
FUNDDURINGROLL
UPLDSOURCEDR

UPLDSOURCECR
COMPNAME
DRACCBRN
CRACCBRN
SVCACCAC
CRPRODAC
GIROMODEDR
GIROSERVICEDR
GIRONUMBERDR
PAYERACCNODR
PAYERBANKCDDR
PAYERBRNDR
PCCATDR
CARDNO
INSTRUNOCR
ROUTINGNOCR
ENDPOINTCR
CLGPRODCDCR
SECTORCDCR
INSTRUNODR
ROUTINGNODR
ENDPOINTDR
DRPRODAC
MAINCOMP
SPLINT
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMODE
CRPAYMODE
EFFDT
CONSOLCHG
Chg-Sch
- *SETTLEMENTCCY*
- *AMTDUE*
- *AMTWAIVED*
- *FORMULANAME*
- *SCHTYPE*
- *SCHSTDATE*
- *GRACEDAYS*
- *ORGAMT*
- *ADJAMT*
- *AMTSETTLED*
- *AMTOVERDUE*

ACCRAMT
LCYEQUI
DLYAVGAMT
EMIAMT
SCHFLAG
WAIVER
SCHLINKAGE
CAPITALIZED
PROCESSNO
AMTREADJUST
ADJSETTLED
SCHSTAT
ACCGL
LASTPMTVALDT
RETRYSTDT
MORAINT
SCHNO
WRITEOFFAMT
READJSETTLED
LASTREADJRATE
SUSPAMTDUE
SUSPAMTSETTLED
SUSPAMTCCY
SUSPREADAMT
SUSPREADSETTLED
LASTSUSPXRATE
IRRAPPLICABLE
LISTDAYS
LISTAVGAMT
Chg-Dtls
COMPNAME
SCHDUEDT
AMTDUE
AMTSETTL
WAIVERFLG
EVENTCD
RECORDROWID
Linkages
BRN
LINKTYP
LINKREFNO
LINKAMT
AMTBLKNO
SECUREDPORTION

CUSTID
LINKBRN
LINKSEQNO
EXRATE
CONVERTLINKAMT
CONVERTPAIDAMT
Advices
SUPPRESS
PRIORITY
Adv-Suppress
MSGTYPE
Credit-Score
CREDIRSCORE
AGENCYCD
EXTCRSCORE
RULENAME
Asset-Vehicle
ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
ASSETYEAR
ASSETMAKE
ASSETMODEL
ASSETBODY
IDENTITYNO
REGNO
ADDRESS1
ADDRESS2
ADDRESS3
ADDRESS4
Asset-Home
ACCNO
BRN
ASSETCLASS
ASSETTYP
ASSETSUBTYP
ASSETSTATUS
OCCUPANCYTYP
ASSETYEAR
ASSETMAKE
ASSETMODEL

- *ASSETWIDTH*
- *ASSETLENGTH*
- *PURCHASEORDERNO*
- *GEOCODE*
- *BNACODE*
- *MSACODE*
- *ADDRESS1*
- *ADDRESS2*
- *ADDRESS3*
- *ADDRESS4*

Asset-Valuations

- *ASSET*
- *VALDT*
- *VALSOURCE*
- *VALSUPPLEMENT*
- *VALEDITION*
- *WHOLESALEVALUE*
- *RETAILVALUE*
- *USGLVL*
- *IMPACTUSGLVL*
- *TOTVAL*

Asset-Others

- *ACCNO*
- *BRN*
- *ASSETCLASS*
- *ASSETTYP*
- *ASSETSUBTYP*
- *ASSETSTATUS*
- *ASSETYEAR*
- *ASSETMAKE*
- *ASSETMODEL*
- *ASSETBODY*
- *REGNO*
- *IDENTITYNO*
- *ADDRESS3*
- *ADDRESS4*
- *ADDRESS1*
- *ADDRESS2*

Asset-Prop

- *OFFSETMARGIN*
- *LENDMARGIN*
- *VALCCY*
- *ACCNO*
- *BRN*

- *PROPNAME*
- *COLLTYP*
- *PROPERTYADDR1*
- *ADDLN1*
- *ADDLN2*
- *ADDLN3*
- *COUNTRY*
- *PROPOWNER*
- *PROPAGE*
- *PROPVAL*

Financials

- *ACCNO*
- *BRN*
- *SEQNO*
- *FINANCETYP*
- *FINSOURCE*
- *CCY*
- *AMT*
- *COMMENTDET*

Liabilities

- *ACCNO*
- *BRN*
- *SEQNO*
- *LIABTYP*
- *ACCTYP*
- *CCY*
- *AMT*
- *FREQ*
- *BAL*
- *COMMENTDET*

Other-Income

- *ACCNO*
- *BRN*
- *SEQNO*
- *INCOMETYP*
- *CCY*
- *AMT*
- *FREQ*

Udf

- *FLDCHAR1*
- *FLDCHAR2*
- *FLDCHAR6*
- *FLDCHAR7*
- *FLDCHAR8*

- *FLDCHAR9*
- *FLDCHAR10*
- *FLDDATE6*
- *FLDDATE7*

Takeovrdet

Irr

- *EFFDT*
- *IRR*
- *ACCRAMT*
- *NPV*
- *ACQTYP*
- *CURNPVACCR*
- *CALCNPV*
- *NPVCALCDT*

Swift

- *ACCNO*
- *BRNCODE*
- *ACCCY*
- *TRNSTYP*
- *COVRREQ*
- *CHRGDET*
- *OURCORRESP*
- *RECVR*
- *INTRIMINST1*
- *INTRIMINST2*
- *INTRIMINST3*
- *INTRIMINST4*
- *INTRIMINST5*
- *RCVRCORRESP1*
- *RCVRCORRESP2*
- *RCVRCORRESP3*
- *RCVRCORRESP4*
- *RCVRCORRESP5*
- *INTRMDRY1*
- *INTRMDRY2*
- *INTRMDRY3*
- *INTRMDRY4*
- *INTRMDRY5*
- *ACCINST1*
- *ACCINST2*
- *ACCINST3*
- *ACCINST4*
- *ACCINST5*
- *PYMTDTLS1*

PYMTDTLS2
PYMTDTLS3
PYMTDTLS4
SNDRRCVRINFO1
SNDRRCVRINFO2
SNDRRCVRINFO3
SNDRRCVRINFO4
SNDRRCVRINFO5
SNDRRCVRINFO6
ORDRINSTUTN1
ORDRINSTUTN2
ORDRINSTUTN3
ORDRINSTUTN4
ORDRINSTUTN5
ORDRCUST1
ORDRCUST2
ORDRCUST3
ORDRCUST4
ORDRCUST5
BNFINSTUTN1
BNFINSTUTN2
BNFINSTUTN3
BNFINSTUTN4
BNFINSTUTN5
ULTBENF1
ULTBENF2
ULTBENF3
ULTBENF4
ULTBENF5
BNFINST1CVR
BNFINST2CVR
BNFINST3CVR
BNFINST4CVR
BNFINST5CVR
Cltbs-Account-Statement
ACCOUNT_NUMBER
BRANCH_CODE
FREQUENCY
START_DATE
FREQUENCYUNIT
Account-Emi-Chg
CHGEMIAMT
CHGEMIPCNT
EFFDT

Intermediary

- *INTERMEDIARY_CODE*
- *INTERMEDIARY_RATIO*

Insurance

- *ACCNO*
- *BRN*
- *POLICYNUMBER*
- *POLICYTYPE*
- *INSURER*
- *INSURERADDR1*
- *INSURERADDR2*
- *INSURERADDR3*
- *INSURERADDR4*
- *INSURANCEEXPIRY*
- *CUSTOMER*
- *POLICYAMOUNT*
- *POLICYSTDATE*
- *POLICYENDDATE*
- *PREMIUMAMOUNT*
- *INSUREDNAME*
- *MANAGEDBY*

Property

- *ACCNO*
- *BRN*
- *DEVELOPERCODE*
- *PROJECTNAME*
- *PROJECTDESC*
- *PROPERTYTYPE*
- *TITLEDEEDNO*
- *TITILEDEEDISSDT*
- *TITLEDEEDISSFROM*
- *BUILDINGNAME*
- *BUILDINGCOMPNAME*
- *EVALUATOR*
- *EVALUATIONVALUE*
- *EVALUATIONDATE*
- *REQUESTEDAMOUNT*
- *PROPERTYUSAGE*
- *MORTGAGEDEGREE*
- *LOTNUMBER*
- *PROPERTYSTATUS*
- *COMPLETIONDATE*
- *CONTACTPERSON*
- *CONTACTNUMBER*

- *WINGNAME*
- *ASSETFINANCEAMT*
- *PROPERTYVALUE*
- *DOWNPAYMENT*
- *MARKETVALUE*
- *SALEVALUE*
- *REGISTEREDNAME*
- *REGISTRATIONNUMBER*
- *REGISTRATIONDT*

Coll-Linkages

- *ACCOUNT_NUMBER*
- *BRANCH_CODE*
- *LINKAGE_TYPE*
- *LINKED_REF_NO*
- *DESCRIPTION*
- *BRANCH*
- *CCY*
- *OVERALL_AMOUNT*
- *HAIRCUT*
- *LINKED_AMOUNT*
- *LINKED_PER*
- *UTILIZATION_NO*
- *COLLCAT*
- *COMMITMENTPROD*

Clvws-Account-Udf-Char

- *FIELD_CHAR_1*

Clvws-Account-Udf-Num

- *FIELD_VALUE*

Clvws-Account-Udf-Date

- *FIELD_DATE_1*

Acc-Liq-Order

- *STATUS*
- *Liq-Order1*
  - *COMPONENT_NAME*
  - *LIQ_ORDER*

Misdetails

- *CONREFNO*
- *LATESN*
- *MISGRP*
- *RELACC*
- *RELETED_REFERENCE*
- *MISHEAD*
- *RATEFLG*
- *POOLCD*

REFINANCE_RATE
REFRATETYP
PROCALCMTH
REFSPREAD
REFRATECD
COSTCD1
COSTCD2
COSTCD3
COSTCD4
COSTCD5
TXNMIS1
TXNMIS10
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
MISGRPCOMP
MISGRPTXN
COMPMIS1
COMPMIS10
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
FUNDMIS1
FUNDMIS10
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
MISGRPFUN
Txnmisdetails

Compmisdetails
Fundmisdetails
TXNUDFDETAILS
FLDNAME
FLDVAL
Extsys-Ws-Master
KEYID
Extsys-Ws-Details
USERREMARKS
Account-Main
ACCOUNT_NUMBER
Cont-Status-Movement
Acc-Master
VERNO
ACCNO
Vhc-Dtls
REGEMIRATE
REGNO
REGDT
DELIVERYDT
VENDORCD
AGENTNAME
AGENTBRN
AGENTSALESNAME
CCY
REQFINAMT
DOWNPMNT
VHCVAL
MAINTCOST
INSUAMT
PERCENTAMT
INSUREDBYBANK
INSURANCECOMP
PREMIUMAMT
APPRAISERNAME
APPRAISERVAL
APPRAISERDT
ASSETSTAT
ASSETTYP
ASSETCAT
DESC
YEAROFMANU
APPLNO
MAKERCD

SUBMODEL
YEARMODEL
CLASS
COLOR
NOOFCYL
ENGINENO
CHASSISNO
VEHICLECOND
REGTYP
REGNAME
Prop-Dtls
ASSTSTAT
PROPTYPNEW
PROPTYP
DESC
PROPAREA
PROPAREAIN
EMIRATE
AREAINEMIRATE
DISTORAREA
AREAINANOCOUNTRY
CITY
COUNTRY
PLOTNO
TITLEDEEDNO
TITLEDEEDISSUEDT
TITLEDEEDISSUEFROM
REGNO
REGDT
VENDORCODE
CURRENCY
BUILDERNAME
BUILDINGNAME
PROJECTNAME
VILLAORAPTNO
BUILDINGCOMPNAME
WINGNAME
STREETNAME
POBOXNO
REGDONNAMEOF
REQUESTEDAMT
DOWNPMNT
PROPVAL
PROPUSAGE

- *MORTAGEDEGREE*
- *LOTNO*
- *INSUCOMP*
- *INSUVALU*
- *INSUPAIDBY*
- *PREMIUMAMT*
- *INSUEXPDT*
- *INSUNAME*
- *MANAGEDBY*
- *COMPANYNAME*
- *CONTACTPERSON*
- *CONTACTNO*
- *PROPSTATUS*
- *DATEOFCOMPLETION*
- *Prop-Evaldtls*
  - *EVALNAME*
  - *EVALVAL*
  - *EVALDT*
- *Prop-Vendtls*
  - *VENDTYP*
  - *VENDCODE*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTDATE*
  - *ACCENDDATE*

Proj-Dtls

- *ASSTSTAT*
- *INVESTSECCD*
- *DESC*
- *CCY*
- *EXPECPROF*
- *EXPECEXPDT*
- *FEASIBILITYSTDINI*
- *DOWNPMNT*
- *ASSTFINAMT*
- *Proj-Venddtls*
  - *VENDORTYP*
  - *VENDORCD*
  - *CHOSENBY*
  - *ACCVAL*
  - *ACCDT*
  - *ACCSTARTDT*
  - *ACCENDDT*

Gooddtls

- *ASSTSTAT*
- *BRANDCODE*
- *DESC*
- *QUANTITY*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *DELLOC*
- *DELDT*
- *VENDCD*

Builddtls

- *ASSTSTAT*
- *GOODSTYP*
- *DESC*
- *CCY*
- *DOWNPMNT*
- *ASSTFINAMT*
- *VENDCODE*
- *PROFORMAINVOICENO*
- *PROFORMAINVOICEDT*

Serijadtls

- *ASSTSTAT*
- *SERVTYP*
- *GOODSTYPCD*
- *BRANDCODE*
- *QUNATITY*
- *DELLOC*
- *DELDATE*
- *COURSENAME*
- *EDUBENEF*
- *EDUSTARTDT*
- *EDUENDDT*
- *RENTLOC*
- *UNITNO*
- *RENTPLOTNO*
- *RENTBUILDNAME*
- *PROJNAME*
- *RENTAREA*
- *RENTEMIRATE*
- *TOTAREA*
- *BUILTUPAREA*
- *NOOFSTOREY*
- *RENTSTDT*

RENTENDDT
EVENTTYP
EVENTLOC
EVENTPLOTNO
EVENTBUILDNAME
EVENTAREA
EVENTEMIRATE
HOTELTOTAREA
CAPACITY
MEDICALBENEF
MEDICALSTDT
MEDICALENDDT
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCOD
Equipdtls
ASSTSTAT
ENGINENO
EQUIPLOC
STREET
AREACODE
CITYCODE
COUNTRY
OWNER
CCY
DOWNPMNT
ASSTFINAMT
DESC
VENDCODE
SELLDATE
INVOICENO
INVOICEDT
Equipvals
EVALNAME
EVALVAL
EVALDT
Master
KEY_ID
FUNCTION_ID
Doc-Upload
DCREFNO
DOC_CATEGORY

DOC_TYPE
REMARKS
Auto-Prepay
ACCNO
BRN
AUTOPRECUSBRN
AUTOPRECUSACNO
AUTOPRECUSACCY
AUTOPREMINSWPBL
AUTOPREMINPREAMT
AUTOPREMAXPREAMT
AUTOPREUNIT
Rates-Cycle
ACCOUNT_NUMBER
BRANCH_CODE
Rates-Cycle-A
NEXT_CYCLE_CODE
CYCLE_END_DT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP

Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about PK Response

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Account-Master-PK

Attribute	Description
Name	Account-Master-PK
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Account-Master-IO

Attribute	Description
Name	Account-Master-IO
Datatype	
Description	

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROD

Attribute	Description
Name	PROD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

USERDEFSTAT

Attribute	Description
Name	USERDEFSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

USERREFNO

Attribute	Description
Name	USERREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SUBSIDYCUSTID

Attribute	Description
Name	SUBSIDYCUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTFINANCED

Attribute	**Description**	
Name	AMTFINANCED	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

MATTYP

Attribute	**Description**	
Name	MATTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	F,C

TOP

INDEXXRATE

Attribute	**Description**	
Name	INDEXXRATE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BILLREFNO

Attribute	**Description**	
Name	BILLREFNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COMMITTYP

Attribute	Description
Name	COMMITTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>N,R</td></tr></table>

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BILL_DUE_AMT

Attribute	Description
Name	BILL_DUE_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTAVL

Attribute	Description
Name	AMTAVL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOMANROLL

Attribute	Description
Name	AUTOMANROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,M</td></tr></table>

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

UDEROLLOVER

Attribute	Description
Name	UDEROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,C

TOP

ROLLOVERTYP

Attribute	Description
Name	ROLLOVERTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / S,C

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PASSBOOKFAC

Attribute	Description
Name	PASSBOOKFAC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

ATMFAC

Attribute	Description
Name	ATMFAC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRACKRECEVALIQ

Attribute	Description
Name	TRACKRECEVALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

TRACKRECEVMLIQ

Attribute	Description
Name	TRACKRECEVMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

LIQUIDATIONMODE

Attribute	Description
Name	LIQUIDATIONMODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,M,C

TOP

AMENDPASTPAIDSCH

Attribute	**Description**	
Name	AMENDPASTPAIDSCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

CHEQUEBOOKFAC

Attribute	**Description**	
Name	CHEQUEBOOKFAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQDBACKVALUESCH

Attribute	**Description**	
Name	LIQDBACKVALUESCH	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

LIQCOMPDATESFLG

Attribute	**Description**	
Name	LIQCOMPDATESFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIESALIQ

Attribute	Description
Name	RETRIESALIQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARTIALLIQD

Attribute	Description
Name	PARTIALLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ALIQREVPMT

Attribute	Description
Name	ALIQREVPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ROLLBY

Attribute	Description
Name	ROLLBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,S,Y

TOP

ROLLALLOWED

Attribute	Description
Name	ROLLALLOWED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

NOTARYAUTOCONF

Attribute	Description
Name	NOTARYAUTOCONF
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PACKCREDIT

Attribute	Description
Name	PACKCREDIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

STOPDSBR

Attribute	Description
Name	STOPDSBR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

ALLOWBLKPMT

Attribute	Description
Name	ALLOWBLKPMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

NOOFINS

Attribute	Description
Name	NOOFINS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQUNIT

Attribute	Description	
Name	FREQUNIT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	D,M,W,Y,Q,H,B

TOP

INSSTDT

Attribute	Description	
Name	INSSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DRPAYMODE

Attribute	Description	
Name	DRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description	
Name	CRPAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCECR

Attribute	Description
Name	UPSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSVCCR

Attribute	Description
Name	GIROSVCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCCR

Attribute	Description
Name	PAYERACCCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXTACCDR

Attribute	Description
Name	EXTACCDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,M

TOP

GIROSVCDR

Attribute	Description
Name	GIROSVCDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCDR

Attribute	Description	
Name	PAYERACCDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VERSION

Attribute	Description
Name	VERSION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DERIVED_STAT

Attribute	Description
Name	DERIVED_STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALVALBASIS

Attribute	Description
Name	RESIDUALVALBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RESIDUALVAL

Attribute	Description
Name	RESIDUALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RESIDUALAUTOLIQD

Attribute	Description
Name	RESIDUALAUTOLIQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LEASETYPE

Attribute	Description
Name	LEASETYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LEASEPAYMENTTYPE

Attribute	**Description**	
Name	LEASEPAYMENTTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INTERESTSUBSIDYLOAN

Attribute	**Description**	
Name	INTERESTSUBSIDYLOAN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYALLOW

Attribute	**Description**	
Name	RESIDUALSUBSIDYALLOW	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESIDUALSUBSIDYVALUE

Attribute	**Description**	
Name	RESIDUALSUBSIDYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SUPPLIERID

Attribute	Description
Name	SUPPLIERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FAASSETREF

Attribute	Description
Name	FAASSETREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INSURANCECOMPCD

Attribute	Description
Name	INSURANCECOMPCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LEASEEXTEND

Attribute	Description
Name	LEASEEXTEND
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALCREQD

Attribute	Description
Name	CALCREQD

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACKVALEFFDT

Attribute	Description
Name	BACKVALEFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RATECODEPREF

Attribute	Description
Name	RATECODEPREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ALLOWBACKPERIODENTRY

Attribute	Description
Name	ALLOWBACKPERIODENTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INTSTMT

Attribute	Description
Name	INTSTMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUALAMT

Attribute	Description
Name	RESIDUALAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXTACCRDT

Attribute	Description
Name	NEXTACCRDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HASPROB

Attribute	Description
Name	HASPROB
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMTDSBR

Attribute	Description
Name	AMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STOPACCR

Attribute	Description
Name	STOPACCR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDEDSTAT

Attribute	**Description**	
Name	FUNDEDSTAT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMORTIZED

Attribute	**Description**	
Name	AMORTIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RECALCACCD

Attribute	**Description**	
Name	RECALCACCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ARVNAPPLIED

Attribute	**Description**	
Name	ARVNAPPLIED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKEDREF

Attribute	Description	
Name	LINKEDREF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKAGETYPE

Attribute	Description	
Name	LINKAGETYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CUTOFFTRANS

Attribute	Description	
Name	CUTOFFTRANS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DELINQUENCYST

Attribute	Description	
Name	DELINQUENCYST	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXECUTIONDT

Attribute	Description
Name	EXECUTIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MIGRATIONDT

Attribute	Description
Name	MIGRATIONDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTINTRAACCRDT

Attribute	Description
Name	LASTINTRAACCRDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LOANTYPE

Attribute	Description
Name	LOANTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINEID

Attribute	Description
Name	LINEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

MORTGAGEGRP

Attribute	Description
Name	MORTGAGEGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

USEGUARANTOR

Attribute	Description
Name	USEGUARANTOR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STREQD

Attribute	Description
Name	STREQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

EMIFREQ

Attribute	Description
Name	EMIFREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MINEMI

Attribute	Description
Name	MINEMI

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MAXEMI

Attribute	Description
Name	MAXEMI
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIFREQUNIT

Attribute	Description
Name	EMIFREQUNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,M,Q,H,Y

TOP

ENDDATE

Attribute	Description
Name	ENDDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIRSTPAYBYDATE

Attribute	Description
Name	FIRSTPAYBYDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOAN_AGAINST_SAL

Attribute	Description
Name	LOAN_AGAINST_SAL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROJECT_ACCOUNT

Attribute	Description
Name	PROJECT_ACCOUNT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MAX_RNOG

Attribute	Description
Name	MAX_RNOG
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AUTO_CLOSE_COLLATERAL

Attribute	Description
Name	AUTO_CLOSE_COLLATERAL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

STATUS_CHANGE_MODE

Attribute	Description
Name	STATUS_CHANGE_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

RATE_CHANGE_ACTION

Attribute	Description
Name	RATE_CHANGE_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PGPRENDT

Attribute	Description
Name	PGPRENDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSLN

Attribute	Description
Name	BONSLN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M,B

TOP

BONSAMTFIN

Attribute	Description
Name	BONSAMTFIN

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BONSRELREF

Attribute	Description
Name	BONSRELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BONSPER

Attribute	Description
Name	BONSPER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPCKT

Attribute	Description
Name	POWRPCKT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

POWRPKTMIN

Attribute	Description
Name	POWRPKTMIN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

POWRPKTMXAMT

Attribute	Description
Name	POWRPKTMXAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTOPREPAY

Attribute	Description
Name	AUTOPREPAY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

BONSMNTH1

Attribute	Description
Name	BONSMNTH1
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BONSMTH2

Attribute	Description
Name	BONSMTH2
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INTCALCREQ

Attribute	Description
Name	INTCALCREQ
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>,FDAT,TDAT,TDVD,FDMD</td></tr></table>

TOP

CYCLE_BASED_RATE

Attribute	Description
Name	CYCLE_BASED_RATE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

CYCLE_TYPE

Attribute	Description
Name	CYCLE_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / C,F,

TOP

Promotions

Attribute	Description
Name	Promotions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BENCIF

Attribute	Description
Name	BENCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description

Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROMOTYP

Attribute	Description
Name	PROMOTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / P,C,F,G,

TOP

PROMOID

Attribute	Description
Name	PROMOID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Account-Stats

Attribute	Description
Name	Account-Stats
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXPECTED

Attribute	Description
Name	EXPECTED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OVERDUE

Attribute	Description
Name	OVERDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

OUTSTANDING

Attribute	Description
Name	OUTSTANDING
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADVANCE

Attribute	Description
Name	ADVANCE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

Othr-Applicants

Attribute	Description
Name	Othr-Applicants
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

RESPONSIBILITY

Attribute	Description
Name	RESPONSIBILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** enumeration / AUS,CON,CUS,DEV,GUA,GUR,JAF,JAO,JOF,JOO,NOM,REL,SOL,SOW,THR,TRU,VAL,COS,BRW,ATG,RSV,PDG,LPT,ANR,MAD,CBW

TOP

LIABPERCENT

Attribute	Description
Name	LIABPERCENT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABILITYAMT

Attribute	Description

Name	LIABILITYAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFECDATE

Attribute	Description
Name	EFFECDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Hol-Periods

Attribute	Description
Name	Hol-Periods
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

HOLPERDS

Attribute	Description
Name	HOLPERDS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Effec-Date

Attribute	Description
Name	Effec-Date
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Ude-Vals

Attribute	Description
Name	Ude-Vals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATECODE

Attribute	Description
Name	RATECODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSAGE

Attribute	Description	
Name	CODEUSAGE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	P,A,

TOP

Roll-Comp

Attribute	Description	
Name	Roll-Comp	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

Ude-Rate-Date

Attribute	Description	
Name	Ude-Rate-Date	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PERIODSTDT

Attribute	Description
Name	PERIODSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERIODENDDT

Attribute	Description
Name	PERIODENDDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Checklist

Attribute	Description
Name	Checklist
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

Remarks

Attribute	Description
Name	Remarks
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>225</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 225

TOP

Components

Attribute	Description
Name	Components
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDDR

Attribute	Description	
Name	CLGBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDDR

Attribute	Description	
Name	CLGBRNCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRDCDDR

Attribute	Description	
Name	CLGPRDCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	Description	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVE

Attribute	Description
Name	WAIVE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	B,P

TOP

GIRONUMBERDR

Attribute	**Description**	
Name	GIRONUMBERDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERACCNODR

Attribute	**Description**	
Name	PAYERACCNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	**Description**	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	Description	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

INSTRUNOCR

Attribute	Description	
Name	INSTRUNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNOCR

Attribute	Description	
Name	ROUTINGNOCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPOINTCR

Attribute	Description	
Name	ENDPOINTCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCDCR

Attribute	Description	
Name	CLGPRODCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDCR

Attribute	Description	
Name	SECTORCDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRUNODR

Attribute	Description	
Name	INSTRUNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SETTLCCY

Attribute	Description
Name	SETTLCCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRPAYMENTMODE

Attribute	Description
Name	DRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMENTMODE

Attribute	Description
Name	CRPAYMENTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO

TOP

EXCHANGERATEDR

Attribute	Description
Name	EXCHANGERATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATEDRATEDR

Attribute	Description
Name	NEGOTIATEDRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEGOTIATIONREFNODR

Attribute	Description
Name	NEGOTIATIONREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ORGEXCHRATEDR

Attribute	Description

Name	ORGEXCHRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXCHANGERATE

Attribute	Description
Name	EXCHANGERATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATEDRATE

Attribute	Description
Name	NEGOTIATEDRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGOTIATIONREFNO

Attribute	Description
Name	NEGOTIATIONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LIQUIDATION_MODE

Attribute	Description

Name	LIQUIDATION_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

NEGCOSTRATE

Attribute	Description
Name	NEGCOSTRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGREFNO

Attribute	Description
Name	NEGREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXCHANGERTDER

Attribute	Description
Name	EXCHANGERTDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGRATEDR

Attribute	Description
Name	NEGRATEDR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NEGREFNODR

Attribute	Description
Name	NEGREFNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

Comp-Sch

Attribute	Description
Name	Comp-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / D,W,M,Q,H,Y,B

TOP

SCHENDDT

Attribute	Description
Name	SCHENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PAYMODE

Attribute	**Description**	
Name	PAYMODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PMNTPRODAC

Attribute	**Description**	
Name	PMNTPRODAC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYDTLS

Attribute	**Description**	
Name	PAYDTLS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BENACC

Attribute	**Description**	
Name	BENACC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BENBANK

Attribute	Description
Name	BENBANK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BENNAME

Attribute	Description
Name	BENNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FIRSTDUEDT

Attribute	Description
Name	FIRSTDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

WAIVERFLG

Attribute	Description
Name	WAIVERFLG

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

COMPOUNDDAYS

Attribute	Description
Name	COMPOUNDDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDMONTHS

Attribute	Description
Name	COMPOUNDMONTHS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPOUNDYEARS

Attribute	Description
Name	COMPOUNDYEARS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATESON

Attribute	Description
Name	DUEDATESON

Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DAYSMTH

Attribute	Description
Name	DAYSMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 3,1,2,

TOP

DAYSYEAR

Attribute	Description
Name	DAYSYEAR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / 1,2,3,

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTARTDT

Attribute	Description
Name	SCHSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHTYP

Attribute	Description
Name	SCHTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / R,P,D

TOP

SCHFLG

Attribute	Description
Name	SCHFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / N,M

TOP

Acc-Sch-Cmp

Attribute	Description
Name	Acc-Sch-Cmp
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLG

Attribute	**Description**	
Name	WAIVERFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

SCHLINK

Attribute	**Description**	
Name	SCHLINK	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

PROCESSNO

Attribute	**Description**

Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTREADJ

Attribute	Description
Name	AMTREADJ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJSETTL

Attribute	Description
Name	ADJSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LASTPMNTVALDT

Attribute	Description
Name	LASTPMNTVALDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTL

Attribute	Description
Name	READJSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTREADJXRATE

Attribute	Description
Name	LASTREADJXRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTSETTL

Attribute	Description
Name	SUSPAMTSETTL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTLCY

Attribute	Description
Name	SUSPAMTLCY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPREADSETTL

Attribute	Description

Name	SUSPREADSETTL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

LISTDAYS

Attribute	Description
Name	LISTDAYS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

LISTAVGAMT

Attribute	Description
Name	LISTAVGAMT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4000

TOP

Disbursals

Attribute	Description
Name	Disbursals
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DTYPE

Attribute	Description
Name	DTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MANUALAMTDSBR

Attribute	Description
Name	MANUALAMTDSBR
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHSTDT

Attribute	**Description**	
Name	SCHSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

SCHLINK

Attribute	**Description**	
Name	SCHLINK	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Cltbs-Split-Sttl-Detail

Attribute	Description
Name	Cltbs-Split-Sttl-Detail
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLPERCENTAGE

Attribute	Description
Name	SPLPERCENTAGE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLIT_AMT

Attribute	Description
Name	SPLIT_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SPLACCNO

Attribute	Description
Name	SPLACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

SPLACCBRN

Attribute	Description
Name	SPLACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

Revisions

Attribute	Description
Name	Revisions
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

APPLIEDFLG

Attribute	Description
Name	APPLIEDFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

SCHLINK

Attribute	Description
Name	SCHLINK
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Comp-Gua-Cust

Attribute	Description
Name	Comp-Gua-Cust
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTNUM

Attribute	Description
Name	CUSTNUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

Comp-Gua-Custacc

Attribute	Description
Name	Comp-Gua-Custacc
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

GUACIFID

Attribute	Description
Name	GUACIFID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

GUAACC

Attribute	Description
Name	GUAACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

Chg-Comp

Attribute	Description
Name	Chg-Comp
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROMODECR

Attribute	Description
Name	GIROMODECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROSERVICECR

Attribute	Description
Name	GIROSERVICECR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / B,P

TOP

GIRONUMBERCR

Attribute	Description
Name	GIRONUMBERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNOCR

Attribute	Description
Name	PAYERACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBANKCDCR

Attribute	Description
Name	PAYERBANKCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACCNOCR

Attribute	Description
Name	EXTACCNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACCNAMECR

Attribute	Description
Name	EXTACCNAMECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBANKCDCR

Attribute	Description
Name	CLGBANKCDCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CLGBRNCDCR

Attribute	Description
Name	CLGBRNCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACCNODR

Attribute	Description
Name	EXTACCNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACCNAMEDR

Attribute	Description
Name	EXTACCNAMEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGBANKCDDR

Attribute	Description	
Name	CLGBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CLGBRNCDDR

Attribute	Description	
Name	CLGBRNCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLGPRODCDDR

Attribute	Description	
Name	CLGPRODCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCDDR

Attribute	Description	
Name	SECTORCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDDURINGINIT

Attribute	Description
Name	FUNDDURINGINIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

FUNDDURINGROLL

Attribute	Description
Name	FUNDDURINGROLL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

UPLDSOURCEDR

Attribute	Description
Name	UPLDSOURCEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

UPLDSOURCECR

Attribute	Description
Name	UPLDSOURCECR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

SVCACCAC

Attribute	Description
Name	SVCACCAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRPRODAC

Attribute	Description
Name	CRPRODAC

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

GIROMODEDR

Attribute	Description
Name	GIROMODEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,M

TOP

GIROSERVICEDR

Attribute	Description
Name	GIROSERVICEDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,P

TOP

GIRONUMBERDR

Attribute	Description
Name	GIRONUMBERDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERACCNODR

Attribute	Description
Name	PAYERACCNODR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBANKCDDR

Attribute	**Description**	
Name	PAYERBANKCDDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTRUNOCR

Attribute	Description
Name	INSTRUNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGNOCR

Attribute	Description
Name	ROUTINGNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPOINTCR

Attribute	Description
Name	ENDPOINTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCDCR

Attribute	Description
Name	CLGPRODCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCDCR

Attribute	Description
Name	SECTORCDCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRUNODR

Attribute	Description
Name	INSTRUNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ROUTINGNODR

Attribute	Description
Name	ROUTINGNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPOINTDR

Attribute	Description
Name	ENDPOINTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

DRPRODAC

Attribute	Description
Name	DRPRODAC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

MAINCOMP

Attribute	Description
Name	MAINCOMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SPLINT

Attribute	Description
Name	SPLINT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Y,N

TOP

DRPAYMODE

Attribute	Description
Name	DRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR,PDC

TOP

CRPAYMODE

Attribute	Description
Name	CRPAYMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,CCD,CLG,DCD,EAC,EPO,GIR,ICK,INS,TLR

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

CONSOLCHG

Attribute	Description
Name	CONSOLCHG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

Chg-Sch

Attribute	Description
Name	Chg-Sch
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SETTLEMENTCCY

Attribute	Description
Name	SETTLEMENTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULANAME

Attribute	Description
Name	FORMULANAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDATE

Attribute	Description
Name	SCHSTDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ORGAMT

Attribute	Description

Name	ORGAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ADJAMT

Attribute	Description
Name	ADJAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTSETTLED

Attribute	Description
Name	AMTSETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMTOVERDUE

Attribute	Description
Name	AMTOVERDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LCYEQUI

Attribute	Description
Name	LCYEQUI
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DLYAVGAMT

Attribute	Description
Name	DLYAVGAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVER

Attribute	Description
Name	WAIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHLINKAGE

Attribute	Description
Name	SCHLINKAGE

Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

PROCESSNO

Attribute	Description
Name	PROCESSNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTREADJUST

Attribute	Description
Name	AMTREADJUST
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ADJSETTLED

Attribute	Description
Name	ADJSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHSTAT

Attribute	Description
Name	SCHSTAT

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCGL

Attribute	Description
Name	ACCGL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LASTPMTVALDT

Attribute	Description
Name	LASTPMTVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETRYSTDT

Attribute	Description
Name	RETRYSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MORAINT

Attribute	Description
Name	MORAINT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHNO

Attribute	Description
Name	SCHNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WRITEOFFAMT

Attribute	Description
Name	WRITEOFFAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

READJSETTLED

Attribute	Description
Name	READJSETTLED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LASTREADJRATE

Attribute	Description
Name	LASTREADJRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTDUE

Attribute	Description
Name	SUSPAMTDUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUSPAMTSETTLED

Attribute	Description

Name	SUSPAMTSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPAMTCCY

Attribute	Description
Name	SUSPAMTCCY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADAMT

Attribute	Description
Name	SUSPREADAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SUSPREADSETTLED

Attribute	Description
Name	SUSPREADSETTLED
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

LASTSUSPXRATE

Attribute	Description
Name	LASTSUSPXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IRRAPPLICABLE

Attribute	Description
Name	IRRAPPLICABLE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LISTDAYS

Attribute	**Description**	
Name	LISTDAYS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

LISTAVGAMT

Attribute	**Description**	
Name	LISTAVGAMT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4000

TOP

Chg-Dtls

Attribute	**Description**	
Name	Chg-Dtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SCHDUEDT

Attribute	Description	
Name	SCHDUEDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

TOP

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMTSETTL

Attribute	Description	
Name	AMTSETTL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLG

Attribute	Description	
Name	WAIVERFLG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	Y,N

TOP

EVENTCD

Attribute	Description	
Name	EVENTCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

RECORDROWID

Attribute	Description
Name	RECORDROWID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

Linkages

Attribute	Description
Name	Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKTYP

Attribute	Description
Name	LINKTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

LINKREFNO

Attribute	Description

Name	LINKREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMTBLKNO

Attribute	Description
Name	AMTBLKNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SECUREDPORTION

Attribute	Description
Name	SECUREDPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKBRN

Attribute	Description
Name	LINKBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINKSEQNO

Attribute	Description
Name	LINKSEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EXRATE

Attribute	Description
Name	EXRATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONVERTLINKAMT

Attribute	Description
Name	CONVERTLINKAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONVERTPAIDAMT

Attribute	Description
Name	CONVERTPAIDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Advices

Attribute	Description
Name	Advices
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>Y,N</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Adv-Suppress

Attribute	Description
Name	Adv-Suppress
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

Credit-Score

Attribute	**Description**	
Name	Credit-Score	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CREDIRSCORE

Attribute	**Description**	
Name	CREDIRSCORE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AGENCYCD

Attribute	**Description**	
Name	AGENCYCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTCRSCORE

Attribute	**Description**	
Name	EXTCRSCORE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RULENAME

Attribute	Description
Name	RULENAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

Asset-Vehicle

Attribute	Description
Name	Asset-Vehicle
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETTYP

Attribute	**Description**	
Name	ASSETTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSUBTYP

Attribute	**Description**	
Name	ASSETSUBTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETSTATUS

Attribute	**Description**	
Name	ASSETSTATUS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ASSETYEAR

Attribute	**Description**	
Name	ASSETYEAR	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS2

Attribute	Description
Name	ADDRESS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Asset-Home

Attribute	Description
Name	Asset-Home
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

OCCUPANCYTYP

Attribute	Description
Name	OCCUPANCYTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETWIDTH

Attribute	Description
Name	ASSETWIDTH
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ASSETLENGTH

Attribute	Description
Name	ASSETLENGTH

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PURCHASEORDERNO

Attribute	Description
Name	PURCHASEORDERNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GEOCODE

Attribute	Description
Name	GEOCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BNACODE

Attribute	Description
Name	BNACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

MSACODE

Attribute	Description
Name	MSACODE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ADDRESS1

Attribute	**Description**	
Name	ADDRESS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS2

Attribute	**Description**	
Name	ADDRESS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS3

Attribute	**Description**	
Name	ADDRESS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS4

Attribute	**Description**	
Name	ADDRESS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

Asset-Valuations

Attribute	Description
Name	Asset-Valuations
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSET

Attribute	Description
Name	ASSET
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / Vehicle,Home,Others,None

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VALSOURCE

Attribute	Description
Name	VALSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALSUPPLEMENT

Attribute	Description

Name	VALSUPPLEMENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALEDITION

Attribute	Description
Name	VALEDITION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

WHOLESALEVALUE

Attribute	Description
Name	WHOLESALEVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

RETAILVALUE

Attribute	Description
Name	RETAILVALUE
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

USGLVL

Attribute	Description
Name	USGLVL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IMPACTUSGLVL

Attribute	Description
Name	IMPACTUSGLVL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

TOTVAL

Attribute	Description
Name	TOTVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Asset-Others

Attribute	Description
Name	Asset-Others
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCLASS

Attribute	Description
Name	ASSETCLASS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSUBTYP

Attribute	Description
Name	ASSETSUBTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETSTATUS

Attribute	Description
Name	ASSETSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ASSETYEAR

Attribute	Description
Name	ASSETYEAR
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSETMAKE

Attribute	Description
Name	ASSETMAKE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETMODEL

Attribute	Description
Name	ASSETMODEL
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ASSETBODY

Attribute	Description
Name	ASSETBODY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REGNO

Attribute	Description
Name	REGNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

IDENTITYNO

Attribute	Description
Name	IDENTITYNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ADDRESS3

Attribute	Description
Name	ADDRESS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS4

Attribute	Description
Name	ADDRESS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ADDRESS1

Attribute	Description
Name	ADDRESS1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADDRESS2

Attribute	**Description**	
Name	ADDRESS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Asset-Prop

Attribute	**Description**	
Name	Asset-Prop	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

OFFSETMARGIN

Attribute	**Description**	
Name	OFFSETMARGIN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LENDMARGIN

Attribute	**Description**	
Name	LENDMARGIN	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VALCCY

Attribute	**Description**
Name	VALCCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPNAME

Attribute	Description
Name	PROPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COLLTYP

Attribute	Description
Name	COLLTYP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

PROPERTYADDR1

Attribute	Description
Name	PROPERTYADDR1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN1

Attribute	Description
Name	ADDLN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN2

Attribute	Description
Name	ADDLN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ADDLN3

Attribute	Description
Name	ADDLN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROPOWNER

Attribute	Description
Name	PROPOWNER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PROPAGE

Attribute	Description
Name	PROPAGE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Financials

Attribute	Description
Name	Financials

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FINANCETYP

Attribute	Description
Name	FINANCETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FINSOURCE

Attribute	Description
Name	FINSOURCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMMENTDET

Attribute	Description
Name	COMMENTDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

Liabilities

Attribute	Description
Name	Liabilities

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIABTYP

Attribute	Description
Name	LIABTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCTYP

Attribute	Description
Name	ACCTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

BAL

Attribute	Description
Name	BAL
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMMENTDET

Attribute	**Description**	
Name	COMMENTDET	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

Other-Income

Attribute	**Description**	
Name	Other-Income	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SEQNO

Attribute	Description
Name	SEQNO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INCOMETYP

Attribute	Description
Name	INCOMETYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Udf

Attribute	**Description**	
Name	Udf	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FLDCHAR1

Attribute	**Description**	
Name	FLDCHAR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR2

Attribute	**Description**	
Name	FLDCHAR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR6

Attribute	**Description**	
Name	FLDCHAR6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

FLDCHAR7

Attribute	Description
Name	FLDCHAR7
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR8

Attribute	Description
Name	FLDCHAR8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR9

Attribute	Description
Name	FLDCHAR9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDCHAR10

Attribute	Description
Name	FLDCHAR10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>100</td></tr></table>

TOP

FLDDATE6

Attribute	Description
Name	FLDDATE6

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FLDDATE7

Attribute	Description
Name	FLDDATE7
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Takeovrdet

Attribute	Description
Name	Takeovrdet
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Irr

Attribute	Description
Name	Irr
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

IRR

Attribute	Description
Name	IRR
Datatype	Number

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NPV

Attribute	Description
Name	NPV
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACQTYP

Attribute	Description
Name	ACQTYP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CURNPVACCR

Attribute	Description
Name	CURNPVACCR
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CALCNPV

Attribute	Description
Name	CALCNPV
Datatype	Number

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NPVCALCDT

Attribute	Description
Name	NPVCALCDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Swift

Attribute	Description
Name	Swift
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRNCODE

Attribute	Description
Name	BRNCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCCY

Attribute	Description

Name	ACCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

TRNSTYP

Attribute	Description
Name	TRNSTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

COVRREQ

Attribute	Description
Name	COVRREQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

CHRGDET

Attribute	Description
Name	CHRGDET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / O,B,U

TOP

OURCORRESP

Attribute	Description
Name	OURCORRESP
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

RECVR

Attribute	**Description**	
Name	RECVR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INTRIMINST1

Attribute	**Description**	
Name	INTRIMINST1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST2

Attribute	**Description**	
Name	INTRIMINST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTRIMINST3

Attribute	**Description**	
Name	INTRIMINST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST4

Attribute	Description
Name	INTRIMINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRIMINST5

Attribute	Description
Name	INTRIMINST5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP1

Attribute	Description
Name	RCVRCORRESP1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP2

Attribute	Description
Name	RCVRCORRESP2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP3

Attribute	Description
Name	RCVRCORRESP3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP4

Attribute	Description
Name	RCVRCORRESP4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVRCORRESP5

Attribute	Description
Name	RCVRCORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY1

Attribute	Description
Name	INTRMDRY1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTRMDRY2

Attribute	Description
Name	INTRMDRY2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY3

Attribute	Description
Name	INTRMDRY3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY4

Attribute	Description
Name	INTRMDRY4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTRMDRY5

Attribute	Description
Name	INTRMDRY5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACCINST1

Attribute	Description
Name	ACCINST1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST2

Attribute	Description
Name	ACCINST2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST3

Attribute	Description
Name	ACCINST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST4

Attribute	Description
Name	ACCINST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACCINST5

Attribute	Description
Name	ACCINST5
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS1

Attribute	Description
Name	PYMTDTLS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS2

Attribute	Description
Name	PYMTDTLS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS3

Attribute	Description
Name	PYMTDTLS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PYMTDTLS4

Attribute	Description
Name	PYMTDTLS4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO1

Attribute	Description
Name	SNDRRCVRINFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO2

Attribute	Description
Name	SNDRRCVRINFO2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO3

Attribute	Description
Name	SNDRRCVRINFO3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO4

Attribute	Description
Name	SNDRRCVRINFO4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO5

Attribute	Description
Name	SNDRRCVRINFO5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDRRCVRINFO6

Attribute	Description
Name	SNDRRCVRINFO6
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN1

Attribute	Description
Name	ORDRINSTUTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN2

Attribute	Description
Name	ORDRINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDRINSTUTN3

Attribute	Description
Name	ORDRINSTUTN3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN4

Attribute	Description
Name	ORDRINSTUTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRINSTUTN5

Attribute	Description
Name	ORDRINSTUTN5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST1

Attribute	Description
Name	ORDRCUST1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ORDRCUST2

Attribute	Description
Name	ORDRCUST2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST3

Attribute	Description
Name	ORDRCUST3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST4

Attribute	Description
Name	ORDRCUST4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDRCUST5

Attribute	Description
Name	ORDRCUST5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINSTUTN1

Attribute	Description
Name	BNFINSTUTN1
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINSTUTN2

Attribute	Description
Name	BNFINSTUTN2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINSTUTN3

Attribute	Description
Name	BNFINSTUTN3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINSTUTN4

Attribute	Description
Name	BNFINSTUTN4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BNFINSTUTN5

Attribute	Description
Name	BNFINSTUTN5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF1

Attribute	Description
Name	ULTBENF1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF2

Attribute	Description
Name	ULTBENF2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF3

Attribute	Description
Name	ULTBENF3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF4

Attribute	Description
Name	ULTBENF4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULTBENF5

Attribute	Description
Name	ULTBENF5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST1CVR

Attribute	Description
Name	BNFINST1CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST2CVR

Attribute	Description
Name	BNFINST2CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST3CVR

Attribute	Description
Name	BNFINST3CVR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BNFINST4CVR

Attribute	Description
Name	BNFINST4CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BNFINST5CVR

Attribute	Description
Name	BNFINST5CVR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

Cltbs-Account-Statement

Attribute	Description
Name	Cltbs-Account-Statement
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

FREQUENCY

Attribute	Description
Name	FREQUENCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / D,M,Q,H,Y,

TOP

START_DATE

Attribute	Description
Name	START_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FREQUENCYUNIT

Attribute	Description
Name	FREQUENCYUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Account-Emi-Chg

Attribute	Description
Name	Account-Emi-Chg
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CHGEMIAMT

Attribute	Description

Name	CHGEMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHGEMIPCNT

Attribute	Description
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Intermediary

Attribute	Description
Name	Intermediary
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

INTERMEDIARY_CODE

Attribute	Description
Name	INTERMEDIARY_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERMEDIARY_RATIO

Attribute	Description
Name	INTERMEDIARY_RATIO
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Insurance

Attribute	Description
Name	Insurance
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

POLICYNUMBER

Attribute	Description
Name	POLICYNUMBER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

POLICYTYPE

Attribute	**Description**	
Name	POLICYTYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	L,P

TOP

INSURER

Attribute	**Description**	
Name	INSURER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

INSURERADDR1

Attribute	**Description**	
Name	INSURERADDR1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

INSURERADDR2

Attribute	**Description**	
Name	INSURERADDR2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURERADDR3

Attribute	Description
Name	INSURERADDR3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURERADDR4

Attribute	Description
Name	INSURERADDR4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

INSURANCEEXPIRY

Attribute	Description
Name	INSURANCEEXPIRY
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POLICYAMOUNT

Attribute	Description
Name	POLICYAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLICYSTDATE

Attribute	Description
Name	POLICYSTDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

POLICYENDDATE

Attribute	Description
Name	POLICYENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PREMIUMAMOUNT

Attribute	Description
Name	PREMIUMAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUREDNAME

Attribute	Description
Name	INSUREDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

Property

Attribute	Description
Name	Property
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

DEVELOPERCODE

Attribute	Description
Name	DEVELOPERCODE
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PROJECTNAME

Attribute	Description
Name	PROJECTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROJECTDESC

Attribute	Description
Name	PROJECTDESC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PROPERTYTYPE

Attribute	Description
Name	PROPERTYTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

TITILEDEEDISSDT

Attribute	Description
Name	TITILEDEEDISSDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TITLEDEEDISSFROM

Attribute	Description
Name	TITLEDEEDISSFROM
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BUILDINGNAME

Attribute	Description
Name	BUILDINGNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVALUATOR

Attribute	Description
Name	EVALUATOR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EVALUATIONVALUE

Attribute	Description
Name	EVALUATIONVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EVALUATIONDATE

Attribute	Description
Name	EVALUATIONDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REQUESTEDAMOUNT

Attribute	Description
Name	REQUESTEDAMOUNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROPERTYUSAGE

Attribute	Description
Name	PROPERTYUSAGE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

MORTGAGEDEGREE

Attribute	Description
Name	MORTGAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LOTNUMBER

Attribute	Description
Name	LOTNUMBER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPERTYSTATUS

Attribute	Description
Name	PROPERTYSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPLETIONDATE

Attribute	Description
Name	COMPLETIONDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTACTNUMBER

Attribute	**Description**	
Name	CONTACTNUMBER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

WINGNAME

Attribute	**Description**	
Name	WINGNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ASSETFINANCEAMT

Attribute	**Description**	
Name	ASSETFINANCEAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PROPERTYVALUE

Attribute	**Description**	
Name	PROPERTYVALUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DOWNPAYMENT

Attribute	Description
Name	DOWNPAYMENT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MARKETVALUE

Attribute	Description
Name	MARKETVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SALEVALUE

Attribute	Description
Name	SALEVALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REGISTEREDNAME

Attribute	Description
Name	REGISTEREDNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REGISTRATIONNUMBER

Attribute	Description
Name	REGISTRATIONNUMBER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REGISTRATIONDT

Attribute	Description
Name	REGISTRATIONDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Coll-Linkages

Attribute	Description
Name	Coll-Linkages
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRANCH_CODE

Attribute	Description
Name	BRANCH_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / N,C,P,F

TOP

LINKED_REF_NO

Attribute	Description
Name	LINKED_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

OVERALL_AMOUNT

Attribute	Description
Name	OVERALL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

HAIRCUT

Attribute	Description
Name	HAIRCUT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

LINKED_AMOUNT

Attribute	Description
Name	LINKED_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKED_PER

Attribute	Description
Name	LINKED_PER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UTILIZATION_NO

Attribute	Description
Name	UTILIZATION_NO
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COLLCAT

Attribute	**Description**	
Name	COLLCAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

COMMITMENTPROD

Attribute	**Description**	
Name	COMMITMENTPROD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

Clvws-Account-Udf-Char

Attribute	**Description**	
Name	Clvws-Account-Udf-Char	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FIELD_CHAR_1

Attribute	**Description**	
Name	FIELD_CHAR_1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	40

TOP

Clvws-Account-Udf-Num

Attribute	Description
Name	Clvws-Account-Udf-Num
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Clvws-Account-Udf-Date

Attribute	Description
Name	Clvws-Account-Udf-Date
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Acc-Liq-Order

Attribute	Description
Name	Acc-Liq-Order
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

Liq-Order1

Attribute	Description
Name	Liq-Order1
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPONENT_NAME

Attribute	Description
Name	COMPONENT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQ_ORDER

Attribute	Description
Name	LIQ_ORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

Misdetails

Attribute	Description
Name	Misdetails
Datatype	

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CONREFNO

Attribute	Description
Name	CONREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LATESN

Attribute	Description
Name	LATESN
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RELETED_REFERENCE

Attribute	Description
Name	RELETED_REFERENCE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RATEFLG

Attribute	Description
Name	RATEFLG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / P,R

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFINANCE_RATE

Attribute	Description

Name	REFINANCE_RATE
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REFRATETYP

Attribute	Description
Name	REFRATETYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,X,F,P

TOP

PROCALCMTH

Attribute	Description
Name	PROCALCMTH
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ,1,2,3,4,5,6,7,8,9

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REFRATECD

Attribute	Description
Name	REFRATECD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COSTCD1

Attribute	Description
Name	COSTCD1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD2

Attribute	Description
Name	COSTCD2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD3

Attribute	Description
Name	COSTCD3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD4

Attribute	Description
Name	COSTCD4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCD5

Attribute	Description
Name	COSTCD5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

MISGRPFUN

Attribute	**Description**	
Name	MISGRPFUN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

Txnmisdetails

Attribute	Description
Name	Txnmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Compmisdetails

Attribute	Description
Name	Compmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

Fundmisdetails

Attribute	Description
Name	Fundmisdetails
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

TXNUDFDETAILS

Attribute	Description
Name	TXNUDFDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FLDNAME

Attribute	Description
Name	FLDNAME
Datatype	String

Description	Indicates Field Name
Restrictions	**Restrictions** / **Description** maxLength / 105 minLength / 1

TOP

FLDVAL

Attribute	Description
Name	FLDVAL
Datatype	String
Description	Indicates Field Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255 minLength / 0

TOP

Extsys-Ws-Master

Attribute	Description
Name	Extsys-Ws-Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEYID

Attribute	Description
Name	KEYID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 200

TOP

Extsys-Ws-Details

Attribute	Description
Name	Extsys-Ws-Details
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

USERREMARKS

Attribute	Description
Name	USERREMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4000

TOP

Account-Main

Attribute	Description
Name	Account-Main
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

Cont-Status-Movement

Attribute	Description
Name	Cont-Status-Movement
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

Acc-Master

Attribute	Description
Name	Acc-Master
Datatype	

Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Vhc-Dtls

Attribute	Description
Name	Vhc-Dtls
Datatype	
Description	Indicates Vehicle Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

REGEMIRATE

Attribute	Description
Name	REGEMIRATE
Datatype	String
Description	Indicates whether Vehicle is Registered in Emirates
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REGNO

Attribute	Description
Name	REGNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

REGDT

Attribute	Description
Name	REGDT
Datatype	Date
Description	Indicates Vehicle Registration Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DELIVERYDT

Attribute	Description
Name	DELIVERYDT
Datatype	Date
Description	Indicates Vehicle Delivery Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

AGENTNAME

Attribute	Description
Name	AGENTNAME
Datatype	String
Description	Indicates Vehicle Agent Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AGENTBRN

Attribute	**Description**	
Name	AGENTBRN	
Datatype	String	
Description	Indicates Vehicle Agent Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AGENTSALESNAME

Attribute	**Description**	
Name	AGENTSALESNAME	
Datatype	String	
Description	Indicates Vehicle Agent Sales Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REQFINAMT

Attribute	**Description**	
Name	REQFINAMT	
Datatype	Number	
Description	Indicates Vehicle Finance Amount Requested	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VHCVAL

Attribute	Description
Name	VHCVAL
Datatype	Number
Description	Indicates Vehicle Value
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MAINTCOST

Attribute	Description
Name	MAINTCOST
Datatype	Number
Description	Indicates Vehicle Maintenance Cost
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUAMT

Attribute	Description
Name	INSUAMT
Datatype	Number
Description	Indicates Vehicle Insurance Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PERCENTAMT

Attribute	Description
Name	PERCENTAMT
Datatype	Number
Description	Indicates Vehicle Percentage Finance Amount Requested
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INSUREDBYBANK

Attribute	Description

Name	INSUREDBYBANK
Datatype	String
Description	Indicates Vehicle Insured by Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N

TOP

INSURANCECOMP

Attribute	Description
Name	INSURANCECOMP
Datatype	String
Description	Indicates Vehicle Insurance Company
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERNAME

Attribute	Description
Name	APPRAISERNAME
Datatype	String
Description	Indicates Vehicle Appraiser Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

APPRAISERVAL

Attribute	Description
Name	APPRAISERVAL
Datatype	Number
Description	Indicates Vehicle Appraiser Value
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPRAISERDT

Attribute	Description
Name	APPRAISERDT
Datatype	Date
Description	Indicates Vehicle Appraisal Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSETSTAT

Attribute	Description
Name	ASSETSTAT
Datatype	String
Description	Indicates Vehicle Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

ASSETTYP

Attribute	Description
Name	ASSETTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ASSETCAT

Attribute	Description
Name	ASSETCAT
Datatype	String
Description	Indicates Vehicle Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC

Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

YEAROFMANU

Attribute	Description
Name	YEAROFMANU
Datatype	String
Description	Indicates Vehicle Year of Manufacture
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

APPLNO

Attribute	Description
Name	APPLNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

MAKERCD

Attribute	Description
Name	MAKERCD
Datatype	String
Description	Indicates Vehicle Maker Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SUBMODEL

Attribute	Description
Name	SUBMODEL
Datatype	String
Description	Indicates Vehicle Sub Model

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

YEARMODEL

Attribute	**Description**	
Name	YEARMODEL	
Datatype	String	
Description	Indicates Vehicle Model Year	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLASS

Attribute	**Description**	
Name	CLASS	
Datatype	String	
Description	Indicates Vehicle Class	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COLOR

Attribute	**Description**	
Name	COLOR	
Datatype	String	
Description	Indicates Vehicle Color	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

NOOFCYL

Attribute	**Description**	
Name	NOOFCYL	
Datatype	Number	
Description	Indicates No of Cylinders in Vehicle	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ENGINENO

Attribute	Description	
Name	ENGINENO	
Datatype	String	
Description	Indicates Vehicle Engine Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

CHASSISNO

Attribute	Description	
Name	CHASSISNO	
Datatype	String	
Description	Indicates Vehicle Chassis Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	50

TOP

VEHICLECOND

Attribute	Description	
Name	VEHICLECOND	
Datatype	String	
Description	Indicates Vehicle Condition	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGTYP

Attribute	Description	
Name	REGTYP	
Datatype	String	
Description	Indicates Vehicle Registration Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	S,TP,N,

TOP

REGNAME

Attribute	Description
Name	REGNAME
Datatype	String
Description	Indicates Name on whom Vehicle is Registered
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 500

TOP

Prop-Dtls

Attribute	Description
Name	Prop-Dtls
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / A,S

TOP

PROPTYPNEW

Attribute	Description
Name	PROPTYPNEW
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / Y,N,

TOP

PROPTYP

Attribute	Description
Name	PROPTYP
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROPAREA

Attribute	Description
Name	PROPAREA
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPAREAIN

Attribute	Description
Name	PROPAREAIN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EMIRATE

Attribute	Description
Name	EMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AREAINEMIRATE

Attribute	Description	
Name	AREAINEMIRATE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DISTORAREA

Attribute	Description	
Name	DISTORAREA	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AREAINANOCOUNTRY

Attribute	Description	
Name	AREAINANOCOUNTRY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CITY

Attribute	Description	
Name	CITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PLOTNO

Attribute	Description
Name	PLOTNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

TITLEDEEDNO

Attribute	Description
Name	TITLEDEEDNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

TITLEDEEDISSUEDT

Attribute	Description
Name	TITLEDEEDISSUEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

TITLEDEEDISSUEFROM

Attribute	Description
Name	TITLEDEEDISSUEFROM
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REGNO

Attribute	**Description**	
Name	REGNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

REGDT

Attribute	**Description**	
Name	REGDT	
Datatype	Date	
Description	Indicates Vehicle Registration Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

VENDORCODE

Attribute	**Description**	
Name	VENDORCODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

CURRENCY

Attribute	**Description**	
Name	CURRENCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

BUILDERNAME

Attribute	Description	
Name	BUILDERNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGNAME

Attribute	Description	
Name	BUILDINGNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PROJECTNAME

Attribute	Description	
Name	PROJECTNAME	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

VILLAORAPTNO

Attribute	Description	
Name	VILLAORAPTNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

BUILDINGCOMPNAME

Attribute	Description
Name	BUILDINGCOMPNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

WINGNAME

Attribute	Description
Name	WINGNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STREETNAME

Attribute	Description
Name	STREETNAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

POBOXNO

Attribute	Description
Name	POBOXNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REGDONNAMEOF

Attribute	Description
Name	REGDONNAMEOF

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REQUESTEDAMT

Attribute	Description
Name	REQUESTEDAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPVAL

Attribute	Description
Name	PROPVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PROPUSAGE

Attribute	Description
Name	PROPUSAGE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MORTAGEDEGREE

Attribute	Description
Name	MORTAGEDEGREE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LOTNO

Attribute	Description
Name	LOTNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUCOMP

Attribute	Description
Name	INSUCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

INSUVALU

Attribute	Description
Name	INSUVALU
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

INSUPAIDBY

Attribute	Description
Name	INSUPAIDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PREMIUMAMT

Attribute	Description
Name	PREMIUMAMT
Datatype	Number
Description	Indicates Vehicle Insurance Premium Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUEXPDT

Attribute	Description
Name	INSUEXPDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

INSUNAME

Attribute	Description
Name	INSUNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

MANAGEDBY

Attribute	Description
Name	MANAGEDBY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPANYNAME

Attribute	Description
Name	COMPANYNAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CONTACTPERSON

Attribute	Description
Name	CONTACTPERSON
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CONTACTNO

Attribute	Description
Name	CONTACTNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PROPSTATUS

Attribute	Description
Name	PROPSTATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DATEOFCOMPLETION

Attribute	Description
Name	DATEOFCOMPLETION
Datatype	Date
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Evaldtls

Attribute	Description
Name	Prop-Evaldtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Prop-Vendtls

Attribute	Description
Name	Prop-Vendtls
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

VENDTYP

Attribute	Description
Name	VENDTYP
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
enumeration	C,N,P,

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
enumeration	B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

ACCDT

Attribute	Description
Name	ACCDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCSTDATE

Attribute	Description
Name	ACCSTDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCENDDATE

Attribute	Description
Name	ACCENDDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Proj-Dtls

Attribute	Description
Name	Proj-Dtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

INVESTSECCD

Attribute	Description
Name	INVESTSECCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXPECPROF

Attribute	Description
Name	EXPECPROF
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXPECEXPDT

Attribute	Description
Name	EXPECEXPDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FEASIBILITYSTDINI

Attribute	Description
Name	FEASIBILITYSTDINI
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Proj-Venddtls

Attribute	Description
Name	Proj-Venddtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

VENDORTYP

Attribute	Description
Name	VENDORTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / C,N,P,

TOP

VENDORCD

Attribute	Description
Name	VENDORCD
Datatype	String
Description	Indicates Vehicle Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

CHOSENBY

Attribute	Description
Name	CHOSENBY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / B,C,

TOP

ACCVAL

Attribute	Description
Name	ACCVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ACCDT

Attribute	Description
Name	ACCDT

Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCSTARTDT

Attribute	Description
Name	ACCSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCENDDT

Attribute	Description
Name	ACCENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Gooddtls

Attribute	Description
Name	Gooddtls
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

BRANDCODE

Attribute	Description

Name	BRANDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

QUANTITY

Attribute	Description
Name	QUANTITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DELDT

Attribute	Description
Name	DELDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDCD

Attribute	Description
Name	VENDCD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

Builddtls

Attribute	Description
Name	Builddtls
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / A,S

TOP

GOODSTYP

Attribute	Description
Name	GOODSTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

PROFORMAINVOICENO

Attribute	Description
Name	PROFORMAINVOICENO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

PROFORMAINVOICEDT

Attribute	Description
Name	PROFORMAINVOICEDT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

Serijadtls

Attribute	**Description**	
Name	Serijadtls	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ASSTSTAT

Attribute	**Description**	
Name	ASSTSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	A,S

TOP

SERVTYP

Attribute	**Description**	
Name	SERVTYP	
Datatype	String	
Description	Indicates Ijarah Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GOODSTYPCD

Attribute	**Description**	
Name	GOODSTYPCD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

BRANDCODE

Attribute	Description
Name	BRANDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

QUNATITY

Attribute	Description
Name	QUNATITY
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DELLOC

Attribute	Description
Name	DELLOC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

DELDATE

Attribute	Description
Name	DELDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COURSENAME

Attribute	Description
Name	COURSENAME
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EDUBENEF

Attribute	Description
Name	EDUBENEF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EDUSTARTDT

Attribute	Description
Name	EDUSTARTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EDUENDDT

Attribute	Description
Name	EDUENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RENTLOC

Attribute	Description
Name	RENTLOC
Datatype	String
Description	Indicates Rent Ijarah Location
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UNITNO

Attribute	Description
Name	UNITNO
Datatype	String
Description	Indicates Rent Ijarah Unit Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RENTPLOTNO

Attribute	Description
Name	RENTPLOTNO
Datatype	String
Description	Indicates Rent Ijarah Plot Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RENTBUILDNAME

Attribute	Description
Name	RENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

PROJNAME

Attribute	Description
Name	PROJNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

RENTAREA

Attribute	Description
Name	RENTAREA

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RENTEMIRATE

Attribute	Description
Name	RENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAREA

Attribute	Description
Name	TOTAREA
Datatype	String
Description	Indicates Rent Ijarah Total Area
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BUILTUPAREA

Attribute	Description
Name	BUILTUPAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

NOOFSTOREY

Attribute	Description
Name	NOOFSTOREY
Datatype	Number
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTSTDT

Attribute	**Description**	
Name	RENTSTDT	
Datatype	Date	
Description	Indicates Rent Ijarah Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RENTENDDT

Attribute	**Description**	
Name	RENTENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENTTYP

Attribute	**Description**	
Name	EVENTTYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTLOC

Attribute	**Description**	
Name	EVENTLOC	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENTPLOTNO

Attribute	**Description**
Name	EVENTPLOTNO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EVENTBUILDNAME

Attribute	Description
Name	EVENTBUILDNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENTAREA

Attribute	Description
Name	EVENTAREA
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EVENTEMIRATE

Attribute	Description
Name	EVENTEMIRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

HOTELTOTAREA

Attribute	Description
Name	HOTELTOTAREA
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CAPACITY

Attribute	Description	
Name	CAPACITY	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALBENEF

Attribute	Description	
Name	MEDICALBENEF	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

MEDICALSTDT

Attribute	Description	
Name	MEDICALSTDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MEDICALENDDT

Attribute	Description	
Name	MEDICALENDDT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CCY

Attribute	Description
Name	CCY

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DOWNPMNT

Attribute	Description
Name	DOWNPMNT
Datatype	Number
Description	Indicates Vehicle Down payment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ASSTFINAMT

Attribute	Description
Name	ASSTFINAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESC

Attribute	Description
Name	DESC
Datatype	String
Description	Indicates Vehicle Description
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

VENDCOD

Attribute	Description
Name	VENDCOD
Datatype	String
Description	Indicates Ijarah Vendor Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

Equipdtls

Attribute	Description
Name	Equipdtls
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ASSTSTAT

Attribute	Description
Name	ASSTSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>A,S</td></tr></table>

TOP

ENGINENO

Attribute	Description
Name	ENGINENO
Datatype	String
Description	Indicates Vehicle Engine Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>50</td></tr></table>

TOP

EQUIPLOC

Attribute	Description
Name	EQUIPLOC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

STREET

Attribute	Description

Name	STREET
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

AREACODE

Attribute	Description
Name	AREACODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CITYCODE

Attribute	Description
Name	CITYCODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

OWNER

Attribute	Description
Name	OWNER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	1
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DOWNPMNT

Attribute	**Description**	
Name	DOWNPMNT	
Datatype	Number	
Description	Indicates Vehicle Down payment Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ASSTFINAMT

Attribute	**Description**	
Name	ASSTFINAMT	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESC

Attribute	**Description**	
Name	DESC	
Datatype	String	
Description	Indicates Vehicle Description	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

VENDCODE

Attribute	Description
Name	VENDCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

SELLDATE

Attribute	Description
Name	SELLDATE
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

INVOICENO

Attribute	Description
Name	INVOICENO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INVOICEDT

Attribute	Description
Name	INVOICEDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

Equipvals

Attribute	Description
Name	Equipvals
Datatype	
Description	

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVALNAME

Attribute	Description
Name	EVALNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVALVAL

Attribute	Description
Name	EVALVAL
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVALDT

Attribute	Description
Name	EVALDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

Master

Attribute	Description
Name	Master
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

KEY_ID

Attribute	Description
Name	KEY_ID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

FUNCTION_ID

Attribute	Description
Name	FUNCTION_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8

TOP

Doc-Upload

Attribute	Description
Name	Doc-Upload
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

DCREFNO

Attribute	Description
Name	DCREFNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

DOC_CATEGORY

Attribute	Description
Name	DOC_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 1

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

DOC_TYPE

Attribute	Description
Name	DOC_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

Auto-Prepay

Attribute	Description
Name	Auto-Prepay
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTOPRECUSBRN

Attribute	Description
Name	AUTOPRECUSBRN
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTOPRECUSACNO

Attribute	Description
Name	AUTOPRECUSACNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

AUTOPRECUSACCY

Attribute	Description
Name	AUTOPRECUSACCY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>1</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AUTOPREMINSWPBL

Attribute	Description
Name	AUTOPREMINSWPBL

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMINPREAMT

Attribute	Description
Name	AUTOPREMINPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREMAXPREAMT

Attribute	Description
Name	AUTOPREMAXPREAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

AUTOPREUNIT

Attribute	Description
Name	AUTOPREUNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 1

TOP

Rates-Cycle

Attribute	Description
Name	Rates-Cycle
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCOUNT_NUMBER

Attribute	Description
Name	ACCOUNT_NUMBER
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRANCH_CODE

Attribute	**Description**	
Name	BRANCH_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

Rates-Cycle-A

Attribute	**Description**	
Name	Rates-Cycle-A	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NEXT_CYCLE_CODE

Attribute	**Description**	
Name	NEXT_CYCLE_CODE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CYCLE_END_DT

Attribute	**Description**	
Name	CYCLE_END_DT	
Datatype	Date	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	

Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.61.RevCLAdhoc

RevCLAdhoc

2.61.1.MO-Reverse-Adhoc-Req-Full-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Reverse-Adhoc-Req*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *INTREFNO*
  - *CHGINCURDT*
  - *AMT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description

Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength: 8 pattern: [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** enumeration: SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 128 pattern: [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a reverse MO Adhoc

TOP

MO-Reverse-Adhoc-Req

Attribute	Description
Name	MO-Reverse-Adhoc-Req
Datatype	
Description	Includes consumer lending reverse adhoc request FS details

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates the Internal Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	Date
Description	Indicates the Charge Incurred Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

2.61.2.MO-Reverse-Adhoc-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Reverse-Adhoc-Req*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *INTREFNO*
    - *CHGINCURDT*
    - *AMT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a reverse MO Adhoc

TOP

MO-Reverse-Adhoc-Req

Attribute	Description
Name	MO-Reverse-Adhoc-Req
Datatype	
Description	Includes consumer lending reverse adhoc request IO details

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates the Internal Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	Date
Description	Indicates the Charge Incurred Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates the Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

2.61.3.MO-Reverse-Adhoc-Res-FULL-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Delete-AdhocChg-Res-PK*
    - *ACCNO*
    - *BRN*
    - *INTREFNO*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a response to create a Reverse MO(Mortgages) Adhoc

TOP

MO-Delete-AdhocChg-Res-PK

Attribute	Description
Name	MO-Delete-AdhocChg-Res-PK
Datatype	
Description	Include Consumer lending delete adhocChg response PK details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates the Internal Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include Error type details of Flexcube error response
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Include warning type details of Flexcube warning response
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
PASSWORD
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
MO-Delete-AdhocChg-Res-PK
ACCNO
BRN
INTREFNO
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a Reverse MO(Mortgages) Adhoc

TOP

MO-Delete-AdhocChg-Res-PK

Attribute	Description
Name	MO-Delete-AdhocChg-Res-PK
Datatype	
Description	Include Consumer lending AdhocChg response PK details for delete operation
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates the Internal Reference Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Include error type details of flexcube error response
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Include warning type details of flexcube warning response
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

TOP

2.62.ReverseDisbursement

ReverseDisbursement

2.62.1.MO-Reverse-Disbursement-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Reverse-Disbursement-Req*
    - *ACCNO*
    - *BRN*
    - *XREF*
    - *VALDT*
    - *EXCDT*
    - *TOTAMT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description

Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a revr dsbr

TOP

MO-Reverse-Disbursement-Req

Attribute	Description
Name	MO-Reverse-Disbursement-Req
Datatype	
Description	Indicates MO Reverse Disbursement-Request type.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates the Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates Total Amount.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

2.62.2.MO-Reverse-Disbursement-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Reverse-Disbursement-Req*
    - *ACCNO*
    - *BRN*
    - *XREF*
    - *VALDT*
    - *EXCDT*
    - *TOTAMT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a revr dsbr

TOP

MO-Reverse-Disbursement-Req

Attribute	Description
Name	MO-Reverse-Disbursement-Req
Datatype	
Description	Indicates MO Reverse Disbursement-Request type.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates the Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

2.62.3.MO-Reverse-Disbursement-Res-FULL-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MOReverseDsbrResFS*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *XREF*
    - *VALDT*
    - *EXCDT*
    - *CMPNAME*
    - *TOTAMT*
    - *REMARK*
    - *AUTHSTAT*
    - *STTLMNTS*
      - *STTLMODE*
      - *STTLCCY*
      - *STTLAMT*
      - *STTLBRN*
      - *STTLACC*
      - *STTLLCYEQ*
      - *ORGEXCHRATE*

- *EXCHRT*
- *UPLDSRC*
- *INSTRNO*
- *STTLPROD*
- *ENDPT*
- *RTNGNO*
- *CLRBNK*
- *CLRBRN*
- *CLG_PROD_CODE*
- *SCTRCD*
- *EXTACNM*
- *EXTACNO*

CHARGES

- *COMPNAME*
- *STTLMODE*
- *STTLAMT*
- *STTLCCY*
- *ORGEXCHRATE*
- *EXCHRT*
- *STTLBRN*
- *STTLACC*
- *STTLLCYEQ*
- *STTLPROD*
- *ENDPT*
- *RTNGNO*
- *CLRBNK*
- *CLRBRN*
- *SCTRCD*
- *EXTACNM*
- *EXTACNO*
- *CLG_PROD_CODE*
- *PC_CATEGORY*
- *INSTRNO*
- *CARDNO*

REMARKS

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*

REMARK10

EVENT_USER_DEF

FIELD_NUMBER_1

FIELD_NUMBER_2

FIELD_NUMBER_3

FIELD_NUMBER_4

FIELD_NUMBER_5

FIELD_NUMBER_6

FIELD_NUMBER_7

FIELD_NUMBER_8

FIELD_NUMBER_9

FIELD_NUMBER_10

FIELD_NUMBER_11

FIELD_NUMBER_12

FIELD_NUMBER_13

FIELD_NUMBER_14

FIELD_NUMBER_15

FIELD_NUMBER_16

FIELD_NUMBER_17

FIELD_NUMBER_18

FIELD_NUMBER_19

FIELD_NUMBER_20

FIELD_CHAR_1

FIELD_CHAR_2

FIELD_CHAR_3

FIELD_CHAR_4

FIELD_CHAR_5

FIELD_CHAR_6

FIELD_CHAR_7

FIELD_CHAR_8

FIELD_CHAR_9

FIELD_CHAR_10

FIELD_CHAR_11

FIELD_CHAR_12

FIELD_CHAR_13

FIELD_CHAR_14

FIELD_CHAR_15

FIELD_CHAR_16

FIELD_CHAR_17

FIELD_CHAR_18

FIELD_CHAR_19

FIELD_CHAR_20

FIELD_DATE_1

FIELD_DATE_2

FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
MO-Reverse-Disbursement-Req
ACCNO
BRN
XREF
VALDT
EXCDT
TOTAMT
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME

Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

MOReverseDsbrResFS

Attribute	Description
Name	MOReverseDsbrResFS
Datatype	
Description	Indicates MO Reverse Disbursement-Response type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates the Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates the Component Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

TOTAMT

Attribute	Description

Name	TOTAMT
Datatype	Number
Description	Indicates the Total Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates the Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMNTS

Attribute	Description
Name	STTLMNTS
Datatype	
Description	Indicates Settlements details

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates the Settlement Mode. CASA : ACC Clearing: CLG External Account: EAC Instrument: INS Cash/Teller: TLR
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates the Settle Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number

Description	Indicates the Settlement Currency Equivalent
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates the Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates theClearing Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGES

Attribute	Description
Name	CHARGES
Datatype	
Description	Indicates Charges details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates the Component Name
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates the Settlement Mode. CASA : ACC Clearing: CLG External Account: EAC Instrument: INS Cash/Teller: TLR
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates the Settle Amount.

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates the Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	Indicates the Settlement Currency Equivalent
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTNGNO

Attribute	Description

Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description	Indicates the External Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates theClearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates the Product Category	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates the Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates the Card Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	23

TOP

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype		
Description	Indicates Remarks details.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REMARK1

Attribute	Description	
Name	REMARK1	
Datatype	String	
Description	Indicates REMARK1 of Remarks.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK2

Attribute	Description	
Name	REMARK2	
Datatype	String	
Description	Indicates REMARK2 of Remarks.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates REMARK3 of Remarks.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates REMARK4 of Remarks.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates REMARK5 of Remarks.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates REMARK6 of Remarks.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7

Datatype	String
Description	Indicates REMARK7 of Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates REMARK8 of Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates REMARK9 of Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates REMARK10 of Remarks.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

EVENT_USER_DEF

Attribute	Description
Name	EVENT_USER_DEF
Datatype	
Description	Indicates User Defined Fields details.

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field Number 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field Number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field Number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field Number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field Number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field Number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field Number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field Number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field Number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field Number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field Number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field Number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field Number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field Number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field Number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field Number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field Number 17 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field Number 18 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field Number 19 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field Number 20 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13

Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	Indicates Field Character 14 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	Indicates Field Character 16 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	Indicates Field Character 17 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description	Indicates Field Character 18 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	**Description**	
Name	FIELD_CHAR_19	
Datatype	String	
Description	Indicates Field Character 19 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_20

Attribute	**Description**	
Name	FIELD_CHAR_20	
Datatype	String	
Description	Indicates Field Character 20 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description	Indicates Field Date1 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	Indicates Field Date5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	Indicates Field Date6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	Indicates Field Date7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	Indicates Field Date8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MO-Reverse-Disbursement-Req

Attribute	Description
Name	MO-Reverse-Disbursement-Req
Datatype	
Description	Indicates MO Reverse Disbursement-Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates the Execution Date.

TOP

TOTAMT

Attribute	Description
Name	TOTAMT

Datatype	Number
Description	Indicates the Total Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.62.4.MO-Reverse-Disbursement-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MOReverseDsbrResPK*
      - *ACCNO*
      - *BRN*
      - *ESN*
      - *REVESN*
    - *MO-Reverse-Disbursement-Req*
      - *ACCNO*
      - *BRN*
      - *XREF*
      - *VALDT*
      - *EXCDT*
      - *TOTAMT*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*
  - *FCUBS_WARNING_RESP*
    - *WARNING*

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MOReverseDsbrResPK

Attribute	Description
Name	MOReverseDsbrResPK
Datatype	
Description	Indicates MO Reverse Disbursement Response-PK type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates the Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

REVESN

Attribute	Description
Name	REVESN
Datatype	Number
Description	Indicates Reverse Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

MO-Reverse-Disbursement-Req

Attribute	Description
Name	MO-Reverse-Disbursement-Req
Datatype	
Description	Indicates MO Reverse Disbursement Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String

Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates the Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.63.ReverseInstStatChg

ReverseInstStatChg

2.63.1.MO-Reverse-InstStatChg-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Rev-InstStatChg-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *COMPNAME*
    - *SCHDUEDT*
    - *EFFDT*
    - *CURRSTAT*
    - *NEWSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to reverse MO(Mortgages) account install status change

TOP

MO-Rev-InstStatChg-Req

Attribute	Description
Name	MO-Rev-InstStatChg-Req
Datatype	
Description	Reversal of Mortgages Installment Status Change Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Company Name
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	indicates Schedule Due Date

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates new status
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicate authorisation status A authorised U unauthorised
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.63.2.MO-Reverse-InstStatChg-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Reverse-InstStatChg-Res-PK*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *ESN*
    - *MO-Rev-InstStatChg-Req*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *EFFDT*
      - *CURRSTAT*
      - *NEWSTAT*
      - *AUTHSTAT*
  - *FCUBS_WARNING_RESP*

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a response to reverse MO(Mortgages) account install status change

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Reverse-InstStatChg-Res-PK

Attribute	Description
Name	Reverse-InstStatChg-Res-PK
Datatype	
Description	Reversal of Mortgages Installment Status Change Response PK Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicate account number
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicate branch code
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	indicates Schedule Due Date

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates event sequence number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

MO-Rev-InstStatChg-Req

Attribute	Description
Name	MO-Rev-InstStatChg-Req
Datatype	
Description	Reversal of Mortgages Installment Status Change Requset Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicate account number

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicate branch code
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	indicates Schedule Due Date

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description

Name	NEWSTAT
Datatype	String
Description	Indicates new status
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicate authorisation status A authorised U unauthorised
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.64.SaveALiqdSusp

SaveALiqdSusp

2.64.1.MO-Save-ALiqdSusp-Req-Full-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Save-ALiqdSusp-Req*
  - *ACCNO*
  - *BRN*
  - *STDT*
  - *ENDDT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) ALiqdSusp

TOP

MO-Save-ALiqdSusp-Req

Attribute	Description
Name	MO-Save-ALiqdSusp-Req
Datatype	
Description	Indicates MO Save ALiqdSusp-Request type.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicates the Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates the End Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.64.2.MO-Save-ALiqdSusp-Req-IO-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Save-ALiqdSusp-Req-IO*
  - *ACCNO*
  - *BRN*
  - *STDT*
  - *ENDDT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) ALiqdSusp

TOP

MO-Save-ALiqdSusp-Req-IO

Attribute	Description
Name	MO-Save-ALiqdSusp-Req-IO
Datatype	
Description	Indicates MO Save ALiqdSusp Request-IO type.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicates the Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates the End Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.64.3.MO-Save-ALiqdSusp-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *ALiqdSusp-Res*
      - *ACCNO*
      - *BRN*
      - *STDT*
    - *MO-Save-ALiqdSusp-Req*
      - *ACCNO*
      - *BRN*
      - *STDT*
      - *ENDDT*
    - *MO-Save-ALiqdSusp-Req-IO*
      - *ACCNO*
      - *BRN*
      - *STDT*
      - *ENDDT*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

TOP

CHOICE

Attribute	Description

Name	CHOICE
Datatype	
Description	

TOP

ALiqdSusp-Res

Attribute	Description
Name	ALiqdSusp-Res
Datatype	
Description	Indicates MO Save ALiqdSusp Response type.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicates the Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MO-Save-ALiqdSusp-Req

Attribute	Description
Name	MO-Save-ALiqdSusp-Req
Datatype	
Description	Indicates MO Save ALiqdSusp Request type.

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates the Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates the Branch.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STDT

Attribute	**Description**	
Name	STDT	
Datatype	Date	
Description	Indicates the Start Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ENDDT

Attribute	**Description**	
Name	ENDDT	
Datatype	Date	
Description	Indicates the End Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MO-Save-ALiqdSusp-Req-IO

Attribute	**Description**
Name	MO-Save-ALiqdSusp-Req-IO
Datatype	
Description	Indicates MO Save ALiqdSusp Request-IO type.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicates the Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates the End Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.64.4.MO-Save-ALiqdSusp-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *ALiqdSusp-Res*
    - *ACCNO*
    - *BRN*
    - *STDT*
    - *ENDDT*
  - *MO-Save-ALiqdSusp-Req*
    - *ACCNO*
    - *BRN*
    - *STDT*
    - *ENDDT*
  - *MO-Save-ALiqdSusp-Req-IO*
    - *ACCNO*
    - *BRN*
    - *STDT*
    - *ENDDT*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) ALiqdSusp

TOP

ALiqdSusp-Res

Attribute	Description
Name	ALiqdSusp-Res
Datatype	
Description	Indicates ALiqdSusp-Response type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicates the Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates the End Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MO-Save-ALiqdSusp-Req

Attribute	Description
Name	MO-Save-ALiqdSusp-Req
Datatype	
Description	Indicates MO Save ALiqdSusp-Request type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicates the Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates the End Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MO-Save-ALiqdSusp-Req-IO

Attribute	Description
Name	MO-Save-ALiqdSusp-Req-IO
Datatype	
Description	Indicates MO Save ALiqdSusp Request-IO type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STDT

Attribute	Description
Name	STDT
Datatype	Date
Description	Indicates the Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates the End Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.65.SaveAccSim

SaveAccSim

2.65.1.MO-Save-AccSim-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-AccSim-Req*
    - *SCODE*
    - *XREF*
    - *BRN*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *MATDT*
    - *BOOKDT*
    - *NO_OF_INST*
    - *FREQ_UNIT*
    - *FREQ*
    - *FIRST_INS_DATE*
    - *DUE_DATES_ON*

EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
PASSBOOK
LIQDBACK
AUTOLIQ
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR

GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG

MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
USGT_STATUS
CALCGP
CALCRP
COMMITMENT_TYPE
ROLLOVER_ALLOWED
USER_REF_NO
RATE_CHG_ACTION
AUTHSTAT
AUTO_PREPAY
BONUS_AMT_FINANCED
BONUS_RELATED_REF
BONUS_PERCENTAGE
PROGRESS_PERIOD_END_DT
BONUS_MONTH_1
BONUS_MONTH_2
BONUS_LOAN
CYCLEBASEDRATE
CYCLETYPE
FREEZE
ACCCYCLERATES
- *CYCLENO*
- *CURRCYCLE*
- *UNITS*
- *UPTO*
- *CYCLESTARTDT*
- *CYCLEENDDT*
- *NEXTCYCLECODE*
- *INTERESTRATE*

HOLIDAYPRD
- *PERIOD*

COMPDET
- *COMPNAME*
- *COMPTYPE*

COMPCCY
CAPITALIZED
MAINCOMPFLAG
PENALBASISCOMP
SPLINTFLAG
SPLINTAMT
WAIVERFLAG
STTLMTCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR

- *PAYERACNODR*
- *PAYERADD1DR*
- *PAYERADD2DR*
- *PAYERADD3DR*
- *PAYERADD4DR*
- *GIROSERCR*
- *GIROMDCR*
- *GIRONUMCR*
- *PAYERBKCR*
- *PAYERBRNCR*
- *PAYERACNOCR*
- *PAYERADD1CR*
- *PAYERADD2CR*
- *PAYERADD3CR*
- *PAYERADD4CR*
- *FUNDINT*
- *FUNDROLL*
- *VERIFYFUNDS*
- *IRRAPPL*
- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *CAPITALIZED*
  - *WAIVERFLAG*
  - *SCHSTDT*
  - *DUEDTON*
- *UDEDET*
  - *EFFDT*
  - *UDEVALS*
    - *UDEVAL*
    - *UDEID*
    - *RESOLVAL*
    - *RATECD*
    - *CODEUSE*
    - *RATETYP*
- *OTHAPPLCNT*
  - *CUSTID*

- *CUSTNAME*
- *RESP*
- *LIABPERCNT*
- *LIABAMT*
- *EFFDATE*

LINKAGES

- *LINKAGE_SEQ_NO*
- *LINKTYPE*
- *LINKAGE_BRANCH*
- *LINKREFNO*
- *LINKAMT*
- *CUSTID*
- *SECPORTION*

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

SETTLDETAILS

- *TRANSFER_TYPE*
- *COVER_REQUIRED*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *INT_REIM_INST1*
- *INT_REIM_INST2*
- *INT_REIM_INST3*
- *INT_REIM_INST4*
- *RCVR_CORRESP1*
- *RCVR_CORRESP2*
- *RCVR_CORRESP3*
- *RCVR_CORRESP4*
- *INTERMEDIARY1*
- *INTERMEDIARY2*
- *INTERMEDIARY3*
- *INTERMEDIARY4*
- *ACC_WITH_INSTN1*
- *ACC_WITH_INSTN2*
- *ACC_WITH_INSTN3*
- *ACC_WITH_INSTN4*
- *PAYMENT_DETAILS1*
- *PAYMENT_DETAILS2*
- *PAYMENT_DETAILS3*
- *PAYMENT_DETAILS4*

SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2

OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
EXT_PARTY_CLG_NTWK
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4

TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8

REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
LIQUIDATIONORDER
STAT
COMP
LIQORDER
AUTOPREPAYMENT
AUTO_PREPAY_CUSTID
AUTO_PREPAY_CCY
AUTO_PREPAY_CUST_BRN
AUTO_PREPAY_CUST_ACNO
AUTO_PREPAY_CUST_ACCCY
AUTO_PREPAY_MIN_SWEEPBAL
AUTO_PREPAY_MIN_AMT
AUTO_PREPAY_MAX_AMT
AUTO_PREPAY_EXP_DT
AUTO_PREPAY_UNIT
ACCOUNT-EMI-CHG
ACCNO
BRN
CHGEMIAMT
CHGEMIPCNT
EFFDT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) AccSim

TOP

MO-Save-AccSim-Req

Attribute	Description
Name	MO-Save-AccSim-Req
Datatype	
Description	It indicates Save Account Simulation Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EMIAMT

Attribute	Description

Name	EMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT

Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCERCR

Attribute	Description	
Name	UPSOURCERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTNODR

Attribute	Description	
Name	INSTNODR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGDR

Attribute	Description	
Name	ROUTINGDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCEDR

Attribute	Description	
Name	UPSOURCEDR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

CUTOFFTRN

Attribute	Description	
Name	CUTOFFTRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_DR

Attribute	**Description**	
Name	PAYER_ADDRESS3_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_DR

Attribute	**Description**	
Name	PAYER_ADDRESS4_DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIRO_MODE_CR

Attribute	**Description**	
Name	GIRO_MODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_SERVICE_CR

Attribute	**Description**	
Name	GIRO_SERVICE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRO_NUMBER_CR

Attribute	Description	
Name	GIRO_NUMBER_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ACC_NO_CR

Attribute	Description	
Name	PAYER_ACC_NO_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BRANCH_CR

Attribute	Description	
Name	PAYER_BRANCH_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BANK_CODE_CR

Attribute	Description	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

APPLICATION_NUM

Attribute	Description

Name	APPLICATION_NUM
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LINKAGE_TYPE

Attribute	**Description**	
Name	LINKAGE_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINKED_REFERENCE

Attribute	**Description**	
Name	LINKED_REFERENCE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LIQ_COMP_DATES_FLAG

Attribute	**Description**	
Name	LIQ_COMP_DATES_FLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MATURITY_TYPE

Attribute	**Description**	
Name	MATURITY_TYPE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCRP

Attribute	Description
Name	CALCRP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

AUTO_PREPAY

Attribute	Description
Name	AUTO_PREPAY
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

BONUS_AMT_FINANCED

Attribute	Description
Name	BONUS_AMT_FINANCED
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 16

TOP

BONUS_RELATED_REF

Attribute	Description
Name	BONUS_RELATED_REF
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 16

TOP

BONUS_PERCENTAGE

Attribute	Description
Name	BONUS_PERCENTAGE
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 4

TOP

PROGRESS_PERIOD_END_DT

Attribute	Description
Name	PROGRESS_PERIOD_END_DT
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

BONUS_MONTH_1

Attribute	Description
Name	BONUS_MONTH_1
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 4

TOP

BONUS_MONTH_2

Attribute	Description
Name	BONUS_MONTH_2
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 4

TOP

BONUS_LOAN

Attribute	Description
Name	BONUS_LOAN

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLEBASEDRATE

Attribute	Description
Name	CYCLEBASEDRATE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CYCLETYPE

Attribute	Description
Name	CYCLETYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FREEZE

Attribute	Description
Name	FREEZE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACCCYCLERATES

Attribute	Description
Name	ACCCYCLERATES
Datatype	
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CYCLENO

Attribute	**Description**	
Name	CYCLENO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

CURRCYCLE

Attribute	**Description**	
Name	CURRCYCLE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UNITS

Attribute	**Description**	
Name	UNITS	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UPTO

Attribute	**Description**	
Name	UPTO	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

CYCLESTARTDT

Attribute	Description
Name	CYCLESTARTDT
Datatype	Date
Description	

TOP

CYCLEENDDT

Attribute	Description
Name	CYCLEENDDT
Datatype	Date
Description	

TOP

NEXTCYCLECODE

Attribute	Description
Name	NEXTCYCLECODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

INTERESTRATE

Attribute	Description
Name	INTERESTRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPCCY

Attribute	Description

Name	COMPCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD3DR

Attribute	**Description**	
Name	PAYERADD3DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERADD4DR

Attribute	**Description**	
Name	PAYERADD4DR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIROMDCR

Attribute	**Description**	
Name	GIROMDCR	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

COMPSCH

Attribute	Description
Name	COMPSCH

Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	
Restrictions	**Restrictions** / **Description**: totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number

Description	
Restrictions	

Restrictions	Description
fractionDigits	3
totalDigits	22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Number
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
fractionDigits	3
totalDigits	22

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>3</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

RESOLVAL

Attribute	**Description**	
Name	RESOLVAL	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CUSTID

Attribute	Description

Name	CUSTID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / 1 minOccurs / 0

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description

Name	COVER_REQUIRED
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	**Description**	
Name	INT_REIM_INST2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	**Description**	
Name	INT_REIM_INST3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	**Description**	
Name	INT_REIM_INST4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	**Description**	
Name	RCVR_CORRESP1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	Description	
Name	RCVR_CORRESP2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	Description	
Name	RCVR_CORRESP3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	Description	
Name	RCVR_CORRESP4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	Description	
Name	INTERMEDIARY1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO4

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO5

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO6

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	Description	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	Description	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	Description	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	**Description**	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	**Description**	
Name	INTERMEDIARY5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	**Description**	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description	
Name	BENEF_INST3_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description	
Name	BENEF_INST4_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description	
Name	BENEF_INST5_FOR_COVER	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>6</td></tr></table>

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	**Description**	
Name	BANKING_PRIORITY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MISDETAILS

Attribute	**Description**
Name	MISDETAILS
Datatype	
Description	

TOP

RATEFLAG

Attribute	**Description**	
Name	RATEFLAG	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

CALCMETHO

Attribute	Description

Name	CALCMETHO
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFSPREAD

Attribute	Description
Name	REFSPREAD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 22

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISHEAD

Attribute	Description	
Name	MISHEAD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRCOMP

Attribute	Description	
Name	MISGRCOMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	Description	
Name	TXNMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	Description	
Name	TXNMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UNITTYPE

Attribute	Description
Name	UNITTYPE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE1

Attribute	Description	
Name	COSTCODE1	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE2

Attribute	Description	
Name	COSTCODE2	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE4

Attribute	Description
Name	COSTCODE4
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCODE5

Attribute	Description
Name	COSTCODE5
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1

Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description

Name	DRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMTCCY

Attribute	**Description**	
Name	STTLMTCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

LIQUIDATIONORDER

Attribute	**Description**	
Name	LIQUIDATIONORDER	
Datatype		
Description		
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

STAT

Attribute	**Description**	
Name	STAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

AUTOPREPAYMENT

Attribute	Description
Name	AUTOPREPAYMENT
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

AUTO_PREPAY_CUSTID

Attribute	Description
Name	AUTO_PREPAY_CUSTID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AUTO_PREPAY_CCY

Attribute	Description	
Name	AUTO_PREPAY_CCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTO_PREPAY_CUST_BRN

Attribute	Description	
Name	AUTO_PREPAY_CUST_BRN	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTO_PREPAY_CUST_ACNO

Attribute	Description	
Name	AUTO_PREPAY_CUST_ACNO	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

AUTO_PREPAY_CUST_ACCCY

Attribute	Description	
Name	AUTO_PREPAY_CUST_ACCCY	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AUTO_PREPAY_MIN_SWEEPBAL

Attribute	Description
Name	AUTO_PREPAY_MIN_SWEEPBAL
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AUTO_PREPAY_MIN_AMT

Attribute	Description
Name	AUTO_PREPAY_MIN_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AUTO_PREPAY_MAX_AMT

Attribute	Description
Name	AUTO_PREPAY_MAX_AMT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AUTO_PREPAY_EXP_DT

Attribute	Description
Name	AUTO_PREPAY_EXP_DT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AUTO_PREPAY_UNIT

Attribute	Description

Name	AUTO_PREPAY_UNIT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

ACCOUNT-EMI-CHG

Attribute	Description
Name	ACCOUNT-EMI-CHG
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHGEMIAMT

Attribute	Description
Name	CHGEMIAMT
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

CHGEMIPCNT

Attribute	Description
Name	CHGEMIPCNT
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>2</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.65.2.MO-Save-AccSim-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-AccSim-Req-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *BOOKDT*
    - *MATDT*
    - *LOANTOVALUE*
    - *RECALCANNUITY*
    - *MORTGAGEG*
    - *UDERTPLAN*
      - *PERIOD_ST_DT*
      - *PERIOD_END_DT*
    - *LIQUIDATIONORDER*

STAT
COMP
LIQORDER
COMMPREF
LAST_DSBR_DT
MATURITY_DT
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER
PAGE
PVALUE
OMARGIN
LMARGIN
VCCY
UDFDETAILS
FIELD_NAME
FIELD_VALUE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME

Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

MO-Save-AccSim-Req-IO

Attribute	Description
Name	MO-Save-AccSim-Req-IO
Datatype	
Description	It indicates Save Account Simulation IO Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Id
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY

Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

COMMPREF

Attribute	Description

Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description

Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	It indicates Property age
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 2; totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	It indicates Value of the property

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	It indicates offset margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	It indicates valuation currency of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	Indicates UDF details

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates the Name of the Field.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates the Value of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

2.65.3.MO-Save-AccSim-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Account-Master-Details-PK-Res*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-Save-AccSim-Req*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *PRD*
      - *CUSTID*
      - *CCY*
      - *AMOUNT*
      - *VALDT*
      - *BOOKDT*
      - *MATDT*
      - *NO_OF_INST*

FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
PACKCRD
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR

SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14

FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT

CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
CALCRP
COMMITMENT_TYPE
ROLLOVER_ALLOWED
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
HOLIDAYPRD
PERIOD

COMPDET

- *COMPNAME*
- *COMPTYPE*
- *COMPCCY*
- *CAPITALIZED*
- *MAINCOMPFLAG*
- *PENALBASISCOMP*
- *SPLINTFLAG*
- *SPLINTAMT*
- *WAIVERFLAG*
- *STTLMTCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *CRPRDACC*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*
- *EXTACNMDR*
- *CLGBKDR*
- *CLGBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTNOCR*
- *ROUTINGCR*
- *ENDPTCR*
- *CLGPRODCR*
- *SECTORCR*
- *UPSOURCERCR*
- *INSTNODR*
- *ROUTINGDR*
- *ENDPTDR*
- *CLGPRODDR*
- *SECTORDR*
- *UPSOURCEDR*
- *GIROSERDR*
- *GIROMDDR*

- GIRONUMDR
- PAYERBKDR
- PAYERBRNDR
- PAYERACNODR
- PAYERADD1DR
- PAYERADD2DR
- PAYERADD3DR
- PAYERADD4DR
- GIROSERCR
- GIROMDCR
- GIRONUMCR
- PAYERBKCR
- PAYERBRNCR
- PAYERACNOCR
- PAYERADD1CR
- PAYERADD2CR
- PAYERADD3CR
- PAYERADD4CR
- FUNDINT
- FUNDROLL
- VERIFYFUNDS
- IRRAPPL
- COMPSCH
  - SCHTYPE
  - SCHFLAG
  - FORMULA
  - FIRSTDUE
  - NOOFSCH
  - FREQ
  - UNIT
  - ENDDT
  - AMOUNT
  - CAPITALIZED
  - WAIVERFLAG
  - SCHSTDT
  - DUEDTON

UDEDET
- EFFDT
- UDEVALS
  - UDEVAL
  - UDEID
  - RESOLVAL
  - RATECD
  - CODEUSE

RATETYP
OTHAPPLCNT
CUSTID
CUSTNAME
RESP
LIABPERCNT
LIABAMT
EFFDATE
LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
CUSTID
SECPORTION
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
COMMPREF
LAST_DSBR_DT
MATURITY_DT
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER
PAGE
PVALUE
OMARGIN
LMARGIN
VCCY
PROMOTIONS
PRTYP
PRID
BENEFCIF
PRIORITY
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG

VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2

SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK

PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY

CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCODE1
COSTCODE2
COSTCODE3
COSTCODE4
COSTCODE5
CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6

FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
LIQUIDATIONORDER
STAT
COMP
LIQORDER
MO-Save-AccSim-Req-IO
SCODE
XREF
ACCNO
BRN
PRD
CUSTID
CCY

AMOUNT
VALDT
BOOKDT
MATDT
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
LIQUIDATIONORDER
STAT
COMP
LIQORDER
COMMPREF
LAST_DSBR_DT
MATURITY_DT
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER
PAGE
PVALUE
OMARGIN
LMARGIN
VCCY
UDFDETAILS
FIELD_NAME
FIELD_VALUE
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Account-Master-Details-PK-Res

Attribute	Description
Name	Account-Master-Details-PK-Res
Datatype	
Description	It indicates Save Account Simulation PK Response details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MO-Save-AccSim-Req

Attribute	Description
Name	MO-Save-AccSim-Req
Datatype	
Description	It indicates Save Account Simulation Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Id
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	Indicates Frequency Unit Daily : D Monthly : M Weekly : W Yearly : Y QUARTERLY : Q Half Yearly : H Bullet : B

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	It indicates Frequency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

FIRST_INS_DATE

Attribute	**Description**	
Name	FIRST_INS_DATE	
Datatype	Date	
Description	Indicates Installment Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description	Indicates Due Date On	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EMIAMT

Attribute	**Description**	
Name	EMIAMT	
Datatype	Number	
Description	Indicates EMI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Index Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	Indicates Down Payment
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PACKCRD

Attribute	Description
Name	PACKCRD
Datatype	String
Description	Indicates Packing Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	Indicates Bulk Payment Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Indicates Partial Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	Indicates Retries for auto Liquidation
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	Indicates Retries for advice days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation of Track Receivable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Indicates Manual Liquidation of Track Receivable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover basis Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRMODE

Attribute	**Description**	
Name	ROLLOVRMODE	
Datatype	String	
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRTYPE

Attribute	**Description**	
Name	ROLLOVRTYPE	
Datatype	String	
Description	Indicates Rollover Type Special : S Custom : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code to be credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATCR

Attribute	**Description**
Name	PCCATCR

Datatype	String
Description	Indicates Product Category to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	Indicates Cut off Transaction
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	Indicates Deliquency Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR

Datatype	String
Description	Indicates GIRO Mode to be debited Auto GIRO : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	Indicates GIRO Service to be debited Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	Indicates Payer Account Number to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	Indicates Payer Branch to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String

Description	Indicates Payer Bank Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	Indicates GIRO Number to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	Indicates Payer Bank Address 1 to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	Indicates Payer Bank Address 2 to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR
Datatype	String
Description	Indicates Payer Bank Address 3 to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	Indicates Payer Bank Address 4 to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	Indicates GIRO Mode to be Credited Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	Indicates GIRO Service to be Credited Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	Indicates GIRO Number to be Credited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	Indicates Payer Account Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	Indicates Payer Branch to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	Indicates Payer Bank Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR
Datatype	String
Description	Indicates Payer Bank Address 1 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	Indicates Payer Bank Address 2 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	Indicates Payer Bank Address 3 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	Indicates Payer Bank Address 4 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6

Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_11

Attribute	**Description**	
Name	FIELD_CHAR_11	
Datatype	String	
Description	Indicates Field Character 11 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_12

Attribute	**Description**	
Name	FIELD_CHAR_12	
Datatype	String	
Description	Indicates Field Character 12 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_13

Attribute	**Description**	
Name	FIELD_CHAR_13	
Datatype	String	
Description	Indicates Field Character 13 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_14

Attribute	**Description**	
Name	FIELD_CHAR_14	
Datatype	String	
Description	Indicates Field Character 14 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	Indicates Field Character 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	Indicates Field Character 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	Indicates Field Character 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	Indicates Field Character 19 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_4

Attribute	**Description**	
Name	FIELD_DATE_4	
Datatype	Date	
Description	Indicates Field Date 4 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_5

Attribute	**Description**	
Name	FIELD_DATE_5	
Datatype	Date	
Description	Indicates Field Date 5 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_6

Attribute	**Description**	
Name	FIELD_DATE_6	
Datatype	Date	
Description	Indicates Field Date 6 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_7

Attribute	**Description**	
Name	FIELD_DATE_7	
Datatype	Date	
Description	Indicates Field Date 7 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_8

Attribute	**Description**	
Name	FIELD_DATE_8	
Datatype	Date	
Description	Indicates Field Date 8 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field Number 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field Number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3

Datatype	Number
Description	Indicates Field Number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field Number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field Number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field Number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7

Datatype	Number
Description	Indicates Field Number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field Number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field Number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field Number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11

Datatype	Number
Description	Indicates Field Number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field Number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field Number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field Number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15

Datatype	Number
Description	Indicates Field Number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field Number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field Number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field Number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19

Datatype	Number
Description	Indicates Field Number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field Number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description

Name	AMORTIZED
Datatype	String
Description	Indicates value of Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates value of Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	Indicates value of Application Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	It indicates ARVN Applied
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String

Description	Indicates Rollover type whether it is auto or manual Auto : A Manual : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	Indicates Back Value Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	Indicates Credit Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String

Description	Indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	Indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	Indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	Indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	Indicates Execution Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	Indicates Extenal Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	Indicates Extenal Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Funded Status Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	Indicates HAS Problems
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	Indicates Last Intraday Accural Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String

Description	Indicates Linkage Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	Indicates Linked Reference
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Liquidate Component Dates Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type Fixed : F Call : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	Indicates Migration Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEXT_ACCR_DATE

Attribute	**Description**	
Name	NEXT_ACCR_DATE	
Datatype	Date	
Description	Indicates Next Accrual Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRIMARY_APPLICANT_ID

Attribute	**Description**	
Name	PRIMARY_APPLICANT_ID	
Datatype	String	
Description	Indicates Primary Applicant ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	**Description**	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description	Indicates Primary Applicant Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	Indicates Recalculation Action Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	Indicates Residual Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	Indicates Stop Accrual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	Indicates Derived Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	It indicates USGT Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	Indicates Calculate Gross Principal Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCRP

Attribute	Description
Name	CALCRP
Datatype	String
Description	It indicates Calculate RP
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	Indicates Subsidy Customer ID.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	Indicates Intermediary Initiated.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	Indicates Intermediary Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Indicates Holiday Periods details
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Holiday Period

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	It indicates Component Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String

Description	Indicates Component Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String

Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String

Description	Indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category to be credited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number to be credited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR

Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates GIRO Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Payer Bank Name of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicates Payer Branch of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Payer Account of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description

Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS

Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description

Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates the First Due Date for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 6

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates Frequency

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String

Description	Indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	It indicates UDE Details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description	It indicates Effective Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEVALS

Attribute	**Description**	
Name	UDEVALS	
Datatype		
Description	It indicates UDE Values block	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description	Indicates the value of User Data Elements	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	3

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description	Indicates User Data Elements Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	It indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	It indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	It indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Indicates Other Applicants block
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Id
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	It indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String

Description	It indicates Responsibily Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	It indicates Liability %
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	It indicates Liability Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Id
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number

Description	It indicates Secured Portion
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	It indicates Property age
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	It indicates Value of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	It indicates offset margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	It indicates valuation currency of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	It indicates the Promotions Block
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	It indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	It indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	It indicates Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	It indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	It indicates Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	It indicates Version Flag value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY

Datatype	String
Description	It indicates value of Tag Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	It indicates Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	It indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	It indicates Account Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	It indicates Currency Restriction

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description	It indicates Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	**Description**	
Name	VALUE_DATE	
Datatype	Date	
Description	It indicates Value_Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	**Description**	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description	It indicates Settlement Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

PAY_RECEIVE

Attribute	**Description**	
Name	PAY_RECEIVE	
Datatype	String	
Description	It indicates Payer/Receiver	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	It indicates Payment By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	It Indicates Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	It indicates Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	**Description**	
Name	CHANGE_AC	
Datatype	String	
Description	It indicates Change Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description	It indicates Change Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	It indicates Party Information Allowed	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	It indicates Cover Required Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	It indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	It indicates Our Correspondent
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	It indicates Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Indicates Field 1 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Indicates Field 2 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Indicates Field 3 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description	
Name	INT_REIM_INST4	
Datatype	String	
Description	Indicates Field 4 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Indicates Field 1 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Indicates Field 2 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1

Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Field 3 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Field 4 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Field 1 of Account With Institution

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Field 2 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Field 3 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Field 4 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Field 1 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	Description	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Field 2 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Field 3 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Field 4 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Field 1 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Field 2 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Field 4 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Field 5 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Field 6 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4

Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Field 1 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Field 2 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Field 3 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Field 4 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Field 1 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Field 2 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Field 3 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Field 4 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	It indicates Exchange Rate Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	It indicates ERI Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	It indicates Field 5 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description

Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Mininmum Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	It indicates Interpay Generated	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST1_FOR_COVER	
Datatype	String	
Description	Indicates Field 1 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description	Indicates Field 2 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Field 5 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	It indicates Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	It indicates Generation Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	It indicates IBAN Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	It indicates Issuing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	It indicates Payable Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO

Datatype	String
Description	It indicates Printed Stationary Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	It indicates Routing Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	It Indicates Other Details Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	It indicates Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	It indicates the value of Netting Accross Modules
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	It indicates Netting Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	It indicates Cover By
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	It indicates External Product Category
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	It indicates External Station Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	It indicates External Source
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX

Datatype	String
Description	It indicates the External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	It indicates External Party BIC code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	It indicates External Party Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	It indicates External Party Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	It indicates Required 103

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	It indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	It indicates Agreement Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	It indicates Post Accounting	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	It indicates Flexcube PC Contract Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	It indicates the External Party Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	It indicates Customer Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	It indicates External Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	It indicates Spread Defintion
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	It indicates RTGS Payment
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	It indicates Banking Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	It indicates RTGS Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	String	
Description	It indicates Spread	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	22

TOP

RELACC

Attribute	**Description**	
Name	RELACC	
Datatype	String	
Description	It indicates Related Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RELREF

Attribute	**Description**	
Name	RELREF	
Datatype	String	
Description	It indicates Related Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

SERIALNO

Attribute	**Description**	
Name	SERIALNO	
Datatype	Number	
Description	It indicates Serial Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1

Attribute	Description	
Name	TXNMIS1	
Datatype	String	
Description	It indicates Transaction MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	Description	
Name	TXNMIS2	
Datatype	String	
Description	It indicates Transaction MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	It indicates Transaction MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	It indicates Transaction MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	It indicates Transaction MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9

Datatype	String
Description	It indicates Transaction MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	It indicates Transaction MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

UNITTYPE

Attribute	Description
Name	UNITTYPE
Datatype	String
Description	It indicates Unit Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description	It indicates Composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description	It indicates Composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	It indicates Composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	It indicates Composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description	It indicates Composite MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description	It indicates Composite MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description	It indicates Composite MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description	It indicates Composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE1

Attribute	Description	
Name	COSTCODE1	
Datatype	String	
Description	It indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE2

Attribute	Description	
Name	COSTCODE2	
Datatype	String	
Description	It indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE3

Attribute	Description	
Name	COSTCODE3	
Datatype	String	
Description	It indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE4

Attribute	Description	
Name	COSTCODE4	
Datatype	String	
Description	It indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	Description
Name	COSTCODE5
Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	It indicates Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3

Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	It indicates Fund MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	It indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ADVSUPPRESS

Attribute	**Description**	
Name	ADVSUPPRESS	
Datatype		
Description	It indicates Advice Suppress Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	It indicates Event Remarks
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	It indicates Field 1 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	It indicates Field 2 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3

Datatype	String
Description	It indicates Field 3 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	It indicates Field 4 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	It indicates Field 5 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	It indicates Field 6 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	It indicates Field 7 of Remarks

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK8

Attribute	**Description**	
Name	REMARK8	
Datatype	String	
Description	It indicates Field 8 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK9

Attribute	**Description**	
Name	REMARK9	
Datatype	String	
Description	It indicates Field 9 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK10

Attribute	**Description**	
Name	REMARK10	
Datatype	String	
Description	It indicates Field 10 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

UDFDETAILS

Attribute	**Description**	
Name	UDFDETAILS	
Datatype		
Description	It indicates UDF Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	It indicates Name of the Field
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	It indicates Value of the Field
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	It indicates Charge Details
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY

Datatype	String
Description	It indicates Charge Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MO-Save-AccSim-Req-IO

Attribute	Description
Name	MO-Save-AccSim-Req-IO
Datatype	
Description	It indicates Save Account Simulation IO Request details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Id
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	**Description**	
Name	RECALCANNUITY	
Datatype	String	
Description	Indicates recalculation of annuity on Disbursement	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MORTGAGEG

Attribute	**Description**	
Name	MORTGAGEG	
Datatype	String	
Description	Indicates mortgage group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

UDERTPLAN

Attribute	**Description**	
Name	UDERTPLAN	
Datatype		
Description	Indicates UDE Rate Plan Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

PERIOD_ST_DT

Attribute	**Description**	
Name	PERIOD_ST_DT	
Datatype	Date	
Description	Indicates Period Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description

Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PADDRESS4

Attribute	**Description**	
Name	PADDRESS4	
Datatype	String	
Description	It indicates Address of the Property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COUNTRY

Attribute	**Description**	
Name	COUNTRY	
Datatype	String	
Description	It indicates Country the Property belongs	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

POWNER

Attribute	**Description**	
Name	POWNER	
Datatype	String	
Description	It indicates Owner of the Property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAGE

Attribute	**Description**	
Name	PAGE	
Datatype	Number	
Description	It indicates Property age	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>2</td></tr><tr><td>totalDigits</td><td>5</td></tr></table>

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	It indicates Value of the property
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	It indicates offset margin of the property
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>4</td></tr><tr><td>totalDigits</td><td>7</td></tr></table>

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>4</td></tr><tr><td>totalDigits</td><td>7</td></tr></table>

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	It indicates valuation currency of the Property
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	It indicates UDF Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	It indicates Name of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	It indicates Value of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description

Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.65.4.MO-Save-AccSim-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Details-Res*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *PRD*
    - *PRDCAT*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *BOOKDT*
    - *MATDT*
    - *NO_OF_INST*
    - *ALTACCNO*
    - *CONTSTAT*
    - *NETAMT*
    - *ORIGSTDT*
    - *CHEQBOOK*

AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
ARVN_APPLIED
AUTO_MAN_ROLLOVER
CALC_REQD
CR_ACC_BRN
DR_ACC_BRN
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
DERIVED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT

L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
UDEDET
  ACCNO
  BRN
  EFFDT

- UDEVALS
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL
  - UDEVAL
  - UDEID
  - RESOLVAL
  - RATECD
  - CODEUSE
  - RATETYP
- HOLIDAYPRD
  - ACCNO
  - BRN
  - PERIOD
- SETTLDETAILS
  - EVENT_SEQ_NO
  - AMOUNT_TAG
  - VERSION_FLAG
  - TAG_CCY
  - ACC_BRANCH
  - ACCOUNT
  - ACC_CCY
  - CCY_RESTRICTION
  - EX_RATE
  - VALUE_DATE
  - SETTLEMENT_AMT
  - PAY_RECEIVE
  - PAYMENT_BY
  - TRANSFER_TYPE
  - INSTRUMENT_TYPE
  - INSTRUMENT_NO
  - CHANGE_AC
  - CHANGE_RATE
  - PARTY_INFO_ALLOWED
  - COVER_REQUIRED
  - NETTING_INDICATOR
  - CHARGES_DETAILS
  - OUR_CORRESPONDENT

RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG

ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID

- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*

COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR

PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*

- *DAYS_MTH*
- *DAYS_YEAR*
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *FIRSTDUE*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *CAPITALIZED*
- *WAIVERFLAG*
- *SCHSTDT*
- *DUEDTON*

DSBRSCHEDULE

- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *AMOUNT_TO_DISBR*
- *SCHEDULE_LINKAGE*

REVNSCHEDULE

- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *APPLIED_FLAG*
- *SCHEDULE_LINKAGE*

SCHEDULE

- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*

- SCHEDULE_LINKAGE
- ISCAP
- PROCESS_NO
- AMTREADJUSTED
- SUSP_AMT_DUE
- SUSP_AMT_SETTLED
- SUSP_AMT_LCY
- SUSP_READ_AMT
- SUSP_READ_SETTLED
- LAST_SUSP_XRATE
- READJ_SETTLED
- LAST_READJ_XRATE
- ADJ_SETTLED
- SCHSTATUS
- ACCOUNT_GL
- LAST_PMNT_VALUE_DATE
- RETRY_START_DATE
- MORA_INT
- SCHEDULE_NO
- WRITEOFF_AMT
- AMOUNT_WAIVED
- IRR_APPLICABLE
- LIST_DAYS
- LIST_AVG_AMT
- AMORT_PRINC

CHARGEDET

- COMPNAME
- STTLMTCCY
- COMPTYPE
- MAINCOMPFLAG
- SPLINTFLAG
- SPLINTAMT
- PENALBASISCOMP
- CAPITALIZED
- DRPAYMTMODE
- CRPAYMTMODE
- DRPRDACC
- CRPRDACC
- DRACCBRN
- CRACCBRN
- SVCACC
- SVCACCBRN
- EXTACNOCR
- EXTACNMCR

CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR

PAYERADD4CR

IRRAPPL

COMPDESC

EFFDATE

CHARGESCHEDULE

- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*
- *SUSP_AMT_LCY*
- *SUSP_READ_AMT*
- *SUSP_READ_SETTLED*
- *LAST_SUSP_XRATE*
- *READJ_SETTLED*
- *LAST_READJ_XRATE*
- *ADJ_SETTLED*
- *SCHSTATUS*
- *ACCOUNT_GL*
- *LAST_PMNT_VALUE_DATE*
- *RETRY_START_DATE*
- *MORA_INT*
- *SCHEDULE_NO*
- *WRITEOFF_AMT*
- *AMOUNT_WAIVED*

- *IRR_APPLICABLE*
- *LIST_DAYS*
- *LIST_AVG_AMT*
- *AMORT_PRINC*
- *EFFDATE*

LINKAGES

- *LINKAGE_SEQ_NO*
- *LINKTYPE*
- *LINKAGE_BRANCH*
- *LINKREFNO*
- *LINKAMT*
- *AMT_BLOCK_NO*
- *SECPORTION*
- *CUSTID*

UDERTPLAN

- *PERIOD_ST_DT*
- *PERIOD_END_DT*

COMMPREF

- *LAST_DSBR_DT*
- *MATURITY_DT*

PROPERTY

- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

EVENTADVICES

- *EVENT_CODE*
- *EVENT_SEQ_NO*
- *MSG_TYPE*
- *DCN*
- *SUPPRESS*
- *PRIORITY*
- *FORMAT*
- *GENERATION_TIME*

ADVSUPPRESS

MSGTYPE

MIS-MASTER

MISDETAILS

BRANCH

CUSTNO

MISGRP

RELREF

RELACC

MISHD

POOLCD

REFRT

REFRTTYPE

REFXRT

CALCMETH

MISGRPTXN

REFRTCD

REFRTSPRD

FUNDMIS1

FUNDMIS2

FUNDMIS3

FUNDMIS4

FUNDMIS5

FUNDMIS6

FUNDMIS7

FUNDMIS8

FUNDMIS9

FUNDMIS10

MISGRPCOMP

COMPMIS1

COMPMIS2

COMPMIS3

COMPMIS4

COMPMIS5

COMPMIS6

COMPMIS7

COMPMIS8

COMPMIS9

COMPMIS10

COSTCOD1

COSTCOD2

COSTCOD3

COSTCOD4

COSTCOD5

LINKGRP

CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS

COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL

MO-Save-AccSim-Req

SCODE
XREF
ACCNO
BRN
PRD
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
FREQ_UNIT
FREQ
FIRST_INS_DATE
DUE_DATES_ON
EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
PACKCRD
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ

PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT
GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR

PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3

FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR
FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE

NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
DERIVED_STATUS
USGT_STATUS
CALCGP
CALCRP
COMMITMENT_TYPE
ROLLOVER_ALLOWED
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
HOLIDAYPRD
  PERIOD
COMPDET
  COMPNAME
  COMPTYPE
  COMPCCY
  CAPITALIZED
  MAINCOMPFLAG
  PENALBASISCOMP
  SPLINTFLAG
  SPLINTAMT
  WAIVERFLAG
  STTLMTCCY
  DRPAYMTMODE
  CRPAYMTMODE
  DRACCBRN
  CRACCBRN
  DRPRDACC
  CRPRDACC
  SVCACC
  SVCACCBRN

EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
FUNDINT

- *FUNDROLL*
- *VERIFYFUNDS*
- *IRRAPPL*
- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *SCHSTDT*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *PAYMENT_MODE*
  - *PMNT_PROD_AC*
  - *PAYMENT_DETAILS*
  - *BEN_ACCOUNT*
  - *BEN_BANK*
  - *BEN_NAME*
  - *CAPITALIZED*
  - *FIRSTDUE*
  - *WAIVERFLAG*
  - *COMPOUND_DAYS*
  - *COMPOUND_MONTHS*
  - *COMPOUND_YEARS*
  - *EMIAMT*
  - *DUE_DATES_ON*
  - *DAYS_MTH*
  - *DAYS_YEAR*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *CAPITALIZED*
  - *WAIVERFLAG*
  - *SCHSTDT*
  - *DUEDTON*
- *UDEDET*
  - *EFFDT*

- *UDEVALS*
  - *ACCNO*
  - *BRN*
  - *EFFDT*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*
  - *RESOLVAL*
  - *UDEVAL*
  - *UDEID*
  - *RESOLVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*
- *OTHAPPLCNT*
  - *CUSTID*
  - *CUSTNAME*
  - *RESP*
  - *LIABPERCNT*
  - *LIABAMT*
  - *EFFDATE*
- *LINKAGES*
  - *LINKAGE_SEQ_NO*
  - *LINKTYPE*
  - *LINKAGE_BRANCH*
  - *LINKREFNO*
  - *LINKAMT*
  - *CUSTID*
  - *SECPORTION*
- *UDERTPLAN*
  - *PERIOD_ST_DT*
  - *PERIOD_END_DT*
- *COMMPREF*
  - *LAST_DSBR_DT*
  - *MATURITY_DT*
- *PROPERTY*
  - *PNAME*
  - *PTYPE*
  - *PADDRESS1*
  - *PADDRESS2*
  - *PADDRESS3*
  - *PADDRESS4*

- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

PROMOTIONS

- *PRTYP*
- *PRID*
- *BENEFCIF*
- *PRIORITY*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*
- *CHANGE_AC*
- *CHANGE_RATE*
- *PARTY_INFO_ALLOWED*
- *COVER_REQUIRED*
- *NETTING_INDICATOR*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *INT_REIM_INST1*
- *INT_REIM_INST2*
- *INT_REIM_INST3*
- *INT_REIM_INST4*
- *RCVR_CORRESP1*
- *RCVR_CORRESP2*
- *RCVR_CORRESP3*

RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5

ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID

POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MISDETAILS
RATEFLAG
POOLCODE
PRCFLAG
REFRATE
REFRTTY
CALCMETHO
CCY
REFRTCD
REFSPREAD
RELACC
RELREF
SERIALNO
MISGROUP
MISGRTXN
MISHEAD
MISGRCOMP
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
UNITTYPE
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7

- *COMPMIS8*
- *COMPMIS9*
- *COMPMIS10*
- *COSTCODE1*
- *COSTCODE2*
- *COSTCODE3*
- *COSTCODE4*
- *COSTCODE5*
- *CUSTOMER*
- *FUNDMIS1*
- *FUNDMIS2*
- *FUNDMIS3*
- *FUNDMIS4*
- *FUNDMIS5*
- *FUNDMIS6*
- *FUNDMIS7*
- *FUNDMIS8*
- *FUNDMIS9*
- *FUNDMIS10*

ADVSUPPRESS

- *MSGTYPE*

EVENTREMK

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

UDFDETAILS

- *FIELD_NAME*
- *FIELD_VALUE*

CHARGEDET

- *COMPNAME*
- *CHGCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *CRPRDACC*

WAIVERFLAG
STTLMTCCY
AMTDUE
LIQUIDATIONORDER
STAT
COMP
LIQORDER
MO-Save-AccSim-Req-IO
SCODE
XREF
ACCNO
BRN
PRD
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
LIQUIDATIONORDER
STAT
COMP
LIQORDER
COMMPREF
LAST_DSBR_DT
MATURITY_DT
PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY
POWNER
PAGE
PVALUE
OMARGIN

LMARGIN
VCCY
UDFDETAILS
FIELD_NAME
FIELD_VALUE
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE

Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

Account-Master-Details-Res

Attribute	Description
Name	Account-Master-Details-Res
Datatype	
Description	It indicates Save Account Simulation full Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRD

Attribute	**Description**	
Name	PRD	
Datatype	String	
Description	Indicates Product Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PRDCAT

Attribute	**Description**	
Name	PRDCAT	
Datatype	String	
Description	Indicates Product Category	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUSTID

Attribute	**Description**	
Name	CUSTID	
Datatype	String	
Description	Indicates Customer Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description

Name	MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account : A Liquidate : L Reversed : V Hold : H Inactive : I Uninitiated : Y Closed : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY

Datatype	String
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String

Description	Indicates Bulk Payment Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Indicates Partial Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	Indicates Retries for auto Liquidation
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	Indicates Retries for advice days

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ

Datatype	String
Description	Indicates Manual Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description

Name	ROLLOVRMODE
Datatype	String
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover Type Special : S Custom : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	It indicates ARVN Applied
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Auto or Manual Roll over Auto : A Manual : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description	
Name	CALC_REQD	
Datatype	String	
Description	Indicates Calculation Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CR_ACC_BRN

Attribute	Description	
Name	CR_ACC_BRN	
Datatype	String	
Description	Indicates Credit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

DR_ACC_BRN

Attribute	Description	
Name	DR_ACC_BRN	
Datatype	String	
Description	Indicates Debit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

FUNDED_STATUS

Attribute	Description	
Name	FUNDED_STATUS	
Datatype	Number	
Description	Indicates Funded Status Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Liquidate Component Dates Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type Fixed : F Call : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Identtification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description	Indicates Primary Applicant Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	Description	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	Description	
Name	RATE_CODE_PREF	
Datatype	String	
Description	Indicates Rate Code Preference	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	Description	
Name	USER_DEFINED_STATUS	
Datatype	String	
Description	Indicates User Defined Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	Indicates Derived Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Auth status Authorised : A Unauthorized : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicates Amount Financed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String

Description	Indicates Customer Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates Maker ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Maker Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Auth Status Authorise : A UnAuthorise : U

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	3

TOP

AMT_AVAILABLE

Attribute	**Description**	
Name	AMT_AVAILABLE	
Datatype	Number	
Description	Indicates Amount Available	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

COMMITMENT_TYPE

Attribute	**Description**	
Name	COMMITMENT_TYPE	
Datatype	String	
Description	Indicates Commitment Type Revolving : R Non Revolving : N	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**
Name	ROLLOVER_ALLOWED
Datatype	String

Description	Indicates Allow Rollover Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	Indicates Loan Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	Indicates Subsidy Customer ID.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	Indicates Intermediary Initiated.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	Indicates Intermediary Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Indicates Promotions details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Indicates Other Applicants details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description

Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates UDE Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description

Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

RESOLVAL

Attribute	**Description**	
Name	RESOLVAL	
Datatype	Number	
Description	Indicates Resolved Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description	Indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description	Indicates Code Usage Periodic : P Automatic : A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**
Name	RATETYP
Datatype	String
Description	Indicates Rate Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

HOLIDAYPRD

Attribute	**Description**	
Name	HOLIDAYPRD	
Datatype		
Description	Indicates Holiday Periods details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PERIOD

Attribute	**Description**	
Name	PERIOD	
Datatype	String	
Description	Indicates Holiday Period	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Indicates Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	It indicates Version Flag value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description

Name	TAG_CCY
Datatype	String
Description	It indicates value of Tag Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	It indicates Account Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	It indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	It indicates Account Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	It indicates Currency Restriction

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description	It indicates Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	**Description**	
Name	VALUE_DATE	
Datatype	Date	
Description	It indicates Value_Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	**Description**	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description	It indicates Settlement Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

PAY_RECEIVE

Attribute	**Description**	
Name	PAY_RECEIVE	
Datatype	String	
Description	It indicates Payer/Receiver	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	It indicates Payment By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	It Indicates Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	It indicates Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	It indicates Change Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	It indicates Change Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	It indicates Party Information Allowed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	It indicates Cover Required Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	It indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	It indicates Our Correspondent
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	It indicates Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Indicates Field 1 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Indicates Field 2 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Indicates Field 3 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description	
Name	INT_REIM_INST4	
Datatype	String	
Description	Indicates Field 4 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Indicates Field 1 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Indicates Field 2 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1

Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Field 3 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Field 4 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Field 1 of Account With Institution

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Field 2 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Field 3 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Field 4 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Field 1 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	Description	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Field 2 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Field 3 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Field 4 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Field 1 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Field 2 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Field 4 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Field 5 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Field 6 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4

Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Field 1 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Field 2 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Field 3 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Field 4 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Field 1 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Field 2 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Field 3 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Field 4 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	It indicates Exchange Rate Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	It indicates ERI Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	It indicates Field 5 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description

Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Mininmum Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	It indicates Interpay Generated	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST1_FOR_COVER	
Datatype	String	
Description	Indicates Field 1 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description	Indicates Field 2 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Field 5 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	It indicates Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	It indicates Generation Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	It indicates IBAN Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	It indicates Issuing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	It indicates Payable Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO

Datatype	String
Description	It indicates Printed Stationary Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	It indicates Routing Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	It Indicates Other Details Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description	It indicates Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	**Description**	
Name	OTHER_DETAILS1	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	**Description**	
Name	OTHER_DETAILS2	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	Description	
Name	OTHER_DETAILS3	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	Description	
Name	OTHER_DETAILS4	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	Description	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description	It indicates the value of Netting Accross Modules	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	Description	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description	It indicates Netting Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	It indicates Cover By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	It indicates External Product Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	It indicates External Station Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	It indicates External Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX

Datatype	String
Description	It indicates the External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	It indicates External Party BIC code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	It indicates External Party Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	It indicates External Party Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	It indicates Required 103

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	It indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	It indicates Agreement Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	It indicates Post Accounting	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	It indicates Flexcube PC Contract Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	It indicates the External Party Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	It indicates Customer Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	It indicates External Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	It indicates Spread Defintion
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_PAYMENT

Attribute	Description	
Name	RTGS_PAYMENT	
Datatype	String	
Description	It indicates RTGS Payment	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	Description	
Name	BANKING_PRIORITY	
Datatype	String	
Description	It indicates Banking Priority	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	Description	
Name	RTGS_NETWORK	
Datatype	String	
Description	It indicates RTGS Network	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMP

Attribute	Description	
Name	ROLLCOMP	
Datatype		
Description	It indicates Rollover Component details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	Indicates the details of Check List
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO

Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	It indicates Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String

Description	It indicates Verified Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	It indicates Remarks details under Check List tab
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	It indicates Field 1 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	It indicates Field 2 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	It indicates Field 3 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	It indicates Field 4 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	It indicates Field 5 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	It indicates Field 6 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	It indicates Field 7 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	It indicates Field 8 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	It indicates Field 9 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	It indicates Field 10 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates the Component Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String

Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String

Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR

Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	Description	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Routing Number Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description	Indicates End Point Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Clearing Product Code to be debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description	Indicates Sector Code to be debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description

Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String

Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC

Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	It indicates Disburse Scedules details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	It indicates Revn Scedules details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE

Attribute	**Description**	
Name	SCHEDULE	
Datatype		
Description	It indicates Schedules Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	**Description**	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	It indicates Schedule Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	It indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description

Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description	Indicates Product Category of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description	Indicates External Account Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMDR

Attribute	**Description**	
Name	EXTACNMDR	
Datatype	String	
Description	Indicates External Account Name of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR

Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String

Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String

Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR

Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4DR

Attribute	**Description**	
Name	PAYERADD4DR	
Datatype	String	
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDCR

Attribute	**Description**	
Name	GIROMDCR	
Datatype	String	
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	**Description**
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description	Indicates the Payer Account of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates the Payer Bank Name of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates the Payer Branch of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	It indicates Charges Schedule details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String

Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	It indicates Schedule Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	It indicates Writeoff Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	It indicates Amount Block Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	It indicates Secured Portion
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description

Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAGE

Attribute	**Description**	
Name	PAGE	
Datatype	Number	
Description	It indicates Property age	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	2
	totalDigits	5

TOP

PVALUE

Attribute	**Description**	
Name	PVALUE	
Datatype	Number	
Description	It indicates Value of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

OMARGIN

Attribute	**Description**	
Name	OMARGIN	
Datatype	Number	
Description	It indicates offset margin of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

LMARGIN

Attribute	**Description**
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

VCCY

Attribute	**Description**	
Name	VCCY	
Datatype	String	
Description	It indicates valuation currency of the Property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EVENTADVICES

Attribute	**Description**	
Name	EVENTADVICES	
Datatype		
Description	It indicates Advices details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVENT_CODE

Attribute	**Description**	
Name	EVENT_CODE	
Datatype	String	
Description	It indicates Event Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	It indicates Document Control Number(DCN)
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	It indicates Suppress Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	It indicates Format
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	It indicates Generation Time
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	It indicates Suppress Advices details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	It indicates MIS Master details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String

Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description

Name	FUNDMIS5
Datatype	String
Description	It indicates Fund MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	It indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description	It indicates Composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description	It indicates Composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description	It indicates Composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description	It indicates Composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	It indicates Composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	It indicates Composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5

Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG

Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	It indicates Transaction MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	**Description**	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	It indicates Fund MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6
Datatype	String
Description	It indicates Fund MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1

Datatype	String
Description	It indicates Composite MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	It indicates Composite MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	It indicates Composite MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	It indicates Composite MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	It indicates Composite MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	It indicates Transaction MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description	
Name	TXNMIS2LBL2	
Datatype	String	
Description	It indicates Transaction MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	Description	
Name	TXNMIS3LBL3	
Datatype	String	
Description	It indicates Transaction MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	It indicates the Commitment Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number

Description	It indicates Commit Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	It indicates Commitment Event
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	It indicates Linkage Branch Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	It indicates Linkage Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	It indicates Linkage Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LINK_EVENT

Attribute	**Description**	
Name	LINK_EVENT	
Datatype	String	
Description	It indicates Linkage Event	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LINK_EVENT_SEQ_NO

Attribute	**Description**	
Name	LINK_EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Linkage Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	5

TOP

LINK_CCY

Attribute	**Description**	
Name	LINK_CCY	
Datatype	String	
Description	It indicates Linkage Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LINK_CCY_AMOUNT

Attribute	**Description**	
Name	LINK_CCY_AMOUNT	
Datatype	Number	
Description	It indicates Linkage Currency Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	It indicates Commit Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	It indicates Increase Decrease Flag
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	It indicates Commit Balance
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

MO-Save-AccSim-Req

Attribute	Description
Name	MO-Save-AccSim-Req
Datatype	
Description	It indicates Save Account Simulation Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description

Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	Indicates Frequency Unit Daily : D Monthly : M Weekly : W Yearly : Y QUARTERLY : Q Half Yearly : H Bullet : B

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	It indicates the Frequency of the schedule	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	2

TOP

FIRST_INS_DATE

Attribute	**Description**	
Name	FIRST_INS_DATE	
Datatype	Date	
Description	Indicates Installment Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description	It indicates Due Date On	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**	
Name	EMIAMT	
Datatype	Number	
Description	Indicates Equated Monthly Installment Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Index Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	Indicates Down Payment
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility Y for Yes; N for No
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PACKCRD

Attribute	Description
Name	PACKCRD
Datatype	String
Description	Indicates Packing Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	Indicates Bulk Payment Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Indicates Partial Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	Indicates Retries for auto Liquidation
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	Indicates Retries for advice days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Indicates Manual Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRMODE

Attribute	**Description**	
Name	ROLLOVRMODE	
Datatype	String	
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRTYPE

Attribute	**Description**	
Name	ROLLOVRTYPE	
Datatype	String	
Description	Indicates Rollover Type Special : S Custom : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**

Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description	Indicates Product Category to be debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Instrument Number Credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Routing Number to be credited	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	Indicates Cut off Transaction
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	Indicates Deliquency Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR

Datatype	String
Description	Indicates GIRO Mode to be debited Auto GIRO : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	Indicates GIRO Service to be debited Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	Indicates Payer Account Number to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	Indicates Payer Branch to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String

Description	Indicates Payer Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	Indicates GIRO Number to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	Indicates Payer Bank Address 1 to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	Indicates Payer Bank Address 2 to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR
Datatype	String
Description	Indicates Payer Bank Address 3 to be debited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	Indicates Payer Bank Address 4 to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	Indicates GIRO Mode to be Credited Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	Indicates GIRO Service to be Credited Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	Indicates GIRO Number to be Credited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ACC_NO_CR

Attribute	Description
Name	PAYER_ACC_NO_CR
Datatype	String
Description	Indicates Payer Account Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BRANCH_CR

Attribute	Description
Name	PAYER_BRANCH_CR
Datatype	String
Description	Indicates Payer Branch to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_CR

Attribute	Description
Name	PAYER_BANK_CODE_CR
Datatype	String
Description	Indicates Payer Bank Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_ADDRESS1_CR

Attribute	Description
Name	PAYER_ADDRESS1_CR
Datatype	String
Description	Indicates Payer Bank Address 1 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS2_CR

Attribute	Description
Name	PAYER_ADDRESS2_CR
Datatype	String
Description	Indicates Payer Bank Address 2 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS3_CR

Attribute	Description
Name	PAYER_ADDRESS3_CR
Datatype	String
Description	Indicates Payer Bank Address 3 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_CR

Attribute	Description
Name	PAYER_ADDRESS4_CR
Datatype	String
Description	Indicates Payer Bank Address 4 to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6

Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_11

Attribute	**Description**	
Name	FIELD_CHAR_11	
Datatype	String	
Description	Indicates Field Character 11 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_12

Attribute	**Description**	
Name	FIELD_CHAR_12	
Datatype	String	
Description	Indicates Field Character 12 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_13

Attribute	**Description**	
Name	FIELD_CHAR_13	
Datatype	String	
Description	Indicates Field Character 13 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_14

Attribute	**Description**	
Name	FIELD_CHAR_14	
Datatype	String	
Description	Indicates Field Character 14 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	Indicates Field Character 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	Indicates Field Character 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	Indicates Field Character 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	Indicates Field Character 19 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_4

Attribute	**Description**	
Name	FIELD_DATE_4	
Datatype	Date	
Description	Indicates Field Date 4 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_5

Attribute	**Description**	
Name	FIELD_DATE_5	
Datatype	Date	
Description	Indicates Field Date 5 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_6

Attribute	**Description**	
Name	FIELD_DATE_6	
Datatype	Date	
Description	Indicates Field Date 6 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_7

Attribute	**Description**	
Name	FIELD_DATE_7	
Datatype	Date	
Description	Indicates Field Date 7 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_8

Attribute	**Description**	
Name	FIELD_DATE_8	
Datatype	Date	
Description	Indicates Field Date 8 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field Number 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field Number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3

Datatype	Number
Description	Indicates Field Number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field Number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field Number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field Number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7

Datatype	Number
Description	Indicates Field Number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field Number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field Number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field Number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11

Datatype	Number
Description	Indicates Field Number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field Number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field Number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field Number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15

Datatype	Number
Description	Indicates Field Number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field Number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field Number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field Number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19

Datatype	Number
Description	Indicates Field Number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field Number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description

Name	AMORTIZED
Datatype	String
Description	Indicates Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	Indicates value of Application Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	It indicates ARVN Applied
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String

Description	Indicates Auto or Manual Roll over Auto : A Manual : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	Indicates Back Value Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String

Description	Indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	Indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	Indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_PROD_AC

Attribute	Description
Name	DR_PROD_AC
Datatype	String
Description	Indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXECUTION_DATE

Attribute	Description
Name	EXECUTION_DATE
Datatype	Date
Description	Indicates Execution Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXT_ACC_NO_CR

Attribute	Description
Name	EXT_ACC_NO_CR
Datatype	String
Description	Indicates Extenal Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_ACC_NO_DR

Attribute	Description
Name	EXT_ACC_NO_DR
Datatype	String
Description	Indicates Extenal Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Funded Status Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	Indicates HAS Problems
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	Indicates Last Intraday Accural Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String

Description	Indicates Linkage Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	Indicates Linked Reference
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Liquidate Component Dates Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type Fixed : F Call : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description
Name	MIGRATION_DATE
Datatype	Date
Description	Indicates Migration Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NEXT_ACCR_DATE

Attribute	**Description**	
Name	NEXT_ACCR_DATE	
Datatype	Date	
Description	Indicates Next Accrual Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

PRIMARY_APPLICANT_ID

Attribute	**Description**	
Name	PRIMARY_APPLICANT_ID	
Datatype	String	
Description	Indicates Primary Applicant Identtification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	**Description**	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description	Indicates Primary Applicant Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	Indicates Recalculation Action Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	Indicates Residual Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	Indicates Stop Accrual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	Indicates Derived Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	It indicates USGT Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	Indicates Calculate Gross Principal Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCRP

Attribute	Description
Name	CALCRP
Datatype	String
Description	It indicates Calculate RP
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	Indicates Subsidy Customer ID.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	Indicates Intermediary Initiated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	Indicates Intermediary Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Indicates Holiday Periods details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String

Description	Indicates Holiday Period
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates the Component Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY

Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String

Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String

Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR

Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates GIRO Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Payer Bank Name of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicates Payer Branch of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Payer Account of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	Description	
Name	PAYERADD2DR	
Datatype	String	
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3DR

Attribute	Description	
Name	PAYERADD3DR	
Datatype	String	
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4DR

Attribute	Description	
Name	PAYERADD4DR	
Datatype	String	
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description

Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS

Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description

Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE

Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	**Description**	
Name	BEN_NAME	
Datatype	String	
Description	It indicates Beneficiary Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description	It indicates First Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description	Indicates Waive Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>2</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates UDE Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	**Description**
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	**Description**
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	**Description**
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Indicates Other Applicants details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	It indicates Secured Portion
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	Attribute: minOccurs Description: 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	Attribute: maxOccurs Description: unbounded Attribute: minOccurs Description: 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	Attribute: minOccurs Description: 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	Attribute: minOccurs Description: 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	Attribute: maxOccurs Description: unbounded Attribute: minOccurs Description: 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE

Datatype	Number
Description	It indicates Property age
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	It indicates Value of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	It indicates offset margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY

Datatype	String
Description	It indicates valuation currency of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Indicates Promotions details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String

Description	Indicates Beneficiary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Indicates Settlement Details
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

VERSION_FLAG

Attribute	**Description**	
Name	VERSION_FLAG	
Datatype	String	
Description	It indicates Version Flag value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TAG_CCY

Attribute	**Description**	
Name	TAG_CCY	
Datatype	String	
Description	It indicates value of Tag Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC_BRANCH

Attribute	**Description**	
Name	ACC_BRANCH	
Datatype	String	
Description	It indicates Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT

Attribute	**Description**	
Name	ACCOUNT	
Datatype	String	
Description	It indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	Description	
Name	ACC_CCY	
Datatype	String	
Description	It indicates Account Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	Description	
Name	CCY_RESTRICTION	
Datatype	String	
Description	It indicates Currency Restriction	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	Description	
Name	EX_RATE	
Datatype	Number	
Description	It indicates Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	Description	
Name	VALUE_DATE	
Datatype	Date	
Description	It indicates Value_Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	Description

Name	SETTLEMENT_AMT
Datatype	Number
Description	It indicates Settlement Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	It indicates Payer/Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	It indicates Payment By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description

Name	INSTRUMENT_TYPE
Datatype	String
Description	It Indicates Instrument Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	It indicates Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	It indicates Change Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	It indicates Change Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	It indicates Party Information Allowed

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	It indicates Cover Required Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	**Description**	
Name	NETTING_INDICATOR	
Datatype	String	
Description	It indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	**Description**	
Name	CHARGES_DETAILS	
Datatype	String	
Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OUR_CORRESPONDENT

Attribute	**Description**
Name	OUR_CORRESPONDENT
Datatype	String

Description	It indicates Our Correspondent
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	It indicates Receiver
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Indicates Field 1 of Intermediary Reim Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Indicates Field 2 of Intermediary Reim Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Indicates Field 3 of Intermediary Reim Institution
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Indicates Field 4 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Indicates Field 1 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Indicates Field 2 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Field 3 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Field 4 of Intermediary
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Field 1 of Account With Institution
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Field 2 of Account With Institution
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Field 3 of Account With Institution
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4

Datatype	String
Description	Indicates Field 4 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Field 1 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Field 2 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Field 3 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Field 4 of Payment Details

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Field 1 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Field 2 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Field 4 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Field 5 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Field 6 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3

Datatype	String
Description	Indicates Field 3 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Field 1 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Field 2 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Field 3 of Ultimate Beneficiary

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	**Description**	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Field 4 of Ultimate Beneficiary	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	**Description**	
Name	EX_RATE_FLAG	
Datatype	String	
Description	It indicates Exchange Rate Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	**Description**	
Name	ERI_CCY	
Datatype	String	
Description	It indicates ERI Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	**Description**	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	It indicates Rate Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	It indicates Field 5 of Account With Institution
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Beneficiary Institution
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	It indicates Mininmum Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	It indicates Interpay Generated
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description

Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Field 5 of Beneficiary Institution for Cover

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLEARING_NETWORK

Attribute	**Description**	
Name	CLEARING_NETWORK	
Datatype	String	
Description	It indicates Clearing Network	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENERATION_DATE

Attribute	**Description**	
Name	GENERATION_DATE	
Datatype	Date	
Description	It indicates Generation Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	**Description**	
Name	IBAN_AC_NO	
Datatype	String	
Description	It indicates IBAN Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description	It indicates Issuing Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	Description	
Name	PAYABLE_BRANCH	
Datatype	String	
Description	It indicates Payable Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	Description	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description	It indicates Printed Stationary Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	Description	
Name	ROUTING_NO	
Datatype	String	
Description	It indicates Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	Description	
Name	OTHER_DETAILS5	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	It indicates Other Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	It Indicates Other Details Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	It Indicates Other Details Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	It Indicates Other Details Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4

Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	It indicates Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	It indicates Other Details

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	**Description**	
Name	OTHER_DETAILS2	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	**Description**	
Name	OTHER_DETAILS3	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	**Description**	
Name	OTHER_DETAILS4	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	**Description**	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description	It indicates the value of Netting Accross Modules	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	Description	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description	It indicates Netting Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	Description	
Name	COVER_BY	
Datatype	String	
Description	It indicates Cover By	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	Description	
Name	EXT_PROD_CATEGORY	
Datatype	String	
Description	It indicates External Product Category	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	Description	
Name	EXT_STATION_ID	
Datatype	String	
Description	It indicates External Station Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	It indicates External Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	It indicates the External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	It indicates External Party BIC code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	It indicates External Party Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	It indicates External Party Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	It indicates Required 103
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	It indicates Required 103P
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	It indicates Agreement Id
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING

Datatype	String
Description	It indicates Post Accounting
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	It indicates Flexcube PC Contract Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	It indicates the External Party Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	It indicates Customer Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	It indicates External Exchange Rate

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	It indicates Spread Defintion
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	It indicates RTGS Payment
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	It indicates Banking Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	It indicates RTGS Network
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

RATEFLAG

Attribute	Description
Name	RATEFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

POOLCODE

Attribute	Description
Name	POOLCODE
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REFRTCD

Attribute	Description	
Name	REFRTCD	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFSPREAD

Attribute	Description	
Name	REFSPREAD	
Datatype	String	
Description	It indicates Spread	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	22

TOP

RELACC

Attribute	Description	
Name	RELACC	
Datatype	String	
Description	It indicates Related Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RELREF

Attribute	Description

Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	It indicates Serial Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	It indicates MIS Head

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRCOMP

Attribute	**Description**	
Name	MISGRCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description	It indicates Transaction MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	It indicates Transaction MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	Description	
Name	UNITTYPE	
Datatype	String	
Description	It indicates Unit Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5

Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description	It indicates Composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE1

Attribute	**Description**	
Name	COSTCODE1	
Datatype	String	
Description	It indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE2

Attribute	**Description**	
Name	COSTCODE2	
Datatype	String	
Description	It indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE3

Attribute	**Description**	
Name	COSTCODE3	
Datatype	String	
Description	It indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE4

Attribute	Description	
Name	COSTCODE4	
Datatype	String	
Description	It indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCODE5

Attribute	Description	
Name	COSTCODE5	
Datatype	String	
Description	It indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CUSTOMER

Attribute	Description	
Name	CUSTOMER	
Datatype	String	
Description	It indicates Customer	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

FUNDMIS1

Attribute	Description	
Name	FUNDMIS1	
Datatype	String	
Description	It indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	Description	
Name	FUNDMIS2	
Datatype	String	
Description	It indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	Description	
Name	FUNDMIS3	
Datatype	String	
Description	It indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	Description	
Name	FUNDMIS4	
Datatype	String	
Description	It indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	It indicates Fund MIS 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10

Datatype	String
Description	It indicates Fund MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	It indicates Suppress Advices details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	It indicates Event Remarks
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	It indicates Field 1 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	It indicates Field 2 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	It indicates Field 3 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	It indicates Field 4 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	It indicates Field 5 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	It indicates Field 6 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	It indicates Field 7 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	It indicates Field 8 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	It indicates Field 9 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10

Datatype	String
Description	It indicates Field 10 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	It indicates UDF Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	It indicates Name of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	It indicates Value of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	It indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	It indicates Charge Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String

Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC

Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	

Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
maxLength	20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
fractionDigits	0
totalDigits	4

TOP

MO-Save-AccSim-Req-IO

Attribute	Description
Name	MO-Save-AccSim-Req-IO
Datatype	
Description	It indicates Save Account Simulation IO Request details of Mortgages module
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description

Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description	
Name	STAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

COMP

Attribute	Description	
Name	COMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIQORDER

Attribute	Description	
Name	LIQORDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

COMMPREF

Attribute	Description	
Name	COMMPREF	
Datatype		
Description	Indicates Commitment Preference Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	Attribute: minOccurs; Description: 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	Attribute: minOccurs; Description: 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	Attribute: maxOccurs; Description: unbounded Attribute: minOccurs; Description: 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	Attribute: minOccurs; Description: 0

Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	It indicates Property age
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	It indicates Value of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	It indicates offset margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	It indicates valuation currency of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	It indicates UDF Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	It indicates Name of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	It indicates Value of the Field
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.66.SaveCLAdhoc

SaveCLAdhoc

2.66.1.MO-Save-AdhocChg-Req-FULL-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-AdhocChg-Req-FULL*
    - *ACCNO*
    - *BRN*
    - *COMP*
    - *CHGINCURDT*
      - *ST0*
      - *ST1*
    - *REASON*
    - *AMT*
      - *ST0*
      - *ST1*
    - *CHGTYPE*
    - *INTREFNO*
    - *CRACC*
    - *CCY*
    - *EXCHRT*

ST0

ST1

AUTHSTAT

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to upload adhoc charges

TOP

MO-Save-AdhocChg-Req-FULL

Attribute	Description

Name	MO-Save-AdhocChg-Req-FULL
Datatype	
Description	Mortgages Adhoc Change Reqeust Full Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	Indicates Component Details.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	
Description	Indicates Charge Incurred Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

REASON

Attribute	Description
Name	REASON
Datatype	String
Description	Indicates Reason.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

AMT

Attribute	Description
Name	AMT
Datatype	
Description	Indicates Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

CHGTYPE

Attribute	Description

Name	CHGTYPE
Datatype	String
Description	Indicates Charge Type.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRACC

Attribute	Description
Name	CRACC
Datatype	String
Description	Indicates Credit Account.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ST0

Attribute	Description

Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.66.2.MO-Save-AdhocChg-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-AdhocChg-Req*
    - *ACCNO*
    - *BRN*
    - *COMP*
    - *CHGINCURDT*
      - *ST0*
      - *ST1*
    - *REASON*
    - *AMT*
      - *ST0*
      - *ST1*
    - *CHGTYPE*
    - *INTREFNO*
    - *CRACC*
    - *CCY*
    - *EXCHRT*
      - *ST0*
      - *ST1*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to upload adhoc charges

TOP

MO-Save-AdhocChg-Req

Attribute	Description
Name	MO-Save-AdhocChg-Req
Datatype	
Description	Mortgages Adhoc Change Reqeust Save Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	Indicates Component Details.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	
Description	Indicates Charge Incurred Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description

Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 0

TOP

REASON

Attribute	Description
Name	REASON
Datatype	String
Description	Indicates Reason.
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

AMT

Attribute	Description
Name	AMT
Datatype	
Description	Indicates Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 0

TOP

CHGTYPE

Attribute	Description
Name	CHGTYPE
Datatype	String
Description	Indicates Charge Type.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRACC

Attribute	Description
Name	CRACC
Datatype	String
Description	Indicates Credit Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description

Name	ST1
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.66.3.MO-Save-AdhocChg-Res-FULL-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Save-AdhocChg-Res-FULL*
    - *ACCNO*
    - *BRN*
    - *COMP*
    - *CHGINCURDT*
    - *REASON*
    - *AMT*
    - *CHGTYPE*
    - *INTREFNO*
    - *CCY*
    - *EXCHRT*
    - *AUTHSTAT*
    - *CONTSTAT*
  - *MO-Save-AdhocChg-Req-FULL*
    - *ACCNO*
    - *BRN*
    - *COMP*
    - *CHGINCURDT*
      - *ST0*

ST1
REASON
AMT
ST0
ST1
CHGTYPE
INTREFNO
CRACC
CCY
EXCHRT
ST0
ST1
AUTHSTAT
MO-Save-AdhocChg-Req
ACCNO
BRN
COMP
CHGINCURDT
ST0
ST1
REASON
AMT
ST0
ST1
CHGTYPE
INTREFNO
CRACC
CCY
EXCHRT
ST0
ST1
AUTHSTAT
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String

Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to upload adhoc charges

TOP

Save-AdhocChg-Res-FULL

Attribute	Description
Name	Save-AdhocChg-Res-FULL
Datatype	
Description	Mortgages Adhoc Change Response Full Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	Indicates Component Details.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	Date
Description	Indicates Charge Incurred Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REASON

Attribute	Description
Name	REASON
Datatype	String
Description	Indicates Reason.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

AMT

Attribute	Description

Name	AMT
Datatype	Number
Description	Indicates Amont.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 38

TOP

CHGTYPE

Attribute	Description
Name	CHGTYPE
Datatype	String
Description	Indicates Charge Type.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 38

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-Save-AdhocChg-Req-FULL

Attribute	Description
Name	MO-Save-AdhocChg-Req-FULL
Datatype	
Description	Mortgages Adhoc Change Reqeust Full Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	Indicates Component Details.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	Date
Description	Indicates Charge Incurred Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

REASON

Attribute	Description
Name	REASON
Datatype	String
Description	Indicates Reason.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates Amont.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

CHGTYPE

Attribute	Description
Name	CHGTYPE
Datatype	String
Description	Indicates Charge Type.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRACC

Attribute	Description
Name	CRACC
Datatype	String
Description	Indicates Credit Account.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-Save-AdhocChg-Req

Attribute	Description
Name	MO-Save-AdhocChg-Req
Datatype	
Description	Mortgages Adhoc Change Reqeust I Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	Indicates Component Details.

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	Date
Description	Indicates Charge Incurred Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

REASON

Attribute	Description
Name	REASON
Datatype	String
Description	Indicates Reason.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AMT

Attribute	Description
Name	AMT
Datatype	Number
Description	Indicates Amont.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

CHGTYPE

Attribute	Description
Name	CHGTYPE
Datatype	String
Description	Indicates Charge Type.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRACC

Attribute	Description
Name	CRACC
Datatype	String
Description	Indicates Credit Account.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange rate.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.66.4.MO-Save-AdhocChg-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Save-AdhocChg-Res-PK*
      - *ACCNO*
      - *BRN*
      - *INTREFNO*
    - *MO-Save-AdhocChg-Req-FULL*
      - *ACCNO*
      - *BRN*
      - *COMP*
      - *CHGINCURDT*
        - *ST0*
        - *ST1*
      - *REASON*
      - *AMT*
        - *ST0*
        - *ST1*
      - *CHGTYPE*
      - *INTREFNO*
      - *CRACC*

CCY
EXCHRT
ST0
ST1
AUTHSTAT
MO-Save-AdhocChg-Req
ACCNO
BRN
COMP
CHGINCURDT
ST0
ST1
REASON
AMT
ST0
ST1
CHGTYPE
INTREFNO
CRACC
CCY
EXCHRT
ST0
ST1
AUTHSTAT
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to upload adhoc charges

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Save-AdhocChg-Res-PK

Attribute	Description
Name	Save-AdhocChg-Res-PK
Datatype	
Description	It indicates Save Adhoc Change PK Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MO-Save-AdhocChg-Req-FULL

Attribute	Description
Name	MO-Save-AdhocChg-Req-FULL
Datatype	
Description	It indicates Save Adhoc Change Full Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	Indicates Component Details.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	
Description	Indicates Charge Incurred Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

REASON

Attribute	Description
Name	REASON
Datatype	String
Description	Indicates Reason.
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AMT

Attribute	Description
Name	AMT
Datatype	
Description	Indicates Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>0</td></tr></table>

TOP

CHGTYPE

Attribute	Description
Name	CHGTYPE
Datatype	String
Description	Indicates Charge Type.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CRACC

Attribute	Description
Name	CRACC

Datatype	String
Description	Indicates Credit Account.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MO-Save-AdhocChg-Req

Attribute	Description
Name	MO-Save-AdhocChg-Req
Datatype	
Description	It indicates Save Adhoc Change Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	Indicates Component Details.
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGINCURDT

Attribute	Description
Name	CHGINCURDT
Datatype	
Description	Indicates Charge Incurred Date.

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

REASON

Attribute	Description
Name	REASON
Datatype	String
Description	Indicates Reason.
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AMT

Attribute	Description
Name	AMT
Datatype	
Description	Indicates Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description

Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 0

TOP

CHGTYPE

Attribute	Description
Name	CHGTYPE
Datatype	String
Description	Indicates Charge Type.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INTREFNO

Attribute	Description
Name	INTREFNO
Datatype	String
Description	Indicates Internal Reference Number.
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CRACC

Attribute	Description
Name	CRACC
Datatype	String
Description	Indicates Credit Account.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	
Description	Indicates Exchange Rate.

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ST0

Attribute	Description
Name	ST0
Datatype	Date
Description	

TOP

ST1

Attribute	Description
Name	ST1
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 0

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC

Datatype	String
Description	

TOP

2.67.SaveDisbursement

SaveDisbursement

2.67.1.MO-Save-Disbursement-Req-FS-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Disbursement-Req-Full*
    - *ACCNO*
    - *BRN*
    - *XREF*
    - *VALDT*
    - *EXCDT*
    - *CMPNAME*
    - *TOTAMT*
    - *REMARK*
    - *AUTHSTAT*
    - *STTLMNTS*
      - *STTLMODE*
      - *STTLCCY*
      - *STTLAMT*
      - *STTLBRN*
      - *STTLACC*

- *STTLPROD*
- *EXTACNM*
- *EXTACNO*
- *CLRBNK*
- *CLRBRN*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *ENDPT*
- *RTNGNO*
- *SCTRCD*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*

CHARGES

- *STTLMODE*
- *STTLCCY*
- *STTLBRN*
- *STTLACC*
- *STTLPROD*
- *EXT_ACC_NAME*
- *EXT_ACC_NUMBER*
- *CLG_BANK_CODE*
- *CLG_BRANCH_CODE*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *END_POINT*
- *ROUTING_NO*
- *SECTOR_CODE*
- *CARDNO*
- *STTLAMT*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*
- *COMPNAME*

REMARKS

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*

- *REMARK8*
- *REMARK9*
- *REMARK10*

EVENT_USER_DEF

- *FIELD_NUMBER_1*
- *FIELD_NUMBER_2*
- *FIELD_NUMBER_3*
- *FIELD_NUMBER_4*
- *FIELD_NUMBER_5*
- *FIELD_NUMBER_6*
- *FIELD_NUMBER_7*
- *FIELD_NUMBER_8*
- *FIELD_NUMBER_9*
- *FIELD_NUMBER_10*
- *FIELD_NUMBER_11*
- *FIELD_NUMBER_12*
- *FIELD_NUMBER_13*
- *FIELD_NUMBER_14*
- *FIELD_NUMBER_15*
- *FIELD_NUMBER_16*
- *FIELD_NUMBER_17*
- *FIELD_NUMBER_18*
- *FIELD_NUMBER_19*
- *FIELD_NUMBER_20*
- *FIELD_CHAR_1*
- *FIELD_CHAR_2*
- *FIELD_CHAR_3*
- *FIELD_CHAR_4*
- *FIELD_CHAR_5*
- *FIELD_CHAR_6*
- *FIELD_CHAR_7*
- *FIELD_CHAR_8*
- *FIELD_CHAR_9*
- *FIELD_CHAR_10*
- *FIELD_CHAR_11*
- *FIELD_CHAR_12*
- *FIELD_CHAR_13*
- *FIELD_CHAR_14*
- *FIELD_CHAR_15*
- *FIELD_CHAR_16*
- *FIELD_CHAR_17*
- *FIELD_CHAR_18*
- *FIELD_CHAR_19*
- *FIELD_CHAR_20*

FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10

SETTLDETAILS

AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2

INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5

SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK

CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String

Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String

Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

MO-Save-Disbursement-Req-Full

Attribute	Description
Name	MO-Save-Disbursement-Req-Full
Datatype	
Description	Mortgages Disbursement Save Request Full Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT

Datatype	Date
Description	Indicates Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates Total Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMNTS

Attribute	Description
Name	STTLMNTS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** enumeration / ACC,CLG,EAC,INS,TLR

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLRBRN

Attribute	Description	
Name	CLRBRN	
Datatype	String	
Description	Indicates Clearing Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ

Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

CHARGES

Attribute	Description
Name	CHARGES
Datatype	
Description	Consumer Lending Disbursement Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC

Restrictions	**Restrictions** / **Description** enumeration / ACC,CLG,EAC,INS,TLR

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CLG_BRANCH_CODE

Attribute	Description
Name	CLG_BRANCH_CODE
Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY

Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

END_POINT

Attribute	Description
Name	END_POINT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	23

TOP

STTLAMT

Attribute	**Description**	
Name	STTLAMT	
Datatype	Number	
Description	Indicates Settlement Amount.	
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

INSTRNO

Attribute	**Description**	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

STTLLCYEQ

Attribute	**Description**	
Name	STTLLCYEQ	
Datatype	Number	
Description	indicates amount in Settlement currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	
Description	Consumer Lending Disbursement Remarks Details.
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

REMARK1

Attribute	Description
Name	REMARK1

Datatype	String
Description	Indicates Remark 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remark 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates Remark 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates Remark 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates Remark 5

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remark 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	Indicates Remark 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates Remark 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates Remark 9
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remark 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EVENT_USER_DEF

Attribute	Description
Name	EVENT_USER_DEF
Datatype	
Description	Consumer Lending Disbursement User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11

Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	Indicates Field Character 14 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description	Indicates Field Character 16 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description	Indicates Field Character 17 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description	Indicates Field Character 18 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	**Description**	
Name	FIELD_CHAR_19	
Datatype	String	
Description	Indicates Field Character 19 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date 4 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_5

Attribute	**Description**	
Name	FIELD_DATE_5	
Datatype	Date	
Description	Indicates Field Date 5 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_6

Attribute	**Description**	
Name	FIELD_DATE_6	
Datatype	Date	
Description	Indicates Field Date 6 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_7

Attribute	**Description**	
Name	FIELD_DATE_7	
Datatype	Date	
Description	Indicates Field Date 7 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_8

Attribute	**Description**	
Name	FIELD_DATE_8	
Datatype	Date	
Description	Indicates Field Date 8 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_9

Attribute	**Description**	
Name	FIELD_DATE_9	
Datatype	Date	
Description	Indicates Field Date 9 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC_BRANCH

Attribute	**Description**	
Name	ACC_BRANCH	
Datatype	String	
Description	Indicates Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT

Attribute	**Description**	
Name	ACCOUNT	
Datatype	String	
Description	Indicates Account details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	**Description**	
Name	ACC_CCY	
Datatype	String	
Description	Indicates Account Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	**Description**	
Name	CCY_RESTRICTION	
Datatype	String	
Description	Indicates Currency Resrtiction.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	v
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description	
Name	PAYMENT_BY	
Datatype	String	
Description	Indicates Payment By.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	Description	
Name	TRANSFER_TYPE	
Datatype	String	
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	Description	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	Description	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	Description	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	Description	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	Indicates Party Information Allowed.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	Description	
Name	COVER_REQUIRED	
Datatype	String	
Description	Indicates Cover Required. Yes "Y";No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Inter Reim Institution Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1

Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Intermediary 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	**Description**	
Name	INTERMEDIARY2	
Datatype	String	
Description	Indicates Intermediary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	**Description**	
Name	INTERMEDIARY3	
Datatype	String	
Description	Indicates Intermediary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Intermediary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Account With Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Account With Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Account With Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Payment Details Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Payment Details Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6

Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	**Description**	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description	Indicates Ordering Customer 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	**Description**	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description	Indicates Ordering Customer 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description	Indicates Ordering Customer 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Beneficiary Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Beneficiary Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Beneficiary Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Beneficiary Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	Indicates Exchange Rate Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	Indicates ERI Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description

Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	**Description**	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description	Indicates Ordering Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	**Description**	
Name	RCVR_CORRESP5	
Datatype	String	
Description	Indicates Receiver Correspondent 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description	Indicates Ultimate Beneficiary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Minimum Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description	Indicates routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

OTHER_DETAILS5

Attribute	**Description**	
Name	OTHER_DETAILS5	
Datatype	String	
Description	Indicates Other Details 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	**Description**	
Name	OTHER_DETAILS6	
Datatype	String	
Description	Indicates Other Details 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description	Indicates Other Details Type 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	Indicates Other Details Type 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	Indicates Other Details Type 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description	indicates Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	Description	
Name	OTHER_DETAILS1	
Datatype	String	
Description	Indicates Other Details 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	Description	
Name	OTHER_DETAILS2	
Datatype	String	
Description	Indicates Other Details 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY

Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	**Description**	
Name	EXT_PARTY_BIC	
Datatype	String	
Description	External Party BIC.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	**Description**	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	External Party Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	External Party Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	Description	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	Indicates External PC Contract Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

2.67.2.MO-Save-Disbursement-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Disbursement-Req-IO*
    - *ACCNO*
    - *BRN*
    - *XREF*
    - *VALDT*
    - *EXCDT*
    - *CMPNAME*
    - *TOTAMT*
    - *REMARK*
    - *AUTHSTAT*
    - *STTLMNTS*
      - *STTLMODE*
      - *STTLCCY*
      - *STTLAMT*
      - *STTLBRN*
      - *STTLACC*
      - *STTLPROD*
      - *EXTACNM*
      - *EXTACNO*

- *CLRBNK*
- *CLRBRN*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *ENDPT*
- *RTNGNO*
- *SCTRCD*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*

CHARGES

- *STTLMODE*
- *STTLCCY*
- *STTLBRN*
- *STTLACC*
- *STTLPROD*
- *EXT_ACC_NAME*
- *EXT_ACC_NUMBER*
- *CLG_BANK_CODE*
- *CLG_BRANCH_CODE*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *END_POINT*
- *ROUTING_NO*
- *SECTOR_CODE*
- *CARDNO*
- *STTLAMT*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*
- *COMPNAME*

SETTLDETAILS

- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*

PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1

ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4

OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

MO-Save-Disbursement-Req-IO

Attribute	Description
Name	MO-Save-Disbursement-Req-IO
Datatype	
Description	Mortgages Disbursement Request IO Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates Total Amount.

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates Remarks.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 255

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

STTLMNTS

Attribute	Description
Name	STTLMNTS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** enumeration: ACC,CLG,EAC,INS,TLR

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXTACNM

Attribute	**Description**	
Name	EXTACNM	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNO

Attribute	**Description**	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	**Description**	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLRBRN

Attribute	**Description**	
Name	CLRBRN	
Datatype	String	
Description	Indicates Clearing Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCTRCD

Attribute	Description	
Name	SCTRCD	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

STTLLCYEQ

Attribute	Description	
Name	STTLLCYEQ	
Datatype	Number	
Description	indicates amount in Settlement currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

ORGEXCHRATE

Attribute	Description	
Name	ORGEXCHRATE	
Datatype	Number	
Description	Indicates Original Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHRT

Attribute	Description

Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

CHARGES

Attribute	Description
Name	CHARGES
Datatype	
Description	Consumer Lending Disbursement Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** enumeration / ACC,CLG,EAC,INS,TLR

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description	
Name	CLG_BANK_CODE	
Datatype	String	
Description	Indicates Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

END_POINT

Attribute	Description
Name	END_POINT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 23

TOP

STTLAMT

Attribute	Description
Name	STTLAMT

Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TAG_CCY

Attribute	Description

Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	Indicates Account details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Resrtiction.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	**Description**	
Name	VALUE_DATE	
Datatype	Date	
Description	Indicates Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	**Description**	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description	Indicates Settlement Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

PAY_RECEIVE

Attribute	**Description**	
Name	PAY_RECEIVE	
Datatype	String	
Description	Indicates Payee Or Receiver.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PAYMENT_BY

Attribute	Description	
Name	PAYMENT_BY	
Datatype	String	
Description	Indicates Payment By.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	Description	
Name	TRANSFER_TYPE	
Datatype	String	
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	Description	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	Indicates Change Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	Indicates Change Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	Indicates Party Information Allowed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Inter Reim Institution Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description

Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Intermediary 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	**Description**	
Name	INTERMEDIARY2	
Datatype	String	
Description	Indicates Intermediary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	**Description**	
Name	INTERMEDIARY3	
Datatype	String	
Description	Indicates Intermediary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Intermediary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Account With Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Account With Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Account With Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Payment Details Line 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Payment Details Line 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Sender to Receiver Information 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6

Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	**Description**	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description	Indicates Ordering Customer 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	**Description**	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description	Indicates Ordering Customer 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description	Indicates Ordering Customer 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Beneficiary Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Beneficiary Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Beneficiary Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Beneficiary Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	Indicates Exchange Rate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	Indicates ERI Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description

Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	**Description**	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description	Indicates Ordering Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	**Description**	
Name	RCVR_CORRESP5	
Datatype	String	
Description	Indicates Receiver Correspondent 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description	Indicates Ultimate Beneficiary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Minimum Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description	Indicates routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

OTHER_DETAILS5

Attribute	**Description**	
Name	OTHER_DETAILS5	
Datatype	String	
Description	Indicates Other Details 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	**Description**	
Name	OTHER_DETAILS6	
Datatype	String	
Description	Indicates Other Details 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description	Indicates Other Details Type 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	Indicates Other Details Type 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	Indicates Other Details Type 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description	indicates Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	Description	
Name	OTHER_DETAILS1	
Datatype	String	
Description	Indicates Other Details 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	Description	
Name	OTHER_DETAILS2	
Datatype	String	
Description	Indicates Other Details 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY

Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	**Description**	
Name	EXT_PARTY_BIC	
Datatype	String	
Description	External Party BIC.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	**Description**	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	External Party Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	External Party Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103 P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	Description	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	Indicates External PC Contract Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

2.67.3.MO-Save-Disbursement-Res-FULL-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MOSaveDsbrResFULL*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *XREF*
    - *VALDT*
    - *EXCDT*
    - *CMPNAME*
    - *TOTAMT*
    - *REMARK*
    - *AUTHSTAT*
    - *STTLMNTS*
      - *STTLMODE*
      - *STTLCCY*
      - *STTLAMT*
      - *STTLBRN*
      - *STTLACC*
      - *STTLLCYEQ*
      - *ORGEXCHRATE*

- *EXCHRT*
- *UPLDSRC*
- *INSTRNO*
- *STTLPROD*
- *ENDPT*
- *RTNGNO*
- *CLRBNK*
- *CLRBRN*
- *CLG_PROD_CODE*
- *SCTRCD*
- *EXTACNM*
- *EXTACNO*

CHARGES

- *COMPNAME*
- *STTLMODE*
- *STTLAMT*
- *STTLCCY*
- *ORGEXCHRATE*
- *EXCHRT*
- *STTLBRN*
- *STTLACC*
- *STTLLCYEQ*
- *STTLPROD*
- *ENDPT*
- *RTNGNO*
- *CLRBNK*
- *CLRBRN*
- *SCTRCD*
- *EXTACNM*
- *EXTACNO*
- *CLG_PROD_CODE*
- *PC_CATEGORY*
- *INSTRNO*
- *CARDNO*

REMARKS

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*

REMARK10

EVENT_USER_DEF

FIELD_NUMBER_1

FIELD_NUMBER_2

FIELD_NUMBER_3

FIELD_NUMBER_4

FIELD_NUMBER_5

FIELD_NUMBER_6

FIELD_NUMBER_7

FIELD_NUMBER_8

FIELD_NUMBER_9

FIELD_NUMBER_10

FIELD_NUMBER_11

FIELD_NUMBER_12

FIELD_NUMBER_13

FIELD_NUMBER_14

FIELD_NUMBER_15

FIELD_NUMBER_16

FIELD_NUMBER_17

FIELD_NUMBER_18

FIELD_NUMBER_19

FIELD_NUMBER_20

FIELD_CHAR_1

FIELD_CHAR_2

FIELD_CHAR_3

FIELD_CHAR_4

FIELD_CHAR_5

FIELD_CHAR_6

FIELD_CHAR_7

FIELD_CHAR_8

FIELD_CHAR_9

FIELD_CHAR_10

FIELD_CHAR_11

FIELD_CHAR_12

FIELD_CHAR_13

FIELD_CHAR_14

FIELD_CHAR_15

FIELD_CHAR_16

FIELD_CHAR_17

FIELD_CHAR_18

FIELD_CHAR_19

FIELD_CHAR_20

FIELD_DATE_1

FIELD_DATE_2

FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10

SETTLDETAILS

AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4

ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO

INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE

- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

MO-Save-Disbursement-Req-Full

- *ACCNO*
- *BRN*
- *XREF*
- *VALDT*
- *EXCDT*
- *CMPNAME*
- *TOTAMT*
- *REMARK*
- *AUTHSTAT*
- *STTLMNTS*
  - *STTLMODE*
  - *STTLCCY*
  - *STTLAMT*
  - *STTLBRN*
  - *STTLACC*
  - *STTLPROD*
  - *EXTACNM*
  - *EXTACNO*
  - *CLRBNK*
  - *CLRBRN*
  - *PC_CATEGORY*
  - *CLG_PROD_CODE*
  - *ENDPT*
  - *RTNGNO*
  - *SCTRCD*
  - *INSTRNO*
  - *STTLLCYEQ*
  - *ORGEXCHRATE*
  - *EXCHRT*
- *CHARGES*
  - *STTLMODE*
  - *STTLCCY*
  - *STTLBRN*
  - *STTLACC*
  - *STTLPROD*
  - *EXT_ACC_NAME*
  - *EXT_ACC_NUMBER*
  - *CLG_BANK_CODE*
  - *CLG_BRANCH_CODE*

- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *END_POINT*
- *ROUTING_NO*
- *SECTOR_CODE*
- *CARDNO*
- *STTLAMT*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*
- *COMPNAME*

REMARKS

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

EVENT_USER_DEF

- *FIELD_NUMBER_1*
- *FIELD_NUMBER_2*
- *FIELD_NUMBER_3*
- *FIELD_NUMBER_4*
- *FIELD_NUMBER_5*
- *FIELD_NUMBER_6*
- *FIELD_NUMBER_7*
- *FIELD_NUMBER_8*
- *FIELD_NUMBER_9*
- *FIELD_NUMBER_10*
- *FIELD_NUMBER_11*
- *FIELD_NUMBER_12*
- *FIELD_NUMBER_13*
- *FIELD_NUMBER_14*
- *FIELD_NUMBER_15*
- *FIELD_NUMBER_16*
- *FIELD_NUMBER_17*
- *FIELD_NUMBER_18*
- *FIELD_NUMBER_19*
- *FIELD_NUMBER_20*

FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10

SETTLDETAILS
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE

INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4

BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS

OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MO-Save-Disbursement-Req-IO
ACCNO
BRN
XREF
VALDT
EXCDT
CMPNAME
TOTAMT
REMARK
AUTHSTAT
STTLMNTS
STTLMODE
STTLCCY
STTLAMT
STTLBRN
STTLACC
STTLPROD
EXTACNM

- *EXTACNO*
- *CLRBNK*
- *CLRBRN*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *ENDPT*
- *RTNGNO*
- *SCTRCD*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*

CHARGES

- *STTLMODE*
- *STTLCCY*
- *STTLBRN*
- *STTLACC*
- *STTLPROD*
- *EXT_ACC_NAME*
- *EXT_ACC_NUMBER*
- *CLG_BANK_CODE*
- *CLG_BRANCH_CODE*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *END_POINT*
- *ROUTING_NO*
- *SECTOR_CODE*
- *CARDNO*
- *STTLAMT*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*
- *COMPNAME*

SETTLDETAILS

- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*

SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4

ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3

OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

MOSaveDsbrResFULL

Attribute	Description
Name	MOSaveDsbrResFULL
Datatype	
Description	Mortgages Disbursement Save Full Response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	Restrictions: maxLength; Description: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	Restrictions: maxLength; Description: 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Restrictions	Restrictions: totalDigits; Description: 38

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates external reference number.
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

EXCDT

Attribute	Description

Name	EXCDT
Datatype	Date
Description	Indicates Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates total Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMNTS

Attribute	Description
Name	STTLMNTS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

UPLDSRC

Attribute	Description	
Name	UPLDSRC	
Datatype	String	
Description	Indicates Upload Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

STTLPROD

Attribute	Description	
Name	STTLPROD	
Datatype	String	
Description	Indicates Settlement Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	Description	
Name	ENDPT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

SCTRCD

Attribute	Description
Name	SCTRCD

Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHARGES

Attribute	Description
Name	CHARGES
Datatype	
Description	Consumer Lending Disbursement Charge Details.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	**Description**	
Name	ENDPT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RTNGNO

Attribute	**Description**	
Name	RTNGNO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

CLRBNK

Attribute	**Description**	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLRBRN

Attribute	**Description**	
Name	CLRBRN	
Datatype	String	
Description	Indicates Clearing Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	23

TOP

REMARKS

Attribute	Description	
Name	REMARKS	
Datatype		
Description	Consumer Lending Disbursement Remarks Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REMARK1

Attribute	Description
Name	REMARK1

Datatype	String
Description	Indicates Remark 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remark 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates Remark 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates Remark 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates Remark 5

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remark 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	Indicates Remark 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates Remark 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates Remark 9
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remark 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EVENT_USER_DEF

Attribute	Description
Name	EVENT_USER_DEF
Datatype	
Description	Consumer Lending Disbursement User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11

Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	Indicates Field Character 14 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description	Indicates Field Character 16 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description	Indicates Field Character 17 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description	Indicates Field Character 18 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	**Description**	
Name	FIELD_CHAR_19	
Datatype	String	
Description	Indicates Field Character 19 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date 4 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_5

Attribute	**Description**	
Name	FIELD_DATE_5	
Datatype	Date	
Description	Indicates Field Date 5 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_6

Attribute	**Description**	
Name	FIELD_DATE_6	
Datatype	Date	
Description	Indicates Field Date 6 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_7

Attribute	**Description**	
Name	FIELD_DATE_7	
Datatype	Date	
Description	Indicates Field Date 7 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_8

Attribute	**Description**	
Name	FIELD_DATE_8	
Datatype	Date	
Description	Indicates Field Date 8 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_9

Attribute	**Description**	
Name	FIELD_DATE_9	
Datatype	Date	
Description	Indicates Field Date 9 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC_BRANCH

Attribute	**Description**	
Name	ACC_BRANCH	
Datatype	String	
Description	Indicates Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT

Attribute	**Description**	
Name	ACCOUNT	
Datatype	String	
Description	Indicates Account details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	**Description**	
Name	ACC_CCY	
Datatype	String	
Description	Indicates Account Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	**Description**	
Name	CCY_RESTRICTION	
Datatype	String	
Description	Indicates Currency Resrtiction.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	Indicate Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicate Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	Indicates Change Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	Indicates Change Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	Indicates Party Information Allowed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Inter Reim Institution Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description

Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Intermediary 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	**Description**	
Name	INTERMEDIARY2	
Datatype	String	
Description	Indicates Intermediary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	**Description**	
Name	INTERMEDIARY3	
Datatype	String	
Description	Indicates Intermediary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Intermediary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Account With Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Account With Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Account With Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Payment Details Line 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Payment Details Line 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Sender to Receiver Information 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6

Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	**Description**	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description	Indicates Ordering Customer 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	**Description**	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description	Indicates Ordering Customer 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description	Indicates Ordering Customer 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	Description	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	Description	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	Description	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	Description	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Beneficiary Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	Indicates Exchange Rate Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	Indicates ERI Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description

Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	**Description**	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description	Indicates Ordering Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	**Description**	
Name	RCVR_CORRESP5	
Datatype	String	
Description	Indicates Receiver Correspondent 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description	Indicates Ultimate Beneficiary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Minimum Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description	Indicate Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	**Description**	
Name	OTHER_DETAILS5	
Datatype	String	
Description	Indicates Other Details 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	**Description**	
Name	OTHER_DETAILS6	
Datatype	String	
Description	Indicates Other Details 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description	Indicates Other Details Type 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	Indicates Other Details Type 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	Indicates Other Details Type 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	Indicates Other Details Type 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	Indicates Other Details Type 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description	indicates Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	Description	
Name	OTHER_DETAILS1	
Datatype	String	
Description	Indicates Other Details 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	Description	
Name	OTHER_DETAILS2	
Datatype	String	
Description	Indicates Other Details 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY

Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	**Description**	
Name	EXT_PARTY_BIC	
Datatype	String	
Description	External Party BIC.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	**Description**	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	External Party Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	External Party Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	Description	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	Indicates External PC Contract Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description	
Name	RTGS_PAYMENT	
Datatype	String	
Description	Indicates RGTS Payment.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	Description	
Name	BANKING_PRIORITY	
Datatype	String	
Description	Indicates Banking Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	Description	
Name	RTGS_NETWORK	
Datatype	String	
Description	Indicates RGTS Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MO-Save-Disbursement-Req-Full

Attribute	Description	
Name	MO-Save-Disbursement-Req-Full	
Datatype		
Description	Mortgages Disbursement Save Full Request Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates external reference number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates total Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMNTS

Attribute	Description
Name	STTLMNTS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String

Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description	
Name	STTLPROD	
Datatype	String	
Description	Indicates Settlement Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXTACNM

Attribute	Description	
Name	EXTACNM	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	Description	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

RTNGNO

Attribute	Description
Name	RTNGNO

Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHRT

Attribute	**Description**	
Name	EXCHRT	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

CHARGES

Attribute	**Description**	
Name	CHARGES	
Datatype		
Description	Consumer Lending Disbursement Charge Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

STTLMODE

Attribute	**Description**	
Name	STTLMODE	
Datatype	String	
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC	
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description

Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CLG_BRANCH_CODE

Attribute	Description
Name	CLG_BRANCH_CODE
Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

END_POINT

Attribute	Description
Name	END_POINT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	23

TOP

STTLAMT

Attribute	Description	
Name	STTLAMT	
Datatype	Number	
Description	Indicates Settlement Amount.	
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

STTLLCYEQ

Attribute	Description	
Name	STTLLCYEQ	
Datatype	Number	
Description	indicates amount in Settlement currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

ORGEXCHRATE

Attribute	Description	
Name	ORGEXCHRATE	
Datatype	Number	
Description	Indicates Original Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	
Description	Consumer Lending Disbursement Remarks Details.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates Remark 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remark 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK3

Attribute	**Description**	
Name	REMARK3	
Datatype	String	
Description	Indicates Remark 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK4

Attribute	**Description**	
Name	REMARK4	
Datatype	String	
Description	Indicates Remark 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK5

Attribute	**Description**	
Name	REMARK5	
Datatype	String	
Description	Indicates Remark 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK6

Attribute	**Description**	
Name	REMARK6	
Datatype	String	
Description	Indicates Remark 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description	Indicates Remark 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description	Indicates Remark 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description	Indicates Remark 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK10

Attribute	Description	
Name	REMARK10	
Datatype	String	
Description	Indicates Remark 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

EVENT_USER_DEF

Attribute	Description
Name	EVENT_USER_DEF
Datatype	
Description	Consumer Lending Disbursement User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description

Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_13

Attribute	**Description**	
Name	FIELD_CHAR_13	
Datatype	String	
Description	Indicates Field Character 13 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_14

Attribute	**Description**	
Name	FIELD_CHAR_14	
Datatype	String	
Description	Indicates Field Character 14 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_15

Attribute	**Description**	
Name	FIELD_CHAR_15	
Datatype	String	
Description	Indicates Field Character 15 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description	Indicates Field Character 16 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	Indicates Field Character 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	Indicates Field Character 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	Indicates Field Character 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	Indicates Field Date 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	Indicates Field Date 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	Indicates Field Date 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	Indicates Field Date 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT

Attribute	**Description**	
Name	ACCOUNT	
Datatype	String	
Description	Indicates Account details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	**Description**	
Name	ACC_CCY	
Datatype	String	
Description	Indicates Account Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	**Description**	
Name	CCY_RESTRICTION	
Datatype	String	
Description	Indicates Currency Resrtiction.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 12

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	Description	
Name	TRANSFER_TYPE	
Datatype	String	
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	Description	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	Description	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	Description	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	Description	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	Indicates Party Information Allowed.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	Description	
Name	COVER_REQUIRED	
Datatype	String	
Description	Indicates Cover Required. Yes "Y";No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	Description	
Name	NETTING_INDICATOR	
Datatype	String	
Description	Indicates Netting Indicator.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Inter Reim Institution Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description

Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Intermediary 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	**Description**	
Name	INTERMEDIARY3	
Datatype	String	
Description	Indicates Intermediary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Intermediary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Account With Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Account With Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Account With Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Account With Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Payment Details Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	**Description**	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Payment Details Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Payment Details Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description	Indicates Sender to Receiver Information 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1

Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	**Description**	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description	Indicates Ordering Customer 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description	Indicates Ordering Customer 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	Description	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	Description	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	Description	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Beneficiary Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	Indicates ERI Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description

Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	**Description**	
Name	RCVR_CORRESP5	
Datatype	String	
Description	Indicates Receiver Correspondent 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description	Indicates Ultimate Beneficiary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Minimum Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO

Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	**Description**	
Name	OTHER_DETAILS5	
Datatype	String	
Description	Indicates Other Details 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	**Description**	
Name	OTHER_DETAILS6	
Datatype	String	
Description	Indicates Other Details 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description	Indicates Other Details Type 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	Indicates Other Details Type 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	Indicates Other Details Type 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	indicates Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	Indicates Other Details 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	Indicates Other Details 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY

Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	External Party Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	Description	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	External Party Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	Indicates External PC Contract Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	**Description**	
Name	EXT_PARTY_CLG_NTWK	
Datatype	String	
Description	Indicates External Party Clearing Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description	
Name	BANKING_PRIORITY	
Datatype	String	
Description	Indicates Banking Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	Description	
Name	RTGS_NETWORK	
Datatype	String	
Description	Indicates RGTS Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MO-Save-Disbursement-Req-IO

Attribute	Description	
Name	MO-Save-Disbursement-Req-IO	
Datatype		
Description	Mortgages Disbursement Save IO Request Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String

Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates external reference number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates total Amount.

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates Remarks.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 255

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

STTLMNTS

Attribute	Description
Name	STTLMNTS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXTACNM

Attribute	**Description**	
Name	EXTACNM	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXTACNO

Attribute	**Description**	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	**Description**	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLRBRN

Attribute	**Description**	
Name	CLRBRN	
Datatype	String	
Description	Indicates Clearing Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ENDPT

Attribute	Description	
Name	ENDPT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RTNGNO

Attribute	Description	
Name	RTNGNO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCTRCD

Attribute	Description	
Name	SCTRCD	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

STTLLCYEQ

Attribute	Description	
Name	STTLLCYEQ	
Datatype	Number	
Description	indicates amount in Settlement currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

ORGEXCHRATE

Attribute	Description	
Name	ORGEXCHRATE	
Datatype	Number	
Description	Indicates Original Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHRT

Attribute	Description

Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

CHARGES

Attribute	Description
Name	CHARGES
Datatype	
Description	Consumer Lending Disbursement Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	**Description**	
Name	STTLACC	
Datatype	String	
Description	Indicates Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLPROD

Attribute	**Description**	
Name	STTLPROD	
Datatype	String	
Description	Indicates Settlement Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_ACC_NAME

Attribute	**Description**	
Name	EXT_ACC_NAME	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_ACC_NUMBER

Attribute	**Description**	
Name	EXT_ACC_NUMBER	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_BANK_CODE

Attribute	Description	
Name	CLG_BANK_CODE	
Datatype	String	
Description	Indicates Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

END_POINT

Attribute	Description
Name	END_POINT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 23

TOP

STTLAMT

Attribute	Description
Name	STTLAMT

Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>25</td></tr></table>

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TAG_CCY

Attribute	Description

Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	Indicates Account details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Resrtiction.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	**Description**	
Name	VALUE_DATE	
Datatype	String	
Description	Indicates Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

SETTLEMENT_AMT

Attribute	**Description**	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description	Indicates Settlement Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

PAY_RECEIVE

Attribute	**Description**
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PAYMENT_BY

Attribute	**Description**	
Name	PAYMENT_BY	
Datatype	String	
Description	Indicates Payment By.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	**Description**	
Name	TRANSFER_TYPE	
Datatype	String	
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	**Description**	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	Indicates Change Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	Indicates Change Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	Indicates Party Information Allowed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description	
Name	NETTING_INDICATOR	
Datatype	String	
Description	Indicates Netting Indicator.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	Description	
Name	CHARGES_DETAILS	
Datatype	String	
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description	Indicates Our Correspondent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description	Indicate Receiver.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Inter Reim Institution Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Inter Reim Institution Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Inter Reim Institution Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description	
Name	INT_REIM_INST4	
Datatype	String	
Description	Inter Reim Institution Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1

Datatype	String
Description	Indicates Intermediary 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Intermediary 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Account With Institution 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Account With Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Account With Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Account With Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Payment Details Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	Description	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Payment Details Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Payment Details Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4

Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Ordering Customer 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Ordering Customer 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Beneficiary Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Ultimate Beneficiary 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Ultimate Beneficiary 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Ultimate Beneficiary 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Ultimate Beneficiary 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	Indicate ERI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	Indicates Rate Code Prefferred.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description

Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	Indicates Ultimate Beneficiary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	Indicates Sent Message.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Minimum Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	Indicates Inter Pay Generated.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST1_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO

Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	Indicates Other Details Type 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	Indicates Other Details Type 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	Indicates Other Details Type 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	Indicates Other Details Type 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	indicates Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	Indicates Other Details 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	Indicates Other Details 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description	
Name	OTHER_DETAILS3	
Datatype	String	
Description	Indicates Other Details 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	Description	
Name	OTHER_DETAILS4	
Datatype	String	
Description	Indicates Other Details 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	Description	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description	Indicates Netting Across Module.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	Description	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description	Indicates Netting Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX

Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	External Party Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	indicates Required 103

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	Indicates External PC Contract Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.67.4.MO-Save-Disbursement-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MOSaveDsbrResPK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Save-Disbursement-Req-Full*
      - *ACCNO*
      - *BRN*
      - *XREF*
      - *VALDT*
      - *EXCDT*
      - *CMPNAME*
      - *TOTAMT*
      - *REMARK*
      - *AUTHSTAT*
      - *STTLMNTS*
        - *STTLMODE*
        - *STTLCCY*
        - *STTLAMT*

- *STTLBRN*
- *STTLACC*
- *STTLPROD*
- *EXTACNM*
- *EXTACNO*
- *CLRBNK*
- *CLRBRN*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *ENDPT*
- *RTNGNO*
- *SCTRCD*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*

CHARGES

- *STTLMODE*
- *STTLCCY*
- *STTLBRN*
- *STTLACC*
- *STTLPROD*
- *EXT_ACC_NAME*
- *EXT_ACC_NUMBER*
- *CLG_BANK_CODE*
- *CLG_BRANCH_CODE*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *END_POINT*
- *ROUTING_NO*
- *SECTOR_CODE*
- *CARDNO*
- *STTLAMT*
- *INSTRNO*
- *STTLLCYEQ*
- *ORGEXCHRATE*
- *EXCHRT*
- *COMPNAME*

REMARKS

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*

- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

EVENT_USER_DEF

- *FIELD_NUMBER_1*
- *FIELD_NUMBER_2*
- *FIELD_NUMBER_3*
- *FIELD_NUMBER_4*
- *FIELD_NUMBER_5*
- *FIELD_NUMBER_6*
- *FIELD_NUMBER_7*
- *FIELD_NUMBER_8*
- *FIELD_NUMBER_9*
- *FIELD_NUMBER_10*
- *FIELD_NUMBER_11*
- *FIELD_NUMBER_12*
- *FIELD_NUMBER_13*
- *FIELD_NUMBER_14*
- *FIELD_NUMBER_15*
- *FIELD_NUMBER_16*
- *FIELD_NUMBER_17*
- *FIELD_NUMBER_18*
- *FIELD_NUMBER_19*
- *FIELD_NUMBER_20*
- *FIELD_CHAR_1*
- *FIELD_CHAR_2*
- *FIELD_CHAR_3*
- *FIELD_CHAR_4*
- *FIELD_CHAR_5*
- *FIELD_CHAR_6*
- *FIELD_CHAR_7*
- *FIELD_CHAR_8*
- *FIELD_CHAR_9*
- *FIELD_CHAR_10*
- *FIELD_CHAR_11*
- *FIELD_CHAR_12*
- *FIELD_CHAR_13*
- *FIELD_CHAR_14*
- *FIELD_CHAR_15*
- *FIELD_CHAR_16*
- *FIELD_CHAR_17*
- *FIELD_CHAR_18*

- *FIELD_CHAR_19*
- *FIELD_CHAR_20*
- *FIELD_DATE_1*
- *FIELD_DATE_2*
- *FIELD_DATE_3*
- *FIELD_DATE_4*
- *FIELD_DATE_5*
- *FIELD_DATE_6*
- *FIELD_DATE_7*
- *FIELD_DATE_8*
- *FIELD_DATE_9*
- *FIELD_DATE_10*

SETTLDETAILS

- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*
- *VALUE_DATE*
- *SETTLEMENT_AMT*
- *PAY_RECEIVE*
- *PAYMENT_BY*
- *TRANSFER_TYPE*
- *INSTRUMENT_TYPE*
- *INSTRUMENT_NO*
- *CHANGE_AC*
- *CHANGE_RATE*
- *PARTY_INFO_ALLOWED*
- *COVER_REQUIRED*
- *NETTING_INDICATOR*
- *CHARGES_DETAILS*
- *OUR_CORRESPONDENT*
- *RECEIVER*
- *INT_REIM_INST1*
- *INT_REIM_INST2*
- *INT_REIM_INST3*
- *INT_REIM_INST4*
- *RCVR_CORRESP1*
- *RCVR_CORRESP2*
- *RCVR_CORRESP3*
- *RCVR_CORRESP4*

INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5

RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING

XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
MO-Save-Disbursement-Req-IO
ACCNO
BRN
XREF
VALDT
EXCDT
CMPNAME
TOTAMT
REMARK
AUTHSTAT
STTLMNTS
STTLMODE
STTLCCY
STTLAMT
STTLBRN
STTLACC
STTLPROD
EXTACNM
EXTACNO
CLRBNK
CLRBRN
PC_CATEGORY
CLG_PROD_CODE
ENDPT
RTNGNO
SCTRCD
INSTRNO
STTLLCYEQ
ORGEXCHRATE
EXCHRT
CHARGES
STTLMODE
STTLCCY
STTLBRN
STTLACC
STTLPROD

EXT_ACC_NAME
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
SECTOR_CODE
CARDNO
STTLAMT
INSTRNO
STTLLCYEQ
ORGEXCHRATE
EXCHRT
COMPNAME
SETTLDETAILS
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4

RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5

INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME

REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY
RTGS_NETWORK
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description

Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) dsbr

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MOSaveDsbrResPK

Attribute	Description
Name	MOSaveDsbrResPK
Datatype	
Description	Mortgages Disbursement Reponse PK Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

MO-Save-Disbursement-Req-Full

Attribute	Description
Name	MO-Save-Disbursement-Req-Full
Datatype	
Description	Mortgages Disbursement Request Full Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates Total Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates Remarks.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description	Specifies whether the record is authorized or not.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMNTS

Attribute	**Description**
Name	STTLMNTS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.

TOP

STTLMODE

Attribute	**Description**	
Name	STTLMODE	
Datatype	String	
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC	
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CLG,EAC,INS,TLR

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String

Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

STTLLCYEQ

Attribute	Description	
Name	STTLLCYEQ	
Datatype	Number	
Description	indicates amount in Settlement currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

ORGEXCHRATE

Attribute	Description	
Name	ORGEXCHRATE	
Datatype	Number	
Description	Indicates Original Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXCHRT

Attribute	Description	
Name	EXCHRT	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

CHARGES

Attribute	Description
Name	CHARGES
Datatype	
Description	Consumer Lending Disbursement Charge Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STTLMODE

Attribute	Description
Name	STTLMODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>ACC,CLG,EAC,INS,TLR</td></tr></table>

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLPROD

Attribute	**Description**	
Name	STTLPROD	
Datatype	String	
Description	Indicates Settlement Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_ACC_NAME

Attribute	**Description**	
Name	EXT_ACC_NAME	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_ACC_NUMBER

Attribute	**Description**	
Name	EXT_ACC_NUMBER	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_BANK_CODE

Attribute	**Description**	
Name	CLG_BANK_CODE	
Datatype	String	
Description	Indicates Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

END_POINT

Attribute	Description	
Name	END_POINT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ROUTING_NO

Attribute	Description	
Name	ROUTING_NO	
Datatype	String	
Description	Indicates routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SECTOR_CODE

Attribute	Description	
Name	SECTOR_CODE	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	23

TOP

STTLAMT

Attribute	Description	
Name	STTLAMT	
Datatype	Number	
Description	Indicates Settlement Amount.	
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

INSTRNO

Attribute	Description

Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REMARKS

Attribute	Description
Name	REMARKS
Datatype	
Description	Consumer Lending Disbursement Remarks Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates Remark 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remark 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates Remark 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates Remark 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates Remark 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remark 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	Indicates Remark 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

REMARK8

Attribute	Description
Name	REMARK8

Datatype	String
Description	Indicates Remark 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates Remark 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remark 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

EVENT_USER_DEF

Attribute	Description
Name	EVENT_USER_DEF
Datatype	
Description	Consumer Lending Disbursement User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14

Datatype	String
Description	Indicates Field Character 14 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	Indicates Field Character 16 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	Indicates Field Character 17 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	Indicates Field Character 18 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	**Description**	
Name	FIELD_CHAR_19	
Datatype	String	
Description	Indicates Field Character 19 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_20

Attribute	**Description**	
Name	FIELD_CHAR_20	
Datatype	String	
Description	Indicates Field Character 20 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_DATE_1

Attribute	**Description**	
Name	FIELD_DATE_1	
Datatype	Date	
Description	Indicates Field Date 1 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_2

Attribute	**Description**	
Name	FIELD_DATE_2	
Datatype	Date	
Description	Indicates Field Date 2 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date 4 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	Indicates Field Date 5 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	Indicates Field Date 6 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	Indicates Field Date 7 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_8

Attribute	Description

Name	FIELD_DATE_8
Datatype	Date
Description	Indicates Field Date 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description

Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	Indicates Account details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	**Description**	
Name	CCY_RESTRICTION	
Datatype	String	
Description	Indicates Currency Resrtiction.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description	v	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	**Description**	
Name	VALUE_DATE	
Datatype	Date	
Description	Indicates Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	**Description**	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description	Indicates Settlement Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	Indicate Instrument Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	Description	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	Description	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	Description	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	Indicates Party Information Allowed.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description	Indicate Receiver.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Inter Reim Institution Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Inter Reim Institution Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Inter Reim Institution Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4

Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Intermediary 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Intermediary 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Account With Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Account With Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Account With Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Account With Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Payment Details Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	**Description**	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Payment Details Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	**Description**	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Payment Details Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	**Description**	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Sender to Receiver Information 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3

Datatype	String
Description	Indicates Ordering Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Ordering Customer 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Beneficiary Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Ultimate Beneficiary 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Ultimate Beneficiary 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Ultimate Beneficiary 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	Indicate ERI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description

Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	Indicates Ultimate Beneficiary 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Minimum Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	Indicates Inter Pay Generated.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST1_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description	
Name	BENEF_INST3_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description	
Name	BENEF_INST4_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description	
Name	BENEF_INST5_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLEARING_NETWORK

Attribute	Description	
Name	CLEARING_NETWORK	
Datatype	String	
Description	Indicates Clearing Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENERATION_DATE

Attribute	Description	
Name	GENERATION_DATE	
Datatype	Date	
Description	Indicates Generation Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	Description	
Name	IBAN_AC_NO	
Datatype	String	
Description	Indicates IBAN Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	Description	
Name	ISSUING_BANK	
Datatype	String	
Description	Indicates Issuing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH

Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description	Indicates Other Details Type 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	Indicates Other Details Type 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	Indicates Other Details Type 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description	indicates Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	Description	
Name	OTHER_DETAILS1	
Datatype	String	
Description	Indicates Other Details 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	Description	
Name	OTHER_DETAILS2	
Datatype	String	
Description	Indicates Other Details 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	Description	
Name	OTHER_DETAILS3	
Datatype	String	
Description	Indicates Other Details 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	Description	
Name	OTHER_DETAILS4	
Datatype	String	
Description	Indicates Other Details 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	Description	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description	Indicates Netting Across Module.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE

Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	External Party Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	Indicates External PC Contract Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 15

TOP

MO-Save-Disbursement-Req-IO

Attribute	Description
Name	MO-Save-Disbursement-Req-IO
Datatype	
Description	Mortgages Disbursement Request IO Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

EXCDT

Attribute	Description
Name	EXCDT
Datatype	Date
Description	Indicates Execution Date.

TOP

CMPNAME

Attribute	Description
Name	CMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

TOTAMT

Attribute	Description
Name	TOTAMT
Datatype	Number
Description	Indicates Total Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	String
Description	Indicates Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLMNTS

Attribute	Description
Name	STTLMNTS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.

TOP

STTLMODE

Attribute	Description	
Name	STTLMODE	
Datatype	String	
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC	
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,CLG,EAC,INS,TLR

TOP

STTLCCY

Attribute	Description	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

STTLAMT

Attribute	Description	
Name	STTLAMT	
Datatype	Number	
Description	Indicates Settlement Amount.	
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

STTLBRN

Attribute	Description

Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	**Description**	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLRBRN

Attribute	**Description**	
Name	CLRBRN	
Datatype	String	
Description	Indicates Clearing Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	**Description**	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	**Description**	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number
Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

CHARGES

Attribute	Description
Name	CHARGES
Datatype	
Description	Consumer Lending Disbursement Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

STTLMODE

Attribute	Description
Name	STTLMODE

Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** enumeration / ACC,CLG,EAC,INS,TLR

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLPROD

Attribute	Description
Name	STTLPROD
Datatype	String
Description	Indicates Settlement Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CLG_BRANCH_CODE

Attribute	Description
Name	CLG_BRANCH_CODE
Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

END_POINT

Attribute	Description	
Name	END_POINT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ROUTING_NO

Attribute	Description	
Name	ROUTING_NO	
Datatype	String	
Description	Indicates routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>23</td></tr></table>

TOP

STTLAMT

Attribute	Description
Name	STTLAMT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

STTLLCYEQ

Attribute	Description
Name	STTLLCYEQ
Datatype	Number

Description	indicates amount in Settlement currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

ORGEXCHRATE

Attribute	Description
Name	ORGEXCHRATE
Datatype	Number
Description	Indicates Original Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Consumer Lending Disbursement Settlement Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description

Name	ACCOUNT
Datatype	String
Description	Indicates Account details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Resrtiction.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	v
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	Indicates Value Date.

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	Indicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	**Description**	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	**Description**	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	Indicates Party Information Allowed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description	Indicates Our Correspondent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description	Indicate Receiver.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Inter Reim Institution Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Inter Reim Institution Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3

Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Intermediary 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Intermediary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Account With Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Account With Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Account With Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Payment Details Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description	Indicates Sender to Receiver Information 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description	
Name	SNDR_TO_RCVR_INFO3	
Datatype	String	
Description	Indicates Sender to Receiver Information 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2

Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description	Indicates Ordering Customer 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Beneficiary Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	**Description**	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	**Description**	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description

Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description	Indicates Ultimate Beneficiary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Minimum Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	Indicates Inter Pay Generated.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK

Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	Indicates Other Details Type 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	Indicates Other Details Type 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	Indicates Other Details Type 3
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description	indicates Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	Indicates Other Details 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	Indicates Other Details 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID

Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	External Party Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	Indicates Post Accounting.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	Indicates External PC Contract Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description

Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response Details.
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.68.SaveInactive

SaveInactive

2.68.1.MO-Save-Inactive-Acc-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Account-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *BOOKDT*
    - *MATDT*
    - *NO_OF_INST*
    - *FREQ_UNIT*
    - *FREQ*
    - *FIRST_INS_DATE*

DUE_DATES_ON
EMIAMT
ALTACCNO
NETAMT
EXCHRT
DOWNPAYAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
PASSBOOK
LIQDBACK
AUTOLIQ
PARTLIQ
RETRIES
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
CUTOFFTRN
DELIQSTAT

GIRO_MODE_DR
GIRO_SERVICE_DR
PAYER_ACC_NO_DR
PAYER_BRANCH_DR
PAYER_BANK_CODE_DR
GIRO_NUMBER_DR
PAYER_ADDRESS1_DR
PAYER_ADDRESS2_DR
PAYER_ADDRESS3_DR
PAYER_ADDRESS4_DR
GIRO_MODE_CR
GIRO_SERVICE_CR
GIRO_NUMBER_CR
PAYER_ACC_NO_CR
PAYER_BRANCH_CR
PAYER_BANK_CODE_CR
PAYER_ADDRESS1_CR
PAYER_ADDRESS2_CR
PAYER_ADDRESS3_CR
PAYER_ADDRESS4_CR
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4

FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
APPLICATION_NUM
ARVN_APPLIED
AUTO_MAN_ROLLOVER
BACK_VAL_EFF_DT
CALC_REQD
CR_ACC_BRN
CR_PAYMENT_MODE
CR_PROD_AC
DR_ACC_BRN
DR_PAYMENT_MODE
DR_PROD_AC
EXECUTION_DATE
EXT_ACC_NO_CR
EXT_ACC_NO_DR

FUNDED_STATUS
HAS_PROBLEMS
INT_STMT
LAST_INTRADAY_ACCR_DT
LINKAGE_TYPE
LINKED_REFERENCE
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
MIGRATION_DATE
NEXT_ACCR_DATE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
RECALC_ACTION_CODE
RESIDUAL_AMOUNT
STOP_ACCRUALS
USER_DEFINED_STATUS
USGT_STATUS
CALCGP
COMMITMENT_TYPE
ROLLOVER_ALLOWED
USER_REF_NO
BILLREFNO
RATE_CHG_ACTION
HOLIDAYPRD
- *PERIOD*

COMPDET
- *COMPNAME*
- *COMPTYPE*
- *COMPCCY*
- *CAPITALIZED*
- *MAINCOMPFLAG*
- *PENALBASISCOMP*
- *SPLINTFLAG*
- *SPLINTAMT*
- *WAIVERFLAG*
- *STTLMTCCY*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRACCBRN*
- *CRACCBRN*
- *DRPRDACC*
- *CRPRDACC*

SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
UPSOURCERCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
UPSOURCEDR
GIROSERDR
GIROMDDR
GIRONUMDR
PAYERBKDR
PAYERBRNDR
PAYERACNODR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROSERCR
GIROMDCR
GIRONUMCR
PAYERBKCR
PAYERBRNCR
PAYERACNOCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR

- *PAYERADD4CR*
- *FUNDINT*
- *FUNDROLL*
- *VERIFYFUNDS*
- *IRRAPPL*
- *COMPSCH*
  - *SCHTYPE*
  - *SCHFLAG*
  - *FORMULA*
  - *FIRSTDUE*
  - *NOOFSCH*
  - *FREQ*
  - *UNIT*
  - *ENDDT*
  - *AMOUNT*
  - *CAPITALIZED*
  - *WAIVERFLAG*
  - *SCHSTDT*
  - *DUEDTON*
- *UDEDET*
  - *EFFDT*
  - *UDEVALS*
    - *UDEVAL*
    - *UDEID*
    - *RESOLVAL*
    - *RATECD*
    - *CODEUSE*
    - *RATETYP*
- *OTHAPPLCNT*
  - *CUSTID*
  - *CUSTNAME*
  - *RESP*
  - *LIABPERCNT*
  - *LIABAMT*
  - *EFFDATE*
- *LINKAGES*
  - *LINKAGE_SEQ_NO*
  - *LINKTYPE*
  - *LINKAGE_BRANCH*
  - *LINKREFNO*
  - *LINKAMT*
  - *CUSTID*
  - *SECPORTION*
- *PROMOTIONS*

PRTYP
PRID
BENEFCIF
PRIORITY
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3

ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER

BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID
POST_ACCOUNTING
XREF_PC_CONTRACT_REF_NO
EXT_PARTY_CLG_NTWK
CUST_SPREAD
EXTERNAL_EX_RATE
SPREAD_DEFN
RTGS_PAYMENT
BANKING_PRIORITY

RTGS_NETWORK

MISDETAILS

RATEFLAG

POOLCODE

PRCFLAG

REFRATE

REFRTTY

CALCMETHO

CCY

REFRTCD

REFSPREAD

RELACC

RELREF

SERIALNO

MISGROUP

MISGRTXN

MISHEAD

MISGRCOMP

TXNMIS1

TXNMIS2

TXNMIS3

TXNMIS4

TXNMIS5

TXNMIS6

TXNMIS7

TXNMIS8

TXNMIS9

TXNMIS10

UNITTYPE

COMPMIS1

COMPMIS2

COMPMIS3

COMPMIS4

COMPMIS5

COMPMIS6

COMPMIS7

COMPMIS8

COMPMIS9

COMPMIS10

COSTCODE1

COSTCODE2

COSTCODE3

COSTCODE4

COSTCODE5

CUSTOMER
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
ADVSUPPRESS
MSGTYPE
EVENTREMK
REMARK1
REMARK2
REMARK3
REMARK4
REMARK5
REMARK6
REMARK7
REMARK8
REMARK9
REMARK10
UDFDETAILS
FIELD_NAME
FIELD_VALUE
CHARGEDET
COMPNAME
CHGCCY
DRPAYMTMODE
CRPAYMTMODE
DRACCBRN
CRACCBRN
DRPRDACC
CRPRDACC
WAIVERFLAG
STTLMTCCY
AMTDUE
LIQUIDATIONORDER
STAT
COMP
LIQORDER

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

MO-Save-Account-Req

Attribute	Description
Name	MO-Save-Account-Req
Datatype	
Description	Mortgages Save Account Request Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD

Datatype	String
Description	Indicates Product Code.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details.
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Booking Date.

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date.

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates Number of Installments.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FREQ_UNIT

Attribute	Description
Name	FREQ_UNIT
Datatype	String
Description	Indicates Frequency Unit. Daily "D" Monthly "M" Weekly "W" Yearly "Y" QUARTERLY "Q" Half Yearly "H" Bullet "B"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIRST_INS_DATE

Attribute	Description
Name	FIRST_INS_DATE
Datatype	Date
Description	Indicates Installment Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

EXCHRT

Attribute	Description
Name	EXCHRT
Datatype	Number
Description	Indicates Exchange Rate details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

DOWNPAYAMT

Attribute	Description
Name	DOWNPAYAMT
Datatype	Number
Description	Indicates Down Payment.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CHEQBOOK

Attribute	Description

Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates ATM Facility Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK

Datatype	String
Description	Indicates Liquidate Back Valued Schedules. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Incicates Partial Liquidation.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	Indicates Retries for Auto Liquidation.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String

Description	Track Receivable Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Track Receivable Manual Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Basis Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Special Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String

Description	Indicates Schedule Basis. Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Rollover Mode Daily "D" Monthly "M" Yearly "Y" Quarters "Q" Semi Annual "S"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Incidcates Rollover type Special "S" Custom "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates Debit External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR

Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Credit Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Credit Routing Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description	Indicates Credit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description	Indicates Credit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description	Indicates Credit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UPSOURCERCR

Attribute	**Description**	
Name	UPSOURCERCR	
Datatype	String	
Description	Indicates Credit Upload Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Debit Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates Debit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Debit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Debit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

CUTOFFTRN

Attribute	Description
Name	CUTOFFTRN
Datatype	String
Description	Indicates Transaction Cutoff. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DELIQSTAT

Attribute	Description
Name	DELIQSTAT
Datatype	String
Description	Indicates Deliquency Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_MODE_DR

Attribute	Description
Name	GIRO_MODE_DR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_DR

Attribute	Description
Name	GIRO_SERVICE_DR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYER_ACC_NO_DR

Attribute	Description
Name	PAYER_ACC_NO_DR
Datatype	String
Description	Indicates Debit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYER_BRANCH_DR

Attribute	Description
Name	PAYER_BRANCH_DR
Datatype	String
Description	Indicates Debit Payer Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PAYER_BANK_CODE_DR

Attribute	Description
Name	PAYER_BANK_CODE_DR
Datatype	String
Description	Indicates Debit Payer Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

GIRO_NUMBER_DR

Attribute	Description
Name	GIRO_NUMBER_DR
Datatype	String
Description	Indicates Debit GIRO Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYER_ADDRESS1_DR

Attribute	Description
Name	PAYER_ADDRESS1_DR
Datatype	String
Description	Indicates Debit Payer Address Line1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS2_DR

Attribute	Description
Name	PAYER_ADDRESS2_DR
Datatype	String
Description	Indicates Debit Payer Address Line2.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYER_ADDRESS3_DR

Attribute	Description
Name	PAYER_ADDRESS3_DR

Datatype	String
Description	Indicates Debit Payer Address Line3.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYER_ADDRESS4_DR

Attribute	Description
Name	PAYER_ADDRESS4_DR
Datatype	String
Description	Indicates Debit Payer Address Line4.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIRO_MODE_CR

Attribute	Description
Name	GIRO_MODE_CR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_SERVICE_CR

Attribute	Description
Name	GIRO_SERVICE_CR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRO_NUMBER_CR

Attribute	Description
Name	GIRO_NUMBER_CR
Datatype	String
Description	Indicates Credit GIRO Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ACC_NO_CR

Attribute	**Description**	
Name	PAYER_ACC_NO_CR	
Datatype	String	
Description	Indicates Credit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BRANCH_CR

Attribute	**Description**	
Name	PAYER_BRANCH_CR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYER_BANK_CODE_CR

Attribute	**Description**	
Name	PAYER_BANK_CODE_CR	
Datatype	String	
Description	Indicates Credit Payer Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYER_ADDRESS1_CR

Attribute	**Description**	
Name	PAYER_ADDRESS1_CR	
Datatype	String	
Description	Indicates Credit Payer Address Line1.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS2_CR

Attribute	Description	
Name	PAYER_ADDRESS2_CR	
Datatype	String	
Description	Indicates Credit Payer Address Line2.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS3_CR

Attribute	Description	
Name	PAYER_ADDRESS3_CR	
Datatype	String	
Description	Indicates Credit Payer Address Line3.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAYER_ADDRESS4_CR

Attribute	Description	
Name	PAYER_ADDRESS4_CR	
Datatype	String	
Description	Indicates Credit Payer Address Line4.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FIELD_CHAR_1

Attribute	Description	
Name	FIELD_CHAR_1	
Datatype	String	
Description	Indicates Field Character 1 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10

Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	Indicates Field Character 14 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_15

Attribute	**Description**	
Name	FIELD_CHAR_15	
Datatype	String	
Description	Indicates Field Character 15 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description	Indicates Field Character 16 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description	Indicates Field Character 17 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description	Indicates Field Character 18 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	Indicates Field Character 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3

Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	Indicates Field Date 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	Indicates Field Date 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	Indicates Field Date7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	Indicates Field Date 8 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_9

Attribute	**Description**	
Name	FIELD_DATE_9	
Datatype	Date	
Description	Indicates Field Date 9 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_10

Attribute	**Description**	
Name	FIELD_DATE_10	
Datatype	Date	
Description	Indicates Field Date 10 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_NUMBER_1

Attribute	**Description**	
Name	FIELD_NUMBER_1	
Datatype	Number	
Description	Indicates Field number 1 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

FIELD_NUMBER_2

Attribute	**Description**	
Name	FIELD_NUMBER_2	
Datatype	Number	
Description	Indicates Field number 2 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liqd Reversed Payment. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

APPLICATION_NUM

Attribute	Description
Name	APPLICATION_NUM
Datatype	String
Description	Indicates Application Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	Indicates ARVN Applied.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Rollover Mode. Auto "A"; Manual "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BACK_VAL_EFF_DT

Attribute	Description
Name	BACK_VAL_EFF_DT
Datatype	Date
Description	Indicates Back Value Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	ndicates Calculation Required Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	Indicates Credit Account Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CR_PAYMENT_MODE

Attribute	Description
Name	CR_PAYMENT_MODE
Datatype	String
Description	Indicates Credit Payment Mode. CASA ACC Clearing CLG External Account EAC Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CR_PROD_AC

Attribute	Description
Name	CR_PROD_AC
Datatype	String
Description	Indicates Credit Product Account details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DR_PAYMENT_MODE

Attribute	Description
Name	DR_PAYMENT_MODE
Datatype	String
Description	Indicates Debit Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DR_PROD_AC

Attribute	**Description**	
Name	DR_PROD_AC	
Datatype	String	
Description	Indicates Debit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXECUTION_DATE

Attribute	**Description**	
Name	EXECUTION_DATE	
Datatype	Date	
Description	Indicates Execution Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EXT_ACC_NO_CR

Attribute	**Description**	
Name	EXT_ACC_NO_CR	
Datatype	String	
Description	Indicates Credit External Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_ACC_NO_DR

Attribute	**Description**	
Name	EXT_ACC_NO_DR	
Datatype	String	
Description	Indicates Debit External Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Fund Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

HAS_PROBLEMS

Attribute	Description
Name	HAS_PROBLEMS
Datatype	String
Description	Indicates Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LAST_INTRADAY_ACCR_DT

Attribute	Description
Name	LAST_INTRADAY_ACCR_DT
Datatype	Date
Description	Indicates last Intra Day Accrual Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_TYPE

Attribute	Description
Name	LINKAGE_TYPE
Datatype	String
Description	Indicates Linkage Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINKED_REFERENCE

Attribute	Description
Name	LINKED_REFERENCE
Datatype	String
Description	Indicates Linked Reference.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Components Liquidate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type. Fixed "F"; Call "C".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIGRATION_DATE

Attribute	Description

Name	MIGRATION_DATE
Datatype	Date
Description	Indicates Migration Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NEXT_ACCR_DATE

Attribute	Description
Name	NEXT_ACCR_DATE
Datatype	Date
Description	Indicates Next Accrual Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference Middle Rate "M"; Buy/ Sell Rate "B"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RECALC_ACTION_CODE

Attribute	Description
Name	RECALC_ACTION_CODE
Datatype	String
Description	Indicates Recalculation Action Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESIDUAL_AMOUNT

Attribute	Description
Name	RESIDUAL_AMOUNT
Datatype	Number
Description	Indicates Residue Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

STOP_ACCRUALS

Attribute	Description
Name	STOP_ACCRUALS
Datatype	String
Description	Indicates Stop Accrual. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

USGT_STATUS

Attribute	Description
Name	USGT_STATUS
Datatype	String
Description	Indicates USGT Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCGP

Attribute	Description
Name	CALCGP
Datatype	String
Description	Indicates Calculate Gross Principal. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type. Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description	
Name	ROLLOVER_ALLOWED	
Datatype	String	
Description	Indicates Allow Rollover Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	Description	
Name	USER_REF_NO	
Datatype	String	
Description	Indicates User Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BILLREFNO

Attribute	Description	
Name	BILLREFNO	
Datatype	String	
Description	Indicates Bill Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RATE_CHG_ACTION

Attribute	Description	
Name	RATE_CHG_ACTION	
Datatype	String	
Description	Indicates Auto Rate Change Action.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Holiday Period Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Period.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Component Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPCCY

Attribute	**Description**	
Name	COMPCCY	
Datatype	String	
Description	Indicates Component Currency code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	Indicate Capitalized. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description	Indicates Main Component. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PENALBASISCOMP

Attribute	**Description**	
Name	PENALBASISCOMP	
Datatype	String	
Description	Indicates Penal Basis Component.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPAYMTMODE

Attribute	Description	
Name	DRPAYMTMODE	
Datatype	String	
Description	Indicates Dr Payment Mode. CASA ACC	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description	
Name	CRPAYMTMODE	
Datatype	String	
Description	Indicates Cr Payment Mode. CASA ACC	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description	Indicates Debit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description	Indicates Credit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Credit Clearing Bank Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates Debit External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description	Indicate Debit Producy Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Credit Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Credit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates Credit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Credit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Debit Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates Debit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Debit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Debit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates Debit GIRO Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Debit Payer Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicate Debit Payer Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Debit Payer Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR

Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIROMDCR

Attribute	**Description**	
Name	GIROMDCR	
Datatype	String	
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description	Indicates Credit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates Credit Payer Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates Credit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates Credit Payer Address Line1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates Credit Payer Address Line2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates Credit Payer Address Line3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates Credit Payer Address Line4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates IRR Applicable. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>6</td></tr></table>

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String

Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDTON

Attribute	Description
Name	DUEDTON
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates User Defined Expression Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Defined Expression Values.

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Defined Expression Values.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 3

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Mortgagges Other Application Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	Mortgagges Linkage Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	Indicates Linkage Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String

Description	Indicates Linkage Type Line ¿L¿ Deposit ¿D¿ Guarantee ¿G¿ Collateral ¿T¿ Amount Block ¿A¿ CASA Account ¿C¿ Collateral Pool ¿P¿ Commitment ¿M¿
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	Indicates Linkage Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	Indicates Linked Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	Indicates Linkage Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	Indicates Secured Portion.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Mortgagges Promotion Details. PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Party Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BENEFCIF

Attribute	**Description**	
Name	BENEFCIF	
Datatype	String	
Description	Indicates Beneficiary CIF.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIORITY

Attribute	**Description**	
Name	PRIORITY	
Datatype	Number	
Description	Indicates Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	4

TOP

SETTLDETAILS

Attribute	**Description**	
Name	SETTLDETAILS	
Datatype		
Description	Settlement Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

AMOUNT_TAG

Attribute	Description	
Name	AMOUNT_TAG	
Datatype	String	
Description	Indicates Amount Tag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

VERSION_FLAG

Attribute	Description	
Name	VERSION_FLAG	
Datatype	String	
Description	Indicates Version flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TAG_CCY

Attribute	Description	
Name	TAG_CCY	
Datatype	String	
Description	Indicates Tag Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC_BRANCH

Attribute	Description	
Name	ACC_BRANCH	
Datatype	String	
Description	Indicates Account Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	Indicates Account Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Restriction. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	Indicates Value Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String

Description	>Indicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	Indicate Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicate Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	Indicates Change Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	Indicates Change Rate.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	Indicates Party Information Allowed.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	Indicates Cover Required. Yes "Y";No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	**Description**	
Name	NETTING_INDICATOR	
Datatype	String	
Description	Indicates Netting Indicator.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	**Description**
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OUR_CORRESPONDENT

Attribute	**Description**	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description	Indicates Our Correspondent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	**Description**	
Name	RECEIVER	
Datatype	String	
Description	Indicate Receiver.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	**Description**	
Name	INT_REIM_INST1	
Datatype	String	
Description	Inter Reim Institution Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	**Description**	
Name	INT_REIM_INST2	
Datatype	String	
Description	Inter Reim Institution Line2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description	
Name	RCVR_CORRESP3	
Datatype	String	
Description	Receiver Correspondent Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	Description	
Name	RCVR_CORRESP4	
Datatype	String	
Description	Receiver Correspondent Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	Description	
Name	INTERMEDIARY1	
Datatype	String	
Description	Indicates Intermediary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	Description	
Name	INTERMEDIARY2	
Datatype	String	
Description	Indicates Intermediary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Intermediary 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Account With Institution 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Account With Institution 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3

Datatype	String
Description	Indicates Account With Institution 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Payment Details Line 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	**Description**	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description	Indicates Sender to Receiver Information 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO3	
Datatype	String	
Description	Indicates Sender to Receiver Information 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description	
Name	ORDERING_INSTITUTION2	
Datatype	String	
Description	Indicates Ordering Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	Description	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description	Indicates Ordering Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION4

Attribute	Description	
Name	ORDERING_INSTITUTION4	
Datatype	String	
Description	Indicates Ordering Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	Description	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description	Indicates Ordering Customer 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Ordering Customer 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Ordering Customer 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Beneficiary Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2

Datatype	String
Description	Indicates Beneficiary Institution 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Beneficiary Institution 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Beneficiary Institution 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Ultimate Beneficiary 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Ultimate Beneficiary 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	**Description**	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	**Description**	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	**Description**	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	**Description**	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	Indicate ERI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	Indicates Rate Code Prefferred.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description	Indicates Account With Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	Description	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description	Indicates Beneficiary Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	Description	
Name	INTERMEDIARY5	
Datatype	String	
Description	Indicates Intermediary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	Description	
Name	INT_REIM_INST5	
Datatype	String	
Description	Indicates Inter Reim Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	Description	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description	Indicates Ordering Customer 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	Description	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description	Indicates Ordering Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	Indicates Ultimate Beneficiary 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	Indicates Sent Message.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Minimum Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description

Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST5_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST5_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLEARING_NETWORK

Attribute	**Description**	
Name	CLEARING_NETWORK	
Datatype	String	
Description	Indicates Clearing Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENERATION_DATE

Attribute	**Description**	
Name	GENERATION_DATE	
Datatype	Date	
Description	Indicates Generation Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	**Description**	
Name	IBAN_AC_NO	
Datatype	String	
Description	Indicates IBAN Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	Description	
Name	ISSUING_BANK	
Datatype	String	
Description	Indicates Issuing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	Description	
Name	PAYABLE_BRANCH	
Datatype	String	
Description	Indicates Payable Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	Description	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description	Indicates Printed Stationary Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	Description	
Name	ROUTING_NO	
Datatype	String	
Description	Indicate Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	Indicates Other Details Type 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	Indicates Other Details Type 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3

Datatype	String
Description	Indicates Other Details Type 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	Indicates Other Details Type 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	Indicates Other Details Type 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	Indicates Other Details Type 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	Indicate Status.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	**Description**	
Name	OTHER_DETAILS1	
Datatype	String	
Description	Indicates Other Details 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	**Description**	
Name	OTHER_DETAILS2	
Datatype	String	
Description	Indicates Other Details 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	**Description**	
Name	OTHER_DETAILS3	
Datatype	String	
Description	Indicates Other Details 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	**Description**	
Name	OTHER_DETAILS4	
Datatype	String	
Description	Indicates Other Details 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	Description	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description	Indicates Netting Across Module.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	Description	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description	Indicates Netting Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	Description	
Name	COVER_BY	
Datatype	String	
Description	Indicates Cover By.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	Description	
Name	EXT_PROD_CATEGORY	
Datatype	String	
Description	Indicates External Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	Description	
Name	EXT_STATION_ID	
Datatype	String	
Description	Indicates External Station Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	Description	
Name	EXT_SOURCE	
Datatype	String	
Description	Indicates External Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description	Indicates External Counterparty Account Prefix	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	Description	
Name	EXT_PARTY_BIC	
Datatype	String	
Description	External Party BIC.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	External Party Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	indicates Required 103
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	indicates Required 103P
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID

Datatype	String
Description	Indicates Agreement Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	Indicates Post Accounting.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	Indicates External PC Contract Reference Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description	Indicates RGTS Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

MISDETAILS

Attribute	**Description**	
Name	MISDETAILS	
Datatype		
Description	Mortgagges MIS details.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

RATEFLAG

Attribute	**Description**	
Name	RATEFLAG	
Datatype	String	
Description	Indicates Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

POOLCODE

Attribute	**Description**	
Name	POOLCODE	
Datatype	String	
Description	indicates select pool code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PRCFLAG

Attribute	Description
Name	PRCFLAG
Datatype	String
Description	indicates processed flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFRATE

Attribute	Description
Name	REFRATE
Datatype	Number
Description	indicates reference rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

REFRTTY

Attribute	Description
Name	REFRTTY
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETHO

Attribute	Description
Name	CALCMETHO
Datatype	String
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

REFRTCD

Attribute	**Description**	
Name	REFRTCD	
Datatype	String	
Description	indicates reference rate code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFSPREAD

Attribute	**Description**	
Name	REFSPREAD	
Datatype	String	
Description	Indicates reference spread.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	22

TOP

RELACC

Attribute	**Description**	
Name	RELACC	
Datatype	String	
Description	indicates related account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

SERIALNO

Attribute	Description
Name	SERIALNO
Datatype	Number
Description	indicates serial no.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

MISGROUP

Attribute	Description
Name	MISGROUP
Datatype	String
Description	indicates MIS group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

MISGRTXN

Attribute	Description
Name	MISGRTXN
Datatype	String
Description	indicates MIS group transaction
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISHEAD

Attribute	Description
Name	MISHEAD
Datatype	String
Description	Indicates MIS head
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISGRCOMP

Attribute	Description
Name	MISGRCOMP
Datatype	String
Description	Indicates MIS group composite MIS code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3

Datatype	String
Description	indicates Transaction MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description	indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description	indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	indicates Transaction MIS code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

UNITTYPE

Attribute	**Description**	
Name	UNITTYPE	
Datatype	String	
Description	Indicate UNIT type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	indicates composite MIS code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE1

Attribute	Description
Name	COSTCODE1
Datatype	String
Description	indicates cost code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE2

Attribute	Description
Name	COSTCODE2
Datatype	String
Description	indicates cost code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE3

Attribute	Description
Name	COSTCODE3

Datatype	String
Description	indicates cost code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE4

Attribute	Description
Name	COSTCODE4
Datatype	String
Description	indicates cost code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCODE5

Attribute	Description
Name	COSTCODE5
Datatype	String
Description	indicates cost code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

CUSTOMER

Attribute	Description
Name	CUSTOMER
Datatype	String
Description	indicates customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	Indicates Funds MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	Mortgagges Advice Supress Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	Number
Description	Indicates Message Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

EVENTREMK

Attribute	Description
Name	EVENTREMK
Datatype	
Description	Mortgagges Event Remarks.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates remarks1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK2

Attribute	**Description**	
Name	REMARK2	
Datatype	String	
Description	Indicates remarks 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK3

Attribute	**Description**	
Name	REMARK3	
Datatype	String	
Description	Indicates remarks 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK4

Attribute	**Description**	
Name	REMARK4	
Datatype	String	
Description	Indicates remarks 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK5

Attribute	**Description**	
Name	REMARK5	
Datatype	String	
Description	Indicates remarks 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description	Indicates remarks 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description	Indicates remarks 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description	Indicates remarks 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description	Indicates remarks 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates remarks 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

UDFDETAILS

Attribute	Description
Name	UDFDETAILS
Datatype	
Description	Mortgagges UDF Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates Field Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates Field Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET

Datatype	
Description	Mortgagges Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHGCCY

Attribute	Description
Name	CHGCCY
Datatype	String
Description	Indicates Charge Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

DRPRDACC

Attribute	**Description**	
Name	DRPRDACC	
Datatype	String	
Description	Indicates Debit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	**Description**	
Name	CRPRDACC	
Datatype	String	
Description	Indicates Credit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

2.68.2.MO-Save-Inactive-Acc-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Account-Req-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *PRD*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *BOOKDT*
    - *MATDT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

MO-Save-Account-Req-IO

Attribute	Description
Name	MO-Save-Account-Req-IO
Datatype	
Description	It indicates Save Inactive Account IO Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

XREF

Attribute	**Description**	
Name	XREF	
Datatype	String	
Description	Indicates the reference number of the external system.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRD

Attribute	**Description**	
Name	PRD	
Datatype	String	
Description	Indicates Product Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Booking Date

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date.

TOP

2.68.3.MO-Save-Inactive-Acc-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Details-Res*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *PRD*
    - *PRDCAT*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *BOOKDT*
    - *MATDT*
    - *NO_OF_INST*
    - *ALTACCNO*
    - *CONTSTAT*
    - *NETAMT*
    - *ORIGSTDT*
    - *CHEQBOOK*

AMENDPAST
ATMFACILITY
PASSBOOK
LIQDBACK
AUTOLIQ
PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
AUTO_MAN_ROLLOVER
CALC_REQD
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED

LOAN_TYPE
USER_REF_NO
BILLREFNO
RATE_CHG_ACTION
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
UDEDET
  ACCNO
  BRN
  EFFDT
  UDEVALS
    ACCNO
    BRN
    EFFDT
    UDEID
    UDEVAL
    RATECD
    CODEUSE
    RATETYP
    RESOLVAL
    ACCNO
    BRN
    EFFDT
    UDEID
    UDEVAL
    RATECD
    CODEUSE
    RATETYP
    RESOLVAL
    ACCNO

BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
LIQUIDATIONORDER
STAT
COMP
LIQORDER
HOLIDAYPRD
ACCNO
BRN
PERIOD
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3

INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5

BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT

- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*

PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR

PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*
- *DAYS_MTH*
- *DAYS_YEAR*
- *SCHTYPE*
- *SCHFLAG*

FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS

- EMIAMT
- DUE_DATES_ON
- DAYS_MTH
- DAYS_YEAR

DSBRSCHEDULE

- SCHEDULE_ST_DATE
- SCHEDULE_DUE_DATE
- AMOUNT_TO_DISBR
- SCHEDULE_LINKAGE
- SCHEDULE_ST_DATE
- SCHEDULE_DUE_DATE
- AMOUNT_TO_DISBR
- SCHEDULE_LINKAGE
- SCHEDULE_ST_DATE
- SCHEDULE_DUE_DATE
- AMOUNT_TO_DISBR
- SCHEDULE_LINKAGE

REVNSCHEDULE

- SCHEDULE_ST_DATE
- SCHEDULE_DUE_DATE
- APPLIED_FLAG
- SCHEDULE_LINKAGE
- SCHEDULE_ST_DATE
- SCHEDULE_DUE_DATE
- APPLIED_FLAG
- SCHEDULE_LINKAGE
- SCHEDULE_ST_DATE
- SCHEDULE_DUE_DATE
- APPLIED_FLAG
- SCHEDULE_LINKAGE

SCHEDULE

- FORMULA_NAME
- SCHEDULE_TYPE
- SCHEDULE_ST_DATE
- DUEDATE
- GRACEDAYS
- ORIG_AMOUNT_DUE
- AMTDUE
- ADJ_AMOUNT
- AMTSETT
- AMOUNT_OVERDUE
- ACCRAMT
- SETTLEMENT_CCY
- AMTLCY

DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT

EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT

- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*
- *SUSP_AMT_LCY*
- *SUSP_READ_AMT*
- *SUSP_READ_SETTLED*
- *LAST_SUSP_XRATE*
- *READJ_SETTLED*
- *LAST_READJ_XRATE*
- *ADJ_SETTLED*
- *SCHSTATUS*
- *ACCOUNT_GL*
- *LAST_PMNT_VALUE_DATE*
- *RETRY_START_DATE*
- *MORA_INT*
- *SCHEDULE_NO*
- *WRITEOFF_AMT*
- *AMOUNT_WAIVED*
- *IRR_APPLICABLE*
- *LIST_DAYS*
- *LIST_AVG_AMT*
- *AMORT_PRINC*

CHARGEDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*

SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR

PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*
- *SUSP_AMT_LCY*
- *SUSP_READ_AMT*
- *SUSP_READ_SETTLED*
- *LAST_SUSP_XRATE*
- *READJ_SETTLED*
- *LAST_READJ_XRATE*
- *ADJ_SETTLED*
- *SCHSTATUS*
- *ACCOUNT_GL*
- *LAST_PMNT_VALUE_DATE*
- *RETRY_START_DATE*
- *MORA_INT*

SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT

SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT

- SCHEDULE_NO
- WRITEOFF_AMT
- AMOUNT_WAIVED
- IRR_APPLICABLE
- LIST_DAYS
- LIST_AVG_AMT
- AMORT_PRINC
- EFFDATE

LINKAGES

- LINKAGE_SEQ_NO
- LINKTYPE
- LINKAGE_BRANCH
- LINKREFNO
- LINKAMT
- AMT_BLOCK_NO
- SECPORTION
- CUSTID

EVENTADVICES

- EVENT_CODE
- EVENT_SEQ_NO
- MSG_TYPE
- DCN
- SUPPRESS
- PRIORITY
- FORMAT
- GENERATION_TIME

ADVSUPPRESS

- MSGTYPE

MIS-MASTER

- MISDETAILS
  - BRANCH
  - CUSTNO
  - MISGRP
  - RELREF
  - RELACC
  - MISHD
  - POOLCD
  - REFRT
  - REFRTTYPE
  - REFXRT
  - CALCMETH
  - MISGRPTXN
  - REFRTCD
  - REFRTSPRD

FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4

FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4

FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8

FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8

FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2

COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
MO-Save-Account-Req
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT

NO_OF_INST
ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
PASSBOOK
LIQDBACK
AUTOLIQ
PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
AUTO_MAN_ROLLOVER
CALC_REQD
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID

MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
RATE_CHG_ACTION
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
UDEDET
  ACCNO
  BRN
  EFFDT
  UDEVALS
    ACCNO
    BRN
    EFFDT
    UDEID
    UDEVAL
    RATECD
    CODEUSE
    RATETYP
    RESOLVAL
    ACCNO
    BRN
    EFFDT
    UDEID

UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
LIQUIDATIONORDER
STAT
COMP
LIQORDER
HOLIDAYPRD
ACCNO
BRN
PERIOD
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR

CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3

ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY

- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR

GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*

EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME

- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*
- *DAYS_MTH*
- *DAYS_YEAR*

DSBRSCHEDULE

- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *AMOUNT_TO_DISBR*
- *SCHEDULE_LINKAGE*
- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *AMOUNT_TO_DISBR*
- *SCHEDULE_LINKAGE*
- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *AMOUNT_TO_DISBR*
- *SCHEDULE_LINKAGE*

REVNSCHEDULE

- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *APPLIED_FLAG*
- *SCHEDULE_LINKAGE*
- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *APPLIED_FLAG*
- *SCHEDULE_LINKAGE*
- *SCHEDULE_ST_DATE*
- *SCHEDULE_DUE_DATE*
- *APPLIED_FLAG*
- *SCHEDULE_LINKAGE*

SCHEDULE

- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*

ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT

AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT

AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
CHARGEDET
COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE

CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR

GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*
- *SUSP_AMT_LCY*
- *SUSP_READ_AMT*
- *SUSP_READ_SETTLED*
- *LAST_SUSP_XRATE*
- *READJ_SETTLED*
- *LAST_READJ_XRATE*

ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE

ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE

- ADJ_SETTLED
- SCHSTATUS
- ACCOUNT_GL
- LAST_PMNT_VALUE_DATE
- RETRY_START_DATE
- MORA_INT
- SCHEDULE_NO
- WRITEOFF_AMT
- AMOUNT_WAIVED
- IRR_APPLICABLE
- LIST_DAYS
- LIST_AVG_AMT
- AMORT_PRINC
- EFFDATE

LINKAGES

- LINKAGE_SEQ_NO
- LINKTYPE
- LINKAGE_BRANCH
- LINKREFNO
- LINKAMT
- AMT_BLOCK_NO
- SECPORTION
- CUSTID

EVENTADVICES

- EVENT_CODE
- EVENT_SEQ_NO
- MSG_TYPE
- DCN
- SUPPRESS
- PRIORITY
- FORMAT
- GENERATION_TIME

ADVSUPPRESS

- MSGTYPE

MIS-MASTER

- MISDETAILS
  - BRANCH
  - CUSTNO
  - MISGRP
  - RELREF
  - RELACC
  - MISHD
  - POOLCD
  - REFRT

REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8

TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN

REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2

FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2

FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6

FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
MO-Save-Account-Req-IO
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT

CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
PASSBOOK
LIQDBACK
AUTOLIQ
PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
AUTO_MAN_ROLLOVER
CALC_REQD
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT

L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
RATE_CHG_ACTION
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
UDEDET
  ACCNO
  BRN
  EFFDT
  UDEVALS
    ACCNO
    BRN
    EFFDT
    UDEID
    UDEVAL
    RATECD
    CODEUSE

RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
LIQUIDATIONORDER
STAT
COMP
LIQORDER
HOLIDAYPRD
ACCNO
BRN
PERIOD
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE

INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1

BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1

- *OTHER_DETAILS2*
- *OTHER_DETAILS3*
- *OTHER_DETAILS4*
- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*

- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*
- *EXTACNMDR*
- *CLGBKDR*
- *CLGBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTNOCR*
- *ROUTINGCR*
- *ENDPTCR*
- *CLGPRODCR*
- *SECTORCR*
- *INSTNODR*
- *ROUTINGDR*
- *ENDPTDR*
- *CLGPRODDR*
- *SECTORDR*
- *VERIFYFUNDS*

FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*

CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT

PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
REVNSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE
FORMULA_NAME

SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE

SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE

DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
CHARGEDET
COMPNAME
STTLMTCCY
COMPTYPE

MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR

PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*

SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED

SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED

SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID
EVENTADVICES
EVENT_CODE
EVENT_SEQ_NO
MSG_TYPE
DCN
SUPPRESS
PRIORITY
FORMAT
GENERATION_TIME
ADVSUPPRESS
MSGTYPE
MIS-MASTER
MISDETAILS
BRANCH
CUSTNO

MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2

TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD

POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6

TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT

CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10

FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

Account-Master-Details-Res

Attribute	Description
Name	Account-Master-Details-Res
Datatype	
Description	It indicates Save Inactive Account full Response master details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMOUNT

Attribute	**Description**	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

VALDT

Attribute	**Description**	
Name	VALDT	
Datatype	Date	
Description	Indicates Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BOOKDT

Attribute	**Description**	
Name	BOOKDT	
Datatype	Date	
Description	Indicates Booking Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MATDT

Attribute	**Description**	
Name	MATDT	
Datatype	Date	
Description	Indicates Maturity Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NO_OF_INST

Attribute	**Description**

Name	NO_OF_INST
Datatype	Number
Description	Indicates Number of Installments.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates ATM Facility Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description

Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Incicates Partial Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ

Datatype	String
Description	Track Receivable Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Track Receivable Manual Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Basis Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Special Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS

Datatype	String
Description	Indicates Schedule Basis. Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Rollover Mode Daily "D" Monthly "M" Yearly "Y" Quarters "Q" Semi Annual "S"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover type Special "S" Custom "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liqd Reversed Payment. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Rollover Mode. Auto "A"; Manual "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Fund Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Components Liquidate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type. Fixed "F"; Call "C".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference Middle Rate "M"; Buy/ Sell Rate "B"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicate Amount Financed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY

Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	Indicates Customer Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Authorization Status of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	Indicates Amount Available.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type. Revolving : R Non Revolving : N

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**	
Name	ROLLOVER_ALLOWED	
Datatype	String	
Description	Indicates Allow Rollover Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description	Indicates Loan Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description	Indicates User Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BILLREFNO

Attribute	**Description**	
Name	BILLREFNO	
Datatype	String	
Description	Indicates Bill Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Mortgagges Promotion Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type. PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary CIF
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Mortgagges Other Application Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description

Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorized Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates User Defined Expression Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description	Indicates Effective Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEVALS

Attribute	**Description**	
Name	UDEVALS	
Datatype		
Description	Indicates User Defined Expression Values.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE

Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String

Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

HOLIDAYPRD

Attribute	Description

Name	HOLIDAYPRD
Datatype	
Description	Holiday Period Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Period.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	Indicates Account Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Restriction. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY

Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	ndicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	Indicate Instrument Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicate Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	Indicates Change Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	Indicates Party Information Allowed.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	Indicates Cover Required. Yes "Y";No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	**Description**	
Name	NETTING_INDICATOR	
Datatype	String	
Description	Indicates Netting Indicator.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Inter Reim Institution Line2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Inter Reim Institution Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description	
Name	INT_REIM_INST4	
Datatype	String	
Description	Inter Reim Institution Line4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description	
Name	RCVR_CORRESP1	
Datatype	String	
Description	Receiver Correspondent Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	Description	
Name	RCVR_CORRESP2	
Datatype	String	
Description	Receiver Correspondent Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	Description	
Name	RCVR_CORRESP3	
Datatype	String	
Description	Receiver Correspondent Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	Description	
Name	RCVR_CORRESP4	
Datatype	String	
Description	Receiver Correspondent Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	Description	
Name	INTERMEDIARY1	
Datatype	String	
Description	Indicates Intermediary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Intermediary 4.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Account With Institution 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2

Datatype	String
Description	Indicates Account With Institution 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Account With Institution 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	**Description**	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Payment Details Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	**Description**	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description	Indicates Sender to Receiver Information 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description	
Name	ORDERING_INSTITUTION1	
Datatype	String	
Description	Indicates Ordering Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION2

Attribute	Description	
Name	ORDERING_INSTITUTION2	
Datatype	String	
Description	Indicates Ordering Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	Description	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description	Indicates Ordering Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION4

Attribute	Description	
Name	ORDERING_INSTITUTION4	
Datatype	String	
Description	Indicates Ordering Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Ordering Customer 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Ordering Customer 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1

Datatype	String
Description	Indicates Beneficiary Institution 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Beneficiary Institution 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Beneficiary Institution 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Beneficiary Institution 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Ultimate Beneficiary 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	**Description**	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	**Description**	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	**Description**	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	**Description**	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	**Description**	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	**Description**	
Name	ERI_AMOUNT	
Datatype	Number	
Description	Indicate ERI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	**Description**	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	Indicates Rate Code Prefferred.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	**Description**	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description	Indicates Account With Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	Description	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description	Indicates Beneficiary Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	Description	
Name	INTERMEDIARY5	
Datatype	String	
Description	Indicates Intermediary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	Description	
Name	INT_REIM_INST5	
Datatype	String	
Description	Indicates Inter Reim Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	Description	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description	Indicates Ordering Customer 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	Indicates Ultimate Beneficiary 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	Indicates Sent Message.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO

Datatype	Number
Description	Indicates Minimum Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST4_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST4_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST5_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST5_FOR_COVER	
Datatype	String	
Description	Indicates Beneficiary Institution For Cover 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLEARING_NETWORK

Attribute	**Description**	
Name	CLEARING_NETWORK	
Datatype	String	
Description	Indicates Clearing Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENERATION_DATE

Attribute	**Description**	
Name	GENERATION_DATE	
Datatype	Date	
Description	Indicates Generation Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	Description	
Name	IBAN_AC_NO	
Datatype	String	
Description	Indicates IBAN Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	Description	
Name	ISSUING_BANK	
Datatype	String	
Description	Indicates Issuing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	Description	
Name	PAYABLE_BRANCH	
Datatype	String	
Description	Indicates Payable Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	Description	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description	Indicates Printed Stationary Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	Indicates Other Details Type 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2

Datatype	String
Description	Indicates Other Details Type 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	Indicates Other Details Type 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	Indicates Other Details Type 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	Indicates Other Details Type 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	Indicates Other Details Type 6

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	**Description**	
Name	STATUS	
Datatype	String	
Description	Indicate Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	**Description**	
Name	OTHER_DETAILS1	
Datatype	String	
Description	Indicates Other Details 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS2

Attribute	**Description**	
Name	OTHER_DETAILS2	
Datatype	String	
Description	Indicates Other Details 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS3

Attribute	**Description**	
Name	OTHER_DETAILS3	
Datatype	String	
Description	Indicates Other Details 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	External Party Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	indicates Required 103
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P

Datatype	String
Description	indicates Required 103P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	Indicates Agreement Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	Indicates Post Accounting.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	Indicates External PC Contract Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUST_SPREAD

Attribute	**Description**	
Name	CUST_SPREAD	
Datatype	Number	
Description	Indicates Customer Spread.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXTERNAL_EX_RATE

Attribute	**Description**	
Name	EXTERNAL_EX_RATE	
Datatype	Number	
Description	Indicates External Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

SPREAD_DEFN

Attribute	**Description**	
Name	SPREAD_DEFN	
Datatype	String	
Description	Indicates Spread Defenition.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_PAYMENT

Attribute	**Description**
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	**Description**	
Name	BANKING_PRIORITY	
Datatype	String	
Description	Indicates Banking Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description	Indicates RGTS Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMP

Attribute	**Description**	
Name	ROLLCOMP	
Datatype		
Description	Mortgagges Rollover Component.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHECKLIST

Attribute	Description	
Name	CHECKLIST	
Datatype		
Description	Indicates Check List Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	Indicates Description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	Indicates Checked. Yes Y;No N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	

Description	Remarks Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates Remarks 1
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK2

Attribute	Description	
Name	REMARK2	
Datatype	String	
Description	Indicates Remarks 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK3

Attribute	Description	
Name	REMARK3	
Datatype	String	
Description	Indicates Remarks 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK4

Attribute	Description	
Name	REMARK4	
Datatype	String	
Description	Indicates Remarks 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description	Indicates Remarks 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remarks 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	Indicates Remarks 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates Remarks 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates Remarks 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remarks 10
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Component Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String

Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	Indicate Capitalized. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description	Indicates Dr Payment Mode. CASA ACC	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description	Indicates Cr Payment Mode. CASA ACC	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRPRDACC

Attribute	**Description**
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	**Description**	
Name	CRPRDACC	
Datatype	String	
Description	Indicates Credit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	**Description**	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	**Description**	
Name	EXTACNOCR	
Datatype	String	
Description	Indicates Credit External Accoutn Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	**Description**	
Name	EXTACNMCR	
Datatype	String	
Description	Indicates Credit External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	**Description**	
Name	CLGBKCR	
Datatype	String	
Description	Indicates Credit Clearing Bank Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	Description	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description	Indicates Credit Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description	Indicates Debit External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description	Indicates Debit External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR

Datatype	String
Description	Indicates Credit Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Credit Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates Credit End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description	Indicates Debit Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Debit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	**Description**	
Name	ENDPTDR	
Datatype	String	
Description	Indicates Debit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	**Description**	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Debit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPCCY

Attribute	Description	
Name	COMPCCY	
Datatype	String	
Description	Indicates Component Currency code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UPSOURCEDR

Attribute	Description	
Name	UPSOURCEDR	
Datatype	String	
Description	Indicates Debit Upload Source Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

UPSOURCERCR

Attribute	Description	
Name	UPSOURCERCR	
Datatype	String	
Description	Indicates Credit Upload Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDDR

Attribute	Description	
Name	GIROMDDR	
Datatype	String	
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates Debit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Debit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Debit Payer Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicate Debit Payer Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description

Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String

Description	Indicates Credit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates Credit Payer Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates Credit Payer Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates Credit Payer Address Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates Credit Payer Address Line 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	Description	
Name	PAYERADD3CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description	Indicates IRR Applicable. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPDESC

Attribute	Description	
Name	COMPDESC	
Datatype	String	
Description	Indicates Component Description.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String

Description	Indicates Formula details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	Description	
Name	ENDDT	
Datatype	Date	
Description	Indicates End Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	Description	
Name	PAYMENT_MODE	
Datatype	String	
Description	Indicates Payment Mode.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	Description	
Name	PMNT_PROD_AC	
Datatype	String	
Description	Indicates Product Payment Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description

Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description	Indicates Compounds Years.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**	
Name	EMIAMT	
Datatype	Number	
Description	Indicates EMI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description	Indicates Due Date On.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DAYS_MTH

Attribute	**Description**
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHSTDT

Attribute	**Description**	
Name	SCHSTDT	
Datatype	Date	
Description	Indicates Schedule Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description	Indicates Number of Schedule.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	Indicates Frequency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	2

TOP

UNIT

Attribute	**Description**	
Name	UNIT	
Datatype	String	
Description	Indicates Units.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	**Description**	
Name	ENDDT	
Datatype	Date	
Description	Indicates End Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	**Description**	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	**Description**	
Name	PAYMENT_MODE	
Datatype	String	
Description	Indicates Payment Mode.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	**Description**	
Name	PMNT_PROD_AC	
Datatype	String	
Description	Indicates Product Payment Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description

Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description	Indicates Compounds Years.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**	
Name	EMIAMT	
Datatype	Number	
Description	Indicates EMI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description	Indicates Due Date On.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DAYS_MTH

Attribute	**Description**
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHSTDT

Attribute	**Description**	
Name	SCHSTDT	
Datatype	Date	
Description	Indicates Schedule Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description	Indicates Number of Schedule.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	Indicates Frequency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	2

TOP

UNIT

Attribute	**Description**	
Name	UNIT	
Datatype	String	
Description	Indicates Units.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	**Description**	
Name	ENDDT	
Datatype	Date	
Description	Indicates End Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	**Description**	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	**Description**	
Name	PAYMENT_MODE	
Datatype	String	
Description	Indicates Payment Mode.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	**Description**	
Name	PMNT_PROD_AC	
Datatype	String	
Description	Indicates Product Payment Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description

Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description	Indicates Compounds Years.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**	
Name	EMIAMT	
Datatype	Number	
Description	Indicates EMI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DUE_DATES_ON

Attribute	**Description**	
Name	DUE_DATES_ON	
Datatype	Number	
Description	Indicates Due Date On.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DAYS_MTH

Attribute	**Description**
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	DSBR Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE

Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	Revenue Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description

Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description

Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	**Description**	
Name	ADJ_AMOUNT	
Datatype	Number	
Description	Indicates Adjustment Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTSETT

Attribute	**Description**	
Name	AMTSETT	
Datatype	Number	
Description	Indicates Amount Settled.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_OVERDUE

Attribute	**Description**	
Name	AMOUNT_OVERDUE	
Datatype	Number	
Description	Indicates Amount Overdue.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCRAMT

Attribute	**Description**
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description	Indicates Suspense Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description	
Name	IRR_APPLICABLE	
Datatype	String	
Description	ndicates IRR applicable. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIST_DAYS

Attribute	Description	
Name	LIST_DAYS	
Datatype	String	
Description	Indicates List Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	Indicates List Avg. Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	Indicates Amortized Principal.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	Indicates Schedule Linkage Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	Indicates List Avg. Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	Indicates Amortized Principal.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

CHARGEDET

Attribute	Description	
Name	CHARGEDET	
Datatype		
Description	Charge Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description

Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	**Description**	
Name	CLGBKCR	
Datatype	String	
Description	Indicates Credit Clearing Bank Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description	Indicates Credit Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description	Indicates Debit External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNOCR

Attribute	Description	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Credit Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGCR

Attribute	Description	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Credit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTCR

Attribute	Description	
Name	ENDPTCR	
Datatype	String	
Description	Indicates Credit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Debit Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR

Datatype	String
Description	Indicates Debit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Debit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Debit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	**Description**	
Name	FUNDROLL	
Datatype	String	
Description	Indicates Funded During Rollover Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPCCY

Attribute	**Description**	
Name	COMPCCY	
Datatype	String	
Description	Indicates Component Currency code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UPSOURCEDR

Attribute	**Description**	
Name	UPSOURCEDR	
Datatype	String	
Description	Indicates Debit Upload Source Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

UPSOURCERCR

Attribute	**Description**	
Name	UPSOURCERCR	
Datatype	String	
Description	Indicates Credit Upload Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDDR

Attribute	Description	
Name	GIROMDDR	
Datatype	String	
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	Description	
Name	GIROSERDR	
Datatype	String	
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates Debit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Debit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Debit Payer Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicate Debit Payer Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description	Indicates Debit Payer Address 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	Description	
Name	PAYERADD2DR	
Datatype	String	
Description	Indicates Debit Payer Address 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates Credit Payer Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates Credit Payer Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates Credit Payer Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR

Datatype	String
Description	Indicates Credit Payer Address Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates Credit Payer Address Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates Credit Payer Address Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates Credit Payer Address Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates IRR Applicable. Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPDESC

Attribute	**Description**	
Name	COMPDESC	
Datatype	String	
Description	Indicates Component Description.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

EFFDATE

Attribute	**Description**	
Name	EFFDATE	
Datatype	Date	
Description	Indicates Effective Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHARGESCHEDULE

Attribute	**Description**	
Name	CHARGESCHEDULE	
Datatype		
Description	Component Schedule Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	Indicates Formula Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description	Indicates Suspense Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	Indicates Schedule Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	Indicates Write Off Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_WAIVED

Attribute	Description	
Name	AMOUNT_WAIVED	
Datatype	Number	
Description	Indicated Amount Waived.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description	Indicates Grace Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIG_AMOUNT_DUE

Attribute	**Description**	
Name	ORIG_AMOUNT_DUE	
Datatype	Number	
Description	Indicates Original Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	**Description**	
Name	ADJ_AMOUNT	
Datatype	Number	
Description	Indicates Adjustment Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	Indicates Accounting GL.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	Indicates Last Pament Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	Indicates Retry Start date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES

Datatype	
Description	Mortgagges Linkage Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	Indicates Linkage Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	Indicates Linkage Type Line ¿L¿ Deposit ¿D¿ Guarantee ¿G¿ Collateral ¿T¿ Amount Block ¿A¿ CASA Account ¿C¿ Collateral Pool ¿P¿ Commitment ¿M¿
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	Indicates Linkage Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description

Name	LINKREFNO
Datatype	String
Description	Indicates Linked Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	Indicates Linkage Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	Indicates Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	Indicates Secured Portion.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID

Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	Mortgagges Event Advice Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	Indicates Event Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	Indicates Document Control Number (DCN).
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates Suppress Advices.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	Indicates Format.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	Indicates Generation TIme.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	Mortgagges Advice Supress Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	Mortgagges MIS Master.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS

Datatype	
Description	Mortgagges MIS details.
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	Indicates Transaction MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP

Datatype	String
Description	Indicates MIS Group
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	Indicate composite MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	Indicate composite MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	Indicate composite MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	Indicate composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	Indicate composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description	Indicate composite MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description	Indicate composite MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description	Indicate composite MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description	Indicate composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description	Indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description	Indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	Description	
Name	COSTCOD3	
Datatype	String	
Description	Indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description	Indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	Indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	Indicates Linkage Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	indicates Transaction MIS code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description

Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	Indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	Indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	Indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	Indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	Indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	Indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	Indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	Description	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	Indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	Description	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	Indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	Indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	indicates composite MIS 1 Lable 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	indicates composite MIS 2 Lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	indicates composite MIS 3 Lable 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	indicates composite MIS 4 Lable 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	indicates composite MIS 5 Lable 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	indicates composite MIS 6 Lable 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7

Datatype	String
Description	indicates composite MIS 7 Lable 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	indicates composite MIS 8 Lable 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	indicates composite MIS 9 Lable 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	**Description**	
Name	TXNMIS2LBL2	
Datatype	String	
Description	Indicate Transaction MIS code lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	**Description**	
Name	TXNMIS3LBL3	
Datatype	String	
Description	Indicate Transaction MIS code lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	**Description**	
Name	TXNMIS4LBL4	
Datatype	String	
Description	Indicate Transaction MIS code lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	**Description**	
Name	TXNMIS5LBL5	
Datatype	String	
Description	Indicate Transaction MIS code lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	Description	
Name	TXNMIS6LBL6	
Datatype	String	
Description	Indicate Transaction MIS code lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	Description	
Name	TXNMIS7LBL7	
Datatype	String	
Description	Indicate Transaction MIS code lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	Description	
Name	TXNMIS8LBL8	
Datatype	String	
Description	Indicate Transaction MIS code lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	Description	
Name	TXNMIS9LBL9	
Datatype	String	
Description	Indicate Transaction MIS code lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description

Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

REFRTTYPE

Attribute	**Description**	
Name	REFRTTYPE	
Datatype	String	
Description	indicates reference rate type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	**Description**	
Name	REFXRT	
Datatype	String	
Description	Indicates Reference Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	**Description**	
Name	CALCMETH	
Datatype	String	
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	Indicates Transaction MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description

Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description	Indicates Funds MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description	Indicates Funds MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description	Indicates Funds MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description	Indicates Funds MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	Indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	Indicate composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description	
Name	COMPMIS2	
Datatype	String	
Description	Indicate composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description	Indicate composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2

Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	Indicates Cost Code 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	**Description**	
Name	RTFLAG	
Datatype	String	
Description	Indicates Rate Flag Pool Code P Contract Level R	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	**Description**	
Name	PROCFLG	
Datatype	String	
Description	Indicate Process Flag Related Reference Number R Related Account A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	**Description**
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	indicates Transaction MIS code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	indicates Transaction MIS code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	indicates Transaction MIS code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	indicates Transaction MIS code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	indicates Transaction MIS code 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	Indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	Indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	Indicates Fund MIS 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	Indicates Fund MIS 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6
Datatype	String
Description	Indicates Fund MIS 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	Indicates Fund MIS 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8

Datatype	String
Description	Indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	Indicates Fund MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	indicates composite MIS 1 Lable 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	indicates composite MIS 2 Lable 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	**Description**	
Name	COMPMIS3LBL3	
Datatype	String	
Description	indicates composite MIS 3 Lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	indicates composite MIS 4 Lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	**Description**	
Name	COMPMIS5LBL5	
Datatype	String	
Description	indicates composite MIS 5 Lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	indicates composite MIS 6 Lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	indicates composite MIS 7 Lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	indicates composite MIS 8 Lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	indicates composite MIS 9 Lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	**Description**	
Name	COMPMIS10LBL10	
Datatype	String	
Description	indicates composite MIS 10 Lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	Indicate Transaction MIS code lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	Indicate Transaction MIS code lable 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9

Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description	Indicates Transaction MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRTCD

Attribute	**Description**	
Name	REFRTCD	
Datatype	String	
Description	indicates reference rate code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	**Description**	
Name	REFRTSPRD	
Datatype	Number	
Description	Indicates reference rate code Spread.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description	Indicates Funds MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	Description	
Name	FUNDMIS2	
Datatype	String	
Description	Indicates Funds MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	Description	
Name	FUNDMIS3	
Datatype	String	
Description	Indicates Funds MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	Description	
Name	FUNDMIS4	
Datatype	String	
Description	Indicates Funds MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	Indicates Funds MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	Indicates Funds MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	Indicates Funds MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	Indicates Funds MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	Indicates Funds MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS 10
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	Indicates MIS Group
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	Indicate composite MIS 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	Indicate composite MIS 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3

Datatype	String
Description	Indicate composite MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description	Indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description	Indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description	Indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	**Description**	
Name	COSTCOD5	
Datatype	String	
Description	Indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description	
Name	TXNMIS1	
Datatype	String	
Description	indicates Transaction MIS code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	Description	
Name	TXNMIS2	
Datatype	String	
Description	indicates Transaction MIS code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description	indicates Transaction MIS code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description	indicates Transaction MIS code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9

Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	Indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	Indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	Indicates Fund MIS 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	**Description**	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	**Description**	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	Indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	Indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	Indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	Indicates Fund MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	Indicates Fund MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	indicates composite MIS 1 Lable 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	indicates composite MIS 2 Lable 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	indicates composite MIS 3 Lable 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	indicates composite MIS 4 Lable 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	indicates composite MIS 5 Lable 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	indicates composite MIS 6 Lable 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	indicates composite MIS 7 Lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	indicates composite MIS 8 Lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	indicates composite MIS 9 Lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10

Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	**Description**	
Name	TXNMIS5LBL5	
Datatype	String	
Description	Indicate Transaction MIS code lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	**Description**	
Name	TXNMIS6LBL6	
Datatype	String	
Description	Indicate Transaction MIS code lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description	Indicate Transaction MIS code lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description	Indicate Transaction MIS code lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	Description	
Name	TXNMIS9LBL9	
Datatype	String	
Description	Indicate Transaction MIS code lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	Description	
Name	TXNMIS10LBL10	
Datatype	String	
Description	Indicate Transaction MIS code lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMMITUTILS

Attribute	Description	
Name	COMMITUTILS	
Datatype		
Description	Mortgagges Commit Utilities	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMMIT_SEQ_NO

Attribute	Description	
Name	COMMIT_SEQ_NO	
Datatype	Number	
Description	Indicate Commit Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	Indicate Commit Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	Indicates Linkage Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	Indicates Linkage Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	Indicates Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT

Datatype	String
Description	Indicates Linkage Event.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Linkage Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	Indicates Linkage Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	Indicates Linkage Currency Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	Indicates Commit Amount.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INCR_DECR_FLAG

Attribute	**Description**	
Name	INCR_DECR_FLAG	
Datatype	String	
Description	Indicates Increase Decrease Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMMIT_BAL

Attribute	**Description**	
Name	COMMIT_BAL	
Datatype	Number	
Description	Indicates Commit Balance.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

MO-Save-Account-Req

Attribute	**Description**	
Name	MO-Save-Account-Req	
Datatype		
Description	It indicates Save Inactive Account full Request details of Mortgages module	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCODE

Attribute	**Description**	
Name	SCODE	
Datatype	String	
Description	Indicates Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Booking Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates Number of Installments.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates ATM Facility Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Incicates Partial Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Track Receivable Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Track Receivable Manual Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Basis Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Special Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis. Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String

Description	Indicates Rollover Mode Daily "D" Monthly "M" Yearly "Y" Quarters "Q" Semi Annual "S"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover type Special "S" Custom "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liqd Reversed Payment. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Rollover Mode. Auto "A"; Manual "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Fund Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Components Liquidate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type. Fixed "F"; Call "C".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference Middle Rate "M"; Buy/ Sell Rate "B"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicate Amount Financed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	Indicates Customer Id.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Authorization Status of contract.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	Indicates Amount Available.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type. Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes "Y"; No "N".

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description	Indicates Loan Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description	Indicates User Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BILLREFNO

Attribute	**Description**	
Name	BILLREFNO	
Datatype	String	
Description	Indicates Bill Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RATE_CHG_ACTION

Attribute	**Description**	
Name	RATE_CHG_ACTION	
Datatype	String	
Description	Indicates Auto Rate Change Action.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PROMOTIONS

Attribute	Description	
Name	PROMOTIONS	
Datatype		
Description	Mortgagges Promotion Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRTYP

Attribute	Description	
Name	PRTYP	
Datatype	String	
Description	Indicates Promotion Type. PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRID

Attribute	Description	
Name	PRID	
Datatype	String	
Description	Indicates Promotion Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFCIF

Attribute	Description	
Name	BENEFCIF	
Datatype	String	
Description	Indicates Beneficiary CIF	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PRIORITY

Attribute	Description	
Name	PRIORITY	
Datatype	Number	
Description	Indicates Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

OTHAPPLCNT

Attribute	Description	
Name	OTHAPPLCNT	
Datatype		
Description	Mortgagges Other Application Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RESP

Attribute	Description
Name	RESP

Datatype	String
Description	Indicates Responsibility Authorized Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates User Defined Expression Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Defined Expression Values.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description

Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP

Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description	Indicates UDE Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description	Indicates UDE Value.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description	Indicates Rate Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description	Indicate Code Usage. Periodic : P Automatic : A	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description	Indicates Rate Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESOLVAL

Attribute	**Description**	
Name	RESOLVAL	
Datatype	Number	
Description	Indicates Resolved Value.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description

Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

COMP

Attribute	**Description**	
Name	COMP	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

LIQORDER

Attribute	**Description**	
Name	LIQORDER	
Datatype	Number	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

HOLIDAYPRD

Attribute	**Description**	
Name	HOLIDAYPRD	
Datatype		
Description	Holiday Period Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Period.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description

Name	ACCOUNT
Datatype	String
Description	Indicates Account Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Restriction. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date

Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	ndicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	Description	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	Description	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	Description	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	Indicates Party Information Allowed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description	Indicates Our Correspondent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description	Indicate Receiver.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Inter Reim Institution Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Inter Reim Institution Line2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3

Datatype	String
Description	Receiver Correspondent Line 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Receiver Correspondent Line 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Intermediary 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	**Description**	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Intermediary 4.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	**Description**	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Account With Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Account With Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Account With Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Payment Details Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Payment Details Line 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Sender to Receiver Information 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2

Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description	Indicates Ordering Customer 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Beneficiary Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	**Description**	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	**Description**	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	Description	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description

Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Inter Reim Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description	Indicates Ultimate Beneficiary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Minimum Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	Indicates Inter Pay Generated.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK

Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	Description	
Name	OTHER_DETAILS6	
Datatype	String	
Description	Indicates Other Details 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description	Indicates Other Details Type 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	Indicates Other Details Type 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	Indicates Other Details Type 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	Indicates Other Details Type 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	Indicates Other Details Type 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	Indicates Other Details Type 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	Indicate Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	Indicates Other Details 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	Indicates Other Details 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID

Datatype	String
Description	Indicates External Station Id.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	Indicates External Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	**Description**	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	External Party Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	**Description**	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	Indicates Post Accounting.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	Indicates External PC Contract Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	Mortgagges Rollover Component.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME

Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	Indicates Check List Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	Indicates Description.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	Indicates Checked. Yes Y;No N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	Remarks Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates Remarks 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remarks 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates Remarks 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates Remarks 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates Remarks 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remarks 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description

Name	REMARK7
Datatype	String
Description	Indicates Remarks 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates Remarks 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates Remarks 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remarks 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Component Details.

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

STTLMTCCY

Attribute	**Description**	
Name	STTLMTCCY	
Datatype	String	
Description	Indicates Settlement Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

COMPTYPE

Attribute	**Description**	
Name	COMPTYPE	
Datatype	String	
Description	Indicates Component Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description	Indicates Main Component Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRPAYMTMODE

Attribute	Description	
Name	DRPAYMTMODE	
Datatype	String	
Description	Indicates Dr Payment Mode. CASA ACC	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	Description	
Name	CRPAYMTMODE	
Datatype	String	
Description	Indicates Cr Payment Mode. CASA ACC	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRPRDACC

Attribute	Description	
Name	DRPRDACC	
Datatype	String	
Description	Indicates Debit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	Description	
Name	CRPRDACC	
Datatype	String	
Description	Indicates Credit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Credit Clearing Bank Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	Indicates Credit Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates Debit External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description	Indicate Debit Producy Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Credit Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Credit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description	Indicates Credit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description	Indicates Credit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description	Indicates Credit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description	Indicates Debit Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	Description	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Debit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description	Indicates Debit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description	Indicates Debit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Credit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates Debit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Debit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Debit Payer Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicate Debit Payer Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR

Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description	Indicates Credit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description	Indicates Credit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates Credit Payer Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	Description	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	Description	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	Description	
Name	PAYERADD2CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	Description	
Name	PAYERADD3CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description	Indicates IRR Applicable. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPDESC

Attribute	Description	
Name	COMPDESC	
Datatype	String	
Description	Indicates Component Description.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description	Indicates Effective Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPSCH

Attribute	Description

Name	COMPSCH
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description

Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description	Indicates Waiver Flag. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPOUND_DAYS

Attribute	**Description**	
Name	COMPOUND_DAYS	
Datatype	Number	
Description	Indicates Compounds Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_MONTHS

Attribute	**Description**	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description	Indicates Compounds Months.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description	Indicates Compounds Years.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description

Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_BANK

Attribute	**Description**	
Name	BEN_BANK	
Datatype	String	
Description	Indicates Beneficiary Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	**Description**	
Name	BEN_NAME	
Datatype	String	
Description	Indicates Beneficiary Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	Indicate Capitalized. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description	Indicates First Due Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH

Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description

Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description

Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	DSBR Schedule Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description	Indicates Schedule Due Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description	Indicates Amount To Disburse.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	Indicates Schedule Linkage Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REVNSCHEDULE

Attribute	**Description**	
Name	REVNSCHEDULE	
Datatype		
Description	Revenue Schedule Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**
Name	SCHEDULE_ST_DATE

Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE

Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG

Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	Schedule Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description	Indicates Suspense Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_SUSP_XRATE

Attribute	Description	
Name	LAST_SUSP_XRATE	
Datatype	Number	
Description	Indicates Latest Suspense Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

READJ_SETTLED

Attribute	Description	
Name	READJ_SETTLED	
Datatype	Number	
Description	Indicates readjusted Settled amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_READJ_XRATE

Attribute	Description	
Name	LAST_READJ_XRATE	
Datatype	Number	
Description	Indicates Latest readjusted Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_SETTLED

Attribute	Description	
Name	ADJ_SETTLED	
Datatype	Number	
Description	Indicates Adjusted Settled Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_OVERDUE

Attribute	**Description**	
Name	AMOUNT_OVERDUE	
Datatype	Number	
Description	Indicates Amount Overdue.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCRAMT

Attribute	**Description**	
Name	ACCRAMT	
Datatype	Number	
Description	Indicates Accured Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLEMENT_CCY

Attribute	**Description**	
Name	SETTLEMENT_CCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	**Description**
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	Indicates List Avg. Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	Indicates Amortized Principal.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FORMULA_NAME

Attribute	Description	
Name	FORMULA_NAME	
Datatype	String	
Description	Indicates Formula Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	Description	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	Indicates Schedule Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLEMENT_CCY

Attribute	**Description**	
Name	SETTLEMENT_CCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	**Description**	
Name	AMTLCY	
Datatype	Number	
Description	Indicates Amount in Loan Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DLY_AVG_AMT

Attribute	**Description**	
Name	DLY_AVG_AMT	
Datatype	Number	
Description	Indicates Daily Avg Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description	Indicates Suspense Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	Indicates Schedule Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	Indicates Write Off Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_WAIVED

Attribute	Description	
Name	AMOUNT_WAIVED	
Datatype	Number	
Description	Indicated Amount Waived.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	Charge Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description

Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED

Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String

Description	Indicates Credit Product Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Credit Clearing Bank Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description	Indicates Credit Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description	Indicates Debit External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description	Indicates Debit External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description	Indicates Debit Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Credit Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR

Datatype	String
Description	Indicates Credit Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates Credit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Debit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	**Description**	
Name	ENDPTDR	
Datatype	String	
Description	Indicates Debit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	**Description**	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	**Description**	
Name	SECTORDR	
Datatype	String	
Description	Indicates Debit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Credit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates Debit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Debit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Debit Payer Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicate Debit Payer Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR

Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates Credit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates Credit Payer Bank Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates Credit Payer Address Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates IRR Applicable. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	Indicates Component Description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description	Indicates Grace Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIG_AMOUNT_DUE

Attribute	**Description**	
Name	ORIG_AMOUNT_DUE	
Datatype	Number	
Description	Indicates Original Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	**Description**	
Name	ADJ_AMOUNT	
Datatype	Number	
Description	Indicates Adjustment Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	Description	
Name	AMTLCY	
Datatype	Number	
Description	Indicates Amount in Loan Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DLY_AVG_AMT

Attribute	Description	
Name	DLY_AVG_AMT	
Datatype	Number	
Description	Indicates Daily Avg Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	Description	
Name	EMIAMT	
Datatype	Number	
Description	Indicates EMI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_FLAG

Attribute	Description	
Name	SCHEDULE_FLAG	
Datatype	String	
Description	Indicates Scheduled Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	Indicates Accounting GL.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	Indicates Last Pament Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	Indicates Retry Start date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME

Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense_readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense_readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense_Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE

Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	Indicates Retry Start date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	Indicates Schedule Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	Indicates Write Off Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	Mortgagges Linkage Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	Indicates Linkage Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String

Description	Indicates Linkage Type Line ¿L¿ Deposit ¿D¿ Guarantee ¿G¿ Collateral ¿T¿ Amount Block ¿A¿ CASA Account ¿C¿ Collateral Pool ¿P¿ Commitment ¿M¿
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	Indicates Linkage Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	Indicates Linked Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	Indicates Linkage Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	Indicates Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	Indicates Secured Portion.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	Mortgagges Event Advice Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description

Name	EVENT_CODE
Datatype	String
Description	Indicates Event Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	Indicates Document Control Number (DCN).
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates Suppress Advices.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	Indicates Format.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	Indicates Generation TIme.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	Mortgagges Advice Supress Details.

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	Mortgagges MIS Master.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	Mortgagges MIS details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD

Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description	Indicates Transaction MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRTCD

Attribute	Description	
Name	REFRTCD	
Datatype	String	
Description	indicates reference rate code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS4

Attribute	Description

Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description	Indicates Funds MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description	Indicates Funds MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description	Indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description	Indicate composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description	Indicate composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description	Indicate composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description	Indicate composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	Indicate composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4

Datatype	String
Description	Indicates Cost Code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	**Description**	
Name	PROCFLG	
Datatype	String	
Description	Indicate Process Flag Related Reference Number R Related Account A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description	indicates Transaction MIS code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	indicates Transaction MIS code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	indicates Transaction MIS code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	indicates Transaction MIS code 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	indicates Transaction MIS code 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	indicates Transaction MIS code 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	Indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	Indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	Indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	Indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	Indicates Fund MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6

Datatype	String
Description	Indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	Indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	Indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	Indicates Fund MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	**Description**	
Name	COMPMIS1LBL1	
Datatype	String	
Description	indicates composite MIS 1 Lable 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	**Description**	
Name	COMPMIS2LBL2	
Datatype	String	
Description	indicates composite MIS 2 Lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	**Description**	
Name	COMPMIS3LBL3	
Datatype	String	
Description	indicates composite MIS 3 Lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	indicates composite MIS 4 Lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	Description	
Name	COMPMIS5LBL5	
Datatype	String	
Description	indicates composite MIS 5 Lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	Description	
Name	COMPMIS6LBL6	
Datatype	String	
Description	indicates composite MIS 6 Lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	Description	
Name	COMPMIS7LBL7	
Datatype	String	
Description	indicates composite MIS 7 Lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	Description	
Name	COMPMIS8LBL8	
Datatype	String	
Description	indicates composite MIS 8 Lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	Description	
Name	COMPMIS9LBL9	
Datatype	String	
Description	indicates composite MIS 9 Lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	indicates composite MIS 10 Lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	Indicate Transaction MIS code lable1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description	
Name	TXNMIS2LBL2	
Datatype	String	
Description	Indicate Transaction MIS code lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	Indicate Transaction MIS code lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	Indicate Transaction MIS code lable 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7

Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description	Indicates Customer Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description	Indicates MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

RELREF

Attribute	Description	
Name	RELREF	
Datatype	String	
Description	indicates related reference number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RELACC

Attribute	Description	
Name	RELACC	
Datatype	String	
Description	indicates related account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	Indicates Transaction MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	Indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1

Datatype	String
Description	Indicate composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	Indicate composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	Indicate composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	Indicate composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description	Indicate composite MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description	Indicate composite MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description	Indicate composite MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description	Indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	Indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	Indicates Linkage Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	indicates Transaction MIS code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description

Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	Indicates Fund MIS 1

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	Indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	Indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	Indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	Indicates Fund MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	Indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	Indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	Description	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	Indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	Description	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	Indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	Indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	indicates composite MIS 1 Lable 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	indicates composite MIS 2 Lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description	
Name	COMPMIS3LBL3	
Datatype	String	
Description	indicates composite MIS 3 Lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	indicates composite MIS 4 Lable 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	indicates composite MIS 5 Lable 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	indicates composite MIS 6 Lable 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	indicates composite MIS 7 Lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8

Datatype	String
Description	indicates composite MIS 8 Lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	indicates composite MIS 9 Lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	**Description**	
Name	TXNMIS3LBL3	
Datatype	String	
Description	Indicate Transaction MIS code lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	**Description**	
Name	TXNMIS4LBL4	
Datatype	String	
Description	Indicate Transaction MIS code lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	**Description**	
Name	TXNMIS5LBL5	
Datatype	String	
Description	Indicate Transaction MIS code lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	**Description**	
Name	TXNMIS6LBL6	
Datatype	String	
Description	Indicate Transaction MIS code lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	Description	
Name	TXNMIS7LBL7	
Datatype	String	
Description	Indicate Transaction MIS code lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	Description	
Name	TXNMIS8LBL8	
Datatype	String	
Description	Indicate Transaction MIS code lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	Description	
Name	TXNMIS9LBL9	
Datatype	String	
Description	Indicate Transaction MIS code lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	Description	
Name	TXNMIS10LBL10	
Datatype	String	
Description	Indicate Transaction MIS code lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description

Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	**Description**	
Name	REFXRT	
Datatype	String	
Description	Indicates Reference Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	**Description**	
Name	CALCMETH	
Datatype	String	
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description	Indicates Transaction MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3

Attribute	Description

Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	Indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	Indicate composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	Indicate composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	Indicate composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3

Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	Indicates Cost Code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	indicates Transaction MIS code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	indicates Transaction MIS code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	indicates Transaction MIS code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	indicates Transaction MIS code 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	Indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	Indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	Indicates Fund MIS 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6
Datatype	String
Description	Indicates Fund MIS 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	Indicates Fund MIS 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	Indicates Fund MIS 8
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9

Datatype	String
Description	Indicates Fund MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	indicates composite MIS 1 Lable 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	indicates composite MIS 2 Lable 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	indicates composite MIS 3 Lable 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	indicates composite MIS 4 Lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	**Description**	
Name	COMPMIS5LBL5	
Datatype	String	
Description	indicates composite MIS 5 Lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	indicates composite MIS 6 Lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	indicates composite MIS 7 Lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	indicates composite MIS 8 Lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	indicates composite MIS 9 Lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	**Description**	
Name	COMPMIS10LBL10	
Datatype	String	
Description	indicates composite MIS 10 Lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	**Description**	
Name	TXNMIS1LBL1	
Datatype	String	
Description	Indicate Transaction MIS code lable1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	Indicate Transaction MIS code lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	Indicate Transaction MIS code lable 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10

Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	Mortgagges Commit Utilities
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	Indicate Commit Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	Indicate Commit Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	Indicates Linkage Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	Indicates Linkage Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	Indicates Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	Indicates Linkage Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Linkage Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	Indicates Linkage Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	Indicates Linkage Currency Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	Indicates Commit Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	Indicates Increase Decrease Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	Indicates Commit Balance.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-Save-Account-Req-IO

Attribute	Description
Name	MO-Save-Account-Req-IO
Datatype	
Description	It indicates Save Inactive Account IO Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

VALDT

Attribute	Description	
Name	VALDT	
Datatype	Date	
Description	Indicates Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BOOKDT

Attribute	Description	
Name	BOOKDT	
Datatype	Date	
Description	Indicates Booking Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates Number of Installments.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description

Name	ATMFACILITY
Datatype	String
Description	Indicates ATM Facility Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ

Datatype	String
Description	Incicates Partial Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Track Receivable Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Track Receivable Manual Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Basis Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT

Datatype	Number
Description	Indicates Special Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis. Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Rollover Mode Daily "D" Monthly "M" Yearly "Y" Quarters "Q" Semi Annual "S"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover type Special "S" Custom "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liqd Reversed Payment. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Rollover Mode. Auto "A"; Manual "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Fund Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Components Liquidate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type. Fixed "F"; Call "C".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference Middle Rate "M"; Buy/ Sell Rate "B"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicate Amount Financed.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	Indicates Customer Id.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Authorization Status of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	Indicates Amount Available.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type. Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	Indicates Loan Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	Indicates User Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Mortgagges Promotion Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type. PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary CIF
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Mortgagges Other Application Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description

Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorized Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates User Defined Expression Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EFFDT

Attribute	**Description**	
Name	EFFDT	
Datatype	Date	
Description	Indicates Effective Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEVALS

Attribute	**Description**	
Name	UDEVALS	
Datatype		
Description	Indicates User Defined Expression Values.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD

Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description

Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Holiday Period Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Period.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLDETAILS

Attribute	**Description**	
Name	SETTLDETAILS	
Datatype		
Description	Settlement Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

AMOUNT_TAG

Attribute	**Description**	
Name	AMOUNT_TAG	
Datatype	String	
Description	Indicates Amount Tag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

VERSION_FLAG

Attribute	**Description**	
Name	VERSION_FLAG	
Datatype	String	
Description	Indicates Version Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TAG_CCY

Attribute	Description	
Name	TAG_CCY	
Datatype	String	
Description	Indicates Tag Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC_BRANCH

Attribute	Description	
Name	ACC_BRANCH	
Datatype	String	
Description	Indicates Account Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT

Attribute	Description	
Name	ACCOUNT	
Datatype	String	
Description	Indicates Account Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	Description	
Name	ACC_CCY	
Datatype	String	
Description	Indicates Account Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Restriction. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE

Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	ndicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	Indicate Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicate Instrument Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	**Description**	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	Indicates Party Information Allowed.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	Indicates Cover Required. Yes "Y";No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Inter Reim Institution Line2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description	
Name	RCVR_CORRESP1	
Datatype	String	
Description	Receiver Correspondent Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	Description	
Name	RCVR_CORRESP2	
Datatype	String	
Description	Receiver Correspondent Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	Description	
Name	RCVR_CORRESP3	
Datatype	String	
Description	Receiver Correspondent Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	Description	
Name	RCVR_CORRESP4	
Datatype	String	
Description	Receiver Correspondent Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	Description	
Name	INTERMEDIARY1	
Datatype	String	
Description	Indicates Intermediary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	Description	
Name	INTERMEDIARY2	
Datatype	String	
Description	Indicates Intermediary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	Description	
Name	INTERMEDIARY3	
Datatype	String	
Description	Indicates Intermediary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	Description	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Intermediary 4.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1

Datatype	String
Description	Indicates Account With Institution 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Account With Institution 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Account With Institution 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	**Description**	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Payment Details Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	**Description**	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Payment Details Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	**Description**	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Payment Details Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Sender to Receiver Information 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Ordering Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Ordering Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Ordering Customer 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4

Datatype	String
Description	Indicates Ordering Customer 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Beneficiary Institution 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Beneficiary Institution 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Beneficiary Institution 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Beneficiary Institution 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	**Description**	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	**Description**	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	**Description**	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Ultimate Beneficiary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	**Description**	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Ultimate Beneficiary 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	Indicates Exchange Rate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	Indicates ERI Currency Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	Indicate ERI Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	Indicates Rate Code Prefferred.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description	Indicates Account With Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	Description	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description	Indicates Beneficiary Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	Description	
Name	INTERMEDIARY5	
Datatype	String	
Description	Indicates Intermediary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	Description	
Name	INT_REIM_INST5	
Datatype	String	
Description	Indicates Inter Reim Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	Indicates Ordering Customer 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	Indicates Ultimate Beneficiary 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG

Datatype	String
Description	Indicates Sent Message.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Minimum Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1

Datatype	String
Description	Indicates Other Details Type 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	Indicates Other Details Type 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	Indicates Other Details Type 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	Indicates Other Details Type 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	Indicates Other Details Type 5

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	Indicates Other Details Type 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	Indicate Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	Indicates Other Details 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	Indicates Other Details 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description	
Name	COVER_BY	
Datatype	String	
Description	Indicates Cover By.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	Description	
Name	EXT_PROD_CATEGORY	
Datatype	String	
Description	Indicates External Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	Description	
Name	EXT_STATION_ID	
Datatype	String	
Description	Indicates External Station Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	Description	
Name	EXT_SOURCE	
Datatype	String	
Description	Indicates External Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	Indicates External Counterparty Account Prefix
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	External Party BIC.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	External Party Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	External Party Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103

Datatype	String
Description	indicates Required 103
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	indicates Required 103P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	Indicates Agreement Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	Indicates Post Accounting.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	Indicates External PC Contract Reference Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	**Description**	
Name	EXT_PARTY_CLG_NTWK	
Datatype	String	
Description	Indicates External Party Clearing Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUST_SPREAD

Attribute	**Description**	
Name	CUST_SPREAD	
Datatype	Number	
Description	Indicates Customer Spread.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXTERNAL_EX_RATE

Attribute	**Description**	
Name	EXTERNAL_EX_RATE	
Datatype	Number	
Description	Indicates External Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

SPREAD_DEFN

Attribute	**Description**
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_PAYMENT

Attribute	**Description**	
Name	RTGS_PAYMENT	
Datatype	String	
Description	Indicates RGTS Payment.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	**Description**	
Name	BANKING_PRIORITY	
Datatype	String	
Description	Indicates Banking Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description	Indicates RGTS Network.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMP

Attribute	**Description**	
Name	ROLLCOMP	
Datatype		
Description	Mortgagges Rollover Component.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	Indicates Check List Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	Indicates Description.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String

Description	Indicates Checked. Yes Y;No N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	Remarks Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates Remarks 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remarks 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates Remarks 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates Remarks 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates Remarks 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remarks 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	Indicates Remarks 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates Remarks 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates Remarks 9
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remarks 10
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Component Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String

Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRPRDACC

Attribute	**Description**	
Name	DRPRDACC	
Datatype	String	
Description	Indicates Debit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPRDACC

Attribute	**Description**	
Name	CRPRDACC	
Datatype	String	
Description	Indicates Credit Product Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Credit Clearing Bank Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Credit Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates Debit External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO

Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Credit Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Credit Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates Credit End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Debit Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates Debit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description	Indicates Debit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description	Indicates Verify Fund. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDINT

Attribute	Description	
Name	FUNDINT	
Datatype	String	
Description	Indicates Fund During INIT Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Credit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates Debit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Debit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Debit Payer Bank.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicate Debit Payer Branch
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR

Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description	Indicates Credit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates Credit Payer Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	Description	
Name	PAYERADD2CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	Description	
Name	PAYERADD3CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description	Indicates IRR Applicable. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPDESC

Attribute	Description	
Name	COMPDESC	
Datatype	String	
Description	Indicates Component Description.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description	Indicates Effective Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPSCH

Attribute	Description	
Name	COMPSCH	
Datatype		
Description	Component Schedule Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHTYPE

Attribute	Description	
Name	SCHTYPE	
Datatype	String	
Description	Indicates Schedule Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String

Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number

Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number

Description	Indicates Due Date On.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description	Indicates Formula details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHSTDT

Attribute	**Description**	
Name	SCHSTDT	
Datatype	Date	
Description	Indicates Schedule Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description	Indicates Number of Schedule.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	Indicates Frequency.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number

Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number

Description	Indicates Due Date On.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description	Indicates Formula details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHSTDT

Attribute	**Description**	
Name	SCHSTDT	
Datatype	Date	
Description	Indicates Schedule Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description	Indicates Number of Schedule.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	Indicates Frequency.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number

Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number

Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	DSBR Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description	Indicates Schedule Due Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description	Indicates Amount To Disburse.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	Indicates Schedule Linkage Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	Indicates Schedule Start Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**
Name	SCHEDULE_DUE_DATE
Datatype	Date

Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR

Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	Revenue Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date

Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	Indicates Accounting GL.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	Indicates Last Pament Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	Indicates Retry Start date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	Charge Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG

Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String

Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	**Description**	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	**Description**	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description	
Name	EXTACNOCR	
Datatype	String	
Description	Indicates Credit External Accoutn Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	Description	
Name	EXTACNMCR	
Datatype	String	
Description	Indicates Credit External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	Description	
Name	CLGBKCR	
Datatype	String	
Description	Indicates Credit Clearing Bank Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	Description	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description	Indicates Credit Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description	Indicates Debit External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description	Indicates Debit External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description	Indicates Debit Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Credit Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR

Datatype	String
Description	Indicates Credit Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates Credit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Debit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	**Description**	
Name	ENDPTDR	
Datatype	String	
Description	Indicates Debit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	**Description**	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	**Description**	
Name	SECTORDR	
Datatype	String	
Description	Indicates Debit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UPSOURCEDR

Attribute	Description	
Name	UPSOURCEDR	
Datatype	String	
Description	Indicates Debit Upload Source Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

UPSOURCERCR

Attribute	Description	
Name	UPSOURCERCR	
Datatype	String	
Description	Indicates Credit Upload Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDDR

Attribute	Description	
Name	GIROMDDR	
Datatype	String	
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	Description	
Name	GIROSERDR	
Datatype	String	
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates Debit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Debit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Debit Payer Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicate Debit Payer Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR

Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates Credit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates Credit Payer Bank Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates Credit Payer Address Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates IRR Applicable. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	Indicates Component Description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description	Indicates Grace Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIG_AMOUNT_DUE

Attribute	**Description**	
Name	ORIG_AMOUNT_DUE	
Datatype	Number	
Description	Indicates Original Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	**Description**	
Name	ADJ_AMOUNT	
Datatype	Number	
Description	Indicates Adjustment Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	Indicates Accounting GL.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	Indicates Last Pament Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	Indicates Retry Start date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME

Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE

Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	Mortgagges Linkage Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	Indicates Linkage Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String

Description	Indicates Linkage Type Line ¿L¿ Deposit ¿D¿ Guarantee ¿G¿ Collateral ¿T¿ Amount Block ¿A¿ CASA Account ¿C¿ Collateral Pool ¿P¿ Commitment ¿M¿
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	Indicates Linkage Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	Indicates Linked Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	Indicates Linkage Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	Indicates Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	Indicates Secured Portion.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	Mortgagges Event Advice Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description

Name	EVENT_CODE
Datatype	String
Description	Indicates Event Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	Indicates Document Control Number (DCN).
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates Suppress Advices.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PRIORITY

Attribute	**Description**	
Name	PRIORITY	
Datatype	Number	
Description	Indicates Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FORMAT

Attribute	**Description**	
Name	FORMAT	
Datatype	String	
Description	Indicates Format.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GENERATION_TIME

Attribute	**Description**	
Name	GENERATION_TIME	
Datatype	String	
Description	Indicates Generation TIme.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADVSUPPRESS

Attribute	**Description**
Name	ADVSUPPRESS
Datatype	
Description	Mortgagges Advice Supress Details.

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	Mortgagges MIS Master.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	Mortgagges MIS details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD

Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description	Indicates Transaction MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRTCD

Attribute	Description	
Name	REFRTCD	
Datatype	String	
Description	indicates reference rate code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS4

Attribute	Description

Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description	Indicates Funds MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description	Indicates Funds MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description	Indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description	Indicate composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description	Indicate composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description	Indicate composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description	Indicate composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	Indicate composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4

Datatype	String
Description	Indicates Cost Code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	**Description**	
Name	PROCFLG	
Datatype	String	
Description	Indicate Process Flag Related Reference Number R Related Account A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description	indicates Transaction MIS code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	indicates Transaction MIS code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	indicates Transaction MIS code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	indicates Transaction MIS code 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	indicates Transaction MIS code 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	indicates Transaction MIS code 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	Indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	Indicates Fund MIS 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	Indicates Fund MIS 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	Indicates Fund MIS 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	Indicates Fund MIS 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6

Datatype	String
Description	Indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	Indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	Indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	Indicates Fund MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	**Description**	
Name	COMPMIS1LBL1	
Datatype	String	
Description	indicates composite MIS 1 Lable 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	**Description**	
Name	COMPMIS2LBL2	
Datatype	String	
Description	indicates composite MIS 2 Lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	**Description**	
Name	COMPMIS3LBL3	
Datatype	String	
Description	indicates composite MIS 3 Lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	indicates composite MIS 4 Lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	Description	
Name	COMPMIS5LBL5	
Datatype	String	
Description	indicates composite MIS 5 Lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	Description	
Name	COMPMIS6LBL6	
Datatype	String	
Description	indicates composite MIS 6 Lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	Description	
Name	COMPMIS7LBL7	
Datatype	String	
Description	indicates composite MIS 7 Lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	Description	
Name	COMPMIS8LBL8	
Datatype	String	
Description	indicates composite MIS 8 Lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	indicates composite MIS 9 Lable 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	Indicate Transaction MIS code lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	Indicate Transaction MIS code lable 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7

Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	Indicates Transaction MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	Indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1

Datatype	String
Description	Indicate composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	Indicate composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	Indicate composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	Indicate composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description	Indicate composite MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description	Indicate composite MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description	Indicate composite MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description	Indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	Indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	Indicates Linkage Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	indicates Transaction MIS code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description

Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	Indicates Fund MIS 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	Indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	**Description**	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	**Description**	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	**Description**	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	Indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	Indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	Indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	Description	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	Indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	Description	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	Indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	Indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	indicates composite MIS 1 Lable 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	indicates composite MIS 2 Lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description	
Name	COMPMIS3LBL3	
Datatype	String	
Description	indicates composite MIS 3 Lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	indicates composite MIS 4 Lable 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	indicates composite MIS 5 Lable 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	indicates composite MIS 6 Lable 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	indicates composite MIS 7 Lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8

Datatype	String
Description	indicates composite MIS 8 Lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	indicates composite MIS 9 Lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	**Description**	
Name	TXNMIS3LBL3	
Datatype	String	
Description	Indicate Transaction MIS code lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	**Description**	
Name	TXNMIS4LBL4	
Datatype	String	
Description	Indicate Transaction MIS code lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	**Description**	
Name	TXNMIS5LBL5	
Datatype	String	
Description	Indicate Transaction MIS code lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	**Description**	
Name	TXNMIS6LBL6	
Datatype	String	
Description	Indicate Transaction MIS code lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description	Indicate Transaction MIS code lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description	Indicate Transaction MIS code lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	**Description**	
Name	TXNMIS9LBL9	
Datatype	String	
Description	Indicate Transaction MIS code lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	**Description**	
Name	TXNMIS10LBL10	
Datatype	String	
Description	Indicate Transaction MIS code lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description

Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	**Description**	
Name	REFXRT	
Datatype	String	
Description	Indicates Reference Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	**Description**	
Name	CALCMETH	
Datatype	String	
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description	Indicates Transaction MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3

Attribute	Description

Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	Indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	Indicate composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description	
Name	COMPMIS2	
Datatype	String	
Description	Indicate composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description	Indicate composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description	Indicate composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3

Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	Indicates Cost Code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	indicates Transaction MIS code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	indicates Transaction MIS code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	indicates Transaction MIS code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	indicates Transaction MIS code 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	Description	
Name	TXNMIS7	
Datatype	String	
Description	indicates Transaction MIS code 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	indicates Transaction MIS code 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	indicates Transaction MIS code 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	indicates Transaction MIS code 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	Indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	Indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	Indicates Fund MIS 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6
Datatype	String
Description	Indicates Fund MIS 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	Indicates Fund MIS 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	Indicates Fund MIS 8
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9

Datatype	String
Description	Indicates Fund MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	indicates composite MIS 1 Lable 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	indicates composite MIS 2 Lable 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	indicates composite MIS 3 Lable 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	indicates composite MIS 4 Lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	**Description**	
Name	COMPMIS5LBL5	
Datatype	String	
Description	indicates composite MIS 5 Lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	indicates composite MIS 6 Lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	indicates composite MIS 7 Lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	Description	
Name	COMPMIS8LBL8	
Datatype	String	
Description	indicates composite MIS 8 Lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	Description	
Name	COMPMIS9LBL9	
Datatype	String	
Description	indicates composite MIS 9 Lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	indicates composite MIS 10 Lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	Indicate Transaction MIS code lable1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	Indicate Transaction MIS code lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	Indicate Transaction MIS code lable 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10

Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	Mortgagges Commit Utilities
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	Indicate Commit Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	Indicate Commit Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	Indicates Linkage Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	Indicates Linkage Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	Indicates Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	Indicates Linkage Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Linkage Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	Indicates Linkage Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	Indicates Linkage Currency Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	Indicates Commit Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	Indicates Increase Decrease Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	Indicates Commit Balance.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.68.4.MO-Save-Inactive-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Account-Master-Details-PK-Res*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
  - *MO-Save-Account-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *PRD*
    - *PRDCAT*
    - *CUSTID*
    - *CCY*
    - *AMOUNT*
    - *VALDT*
    - *BOOKDT*
    - *MATDT*
    - *NO_OF_INST*

ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
PASSBOOK
LIQDBACK
AUTOLIQ
PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
AUTO_MAN_ROLLOVER
CALC_REQD
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP

AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
RATE_CHG_ACTION
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
UDEDET
  ACCNO
  BRN
  EFFDT
  UDEVALS
    ACCNO
    BRN
    EFFDT
    UDEID
    UDEVAL
    RATECD
    CODEUSE
    RATETYP
    RESOLVAL
    ACCNO
    BRN
    EFFDT
    UDEID
    UDEVAL

RATECD
CODEUSE
RATETYP
RESOLVAL
LIQUIDATIONORDER
STAT
COMP
LIQORDER
HOLIDAYPRD
ACCNO
BRN
PERIOD
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3

RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5

ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4
NETTING_ACROSS_MODULES
NETTING_REFERENCE_NO
COVER_BY
EXT_PROD_CATEGORY
EXT_STATION_ID
EXT_SOURCE
EXT_CPTY_AC_PREFIX
EXT_PARTY_BIC
EXT_PARTY_ACCOUNT
EXT_PARTY_NAME
REQD_103
REQD_103P
AGREEMENT_ID

- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*

DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR

GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*
- *COMPOUND_DAYS*
- *COMPOUND_MONTHS*
- *COMPOUND_YEARS*
- *EMIAMT*
- *DUE_DATES_ON*
- *DAYS_MTH*
- *DAYS_YEAR*
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*

UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
REVNSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE

AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE

ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
CHARGEDET
COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP

CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR

PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*
- *SUSP_AMT_SETTLED*
- *SUSP_AMT_LCY*
- *SUSP_READ_AMT*
- *SUSP_READ_SETTLED*
- *LAST_SUSP_XRATE*

READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE

- *READJ_SETTLED*
- *LAST_READJ_XRATE*
- *ADJ_SETTLED*
- *SCHSTATUS*
- *ACCOUNT_GL*
- *LAST_PMNT_VALUE_DATE*
- *RETRY_START_DATE*
- *MORA_INT*
- *SCHEDULE_NO*
- *WRITEOFF_AMT*
- *AMOUNT_WAIVED*
- *IRR_APPLICABLE*
- *LIST_DAYS*
- *LIST_AVG_AMT*
- *AMORT_PRINC*
- *EFFDATE*

LINKAGES

- *LINKAGE_SEQ_NO*
- *LINKTYPE*
- *LINKAGE_BRANCH*
- *LINKREFNO*
- *LINKAMT*
- *AMT_BLOCK_NO*
- *SECPORTION*
- *CUSTID*

EVENTADVICES

- *EVENT_CODE*
- *EVENT_SEQ_NO*
- *MSG_TYPE*
- *DCN*
- *SUPPRESS*
- *PRIORITY*
- *FORMAT*
- *GENERATION_TIME*

ADVSUPPRESS

- *MSGTYPE*

MIS-MASTER

- *MISDETAILS*
  - *BRANCH*
  - *CUSTNO*
  - *MISGRP*
  - *RELREF*
  - *RELACC*
  - *MISHD*

POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6

TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT

CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10

FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
MO-Save-Account-Req-IO

SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
PASSBOOK
LIQDBACK
AUTOLIQ
PARTLIQ
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
AUTO_MAN_ROLLOVER
CALC_REQD
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO

RATE_CODE_PREF
USER_DEFINED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
RATE_CHG_ACTION
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
UDEDET
  ACCNO
  BRN
  EFFDT
  UDEVALS
    ACCNO

BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
LIQUIDATIONORDER
STAT
COMP
LIQORDER
HOLIDAYPRD
ACCNO
BRN
PERIOD
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE

PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4

ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS
OTHER_DETAILS1
OTHER_DETAILS2
OTHER_DETAILS3
OTHER_DETAILS4

- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*

REMARK9
REMARK10
COMPDET
COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY

UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*
- *BEN_NAME*
- *CAPITALIZED*
- *FIRSTDUE*
- *WAIVERFLAG*

COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
REVNSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE

APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE

SCHEDULE

FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO

WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT

AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET

COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS

FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*

SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT

SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE

LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID

EVENTADVICES
EVENT_CODE
EVENT_SEQ_NO
MSG_TYPE
DCN
SUPPRESS

- PRIORITY
- FORMAT
- GENERATION_TIME

ADVSUPPRESS

- MSGTYPE

MIS-MASTER

- MISDETAILS
  - BRANCH
  - CUSTNO
  - MISGRP
  - RELREF
  - RELACC
  - MISHD
  - POOLCD
  - REFRT
  - REFRTTYPE
  - REFXRT
  - CALCMETH
  - MISGRPTXN
  - REFRTCD
  - REFRTSPRD
  - FUNDMIS1
  - FUNDMIS2
  - FUNDMIS3
  - FUNDMIS4
  - FUNDMIS5
  - FUNDMIS6
  - FUNDMIS7
  - FUNDMIS8
  - FUNDMIS9
  - FUNDMIS10
  - MISGRPCOMP
  - COMPMIS1
  - COMPMIS2
  - COMPMIS3
  - COMPMIS4
  - COMPMIS5
  - COMPMIS6
  - COMPMIS7
  - COMPMIS8
  - COMPMIS9
  - COMPMIS10
  - COSTCOD1
  - COSTCOD2

COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7

TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP

CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS

COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	**Description**	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description

Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

Account-Master-Details-PK-Res

Attribute	Description
Name	Account-Master-Details-PK-Res
Datatype	
Description	It indicates Save Inactive Account PK Response master details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

MO-Save-Account-Req

Attribute	Description	
Name	MO-Save-Account-Req	
Datatype		
Description	It indicates Save Inactive Account full Request details of Mortgages module	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCODE

Attribute	Description	
Name	SCODE	
Datatype	String	
Description	Indicates Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

XREF

Attribute	Description

Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Booking Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates Number of Installments.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String

Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String

Description	Indicates Amend Past Paid Schedule. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates ATM Facility Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String

Description	Indicates Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Incicates Partial Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Track Receivable Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Track Receivable Manual Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String

Description	Indicates UDE Rollover Basis Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Special Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis. Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Rollover Mode Daily "D" Monthly "M" Yearly "Y" Quarters "Q" Semi Annual "S"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover type Special "S" Custom "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liqd Reversed Payment. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Rollover Mode. Auto "A"; Manual "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Fund Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Components Liquidate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type. Fixed "F"; Call "C".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference Middle Rate "M"; Buy/ Sell Rate "B"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicate Amount Financed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	Indicates Customer Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates User id who has booked the contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates date and stamp when the user has booked the contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

AUTHSTAT1

Attribute	**Description**	
Name	AUTHSTAT1	
Datatype	String	
Description	Indicates Authorization Status of contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequnce Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	Indicates Amount Available.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type. Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	Indicates Loan Type.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description	Indicates User Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BILLREFNO

Attribute	**Description**	
Name	BILLREFNO	
Datatype	String	
Description	Indicates Bill Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RATE_CHG_ACTION

Attribute	**Description**	
Name	RATE_CHG_ACTION	
Datatype	String	
Description	Indicates Auto Rate Change Action.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PROMOTIONS

Attribute	**Description**	
Name	PROMOTIONS	
Datatype		
Description	Mortgagges Promotion Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type. PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description	
Name	BENEFCIF	
Datatype	String	
Description	Indicates Beneficiary CIF	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PRIORITY

Attribute	Description	
Name	PRIORITY	
Datatype	Number	
Description	Indicates Priority.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

OTHAPPLCNT

Attribute	Description	
Name	OTHAPPLCNT	
Datatype		
Description	Mortgagges Other Application Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String

Description	Indicates Responsibility Authorized Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates User Defined Expression Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Defined Expression Values.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description

Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP

Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description	Indicates UDE Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description	Indicates UDE Value.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description	Indicates Rate Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description	Indicate Code Usage. Periodic : P Automatic : A	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Holiday Period Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Period.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String

Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	Indicates Account Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	Indicates Account Details.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	Indicates Account Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	Indicates Currency Restriction. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	ndicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	Indicate Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	Description	
Name	CHANGE_AC	
Datatype	String	
Description	Indicates Change Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	Description	
Name	CHANGE_RATE	
Datatype	String	
Description	Indicates Change Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	Indicates Party Information Allowed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Inter Reim Institution Line2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description

Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Receiver Correspondent Line 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Receiver Correspondent Line 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	**Description**	
Name	RCVR_CORRESP4	
Datatype	String	
Description	Receiver Correspondent Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	**Description**	
Name	INTERMEDIARY1	
Datatype	String	
Description	Indicates Intermediary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY2

Attribute	**Description**	
Name	INTERMEDIARY2	
Datatype	String	
Description	Indicates Intermediary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY3

Attribute	**Description**	
Name	INTERMEDIARY3	
Datatype	String	
Description	Indicates Intermediary 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Intermediary 4.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Account With Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Account With Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Account With Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Account With Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Payment Details Line1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Payment Details Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Payment Details Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Sender to Receiver Information 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4

Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Ordering Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Ordering Institution 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	**Description**	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description	Indicates Ordering Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION4

Attribute	**Description**	
Name	ORDERING_INSTITUTION4	
Datatype	String	
Description	Indicates Ordering Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER1

Attribute	**Description**	
Name	ORDERING_CUSTOMER1	
Datatype	String	
Description	Indicates Ordering Customer 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER2

Attribute	**Description**	
Name	ORDERING_CUSTOMER2	
Datatype	String	
Description	Indicates Ordering Customer 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER3

Attribute	**Description**	
Name	ORDERING_CUSTOMER3	
Datatype	String	
Description	Indicates Ordering Customer 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER4

Attribute	**Description**	
Name	ORDERING_CUSTOMER4	
Datatype	String	
Description	Indicates Ordering Customer 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Beneficiary Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Beneficiary Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	Description	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Beneficiary Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	Description	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Beneficiary Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	Description	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Ultimate Beneficiary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	Description	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Ultimate Beneficiary 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Ultimate Beneficiary 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Ultimate Beneficiary 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	Indicates Exchange Rate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	Indicates ERI Currency Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT

Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	Indicates Beneficiary Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	Indicates Intermediary 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description	Indicates Inter Reim Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	**Description**	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description	Indicates Ordering Customer 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION5

Attribute	**Description**	
Name	ORDERING_INSTITUTION5	
Datatype	String	
Description	Indicates Ordering Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP5

Attribute	**Description**	
Name	RCVR_CORRESP5	
Datatype	String	
Description	Indicates Receiver Correspondent 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY5

Attribute	**Description**	
Name	ULT_BENEFICIARY5	
Datatype	String	
Description	Indicates Ultimate Beneficiary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SEND_MESG

Attribute	**Description**	
Name	SEND_MESG	
Datatype	String	
Description	Indicates Sent Message.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Minimum Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	Indicates Inter Pay Generated.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description	Indicates Payable Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description	Indicates Printed Stationary Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description	Indicate Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	**Description**	
Name	OTHER_DETAILS5	
Datatype	String	
Description	Indicates Other Details 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	Indicates Other Details Type 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	Indicates Other Details Type 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	Indicates Other Details Type 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	Indicates Other Details Type 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	Indicates Other Details Type 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	Indicates Other Details Type 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

STATUS

Attribute	Description	
Name	STATUS	
Datatype	String	
Description	Indicate Status.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	Indicates Other Details 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	Indicates Other Details 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	Indicates Other Details 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>65</td></tr></table>

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES

Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	Indicates External Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	Indicates External Station Id.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	**Description**	
Name	EXT_SOURCE	
Datatype	String	
Description	Indicates External Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	**Description**	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description	Indicates External Counterparty Account Prefix	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	**Description**	
Name	EXT_PARTY_BIC	
Datatype	String	
Description	External Party BIC.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	**Description**	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	External Party Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	External Party Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	indicates Required 103
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	indicates Required 103P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	Indicates Agreement Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	Indicates Post Accounting.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	Indicates External PC Contract Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	Mortgagges Rollover Component.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String

Description	Indicates Component Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	Indicates Check List Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	Indicates Description.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	Indicates Checked. Yes Y;No N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	Remarks Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates Remarks 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remarks 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates Remarks 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates Remarks 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates Remarks 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remarks 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description

Name	REMARK7
Datatype	String
Description	Indicates Remarks 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates Remarks 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	Indicates Remarks 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remarks 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Component Details.

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

STTLMTCCY

Attribute	**Description**	
Name	STTLMTCCY	
Datatype	String	
Description	Indicates Settlement Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

COMPTYPE

Attribute	**Description**	
Name	COMPTYPE	
Datatype	String	
Description	Indicates Component Type.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description	Indicates Main Component Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Credit Clearing Bank Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PCCATCR

Attribute	Description
Name	PCCATCR

Datatype	String
Description	Indicates Credit Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates Debit External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATDR

Attribute	**Description**	
Name	PCCATDR	
Datatype	String	
Description	Indicate Debit Producy Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Credit Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Credit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates Credit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Debit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description	Indicates Debit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description	Indicates Debit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Credit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates Debit GIRO Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Debit Payer Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Debit Payer Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicate Debit Payer Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR

Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	**Description**	
Name	GIRONUMCR	
Datatype	String	
Description	Indicates Credit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description	Indicates Credit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates Credit Payer Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates Credit Payer Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates Credit Payer Address Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates Credit Payer Address Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates Credit Payer Address Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description	Indicates IRR Applicable. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPDESC

Attribute	Description	
Name	COMPDESC	
Datatype	String	
Description	Indicates Component Description.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description	Indicates Effective Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

COMPSCH

Attribute	Description

Name	COMPSCH
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description

Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description	Indicates Waiver Flag. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPOUND_DAYS

Attribute	**Description**	
Name	COMPOUND_DAYS	
Datatype	Number	
Description	Indicates Compounds Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_MONTHS

Attribute	**Description**	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description	Indicates Compounds Months.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description	Indicates Compounds Years.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description

Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_BANK

Attribute	**Description**	
Name	BEN_BANK	
Datatype	String	
Description	Indicates Beneficiary Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	**Description**	
Name	BEN_NAME	
Datatype	String	
Description	Indicates Beneficiary Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	Indicate Capitalized. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description	Indicates First Due Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	DSBR Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	Indicates Schedule Start Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description	Indicates Schedule Due Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description	Indicates Amount To Disburse.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	Indicates Schedule Linkage Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REVNSCHEDULE

Attribute	**Description**
Name	REVNSCHEDULE
Datatype	

Description	Revenue Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE

Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description

Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLEMENT_CCY

Attribute	**Description**	
Name	SETTLEMENT_CCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	**Description**	
Name	AMTLCY	
Datatype	Number	
Description	Indicates Amount in Loan Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DLY_AVG_AMT

Attribute	**Description**	
Name	DLY_AVG_AMT	
Datatype	Number	
Description	Indicates Daily Avg Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description	Indicates Suspense Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	Charge Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description

Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED

Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String

Description	Indicates Credit Product Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Credit Clearing Bank Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description	
Name	PCCATCR	
Datatype	String	
Description	Indicates Credit Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	Description	
Name	EXTACNODR	
Datatype	String	
Description	Indicates Debit External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMDR

Attribute	Description	
Name	EXTACNMDR	
Datatype	String	
Description	Indicates Debit External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKDR

Attribute	Description	
Name	CLGBKDR	
Datatype	String	
Description	Indicates Debit Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Credit Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR

Datatype	String
Description	Indicates Credit Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates Credit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Debit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	**Description**	
Name	ENDPTDR	
Datatype	String	
Description	Indicates Debit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	**Description**	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	**Description**	
Name	SECTORDR	
Datatype	String	
Description	Indicates Debit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Credit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates Debit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Debit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Debit Payer Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicate Debit Payer Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR

Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates Credit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates Credit Payer Bank Code.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	**Description**	
Name	PAYERADD2CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	**Description**	
Name	PAYERADD3CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates Credit Payer Address Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates IRR Applicable. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	Indicates Component Description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description	Indicates Grace Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIG_AMOUNT_DUE

Attribute	**Description**	
Name	ORIG_AMOUNT_DUE	
Datatype	Number	
Description	Indicates Original Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	**Description**	
Name	ADJ_AMOUNT	
Datatype	Number	
Description	Indicates Adjustment Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	Indicates Accounting GL.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	Indicates Last Pament Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	Indicates Retry Start date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME

Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	Indicates Capitalized. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	Mortgagges Linkage Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	Indicates Linkage Sequence Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKTYPE

Attribute	Description	
Name	LINKTYPE	
Datatype	String	
Description	Indicates Linkage Type Line ¿L¿ Deposit ¿D¿ Guarantee ¿G¿ Collateral ¿T¿ Amount Block ¿A¿ CASA Account ¿C¿ Collateral Pool ¿P¿ Commitment ¿M¿	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LINKAGE_BRANCH

Attribute	Description	
Name	LINKAGE_BRANCH	
Datatype	String	
Description	Indicates Linkage Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LINKREFNO

Attribute	Description	
Name	LINKREFNO	
Datatype	String	
Description	Indicates Linked Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT

Datatype	Number
Description	Indicates Linkage Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	Indicates Amount Block Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	Indicates Secured Portion.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	

Description	Mortgagges Event Advice Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	Indicates Event Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	Indicates Document Control Number (DCN).
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates Suppress Advices.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	Indicates Format.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	Indicates Generation TIme.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	Mortgagges Advice Supress Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	Indicates Message Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	Mortgagges MIS Master.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	Mortgagges MIS details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description	Indicates Customer Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description	Indicates MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

RELREF

Attribute	Description	
Name	RELREF	
Datatype	String	
Description	indicates related reference number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RELACC

Attribute	Description	
Name	RELACC	
Datatype	String	
Description	indicates related account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	Indicates Transaction MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	Indicates Funds MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	Indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1

Datatype	String
Description	Indicate composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	Indicate composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	Indicate composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	Indicate composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	**Description**	
Name	COMPMIS7	
Datatype	String	
Description	Indicate composite MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	**Description**	
Name	COMPMIS8	
Datatype	String	
Description	Indicate composite MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description	Indicate composite MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description	Indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	Indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	Indicates Linkage Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	indicates Transaction MIS code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description

Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	Indicates Fund MIS 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	Indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	**Description**	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	**Description**	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	**Description**	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	Indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	Indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	Indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	Description	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	Indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	Description	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	Indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	Indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	indicates composite MIS 1 Lable 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	indicates composite MIS 2 Lable 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description	
Name	COMPMIS3LBL3	
Datatype	String	
Description	indicates composite MIS 3 Lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	indicates composite MIS 4 Lable 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	indicates composite MIS 5 Lable 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	indicates composite MIS 6 Lable 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	indicates composite MIS 7 Lable 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8

Datatype	String
Description	indicates composite MIS 8 Lable 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	indicates composite MIS 9 Lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	**Description**	
Name	TXNMIS3LBL3	
Datatype	String	
Description	Indicate Transaction MIS code lable 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	**Description**	
Name	TXNMIS4LBL4	
Datatype	String	
Description	Indicate Transaction MIS code lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	**Description**	
Name	TXNMIS5LBL5	
Datatype	String	
Description	Indicate Transaction MIS code lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	**Description**	
Name	TXNMIS6LBL6	
Datatype	String	
Description	Indicate Transaction MIS code lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description

Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	**Description**	
Name	REFXRT	
Datatype	String	
Description	Indicates Reference Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	**Description**	
Name	CALCMETH	
Datatype	String	
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	**Description**	
Name	MISGRPTXN	
Datatype	String	
Description	Indicates Transaction MIS Group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3

Attribute	Description

Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	**Description**	
Name	FUNDMIS8	
Datatype	String	
Description	Indicates Funds MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	**Description**	
Name	FUNDMIS9	
Datatype	String	
Description	Indicates Funds MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description	Indicates Funds MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description	Indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	Indicate composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description	
Name	COMPMIS2	
Datatype	String	
Description	Indicate composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description	Indicate composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description	Indicate composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3

Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	Indicates Cost Code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	indicates Transaction MIS code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	indicates Transaction MIS code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	indicates Transaction MIS code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	indicates Transaction MIS code 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	Indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	Indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	Indicates Fund MIS 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6
Datatype	String
Description	Indicates Fund MIS 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	Indicates Fund MIS 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	Indicates Fund MIS 8
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9

Datatype	String
Description	Indicates Fund MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	indicates composite MIS 1 Lable 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	indicates composite MIS 2 Lable 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	indicates composite MIS 3 Lable 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	indicates composite MIS 4 Lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	**Description**	
Name	COMPMIS5LBL5	
Datatype	String	
Description	indicates composite MIS 5 Lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	indicates composite MIS 6 Lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	indicates composite MIS 7 Lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	Description	
Name	COMPMIS8LBL8	
Datatype	String	
Description	indicates composite MIS 8 Lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	Description	
Name	COMPMIS9LBL9	
Datatype	String	
Description	indicates composite MIS 9 Lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	indicates composite MIS 10 Lable 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	Indicate Transaction MIS code lable1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	Indicate Transaction MIS code lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	Indicate Transaction MIS code lable 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10

Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	Mortgagges Commit Utilities
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	Indicate Commit Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	Indicate Commit Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	Indicates Linkage Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	Indicates Linkage Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	Indicates Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	Indicates Linkage Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Linkage Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	Indicates Linkage Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	Indicates Linkage Currency Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	Indicates Commit Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	Indicates Increase Decrease Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	Indicates Commit Balance.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-Save-Account-Req-IO

Attribute	Description
Name	MO-Save-Account-Req-IO
Datatype	
Description	It indicates Save Inactive Account IO Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMOUNT

Attribute	**Description**	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

VALDT

Attribute	**Description**	
Name	VALDT	
Datatype	Date	
Description	Indicates Value Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

BOOKDT

Attribute	**Description**	
Name	BOOKDT	
Datatype	Date	
Description	Indicates Booking Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates Number of Installments.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Total Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description

Name	ATMFACILITY
Datatype	String
Description	Indicates ATM Facility Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ

Datatype	String
Description	Incicates Partial Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Track Receivable Auto Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Track Receivable Manual Liquidation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Basis Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT

Datatype	Number
Description	Indicates Special Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis. Product "P" Contract "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Rollover Mode Daily "D" Monthly "M" Yearly "Y" Quarters "Q" Semi Annual "S"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover type Special "S" Custom "C"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liqd Reversed Payment. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Rollover Mode. Auto "A"; Manual "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Fund Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description	
Name	LIQ_COMP_DATES_FLAG	
Datatype	String	
Description	Indicates Components Liquidate Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MATURITY_TYPE

Attribute	Description	
Name	MATURITY_TYPE	
Datatype	String	
Description	Indicates Maturity Type. Fixed "F"; Call "C".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description	
Name	PRIMARY_APPLICANT_ID	
Datatype	String	
Description	Indicates Primary Applicant Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description	Indicates Primary Applicant Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference Middle Rate "M"; Buy/ Sell Rate "B"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicate Amount Financed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	Indicates Customer Id.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates date and stamp when the user has booked the contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

AUTHSTAT1

Attribute	**Description**	
Name	AUTHSTAT1	
Datatype	String	
Description	Indicates Authorization Status of contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequnce Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	3

TOP

AMT_AVAILABLE

Attribute	**Description**	
Name	AMT_AVAILABLE	
Datatype	Number	
Description	Indicates Amount Available.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type. Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	Indicates Loan Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	Indicates User Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Mortgagges Promotion Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type. PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary CIF
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Mortgagges Other Application Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description

Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorized Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates User Defined Expression Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	**Description**
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	**Description**
Name	UDEVALS
Datatype	
Description	Indicates User Defined Expression Values.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	**Description**
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD

Datatype	String
Description	Indicates Rate Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates UDE Id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates UDE Value.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>10</td></tr></table>

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicate Code Usage. Periodic : P Automatic : A
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 4

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Holiday Period Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Period.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description

Name	SETTLDETAILS
Datatype	
Description	Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	Indicates Amount Tag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	Indicates Version Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	Indicates Tag Currency.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACC_BRANCH

Attribute	Description	
Name	ACC_BRANCH	
Datatype	String	
Description	Indicates Account Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ACCOUNT

Attribute	Description	
Name	ACCOUNT	
Datatype	String	
Description	Indicates Account Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	Description	
Name	ACC_CCY	
Datatype	String	
Description	Indicates Account Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	Description	
Name	CCY_RESTRICTION	
Datatype	String	
Description	Indicates Currency Restriction. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	Indicates Settlement Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	Indicates Payee Or Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	Indicates Payment By.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	ndicate Transfer Type. Bank Transfer B Customer Transfer C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	Indicate Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicate Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	Indicates Change Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	Indicates Change Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	Indicates Party Information Allowed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	Indicates Cover Required. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description

Name	NETTING_INDICATOR
Datatype	String
Description	Indicates Netting Indicator.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	Indicates Charge Details Rem-AllChgs : O Ben-AllChgs : B Rem-OurChgs : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	Indicates Our Correspondent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	Indicate Receiver.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1

Datatype	String
Description	Inter Reim Institution Line 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Inter Reim Institution Line2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Inter Reim Institution Line 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Inter Reim Institution Line4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Receiver Correspondent Line 1

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	**Description**	
Name	RCVR_CORRESP2	
Datatype	String	
Description	Receiver Correspondent Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP3

Attribute	**Description**	
Name	RCVR_CORRESP3	
Datatype	String	
Description	Receiver Correspondent Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP4

Attribute	**Description**	
Name	RCVR_CORRESP4	
Datatype	String	
Description	Receiver Correspondent Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY1

Attribute	**Description**	
Name	INTERMEDIARY1	
Datatype	String	
Description	Indicates Intermediary 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Intermediary 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Intermediary 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Intermediary 4.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Account With Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Account With Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	Description	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Account With Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	Description	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Account With Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	Description	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Payment Details Line1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Payment Details Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3
Datatype	String
Description	Indicates Payment Details Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Payment Details Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Sender to Receiver Information 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2

Datatype	String
Description	Indicates Sender to Receiver Information 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Sender to Receiver Information 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Sender to Receiver Information 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Sender to Receiver Information 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Sender to Receiver Information 6

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION1

Attribute	**Description**	
Name	ORDERING_INSTITUTION1	
Datatype	String	
Description	Indicates Ordering Institution 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION2

Attribute	**Description**	
Name	ORDERING_INSTITUTION2	
Datatype	String	
Description	Indicates Ordering Institution 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION3

Attribute	**Description**	
Name	ORDERING_INSTITUTION3	
Datatype	String	
Description	Indicates Ordering Institution 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION4

Attribute	**Description**	
Name	ORDERING_INSTITUTION4	
Datatype	String	
Description	Indicates Ordering Institution 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Ordering Customer 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Ordering Customer 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Ordering Customer 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Ordering Customer 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Beneficiary Institution 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Beneficiary Institution 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Beneficiary Institution 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Beneficiary Institution 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Ultimate Beneficiary 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Ultimate Beneficiary 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Ultimate Beneficiary 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Ultimate Beneficiary 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG

Datatype	String
Description	Indicates Exchange Rate Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	Indicates ERI Currency Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ERI_AMOUNT

Attribute	Description
Name	ERI_AMOUNT
Datatype	Number
Description	Indicate ERI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

RATE_CODE_PREFERRED

Attribute	Description
Name	RATE_CODE_PREFERRED
Datatype	String
Description	Indicates Rate Code Prefferred.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	Indicates Account With Institution 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	**Description**	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description	Indicates Beneficiary Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY5

Attribute	**Description**	
Name	INTERMEDIARY5	
Datatype	String	
Description	Indicates Intermediary 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST5

Attribute	**Description**	
Name	INT_REIM_INST5	
Datatype	String	
Description	Indicates Inter Reim Institution 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_CUSTOMER5

Attribute	**Description**	
Name	ORDERING_CUSTOMER5	
Datatype	String	
Description	Indicates Ordering Customer 5	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	Indicates Ordering Institution 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	Indicates Receiver Correspondent 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	Indicates Ultimate Beneficiary 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	Indicates Sent Message.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Minimum Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	Indicates Inter Pay Generated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Beneficiary Institution For Cover 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	Indicates Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description

Name	GENERATION_DATE
Datatype	Date
Description	Indicates Generation Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	Indicates IBAN Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	Indicates Issuing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	Indicates Payable Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	Indicates Printed Stationary Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicate Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	Indicates Other Details 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	Indicates Other Details 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	Indicates Other Details Type 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	Indicates Other Details Type 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	Indicates Other Details Type 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	Indicates Other Details Type 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	Indicates Other Details Type 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	Indicates Other Details Type 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	Indicate Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	Indicates Other Details 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	Indicates Other Details 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3

Datatype	String
Description	Indicates Other Details 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	Indicates Other Details 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	Indicates Netting Across Module.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	Indicates Netting Reference Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	Indicates Cover By.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	**Description**	
Name	EXT_PROD_CATEGORY	
Datatype	String	
Description	Indicates External Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	**Description**	
Name	EXT_STATION_ID	
Datatype	String	
Description	Indicates External Station Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	**Description**	
Name	EXT_SOURCE	
Datatype	String	
Description	Indicates External Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	**Description**	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description	Indicates External Counterparty Account Prefix	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	Description	
Name	EXT_PARTY_BIC	
Datatype	String	
Description	External Party BIC.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	External Party Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	Description	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	External Party Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description	indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description	indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description	
Name	AGREEMENT_ID	
Datatype	String	
Description	Indicates Agreement Id.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	Description	
Name	POST_ACCOUNTING	
Datatype	String	
Description	Indicates Post Accounting.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	Indicates External PC Contract Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	Indicates External Party Clearing Network.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	Indicates Customer Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	Indicates External Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	Indicates Spread Defenition.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	Indicates RGTS Payment.
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	Indicates Banking Priority.
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	Indicates RGTS Network.
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 15

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	Mortgagges Rollover Component.
Attributes	Attribute: maxOccurs; Description: unbounded Attribute: minOccurs; Description: 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	Indicates Check List Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	Indicates Description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	Indicates Checked. Yes Y;No N
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	Remarks Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	Indicates Remarks 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	Indicates Remarks 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	Indicates Remarks 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	Indicates Remarks 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	Indicates Remarks 5
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	Indicates Remarks 6
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	Indicates Remarks 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	Indicates Remarks 8
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK9

Attribute	Description
Name	REMARK9

Datatype	String
Description	Indicates Remarks 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	Indicates Remarks 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Component Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Account Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description	
Name	EXTACNOCR	
Datatype	String	
Description	Indicates Credit External Accoutn Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	Description	
Name	EXTACNMCR	
Datatype	String	
Description	Indicates Credit External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Credit Clearing Bank Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Credit Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates Debit External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR

Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNOCR

Attribute	**Description**	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Credit Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGCR

Attribute	**Description**	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Credit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description	Indicates Credit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description	Indicates Credit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description	Indicates Credit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description	Indicates Debit Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	**Description**	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Debit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	**Description**	
Name	ENDPTDR	
Datatype	String	
Description	Indicates Debit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Debit Clearing Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description	Indicates Debit Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

VERIFYFUNDS

Attribute	Description	
Name	VERIFYFUNDS	
Datatype	String	
Description	Indicates Verify Fund. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDINT

Attribute	Description	
Name	FUNDINT	
Datatype	String	
Description	Indicates Fund During INIT Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Debit Upload Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Credit Upload Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates Debit GIRO Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Debit Payer Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Debit Payer Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicate Debit Payer Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Debit Payer Address 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Debit Payer Address 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR

Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description	Indicates Credit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates Credit Payer Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates Credit Payer Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 1	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2CR

Attribute	Description	
Name	PAYERADD2CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3CR

Attribute	Description	
Name	PAYERADD3CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4CR

Attribute	Description	
Name	PAYERADD4CR	
Datatype	String	
Description	Indicates Credit Payer Address Line 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

IRRAPPL

Attribute	Description	
Name	IRRAPPL	
Datatype	String	
Description	Indicates IRR Applicable. Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	Indicates Component Description.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Component Schedule Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String

Description	Indicates Schedule Flage.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	Indicates Formula details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	Indicates Schedule Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	Indicates Number of Schedule.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	Indicates Frequency.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	2

TOP

UNIT

Attribute	Description	
Name	UNIT	
Datatype	String	
Description	Indicates Units.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	Description	
Name	ENDDT	
Datatype	Date	
Description	Indicates End Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	Description	
Name	PAYMENT_MODE	
Datatype	String	
Description	Indicates Payment Mode.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number

Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number

Description	Indicates Due Date On.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Schedule Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedule Flage.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FORMULA

Attribute	**Description**	
Name	FORMULA	
Datatype	String	
Description	Indicates Formula details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHSTDT

Attribute	**Description**	
Name	SCHSTDT	
Datatype	Date	
Description	Indicates Schedule Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

NOOFSCH

Attribute	**Description**	
Name	NOOFSCH	
Datatype	Number	
Description	Indicates Number of Schedule.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	Indicates Frequency.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	Indicates Units.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	Indicates End Date.
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	Indicates Amount Details
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	Indicates Payment Mode.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	Indicates Product Payment Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	Indicates Payment Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	Indicates Beneficiary Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	Indicates Beneficiary Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	Indicates Beneficiary Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	Indicates First Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waiver Flag. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number

Description	Indicates Compounds Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	Indicates Compounds Months.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	Indicates Compounds Years.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number

Description	Indicates Due Date On.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	Indicates Days in Month.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	Indicates Days In Year.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	DSBR Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description	Indicates Schedule Due Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description	Indicates Amount To Disburse.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	Indicates Schedule Linkage Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	Indicates Schedule Start Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**
Name	SCHEDULE_DUE_DATE
Datatype	Date

Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	Indicates Amount To Disburse.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	Revenue Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description

Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	Indicates Schedule Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description

Name	APPLIED_FLAG
Datatype	String
Description	Indicates Applied Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	Schedule Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description	Indicates Suspense Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	Indicates Schedule Linkage Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	Indicates Amount Reajusted.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	Indicates List Avg. Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	Indicates Amortized Principal.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

CHARGEDET

Attribute	Description	
Name	CHARGEDET	
Datatype		
Description	Charge Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	Indicate Capitalized. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	Indicates Dr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	Indicates Cr Payment Mode. CASA ACC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	Indicates Debit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	Indicates Credit Product Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description

Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Account Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates Credit External Accoutn Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates Credit External Account Name.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	**Description**	
Name	CLGBKCR	
Datatype	String	
Description	Indicates Credit Clearing Bank Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description	Indicates Credit Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description	Indicates Debit External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates Debit External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Debit Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Debit Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicate Debit Producy Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNOCR

Attribute	Description	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Credit Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGCR

Attribute	Description	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Credit Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTCR

Attribute	Description	
Name	ENDPTCR	
Datatype	String	
Description	Indicates Credit End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Credit Clearing Product.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Credit Sector Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Debit Instrument Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Debit Routing Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR

Datatype	String
Description	Indicates Debit End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Debit Clearing Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Debit Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund. Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Fund During INIT Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FUNDROLL

Attribute	**Description**	
Name	FUNDROLL	
Datatype	String	
Description	Indicates Funded During Rollover Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPCCY

Attribute	**Description**	
Name	COMPCCY	
Datatype	String	
Description	Indicates Component Currency code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

UPSOURCEDR

Attribute	**Description**	
Name	UPSOURCEDR	
Datatype	String	
Description	Indicates Debit Upload Source Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

UPSOURCERCR

Attribute	**Description**	
Name	UPSOURCERCR	
Datatype	String	
Description	Indicates Credit Upload Source Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDDR

Attribute	Description	
Name	GIROMDDR	
Datatype	String	
Description	Indicates Debit GIRO Mode. Auto GIRO "A";Manual GIRO "M"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	Description	
Name	GIROSERDR	
Datatype	String	
Description	Indicates Debit GIRO Service. Bank GIRO "B";Plus GIRO "P".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates Debit GIRO Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Debit Payer Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Debit Payer Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicate Debit Payer Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description	Indicates Debit Payer Address 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	Description	
Name	PAYERADD2DR	
Datatype	String	
Description	Indicates Debit Payer Address 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Debit Payer Address 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Debit Payer Address 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Credit GIRO Mode. Auto GIRO "A";Manual GIRO "M"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates Credit GIRO Service. Bank GIRO "B";Plus GIRO "P".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates Credit GIRO Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates Credit Payer Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates Credit Payer Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates Credit Payer Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR

Datatype	String
Description	Indicates Credit Payer Address Line 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates Credit Payer Address Line 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates Credit Payer Address Line 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates Credit Payer Address Line 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates IRR Applicable. Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPDESC

Attribute	**Description**	
Name	COMPDESC	
Datatype	String	
Description	Indicates Component Description.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	100

TOP

EFFDATE

Attribute	**Description**	
Name	EFFDATE	
Datatype	Date	
Description	Indicates Effective Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHARGESCHEDULE

Attribute	**Description**	
Name	CHARGESCHEDULE	
Datatype		
Description	Component Schedule Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	Indicates Formula Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCRAMT

Attribute	**Description**	
Name	ACCRAMT	
Datatype	Number	
Description	Indicates Accured Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLEMENT_CCY

Attribute	**Description**	
Name	SETTLEMENT_CCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	**Description**	
Name	AMTLCY	
Datatype	Number	
Description	Indicates Amount in Loan Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DLY_AVG_AMT

Attribute	**Description**
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	Indicates Schedule Linkage Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	Indicates Suspense Amount Due.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	Indicates Retry Start date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	Indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	Indicates Schedule Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	Indicates Write Off Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	ndicates IRR applicable. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	Indicates List Days.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	Indicates List Avg. Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	Indicates Amortized Principal.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	Indicates Formula Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	Indicates Schedule Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	Indicates Schedule Start Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	Indicates Grace Days.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	Indicates Original Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	Indicates Adjustment Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	Indicates Accured Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	Indicates Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	Indicates Daily Avg Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates EMI Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	Indicates Scheduled Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	Indicates Wavier Flag. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	Indicates Schedule Linkage Date.

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	Indicates Capitalized. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	Indicates Amount Reajusted.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_DUE

Attribute	**Description**	
Name	SUSP_AMT_DUE	
Datatype	Number	
Description	Indicates Suspense Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	Indicates Suspense Amount Settled.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	Indicates Suspense Amount in Loan Currency.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	Indicates Suspense readjusted amount.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	Indicates Suspense readjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	Indicates Latest Suspense Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	Indicates readjusted Settled amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	Indicates Latest readjusted Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	Indicates Adjusted Settled Amount.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	Indicates Schedule Status.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	Indicates Accounting GL.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	Indicates Last Pament Value Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	Indicates Retry Start date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	Indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	Indicates Schedule Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	Indicates Write Off Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	Indicated Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description	
Name	IRR_APPLICABLE	
Datatype	String	
Description	ndicates IRR applicable. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIST_DAYS

Attribute	Description	
Name	LIST_DAYS	
Datatype	String	
Description	Indicates List Days.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	Indicates List Avg. Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	Indicates Amortized Principal.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	Indicates Effective Date.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	Mortgagges Linkage Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	Indicates Linkage Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	Indicates Linkage Type Line ¿L¿ Deposit ¿D¿ Guarantee ¿G¿ Collateral ¿T¿ Amount Block ¿A¿ CASA Account ¿C¿ Collateral Pool ¿P¿ Commitment ¿M¿
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description	
Name	LINKAGE_BRANCH	
Datatype	String	
Description	Indicates Linkage Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LINKREFNO

Attribute	Description	
Name	LINKREFNO	
Datatype	String	
Description	Indicates Linked Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LINKAMT

Attribute	Description	
Name	LINKAMT	
Datatype	Number	
Description	Indicates Linkage Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMT_BLOCK_NO

Attribute	Description	
Name	AMT_BLOCK_NO	
Datatype	Number	
Description	Indicates Amount Block Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	Indicates Secured Portion.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer id.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	Mortgagges Event Advice Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	Indicates Event Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	Indicates Message Type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	Indicates Document Control Number (DCN).
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	Indicates Suppress Advices.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PRIORITY

Attribute	Description

Name	PRIORITY
Datatype	Number
Description	Indicates Priority.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	Indicates Format.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	Indicates Generation TIme.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	Mortgagges Advice Supress Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	Indicates Message Type.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MIS-MASTER

Attribute	**Description**	
Name	MIS-MASTER	
Datatype		
Description	Mortgagges MIS Master.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MISDETAILS

Attribute	**Description**	
Name	MISDETAILS	
Datatype		
Description	Mortgagges MIS details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

BRANCH

Attribute	**Description**	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	**Description**	
Name	CUSTNO	
Datatype	String	
Description	Indicates Customer Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description

Name	POOLCD
Datatype	String
Description	Indicates Pool Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	indicates reference rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	indicates reference rate type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	Indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String

Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	Indicates Transaction MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description

Name	FUNDMIS5
Datatype	String
Description	Indicates Funds MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	Indicates Funds MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	Indicates Funds MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	Indicates Funds MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	Indicates Funds MIS 9

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	**Description**	
Name	FUNDMIS10	
Datatype	String	
Description	Indicates Funds MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	**Description**	
Name	MISGRPCOMP	
Datatype	String	
Description	Indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	**Description**	
Name	COMPMIS1	
Datatype	String	
Description	Indicate composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	**Description**	
Name	COMPMIS2	
Datatype	String	
Description	Indicate composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description	Indicate composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description	Indicate composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	Indicate composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	Indicate composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description	
Name	COMPMIS7	
Datatype	String	
Description	Indicate composite MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	Description	
Name	COMPMIS8	
Datatype	String	
Description	Indicate composite MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	Description	
Name	COMPMIS9	
Datatype	String	
Description	Indicate composite MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	Description	
Name	COMPMIS10	
Datatype	String	
Description	Indicate composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	Indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	Indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	Indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	Indicates Cost Code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5

Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String

Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	indicates Transaction MIS code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	indicates Transaction MIS code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	indicates Transaction MIS code 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	indicates Transaction MIS code 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description	indicates Transaction MIS code 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description	indicates Transaction MIS code 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	indicates Transaction MIS code 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	**Description**	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	Indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	Indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	Indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	Indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	Indicates Fund MIS 7
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	Indicates Fund MIS 8
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	Indicates Fund MIS 9
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	Indicates Fund MIS 10
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1

Datatype	String
Description	indicates composite MIS 1 Lable 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	indicates composite MIS 2 Lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	indicates composite MIS 3 Lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	indicates composite MIS 4 Lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	indicates composite MIS 5 Lable 5

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	indicates composite MIS 6 Lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	indicates composite MIS 7 Lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	indicates composite MIS 8 Lable 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	indicates composite MIS 9 Lable 9	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	Indicate Transaction MIS code lable 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	Indicate Transaction MIS code lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	Indicate Transaction MIS code lable 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	Indicate Transaction MIS code lable 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String

Description	Indicates Customer Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	Indicates MIS Group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	indicates related reference number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	indicates related account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	Indicates MIS Head.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

POOLCD

Attribute	**Description**	
Name	POOLCD	
Datatype	String	
Description	Indicates Pool Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRT

Attribute	**Description**	
Name	REFRT	
Datatype	Number	
Description	indicates reference rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

REFRTTYPE

Attribute	**Description**	
Name	REFRTTYPE	
Datatype	String	
Description	indicates reference rate type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	**Description**	
Name	REFXRT	
Datatype	String	
Description	Indicates Reference Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	Indicates interest calculation method 1 30(Euro)/360 2 30(US)/360 3 Actual/360 4 30(Euro)/365 5 30(US)/365 6 Actual/365 7 30(Euro)/Actual 8 30(US)/Actual 9 Actual/Actual
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	Indicates Transaction MIS Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	indicates reference rate code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	Indicates reference rate code Spread.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	Indicates Funds MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	Indicates Funds MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	Indicates Funds MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	Indicates Funds MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	Indicates Funds MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	Indicates Funds MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	Indicates Funds MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	Indicates Funds MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	Indicates Funds MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	Indicates Funds MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	Indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	Indicate composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	Indicate composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	Indicate composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	Indicate composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	Indicate composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6

Datatype	String
Description	Indicate composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	Indicate composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	Indicate composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	Indicate composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	Indicate composite MIS 10

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description	Indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description	Indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description	Indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description	Indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	Indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	Indicates Linkage Group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	Indicates Rate Flag Pool Code P Contract Level R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	Indicate Process Flag Related Reference Number R Related Account A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	indicates Transaction MIS code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	indicates Transaction MIS code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	indicates Transaction MIS code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	indicates Transaction MIS code 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	indicates Transaction MIS code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	indicates Transaction MIS code 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	indicates Transaction MIS code 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description

Name	TXNMIS8
Datatype	String
Description	indicates Transaction MIS code 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	indicates Transaction MIS code 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	indicates Transaction MIS code 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	Indicates Fund MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	Indicates Fund MIS 2

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	**Description**	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	Indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	**Description**	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	Indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	**Description**	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	Indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	Indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	Indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	Indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	**Description**	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	Indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	**Description**	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	Indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1
Datatype	String
Description	indicates composite MIS 1 Lable 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	indicates composite MIS 2 Lable 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	indicates composite MIS 3 Lable 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	indicates composite MIS 4 Lable 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	indicates composite MIS 5 Lable 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	indicates composite MIS 6 Lable 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	indicates composite MIS 7 Lable 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	indicates composite MIS 8 Lable 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9

Datatype	String
Description	indicates composite MIS 9 Lable 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	indicates composite MIS 10 Lable 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	Indicate Transaction MIS code lable1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	Indicate Transaction MIS code lable 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	Indicate Transaction MIS code lable 3

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	**Description**	
Name	TXNMIS4LBL4	
Datatype	String	
Description	Indicate Transaction MIS code lable 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	**Description**	
Name	TXNMIS5LBL5	
Datatype	String	
Description	Indicate Transaction MIS code lable 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	**Description**	
Name	TXNMIS6LBL6	
Datatype	String	
Description	Indicate Transaction MIS code lable 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description	Indicate Transaction MIS code lable 7	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	Indicate Transaction MIS code lable 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	Indicate Transaction MIS code lable 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	Indicate Transaction MIS code lable 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	Mortgagges Commit Utilities
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	Indicate Commit Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	Indicate Commit Event.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	Indicates Linkage Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	Indicates Linkage Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	Indicates Linkage Date.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	Indicates Linkage Event.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	Indicates Linkage Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>0</td></tr><tr><td>totalDigits</td><td>5</td></tr></table>

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	Indicates Linkage Currency Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number

Description	Indicates Linkage Currency Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	Indicates Commit Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	Indicates Increase Decrease Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	Indicates Commit Balance.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message

Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.69.SaveInstStatChg

SaveInstStatChg

2.69.1.MO-Save-InstStatChg-Req-FULL-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-InstStatChg-Req-FULL*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *COMPNAME*
    - *SCHDUEDT*
    - *EFFDT*
    - *CURRSTAT*
    - *NEWSTAT*
    - *AUTHSTAT*
    - *ACC_STSH_CHARGES*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *CHARGE_COMP_NAME*

SETTLE_MODE
SETTLE_CCY
SETTLE_AMT
EXCH_RATE
LOAN_CCY_EQV
SETTLE_BRN
SETTLE_ACC
SETTLE_PROD
INSTRUMENT_NO
EVENT_SEQ_NO
RECORD_ROWID
EXT_ACC_NAME
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
ROW_NUM
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
CARD_NO
SECTOR_CODE
ACCOUNT_STATUS
CLEVTUDF
FIELD_NAME
FIELD_VALUE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP

Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to do MO(Mortgages) account install status change

TOP

MO-Save-InstStatChg-Req-FULL

Attribute	Description
Name	MO-Save-InstStatChg-Req-FULL
Datatype	
Description	Input of Mortgages Installment Status Change Request Full Details

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Schedule Due Date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String

Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_STSH_CHARGES

Attribute	Description
Name	ACC_STSH_CHARGES
Datatype	
Description	Account Settlement Charge Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates Branch
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Comp Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_CCY

Attribute	Description
Name	SETTLE_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[A-Z]{3}

TOP

SETTLE_AMT

Attribute	Description	
Name	SETTLE_AMT	
Datatype	Number	
Description	Indicates Settlement amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EXCH_RATE

Attribute	Description	
Name	EXCH_RATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LOAN_CCY_EQV

Attribute	Description	
Name	LOAN_CCY_EQV	
Datatype	Number	
Description	Indicates Loan CurrencyEquivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLE_BRN

Attribute	Description	
Name	SETTLE_BRN	
Datatype	String	
Description	Indicates Settlement Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLE_ACC

Attribute	Description	
Name	SETTLE_ACC	
Datatype	String	
Description	Indicates Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLE_PROD

Attribute	Description	
Name	SETTLE_PROD	
Datatype	String	
Description	Indicates Settlement Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENT_SEQ_NO

Attribute	Description	
Name	EVENT_SEQ_NO	
Datatype	String	
Description	Indicates Event Sequence Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

RECORD_ROWID

Attribute	Description	
Name	RECORD_ROWID	
Datatype	String	
Description	Indicates Record RowID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_ACC_NAME

Attribute	Description	
Name	EXT_ACC_NAME	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_ACC_NUMBER

Attribute	Description	
Name	EXT_ACC_NUMBER	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_BANK_CODE

Attribute	Description	
Name	CLG_BANK_CODE	
Datatype	String	
Description	Indicates Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_BRANCH_CODE

Attribute	Description
Name	CLG_BRANCH_CODE
Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROW_NUM

Attribute	Description
Name	ROW_NUM
Datatype	String
Description	Indicates Row Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

END_POINT

Attribute	Description
Name	END_POINT

Datatype	String
Description	Indicates End point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates Rounting Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ACCOUNT_STATUS

Attribute	Description
Name	ACCOUNT_STATUS
Datatype	String

Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLEVTUDF

Attribute	Description
Name	CLEVTUDF
Datatype	
Description	Mortgages User Defined Field details.

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates Field Name
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates Field Value.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

2.69.2.MO-Save-InstStatChg-Req-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-InstStatChg-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *COMPNAME*
    - *SCHDUEDT*
    - *EFFDT*
    - *CURRSTAT*
    - *NEWSTAT*
    - *AUTHSTAT*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to do MO(Mortgages) account install status change

TOP

MO-Save-InstStatChg-Req

Attribute	Description
Name	MO-Save-InstStatChg-Req
Datatype	
Description	Mortgages Installment Status Change Reqeust IO Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates Schedule Due Date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

2.69.3.MO-Save-InstStatChg-Res-FULL-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Save-InstStatChg-Res-FULL*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *EFFDT*
      - *CURRSTAT*
      - *NEWSTAT*
      - *AUTHSTAT*
      - *ESN*
      - *ACC_STSH_CHARGES*
        - *ACCNO*
        - *BRN*
        - *COMPNAME*
        - *CHARGE_COMP_NAME*
        - *SCHDUEDT*
        - *SETTLE_MODE*
        - *SETTLE_CCY*

SETTLE_AMT
EXCH_RATE
LOAN_CCY_EQV
SETTLE_BRN
SETTLE_ACC
SETTLE_PROD
INSTRUMENT_NO
ESN
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
CARD_NO
SECTOR_CODE
ACCOUNT_STATUS
CLEVTUDF
FIELD_NAME
FIELD_VALUE
MO-Save-InstStatChg-Req-FULL
SCODE
XREF
ACCNO
BRN
COMPNAME
SCHDUEDT
EFFDT
CURRSTAT
NEWSTAT
AUTHSTAT
ACC_STSH_CHARGES
ACCNO
BRN
COMPNAME
CHARGE_COMP_NAME
SETTLE_MODE
SETTLE_CCY
SETTLE_AMT
EXCH_RATE
LOAN_CCY_EQV
SETTLE_BRN
SETTLE_ACC

SETTLE_PROD
INSTRUMENT_NO
EVENT_SEQ_NO
RECORD_ROWID
EXT_ACC_NAME
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
ROW_NUM
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
CARD_NO
SECTOR_CODE
ACCOUNT_STATUS
CLEVTUDF
FIELD_NAME
FIELD_VALUE
MO-Save-InstStatChg-Req
SCODE
XREF
ACCNO
BRN
COMPNAME
SCHDUEDT
EFFDT
CURRSTAT
NEWSTAT
AUTHSTAT
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a response to do MO(Mortgages) account install status change

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Save-InstStatChg-Res-FULL

Attribute	Description
Name	Save-InstStatChg-Res-FULL
Datatype	
Description	Mortgages Installment Status Change Response Full Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates Schedule Due Date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String

Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ACC_STSH_CHARGES

Attribute	Description
Name	ACC_STSH_CHARGES
Datatype	
Description	Account Status Change Charge Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Comp Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates Schedule Due Date.

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_CCY

Attribute	Description
Name	SETTLE_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** length / 3 pattern / [A-Z]{3}

TOP

SETTLE_AMT

Attribute	Description
Name	SETTLE_AMT
Datatype	Number
Description	Indicates Settlement amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXCH_RATE

Attribute	Description
Name	EXCH_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LOAN_CCY_EQV

Attribute	Description
Name	LOAN_CCY_EQV
Datatype	Number
Description	Indicates Loan CurrencyEquivalent.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLE_BRN

Attribute	Description
Name	SETTLE_BRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

SETTLE_ACC

Attribute	Description
Name	SETTLE_ACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

SETTLE_PROD

Attribute	Description
Name	SETTLE_PROD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicate Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

END_POINT

Attribute	Description	
Name	END_POINT	
Datatype	String	
Description	Indicates End point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates Rounting Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNT_STATUS

Attribute	Description
Name	ACCOUNT_STATUS
Datatype	String
Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLEVTUDF

Attribute	Description
Name	CLEVTUDF
Datatype	
Description	Mortgages User Defined Field details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates Field Name
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates Field Value.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MO-Save-InstStatChg-Req-FULL

Attribute	Description
Name	MO-Save-InstStatChg-Req-FULL
Datatype	
Description	Mortgages Installment Status Change Request Full Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates Schedule Due Date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_STSH_CHARGES

Attribute	Description
Name	ACC_STSH_CHARGES
Datatype	
Description	Account Status Change Charge Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Comp Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

SETTLE_CCY

Attribute	**Description**	
Name	SETTLE_CCY	
Datatype	String	
Description	Indicates Settlement Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[A-Z]{3}

TOP

SETTLE_AMT

Attribute	**Description**	
Name	SETTLE_AMT	
Datatype	Number	
Description	Indicates Settlement amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EXCH_RATE

Attribute	**Description**	
Name	EXCH_RATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LOAN_CCY_EQV

Attribute	**Description**
Name	LOAN_CCY_EQV
Datatype	Number
Description	Indicates Loan CurrencyEquivalent.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLE_BRN

Attribute	**Description**	
Name	SETTLE_BRN	
Datatype	String	
Description	Indicates Settlement Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLE_ACC

Attribute	**Description**	
Name	SETTLE_ACC	
Datatype	String	
Description	Indicates Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLE_PROD

Attribute	**Description**	
Name	SETTLE_PROD	
Datatype	String	
Description	Indicates Settlement Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicate Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	String
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

RECORD_ROWID

Attribute	Description
Name	RECORD_ROWID
Datatype	String
Description	Indicates Record RowID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description	
Name	CLG_BANK_CODE	
Datatype	String	
Description	Indicates Clearing Bank Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROW_NUM

Attribute	Description	
Name	ROW_NUM	
Datatype	String	
Description	Indicates Row Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

END_POINT

Attribute	Description
Name	END_POINT
Datatype	String
Description	Indicates End point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates Rounting Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CARD_NO

Attribute	Description
Name	CARD_NO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE

Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ACCOUNT_STATUS

Attribute	Description
Name	ACCOUNT_STATUS
Datatype	String
Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLEVTUDF

Attribute	Description
Name	CLEVTUDF
Datatype	
Description	Mortgages User Defined Field details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates Field Name
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates Field Value.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MO-Save-InstStatChg-Req

Attribute	Description
Name	MO-Save-InstStatChg-Req
Datatype	
Description	Mortgages Installment Status Change Request IO Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates Schedule Due Date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description

Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Reaponse Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error response Details.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.69.4.MO-Save-InstStatChg-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Save-InstStatChg-Res-PK*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *ESN*
    - *MO-Save-InstStatChg-Req-FULL*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *COMPNAME*
      - *SCHDUEDT*
      - *EFFDT*
      - *CURRSTAT*
      - *NEWSTAT*
      - *AUTHSTAT*
      - *ACC_STSH_CHARGES*

ACCNO
BRN
COMPNAME
CHARGE_COMP_NAME
SETTLE_MODE
SETTLE_CCY
SETTLE_AMT
EXCH_RATE
LOAN_CCY_EQV
SETTLE_BRN
SETTLE_ACC
SETTLE_PROD
INSTRUMENT_NO
EVENT_SEQ_NO
RECORD_ROWID
EXT_ACC_NAME
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
ROW_NUM
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
CARD_NO
SECTOR_CODE
ACCOUNT_STATUS
CLEVTUDF
FIELD_NAME
FIELD_VALUE
MO-Save-InstStatChg-Req
SCODE
XREF
ACCNO
BRN
COMPNAME
SCHDUEDT
EFFDT
CURRSTAT
NEWSTAT
AUTHSTAT
FCUBS_WARNING_RESP
WARNING
WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) install status change

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Save-InstStatChg-Res-PK

Attribute	Description
Name	Save-InstStatChg-Res-PK
Datatype	
Description	Mortgages Installment Status Change Save Response PK Details.

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates Schedule Due date.

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

MO-Save-InstStatChg-Req-FULL

Attribute	Description
Name	MO-Save-InstStatChg-Req-FULL
Datatype	
Description	Mortgages Installment Status Change Request Full Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT
Datatype	Date
Description	Indicates Schedule Due date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description

Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACC_STSH_CHARGES

Attribute	Description
Name	ACC_STSH_CHARGES
Datatype	
Description	Account Settlement Charge Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Comp Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_CCY

Attribute	Description
Name	SETTLE_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** length / 3 pattern / [A-Z]{3}

TOP

SETTLE_AMT

Attribute	Description
Name	SETTLE_AMT
Datatype	Number
Description	Indicates Settlement amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EXCH_RATE

Attribute	Description
Name	EXCH_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LOAN_CCY_EQV

Attribute	Description
Name	LOAN_CCY_EQV
Datatype	Number
Description	Indicates Loan CurrencyEquivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLE_BRN

Attribute	Description
Name	SETTLE_BRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLE_ACC

Attribute	Description
Name	SETTLE_ACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SETTLE_PROD

Attribute	Description
Name	SETTLE_PROD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicate Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	String
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

RECORD_ROWID

Attribute	Description
Name	RECORD_ROWID
Datatype	String
Description	Indicates Record RowID
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLG_BRANCH_CODE

Attribute	Description
Name	CLG_BRANCH_CODE

Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ROW_NUM

Attribute	Description
Name	ROW_NUM
Datatype	String
Description	Indicates Row Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Category.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

END_POINT

Attribute	Description
Name	END_POINT
Datatype	String
Description	Indicates End point.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description	Indicates Rounting Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CARD_NO

Attribute	**Description**	
Name	CARD_NO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SECTOR_CODE

Attribute	**Description**	
Name	SECTOR_CODE	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ACCOUNT_STATUS

Attribute	**Description**
Name	ACCOUNT_STATUS
Datatype	String

Description	Indicates Account Status Active Account "A" Liquidate "L" Reversed "V" Hold "H" Inactive "I" Uninitiated "Y"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLEVTUDF

Attribute	Description
Name	CLEVTUDF
Datatype	
Description	Mortgages User Defined Field details.

TOP

FIELD_NAME

Attribute	Description
Name	FIELD_NAME
Datatype	String
Description	Indicates Field Name
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FIELD_VALUE

Attribute	Description
Name	FIELD_VALUE
Datatype	String
Description	Indicates Field Value.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MO-Save-InstStatChg-Req

Attribute	Description
Name	MO-Save-InstStatChg-Req
Datatype	
Description	Mortgages Installment Status Change Request IO Details.

TOP

SCODE

Attribute	Description
Name	SCODE

Datatype	String
Description	Indicates Source Code.
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

SCHDUEDT

Attribute	Description
Name	SCHDUEDT

Datatype	Date
Description	Indicates Schedule Due date.

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description	
Name	CURRSTAT	
Datatype	String	
Description	Indicates Current Status.	
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description	Indicates New Status.	
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Specifies whether the record is authorized or not.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Warning Response Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE

Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.70.SavePayment

SavePayment

2.70.1.MO-Save-Payment-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Pmnt-Req*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *VALDT*
    - *EXECDT*
    - *PREPMNT_RECOMP_BASIS*
    - *PREPMNT_RECOMP_FROM*
    - *INSTALLMENT_PAYMENT*
    - *LIMIT_DATE*
    - *AMTPAIDBACK*
    - *MAKERID*
    - *MAKERSTAMP*
    - *CHECKERID*
    - *CHECKERSTAMP*

REVR_MAKERID
REVR_CHECKERID
REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *MOPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
- *MOCOMPPMNT*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *COMPNAME*
  - *CCY*
  - *AMTDUE*
  - *ADJDUE*
  - *AMTOVDUE*

AMTNOTDUE

AMTWAIVED

AMTCAP

AMTPAID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Payment

TOP

MO-Save-Pmnt-Req

Attribute	Description
Name	MO-Save-Pmnt-Req
Datatype	
Description	It indicates Save Payment Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates External reference Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String

Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

AMTPAIDBACK

Attribute	Description
Name	AMTPAIDBACK
Datatype	Number
Description	Indicates the Excess Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	The User id who has authorized the booked contract
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_CHECKERID

Attribute	Description
Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates the Contract Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Indicates Paid Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates Paid Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDSTATUS

Attribute	Description

Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MOPMNTDET

Attribute	Description
Name	MOPMNTDET
Datatype	
Description	Indicates MO Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates The Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Indicates Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE

Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Indicates Component details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MOCOMPPMNT

Attribute	Description
Name	MOCOMPPMNT
Datatype	
Description	Indicates MO Payment details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates Event Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>22</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ADJDUE

Attribute	Description	
Name	ADJDUE	
Datatype	Number	
Description	Indicates Adjustment Due Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTOVDUE

Attribute	Description	
Name	AMTOVDUE	
Datatype	Number	
Description	Indicates Over Due Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

2.70.2.MO-Save-Payment-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Pmnt-Req-IO*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *VALDT*
    - *EXECDT*
    - *PREPMNT_RECOMP_BASIS*
    - *PREPMNT_RECOMP_FROM*
    - *INSTALLMENT_PAYMENT*
    - *LIMIT_DATE*
    - *AMTPAIDBACK*
    - *PAIDDET*
      - *DUEDATE*
      - *ESN*
      - *PAIDDT*
      - *PAIDSTATUS*
      - *MOPMNTDET*

SETTLEMENT_REF_NO
REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
MOCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to save a new MO(Mortgages) payment

TOP

MO-Save-Pmnt-Req-IO

Attribute	Description
Name	MO-Save-Pmnt-Req-IO
Datatype	
Description	It indicates Save Payment IO Request details of Mortgages module

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

XrefType

Attribute	Description
Name	XrefType

Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

EXECDT

Attribute	**Description**	
Name	EXECDT	
Datatype	String	
Description	Indicates Execution Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

PREPMNT_RECOMP_BASIS

Attribute	**Description**	
Name	PREPMNT_RECOMP_BASIS	
Datatype	String	
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	**Description**	
Name	PREPMNT_RECOMP_FROM	
Datatype	String	
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,V

TOP

INSTALLMENT_PAYMENT

Attribute	**Description**
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIMIT_DATE

Attribute	**Description**	
Name	LIMIT_DATE	
Datatype	String	
Description	Indicates Limit Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

AMTPAIDBACK

Attribute	**Description**	
Name	AMTPAIDBACK	
Datatype	Number	
Description	Indicates the Excess Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	24

TOP

PAIDDET

Attribute	**Description**	
Name	PAIDDET	
Datatype		
Description	Indicates Paid Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

DUEDATE

Attribute	**Description**	
Name	DUEDATE	
Datatype	String	
Description	Indicates Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates Paid Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MOPMNTDET

Attribute	Description
Name	MOPMNTDET
Datatype	
Description	Indicates MO Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description

Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settlement.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description	
Name	RTNGNO	
Datatype	String	
Description	Indicates the Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	Description	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Amount Settlement Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description	Indicates Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

MOCOMPPMNT

Attribute	Description
Name	MOCOMPPMNT
Datatype	
Description	Indicates MO Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE

Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

2.70.3.MO-Save-Payment-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Query-Payment-Res-Full*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *VALDT*
    - *EXECDT*
    - *PREPMNT_RECOMP_BASIS*
    - *PREPMNT_RECOMP_FROM*
    - *INSTALLMENT_PAYMENT*
    - *LIMIT_DATE*
    - *AMTPAIDBACK*
    - *MAKERID*
    - *MAKERSTAMP*
    - *CHECKERID*
    - *CHECKERSTAMP*
    - *REVR_MAKERID*
    - *REVR_CHECKERID*

REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
CUSTOMER_NO
MAIN_INT_RATE
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *MOPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
    - *COMPNAME*
    - *AMTPAID*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*

ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
COMPPMNTDET
COMPNAME
AMTPAID
COMPNAME
AMTPAID
SETTLEMENT_REF_NO
REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
MOCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY

AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID

MO-Save-Pmnt-Req

SCODE
XrefType
ACCNO
BRN
VALDT
EXECDT
PREPMNT_RECOMP_BASIS
PREPMNT_RECOMP_FROM
INSTALLMENT_PAYMENT
LIMIT_DATE
AMTPAIDBACK
MAKERID

MAKERSTAMP
CHECKERID
CHECKERSTAMP
REVR_MAKERID
REVR_CHECKERID
REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *MOPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
    - *COMPNAME*
    - *AMTPAID*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*

EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
COMPPMNTDET
COMPNAME
AMTPAID
COMPNAME
AMTPAID
SETTLEMENT_REF_NO
REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
MOCOMPPMNT
ACCNO
BRN

ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
MO-Save-Pmnt-Req-IO
SCODE
XrefType
ACCNO
BRN
ESN
VALDT
EXECDT
PREPMNT_RECOMP_BASIS
PREPMNT_RECOMP_FROM

INSTALLMENT_PAYMENT
LIMIT_DATE
AMTPAIDBACK
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *MOPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
    - *COMPNAME*
    - *AMTPAID*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*

EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
COMPPMNTDET
COMPNAME
AMTPAID
COMPNAME
AMTPAID
SETTLEMENT_REF_NO
REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
MOCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE

AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Payment

TOP

Query-Payment-Res-Full

Attribute	Description
Name	Query-Payment-Res-Full
Datatype	
Description	It indicates Query Payment full Response details of Mortgages module
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

AMTPAIDBACK

Attribute	Description
Name	AMTPAIDBACK
Datatype	Number
Description	Indicates the Excess Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	The User id who has authorized the booked contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_CHECKERID

Attribute	Description

Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String

Description	Indicates the Contract Status.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAIN_INT_RATE

Attribute	Description
Name	MAIN_INT_RATE
Datatype	Number
Description	Indicate Main Interest Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 20

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Indicate Paid details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicate Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicate Paid date
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicate Paid Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MOPMNTDET

Attribute	Description
Name	MOPMNTDET
Datatype	
Description	Indicates MO Payment Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String

Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description	
Name	RTNGNO	
Datatype	String	
Description	Indicates the Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	Description	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description	Indicates the Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Indicates Component details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO

Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	**Description**	
Name	RTNGNO	
Datatype	String	
Description	Indicates the Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	**Description**	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	**Description**	
Name	STTLBRN	
Datatype	String	
Description	Indicates the Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	

Description	Indicates Component details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC

Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Indicates Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	**Description**	
Name	STTLACC	
Datatype	String	
Description	Indicates the Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBRN

Attribute	**Description**	
Name	CLRBRN	
Datatype	String	
Description	Indicates the Clearing Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

MOCOMPPMNT

Attribute	Description
Name	MOCOMPPMNT
Datatype	
Description	Indicates MO Payment details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>24</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO

Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED

Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE

Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MO-Save-Pmnt-Req

Attribute	Description
Name	MO-Save-Pmnt-Req
Datatype	
Description	It indicates Save Payment Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String

Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

AMTPAIDBACK

Attribute	Description
Name	AMTPAIDBACK
Datatype	Number

Description	Indicates the Excess Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	The User id who has authorized the booked contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_CHECKERID

Attribute	Description
Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates the Contract Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Indicate Paid details
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicate Due Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN

Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicate Paid date
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicate Paid Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MOPMNTDET

Attribute	Description
Name	MOPMNTDET
Datatype	
Description	Indicates MO Payment Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description

Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	**Description**	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	**Description**	
Name	STTLBRN	
Datatype	String	
Description	Indicates the Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	**Description**	
Name	STTLACC	
Datatype	String	
Description	Indicates the Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Indicates Component details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REVERSED

Attribute	Description	
Name	REVERSED	
Datatype	String	
Description	Indicate reversed Y:yes N:no	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLCCY

Attribute	Description	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	Description	
Name	AMTSTTL	
Datatype	Number	
Description	Indicates the Amount Settled.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

EXCHRATE

Attribute	Description	
Name	EXCHRATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLPRD

Attribute	Description	
Name	STTLPRD	
Datatype	String	
Description	Indicates the Settlement Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates the Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	Description	
Name	ENDPT	
Datatype	String	
Description	Indicates the End Point	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates the Card Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

RTNGNO

Attribute	Description
Name	RTNGNO

Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Indicates Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBRN

Attribute	**Description**	
Name	CLRBRN	
Datatype	String	
Description	Indicates the Clearing Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	**Description**	
Name	COMPPMNTDET	
Datatype		
Description	Indicates Component details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**
Name	COMPNAME

Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REVERSED

Attribute	**Description**	
Name	REVERSED	
Datatype	String	
Description	Indicate reversed Y:yes N:no	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description	Indicates the Amount Settled.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

EXCHRATE

Attribute	**Description**	
Name	EXCHRATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Indicates Loan Currency Equivalent.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

STTLACC

Attribute	Description
Name	STTLACC

Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

MOCOMPPMNT

Attribute	Description
Name	MOCOMPPMNT
Datatype	
Description	Indicates MO Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP

Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE

Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MO-Save-Pmnt-Req-IO

Attribute	Description
Name	MO-Save-Pmnt-Req-IO
Datatype	
Description	It indicates Save Payment IO Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	**Description**	
Name	PREPMNT_RECOMP_FROM	
Datatype	String	
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,V

TOP

INSTALLMENT_PAYMENT

Attribute	**Description**	
Name	INSTALLMENT_PAYMENT	
Datatype	String	
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIMIT_DATE

Attribute	**Description**	
Name	LIMIT_DATE	
Datatype	String	
Description	Indicates Limit Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

AMTPAIDBACK

Attribute	**Description**
Name	AMTPAIDBACK
Datatype	Number
Description	Indicates the Excess Amount.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	24

TOP

PAIDDET

Attribute	**Description**	
Name	PAIDDET	
Datatype		
Description	Indicate Paid details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

DUEDATE

Attribute	**Description**	
Name	DUEDATE	
Datatype	String	
Description	Indicate Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Restrictions	**Restrictions**	**Description**
	totalDigits	24

TOP

PAIDDT

Attribute	**Description**	
Name	PAIDDT	
Datatype	String	
Description	Indicate Paid date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicate Paid Status
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

MOPMNTDET

Attribute	Description
Name	MOPMNTDET
Datatype	
Description	Indicates MO Payment Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

STTLCCY

Attribute	Description
Name	STTLCCY

Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	**Description**	
Name	ENDPT	
Datatype	String	
Description	Indicates the End Point	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates the Card Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	**Description**	
Name	EXTACNO	
Datatype	String	
Description	Indicates the External Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACNM

Attribute	**Description**	
Name	EXTACNM	
Datatype	String	
Description	Indicates the External Account Name	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Indicates Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Indicates Component details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTPAID

Attribute	Description	
Name	AMTPAID	
Datatype	Number	
Description	Indicates Amount paid.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

SETTLEMENT_REF_NO

Attribute	Description	
Name	SETTLEMENT_REF_NO	
Datatype	String	
Description	Indicates Settlement Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REVERSED

Attribute	Description	
Name	REVERSED	
Datatype	String	
Description	Indicate reversed Y:yes N:no	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLCCY

Attribute	Description	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	Description	
Name	AMTSTTL	
Datatype	Number	
Description	Indicates the Amount Settled.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

EXCHRATE

Attribute	Description	
Name	EXCHRATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLPRD

Attribute	Description	
Name	STTLPRD	
Datatype	String	
Description	Indicates the Settlement Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	Description

Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	**Description**	
Name	CLRBNK	
Datatype	String	
Description	Indicates the Clearing Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	**Description**	
Name	UPLDSRC	
Datatype	String	
Description	Indicates the Upload Source	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	**Description**	
Name	RTNGNO	
Datatype	String	
Description	Indicates the Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	**Description**	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description	Indicates the Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description	
Name	STTLACC	
Datatype	String	
Description	Indicates the Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBRN

Attribute	Description	
Name	CLRBRN	
Datatype	String	
Description	Indicates the Clearing Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Indicates Component details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTPAID

Attribute	Description	
Name	AMTPAID	
Datatype	Number	
Description	Indicates Amount paid.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

SETTLEMENT_REF_NO

Attribute	Description	
Name	SETTLEMENT_REF_NO	
Datatype	String	
Description	Indicates Settlement Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REVERSED

Attribute	Description	
Name	REVERSED	
Datatype	String	
Description	Indicate reversed Y:yes N:no	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLCCY

Attribute	Description	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	Description	
Name	AMTSTTL	
Datatype	Number	
Description	Indicates the Amount Settled.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

EXCHRATE

Attribute	Description	
Name	EXCHRATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLPRD

Attribute	Description	
Name	STTLPRD	
Datatype	String	
Description	Indicates the Settlement Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM

Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	**Description**	
Name	STTLBRN	
Datatype	String	
Description	Indicates the Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	**Description**	
Name	STTLACC	
Datatype	String	
Description	Indicates the Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBRN

Attribute	**Description**	
Name	CLRBRN	
Datatype	String	
Description	Indicates the Clearing Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	Description	
Name	PMNTMODE	
Datatype	String	
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

MOCOMPPMNT

Attribute	Description	
Name	MOCOMPPMNT	
Datatype		
Description	Indicates MO Payment details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account NUmber.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE

Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTPAID

Attribute	**Description**	
Name	AMTPAID	
Datatype	Number	
Description	Indicates Amount paid.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account NUmber.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Restrictions	**Restrictions**	**Description**
	totalDigits	24

TOP

COMPNAME

Attribute	**Description**
Name	COMPNAME

Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTNOTDUE

Attribute	**Description**	
Name	AMTNOTDUE	
Datatype	Number	
Description	Indicates Amount Not Due Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTWAIVED

Attribute	**Description**	
Name	AMTWAIVED	
Datatype	Number	
Description	Indicates Amount Waived Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTCAP

Attribute	**Description**	
Name	AMTCAP	
Datatype	Number	
Description	Indicates Amount capitilized.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTPAID

Attribute	**Description**	
Name	AMTPAID	
Datatype	Number	
Description	Indicates Amount paid.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account NUmber.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ESN

Attribute	Description	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number.	
Restrictions	**Restrictions**	**Description**
	totalDigits	24

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTWAIVED

Attribute	Description	
Name	AMTWAIVED	
Datatype	Number	
Description	Indicates Amount Waived Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTCAP

Attribute	Description	
Name	AMTCAP	
Datatype	Number	
Description	Indicates Amount capitilized.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTPAID

Attribute	Description	
Name	AMTPAID	
Datatype	Number	
Description	Indicates Amount paid.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	It indicates Flexcube Warning Response Message	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.70.4.MO-Save-Payment-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Query-Payment-Res-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Save-Pmnt-Req*
      - *SCODE*
      - *XrefType*
      - *ACCNO*
      - *BRN*
      - *VALDT*
      - *EXECDT*
      - *PREPMNT_RECOMP_BASIS*
      - *PREPMNT_RECOMP_FROM*
      - *INSTALLMENT_PAYMENT*
      - *LIMIT_DATE*
      - *AMTPAIDBACK*
      - *MAKERID*
      - *MAKERSTAMP*

CHECKERID
CHECKERSTAMP
REVR_MAKERID
REVR_CHECKERID
REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *MOPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*

ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
MOCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
MO-Save-Pmnt-Req-IO
SCODE
XrefType
ACCNO
BRN
ESN

VALDT
EXECDT
PREPMNT_RECOMP_BASIS
PREPMNT_RECOMP_FROM
INSTALLMENT_PAYMENT
LIMIT_DATE
AMTPAIDBACK
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *MOPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*

CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
MOCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Payment

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Query-Payment-Res-PK

Attribute	Description
Name	Query-Payment-Res-PK
Datatype	
Description	It indicates Query Payment PK Response details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

MO-Save-Pmnt-Req

Attribute	Description
Name	MO-Save-Pmnt-Req
Datatype	
Description	It indicates Save Payment Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates External reference Type.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description	
Name	LIMIT_DATE	
Datatype	String	
Description	Indicates Limit Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

AMTPAIDBACK

Attribute	Description	
Name	AMTPAIDBACK	
Datatype	Number	
Description	Indicates the Excess Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	24

TOP

MAKERID

Attribute	Description	
Name	MAKERID	
Datatype	String	
Description	Indicates User id who has booked the contract	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates date and stamp when the user has booked the contract	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	The User id who has authorized the booked contract
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

REVR_CHECKERID

Attribute	Description
Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP

Datatype	String
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates the Contract Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Indicates Paid Details

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates Paid Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MOPMNTDET

Attribute	Description
Name	MOPMNTDET
Datatype	
Description	Indicates MO Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates The Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description

Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	Description	
Name	UPLDSRC	
Datatype	String	
Description	Indicates the Upload Source	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	Description	
Name	RTNGNO	
Datatype	String	
Description	Indicates the Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	Description	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description	Indicates the Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description	
Name	STTLACC	
Datatype	String	
Description	Indicates the Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBRN

Attribute	Description	
Name	CLRBRN	
Datatype	String	
Description	Indicates the Clearing Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	Description	
Name	PMNTMODE	
Datatype	String	
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Indicates Component details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates The Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description

Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	**Description**	
Name	SCTRCD	
Datatype	String	
Description	Indicates the Sector Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description	Indicates Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	**Description**	
Name	STTLBRN	
Datatype	String	
Description	Indicates the Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	**Description**	
Name	STTLACC	
Datatype	String	
Description	Indicates the Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

MOCOMPPMNT

Attribute	Description
Name	MOCOMPPMNT
Datatype	
Description	Indicates MO Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTCAP

Attribute	Description	
Name	AMTCAP	
Datatype	Number	
Description	Indicates Amount capitilized.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTPAID

Attribute	Description	
Name	AMTPAID	
Datatype	Number	
Description	Indicates Amount paid.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>24</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Due Amount.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Over Due Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MO-Save-Pmnt-Req-IO

Attribute	Description
Name	MO-Save-Pmnt-Req-IO
Datatype	
Description	It indicates Save Payment IO Request details of Mortgages module
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates External reference Type.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	Restrictions: maxLength; Description: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	Restrictions: maxLength; Description: 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	Restrictions: totalDigits; Description: 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Restrictions	Restrictions: maxLength; Description: 15

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Restrictions	Restrictions: maxLength; Description: 15

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

AMTPAIDBACK

Attribute	Description
Name	AMTPAIDBACK
Datatype	Number
Description	Indicates the Excess Amount.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Indicates Paid Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates Paid Date

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

PAIDSTATUS

Attribute	**Description**	
Name	PAIDSTATUS	
Datatype	String	
Description	Indicates Paid Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MOPMNTDET

Attribute	**Description**	
Name	MOPMNTDET	
Datatype		
Description	Indicates MO Payment details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENT_REF_NO

Attribute	**Description**	
Name	SETTLEMENT_REF_NO	
Datatype	String	
Description	Indicates The Settlement Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REVERSED

Attribute	**Description**	
Name	REVERSED	
Datatype	String	
Description	Indicate reversed Y:yes N:no	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates the Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	Description	
Name	ENDPT	
Datatype	String	
Description	Indicates the End Point	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates the Card Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description	Indicates the External Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

SCTRCD

Attribute	Description
Name	SCTRCD

Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Indicates Loan Currency Equivalent.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	**Description**	
Name	COMPPMNTDET	
Datatype		
Description	Indicates Component details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTPAID

Attribute	**Description**
Name	AMTPAID

Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates The Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicate reversed Y:yes N:no
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates the Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates the Amount Settled.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates the Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates the Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates the End Point
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates the Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates the External Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates the External Account Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates the Clearing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates the Upload Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates the Routing Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates the Sector Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Indicates Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates the Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates the Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates the Clearing Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates the Payment Mode. ACC:ACC TLR :TLR CLG :CLG INS :INS EPO :EPO CCD :CCD DCD :DCD EAC :EAC ICK :ICK
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

MOCOMPPMNT

Attribute	Description
Name	MOCOMPPMNT
Datatype	
Description	Indicates MO Payment details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description	Indicates Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ADJDUE

Attribute	**Description**	
Name	ADJDUE	
Datatype	Number	
Description	Indicates Adjustment Due Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTOVDUE

Attribute	**Description**	
Name	AMTOVDUE	
Datatype	Number	
Description	Indicates Over Due Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTNOTDUE

Attribute	Description	
Name	AMTNOTDUE	
Datatype	Number	
Description	Indicates Amount Not Due Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTWAIVED

Attribute	Description	
Name	AMTWAIVED	
Datatype	Number	
Description	Indicates Amount Waived Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTCAP

Attribute	Description	
Name	AMTCAP	
Datatype	Number	
Description	Indicates Amount capitilized.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTPAID

Attribute	Description	
Name	AMTPAID	
Datatype	Number	
Description	Indicates Amount paid.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ADJDUE

Attribute	Description	
Name	ADJDUE	
Datatype	Number	
Description	Indicates Adjustment Due Amount.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTOVDUE

Attribute	Description	
Name	AMTOVDUE	
Datatype	Number	
Description	Indicates Over Due Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTNOTDUE

Attribute	Description	
Name	AMTNOTDUE	
Datatype	Number	
Description	Indicates Amount Not Due Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived Details.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount capitilized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description

Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.71.SaveReassign

SaveReassign

2.71.1.MO-Save-Reassign-Account-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Reassign-Account-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *CUSTID*
    - *OTHAPPLCNT*
      - *CUSTID*
      - *CUSTNAME*
      - *RESP*
      - *LIABPERCNT*
      - *LIABAMT*
      - *EFFDT*
    - *LINKAGES*
      - *LINKTYPE*
      - *LINKREFNO*

LINKAMT
CUSTID
SECPORTION
LIQUIDATIONORDER
STAT
COMP
LIQORDER
RATE_CHG_ACTION

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	

Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

MO-Save-Reassign-Account-Req

Attribute	Description
Name	MO-Save-Reassign-Account-Req
Datatype	
Description	Indicates MO-Save Reassign Account-Request type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Indicates Other Applicants details
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String

Description	Indicates Responsibility. Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability % of Other Applicants
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount of Other Applicants
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date of Other Applicants
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	Indicates the Linkage Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	Indicates the Linkage Type of Linkage Details Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	Indicates the Linked Reference Number of Linkage Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description

Name	LINKAMT
Datatype	Number
Description	Indicates the Linkage Amount of Linkage Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	Indicates the Secured Portion of Linkage Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

RATE_CHG_ACTION

Attribute	Description
Name	RATE_CHG_ACTION
Datatype	String
Description	Indicates Auto Rate Change Action.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

2.71.2.MO-Save-Reassign-Account-Req-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Save-Reassign-Req-IO*
  - *SCODE*
  - *XREF*
  - *ACCNO*
  - *BRN*
  - *CUSTID*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

MO-Save-Reassign-Req-IO

Attribute	Description
Name	MO-Save-Reassign-Req-IO
Datatype	
Description	Indicates MO-Save Reassign Account Request-IO type

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.71.3.MO-Save-Reassign-Account-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Account-Master-Details-Res*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *PRD*
      - *PRDCAT*
      - *CUSTID*
      - *CCY*
      - *AMOUNT*
      - *VALDT*
      - *BOOKDT*
      - *MATDT*
      - *NO_OF_INST*
      - *ALTACCNO*
      - *CONTSTAT*
      - *NETAMT*
      - *ORIGSTDT*

CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
ARVN_APPLIED
AUTO_MAN_ROLLOVER
CALC_REQD
CR_ACC_BRN
DR_ACC_BRN
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
DERIVED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT

L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
UDEDET
  ACCNO
  BRN

- EFFDT
- UDEVALS
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL
- HOLIDAYPRD
  - ACCNO
  - BRN
  - PERIOD
- SETTLDETAILS
  - EVENT_SEQ_NO
  - AMOUNT_TAG
  - VERSION_FLAG
  - TAG_CCY
  - ACC_BRANCH
  - ACCOUNT
  - ACC_CCY
  - CCY_RESTRICTION
  - EX_RATE
  - VALUE_DATE

SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4

ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3

- *OTHER_DETAILS_TYPE4*
- *OTHER_DETAILS_TYPE5*
- *OTHER_DETAILS_TYPE6*
- *STATUS*
- *OTHER_DETAILS1*
- *OTHER_DETAILS2*
- *OTHER_DETAILS3*
- *OTHER_DETAILS4*
- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*

- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*
- *EXTACNMDR*
- *CLGBKDR*
- *CLGBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTNOCR*
- *ROUTINGCR*
- *ENDPTCR*
- *CLGPRODCR*
- *SECTORCR*
- *INSTNODR*

ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*

PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT

NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
REVNSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE

SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE

LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS

LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT

AMORT_PRINC

CHARGEDET

COMPNAME

STTLMTCCY

COMPTYPE

MAINCOMPFLAG

SPLINTFLAG

SPLINTAMT

PENALBASISCOMP

CAPITALIZED

DRPAYMTMODE

CRPAYMTMODE

DRPRDACC

CRPRDACC

DRACCBRN

CRACCBRN

SVCACC

SVCACCBRN

EXTACNOCR

EXTACNMCR

CLGBKCR

CLGBRNCR

PCCATCR

EXTACNODR

EXTACNMDR

CLGBKDR

CLGBRNDR

PCCATDR

CARDNO

INSTNOCR

ROUTINGCR

ENDPTCR

CLGPRODCR

SECTORCR

INSTNODR

ROUTINGDR

ENDPTDR

CLGPRODDR

SECTORDR

VERIFYFUNDS

FUNDINT

FUNDROLL

COMPCCY

UPSOURCEDR

UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*

ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE

ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE

ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID
UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT
COMMPREF
LAST_DSBR_DT
MATURITY_DT
PROPERTY
PNAME
PTYPE
PADDRESS1

- PADDRESS2
- PADDRESS3
- PADDRESS4
- COUNTRY
- POWNER
- PAGE
- PVALUE
- OMARGIN
- LMARGIN
- VCCY

EVENTADVICES

- EVENT_CODE
- EVENT_SEQ_NO
- MSG_TYPE
- DCN
- SUPPRESS
- PRIORITY
- FORMAT
- GENERATION_TIME

ADVSUPPRESS

- MSGTYPE

MIS-MASTER

- MISDETAILS
  - BRANCH
  - CUSTNO
  - MISGRP
  - RELREF
  - RELACC
  - MISHD
  - POOLCD
  - REFRT
  - REFRTTYPE
  - REFXRT
  - CALCMETH
  - MISGRPTXN
  - REFRTCD
  - REFRTSPRD
  - FUNDMIS1
  - FUNDMIS2
  - FUNDMIS3
  - FUNDMIS4
  - FUNDMIS5
  - FUNDMIS6
  - FUNDMIS7

FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1

COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP

COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5

COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4

COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9

COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
MO-Save-Reassign-Account-Req
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST

ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
ARVN_APPLIED
AUTO_MAN_ROLLOVER
CALC_REQD
CR_ACC_BRN
DR_ACC_BRN
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
DERIVED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT

L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
UDEDET
  ACCNO
  BRN
  EFFDT
  UDEVALS

ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
HOLIDAYPRD
ACCNO
BRN
PERIOD
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE

PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2

ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5

- *OTHER_DETAILS_TYPE6*
- *STATUS*
- *OTHER_DETAILS1*
- *OTHER_DETAILS2*
- *OTHER_DETAILS3*
- *OTHER_DETAILS4*
- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*

- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*
- *EXTACNMDR*
- *CLGBKDR*
- *CLGBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTNOCR*
- *ROUTINGCR*
- *ENDPTCR*
- *CLGPRODCR*
- *SECTORCR*
- *INSTNODR*
- *ROUTINGDR*
- *ENDPTDR*

CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*

BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ

UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
REVNSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG

SCHEDULE_LINKAGE

SCHEDULE

FORMULA_NAME

SCHEDULE_TYPE

SCHEDULE_ST_DATE

DUEDATE

GRACEDAYS

ORIG_AMOUNT_DUE

AMTDUE

ADJ_AMOUNT

AMTSETT

AMOUNT_OVERDUE

ACCRAMT

SETTLEMENT_CCY

AMTLCY

DLY_AVG_AMT

EMIAMT

SCHEDULE_FLAG

ISWAIVE

EVENT_SEQ_NO

SCHEDULE_LINKAGE

ISCAP

PROCESS_NO

AMTREADJUSTED

SUSP_AMT_DUE

SUSP_AMT_SETTLED

SUSP_AMT_LCY

SUSP_READ_AMT

SUSP_READ_SETTLED

LAST_SUSP_XRATE

READJ_SETTLED

LAST_READJ_XRATE

ADJ_SETTLED

SCHSTATUS

ACCOUNT_GL

LAST_PMNT_VALUE_DATE

RETRY_START_DATE

MORA_INT

SCHEDULE_NO

WRITEOFF_AMT

AMOUNT_WAIVED

IRR_APPLICABLE

LIST_DAYS

LIST_AVG_AMT

AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
CHARGEDET

COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR

GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*

AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO

AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO

- AMTREADJUSTED
- SUSP_AMT_DUE
- SUSP_AMT_SETTLED
- SUSP_AMT_LCY
- SUSP_READ_AMT
- SUSP_READ_SETTLED
- LAST_SUSP_XRATE
- READJ_SETTLED
- LAST_READJ_XRATE
- ADJ_SETTLED
- SCHSTATUS
- ACCOUNT_GL
- LAST_PMNT_VALUE_DATE
- RETRY_START_DATE
- MORA_INT
- SCHEDULE_NO
- WRITEOFF_AMT
- AMOUNT_WAIVED
- IRR_APPLICABLE
- LIST_DAYS
- LIST_AVG_AMT
- AMORT_PRINC
- EFFDATE

LINKAGES

- LINKAGE_SEQ_NO
- LINKTYPE
- LINKAGE_BRANCH
- LINKREFNO
- LINKAMT
- AMT_BLOCK_NO
- SECPORTION
- CUSTID

UDERTPLAN

- PERIOD_ST_DT
- PERIOD_END_DT

COMMPREF

- LAST_DSBR_DT
- MATURITY_DT

PROPERTY

- PNAME
- PTYPE
- PADDRESS1
- PADDRESS2
- PADDRESS3

- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

EVENTADVICES

- *EVENT_CODE*
- *EVENT_SEQ_NO*
- *MSG_TYPE*
- *DCN*
- *SUPPRESS*
- *PRIORITY*
- *FORMAT*
- *GENERATION_TIME*

ADVSUPPRESS

- *MSGTYPE*

MIS-MASTER

- *MISDETAILS*
  - *BRANCH*
  - *CUSTNO*
  - *MISGRP*
  - *RELREF*
  - *RELACC*
  - *MISHD*
  - *POOLCD*
  - *REFRT*
  - *REFRTTYPE*
  - *REFXRT*
  - *CALCMETH*
  - *MISGRPTXN*
  - *REFRTCD*
  - *REFRTSPRD*
  - *FUNDMIS1*
  - *FUNDMIS2*
  - *FUNDMIS3*
  - *FUNDMIS4*
  - *FUNDMIS5*
  - *FUNDMIS6*
  - *FUNDMIS7*
  - *FUNDMIS8*
  - *FUNDMIS9*

FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3

COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2

COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7

COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6

COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1

TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
MO-Save-Reassign-Req-IO
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID
CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO

PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
ARVN_APPLIED
AUTO_MAN_ROLLOVER
CALC_REQD
CR_ACC_BRN
DR_ACC_BRN
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
DERIVED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID

L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
LIQUIDATIONORDER
  STAT
  COMP
  LIQORDER
UDEDET
  ACCNO
  BRN
  EFFDT
  UDEVALS
    ACCNO
    BRN

EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
ACCNO
BRN
EFFDT
UDEID
UDEVAL
RATECD
CODEUSE
RATETYP
RESOLVAL
HOLIDAYPRD
ACCNO
BRN
PERIOD
SETTLDETAILS
EVENT_SEQ_NO
AMOUNT_TAG
VERSION_FLAG
TAG_CCY
ACC_BRANCH
ACCOUNT
ACC_CCY
CCY_RESTRICTION
EX_RATE
VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE

INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4

BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS

- *OTHER_DETAILS1*
- *OTHER_DETAILS2*
- *OTHER_DETAILS3*
- *OTHER_DETAILS4*
- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*

- REMARK5
- REMARK6
- REMARK7
- REMARK8
- REMARK9
- REMARK10

COMPDET

- COMPNAME
- STTLMTCCY
- COMPTYPE
- MAINCOMPFLAG
- SPLINTFLAG
- SPLINTAMT
- PENALBASISCOMP
- CAPITALIZED
- DRPAYMTMODE
- CRPAYMTMODE
- DRPRDACC
- CRPRDACC
- DRACCBRN
- CRACCBRN
- SVCACC
- SVCACCBRN
- EXTACNOCR
- EXTACNMCR
- CLGBKCR
- CLGBRNCR
- PCCATCR
- EXTACNODR
- EXTACNMDR
- CLGBKDR
- CLGBRNDR
- PCCATDR
- CARDNO
- INSTNOCR
- ROUTINGCR
- ENDPTCR
- CLGPRODCR
- SECTORCR
- INSTNODR
- ROUTINGDR
- ENDPTDR
- CLGPRODDR
- SECTORDR

VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*

BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT

AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
REVNSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE

FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME

SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE

SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET
COMPNAME
STTLMTCCY

COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR

PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*
- *SETTLEMENT_CCY*
- *AMTLCY*
- *DLY_AVG_AMT*
- *EMIAMT*
- *SCHEDULE_FLAG*
- *ISWAIVE*
- *EVENT_SEQ_NO*
- *SCHEDULE_LINKAGE*
- *ISCAP*
- *PROCESS_NO*
- *AMTREADJUSTED*
- *SUSP_AMT_DUE*

SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE

SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE

SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE

LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID

UDERTPLAN
PERIOD_ST_DT
PERIOD_END_DT

COMMPREF
LAST_DSBR_DT
MATURITY_DT

PROPERTY
PNAME
PTYPE
PADDRESS1
PADDRESS2
PADDRESS3
PADDRESS4
COUNTRY

- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

EVENTADVICES

- *EVENT_CODE*
- *EVENT_SEQ_NO*
- *MSG_TYPE*
- *DCN*
- *SUPPRESS*
- *PRIORITY*
- *FORMAT*
- *GENERATION_TIME*

ADVSUPPRESS

- *MSGTYPE*

MIS-MASTER

- *MISDETAILS*
  - *BRANCH*
  - *CUSTNO*
  - *MISGRP*
  - *RELREF*
  - *RELACC*
  - *MISHD*
  - *POOLCD*
  - *REFRT*
  - *REFRTTYPE*
  - *REFXRT*
  - *CALCMETH*
  - *MISGRPTXN*
  - *REFRTCD*
  - *REFRTSPRD*
  - *FUNDMIS1*
  - *FUNDMIS2*
  - *FUNDMIS3*
  - *FUNDMIS4*
  - *FUNDMIS5*
  - *FUNDMIS6*
  - *FUNDMIS7*
  - *FUNDMIS8*
  - *FUNDMIS9*
  - *FUNDMIS10*
  - *MISGRPCOMP*

COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5

COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4

COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9

COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8

COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3

TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Account-Master-Details-Res

Attribute	Description
Name	Account-Master-Details-Res
Datatype	
Description	Indicates Account-Master Details-Response type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CONTSTAT

Attribute	Description	
Name	CONTSTAT	
Datatype	String	
Description	Indicates Account Status Active Account : A Liquidate : L Reversed : V Hold : H Inactive : I Uninitiated : Y Closed : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

NETAMT

Attribute	Description	
Name	NETAMT	
Datatype	Number	
Description	Indicates Net Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIGSTDT

Attribute	Description	
Name	ORIGSTDT	
Datatype	Date	
Description	Indicates Original Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMENDPAST

Attribute	Description	
Name	AMENDPAST	
Datatype	String	
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ATMFACILITY

Attribute	Description	
Name	ATMFACILITY	
Datatype	String	
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTARYAUTO

Attribute	Description	
Name	NOTARYAUTO	
Datatype	String	
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIQDBACK

Attribute	**Description**	
Name	LIQDBACK	
Datatype	String	
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BULK_PAYMENT

Attribute	**Description**	
Name	ALLOW_BULK_PAYMENT	
Datatype	String	
Description	Indicates Bulk Payment Allowed Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTOLIQ

Attribute	**Description**	
Name	AUTOLIQ	
Datatype	String	
Description	Indicates Auto Liquidation Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTLIQ

Attribute	**Description**
Name	PARTLIQ
Datatype	String
Description	Indicates Partial Liquidation Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RETRIES

Attribute	**Description**	
Name	RETRIES	
Datatype	Number	
Description	Indicates Retries for auto Liquidation	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RETRIES_ADVICE_DAYS

Attribute	**Description**	
Name	RETRIES_ADVICE_DAYS	
Datatype	Number	
Description	Indicates Retries for advice days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	**Description**	
Name	LOAN_STLMNT_NOTICEFLG	
Datatype	String	
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTICE_DATE

Attribute	**Description**
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Indicates Manual Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description

Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover Type Special : S Custom : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ARVN_APPLIED

Attribute	Description	
Name	ARVN_APPLIED	
Datatype	String	
Description	It indicates ARVN Applied	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description	
Name	AUTO_MAN_ROLLOVER	
Datatype	String	
Description	Indicates Auto or Manual Roll over Auto : A Manual : M	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALC_REQD

Attribute	Description	
Name	CALC_REQD	
Datatype	String	
Description	Indicates Calculation Required	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CR_ACC_BRN

Attribute	Description	
Name	CR_ACC_BRN	
Datatype	String	
Description	Indicates Credit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	5

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Funded Status Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Liquidate Component Dates Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type Fixed : F Call : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Identtification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description	
Name	RATE_CODE_PREF	
Datatype	String	
Description	Indicates Rate Code Preference	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	Description	
Name	USER_DEFINED_STATUS	
Datatype	String	
Description	Indicates User Defined Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	Description	
Name	DERIVED_STATUS	
Datatype	String	
Description	Indicates Derived Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Auth status Authorised : A Unauthorized : U	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicates Amount Financed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String
Description	Indicates Customer Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String

Description	Indicates Maker ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Maker Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Auth Status Authorise : A UnAuthorise : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number

Description	Indicates Amount Available
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	Indicates Loan Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description

Name	USER_REF_NO
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	**Description**	
Name	SUBCUSTID	
Datatype	String	
Description	Indicates Subsidy Customer ID.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	**Description**	
Name	INTERINIT	
Datatype	String	
Description	Indicates Intermediary Initiated.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

INTERCODE

Attribute	**Description**	
Name	INTERCODE	
Datatype	String	
Description	Indicates Intermediary Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROMOTIONS

Attribute	**Description**	
Name	PROMOTIONS	
Datatype		
Description	Indicates Promotions details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRTYP

Attribute	Description	
Name	PRTYP	
Datatype	String	
Description	Indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRID

Attribute	Description	
Name	PRID	
Datatype	String	
Description	Indicates Promotion Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEFCIF

Attribute	Description	
Name	BENEFCIF	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PRIORITY

Attribute	Description	
Name	PRIORITY	
Datatype	Number	
Description	Indicates Priority	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

OTHAPPLCNT

Attribute	Description	
Name	OTHAPPLCNT	
Datatype		
Description	Indicates Other Applicants details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String

Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates UDE Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String

Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String

Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description

Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Indicates Holiday Periods details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Holiday Period
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Indicates Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	It indicates Version Flag value
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	It indicates value of Tag Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	It indicates Account Branch
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

ACCOUNT

Attribute	Description	
Name	ACCOUNT	
Datatype	String	
Description	It indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	Description	
Name	ACC_CCY	
Datatype	String	
Description	It indicates Account Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	Description	
Name	CCY_RESTRICTION	
Datatype	String	
Description	It indicates Currency Restriction	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	Description	
Name	EX_RATE	
Datatype	Number	
Description	It indicates Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	It indicates Value_Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	It indicates Settlement Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	It indicates Payer/Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	It indicates Payment By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE

Datatype	String
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	It Indicates Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	It indicates Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	It indicates Change Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String

Description	It indicates Change Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	It indicates Party Information Allowed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	It indicates Cover Required Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	It indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String

Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	It indicates Our Correspondent
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	It indicates Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Indicates Field 1 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Indicates Field 2 of Intermediary Reim Institution

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	**Description**	
Name	INT_REIM_INST3	
Datatype	String	
Description	Indicates Field 3 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	**Description**	
Name	INT_REIM_INST4	
Datatype	String	
Description	Indicates Field 4 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	**Description**	
Name	RCVR_CORRESP1	
Datatype	String	
Description	Indicates Field 1 of Receiver Correspondence	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	**Description**	
Name	RCVR_CORRESP2	
Datatype	String	
Description	Indicates Field 2 of Receiver Correspondence	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Field 3 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Field 4 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Field 1 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Field 2 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Field 3 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Field 4 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Field 1 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Field 2 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3

Datatype	String
Description	Indicates Field 3 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Field 4 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Field 1 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Field 2 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO4

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO4	
Datatype	String	
Description	Indicates Field 4 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO5

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO5	
Datatype	String	
Description	Indicates Field 5 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO6

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO6	
Datatype	String	
Description	Indicates Field 6 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION1

Attribute	**Description**	
Name	ORDERING_INSTITUTION1	
Datatype	String	
Description	Indicates Field 1 of Ordering Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Field 1 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2

Datatype	String
Description	Indicates Field 2 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Field 3 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Field 4 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	It indicates Exchange Rate Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	It indicates ERI Currency

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	**Description**	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	**Description**	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	**Description**	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description	It indicates Field 5 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	**Description**	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description	It indicates Field 5 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	It indicates Mininmum Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	It indicates Interpay Generated
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description

Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Field 5 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	It indicates Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	It indicates Generation Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	It indicates IBAN Account Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description	It indicates Issuing Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description	It indicates Payable Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description	It indicates Printed Stationary Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description	It indicates Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS

Datatype	String
Description	It indicates Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	It indicates Other Details

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	It indicates the value of Netting Accross Modules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	It indicates Netting Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	It indicates Cover By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	It indicates External Product Category
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	It indicates External Station Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	It indicates External Source
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	It indicates the External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	It indicates External Party BIC code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	It indicates External Party Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	Description	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	It indicates External Party Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description	It indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description	It indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	It indicates Agreement Id
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	It indicates Post Accounting
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	It indicates Flexcube PC Contract Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	It indicates the External Party Clearing Network
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD

Datatype	Number
Description	It indicates Customer Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	It indicates External Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	It indicates Spread Defintion
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	It indicates RTGS Payment
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	It indicates Banking Priority

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description	It indicates RTGS Network	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMP

Attribute	**Description**	
Name	ROLLCOMP	
Datatype		
Description	It indicates Rollover Component details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	It indicates Component Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHECKLIST

Attribute	Description	
Name	CHECKLIST	
Datatype		
Description	Indicates the details of Check List	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description

Name	DESCRIPTION
Datatype	String
Description	It indicates Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	It indicates Verified Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	It indicates Remarks details under Check List tab
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	3

TOP

REMARK1

Attribute	**Description**	
Name	REMARK1	
Datatype	String	
Description	It indicates Field 1 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK2

Attribute	**Description**	
Name	REMARK2	
Datatype	String	
Description	It indicates Field 2 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK3

Attribute	Description	
Name	REMARK3	
Datatype	String	
Description	It indicates Field 3 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK4

Attribute	Description	
Name	REMARK4	
Datatype	String	
Description	It indicates Field 4 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description	It indicates Field 5 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description	It indicates Field 6 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description	It indicates Field 7 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description	It indicates Field 8 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description	It indicates Field 9 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK10

Attribute	Description	
Name	REMARK10	
Datatype	String	
Description	It indicates Field 10 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates the Component Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description

Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description	Indicates Product Category of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description	Indicates External Account Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMDR

Attribute	**Description**	
Name	EXTACNMDR	
Datatype	String	
Description	Indicates External Account Name of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR

Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String

Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String

Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR

Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD4DR

Attribute	**Description**	
Name	PAYERADD4DR	
Datatype	String	
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDCR

Attribute	**Description**	
Name	GIROMDCR	
Datatype	String	
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERCR

Attribute	**Description**	
Name	GIROSERCR	
Datatype	String	
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMCR

Attribute	**Description**
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description	Indicates the Payer Account of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates the Payer Bank Name of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates the Payer Branch of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description

Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK

Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPOUND_DAYS

Attribute	**Description**	
Name	COMPOUND_DAYS	
Datatype	Number	
Description	It indicates Compounds Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_MONTHS

Attribute	**Description**	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description	It indicates Compounds Months	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description	It indicates Compounds Years	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	**Description**	
Name	AMOUNT	
Datatype	Number	
Description	It indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	**Description**	
Name	PAYMENT_MODE	
Datatype	String	
Description	It indicates Payment Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	**Description**	
Name	PMNT_PROD_AC	
Datatype	String	
Description	It indicates Payment Product Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	**Description**	
Name	PAYMENT_DETAILS	
Datatype	String	
Description	It indicates Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_ACCOUNT

Attribute	Description	
Name	BEN_ACCOUNT	
Datatype	String	
Description	It indicates Beneficiary Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_BANK

Attribute	Description	
Name	BEN_BANK	
Datatype	String	
Description	It indicates Beneficiary Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	Description	
Name	BEN_NAME	
Datatype	String	
Description	It indicates Beneficiary Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	Description	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT

Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description

Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description	It indicates First Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description	Indicates Waive Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPOUND_DAYS

Attribute	**Description**	
Name	COMPOUND_DAYS	
Datatype	Number	
Description	It indicates Compounds Days	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	It indicates Disburse Scedules details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date

Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE

Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description

Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	It indicates Revn Scedules details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE

Attribute	**Description**	
Name	SCHEDULE	
Datatype		
Description	It indicates Schedules Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	**Description**	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	It indicates Schedule Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String

Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	It indicates Schedule Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FORMULA_NAME

Attribute	Description	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	Description	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE

Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHSTATUS

Attribute	**Description**	
Name	SCHSTATUS	
Datatype	String	
Description	It indicates Schedules Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ACCOUNT_GL

Attribute	**Description**	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	**Description**	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	**Description**	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

IRR_APPLICABLE

Attribute	**Description**	
Name	IRR_APPLICABLE	
Datatype	String	
Description	It indicates IRR Applicable Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIST_DAYS

Attribute	**Description**	
Name	LIST_DAYS	
Datatype	String	
Description	It indicates List Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	**Description**	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	**Description**	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	It indicates Charge Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description	Indicates Main Component Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTFLAG

Attribute	**Description**	
Name	SPLINTFLAG	
Datatype	String	
Description	Indicates Special Interest Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTAMT

Attribute	**Description**	
Name	SPLINTAMT	
Datatype	Number	
Description	Indicates Special Interest Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PENALBASISCOMP

Attribute	**Description**
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR

Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description

Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String

Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	It indicates Charges Schedule details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description

Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE

Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	It indicates Amount Readjusted	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE

Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHSTATUS

Attribute	**Description**	
Name	SCHSTATUS	
Datatype	String	
Description	It indicates Schedules Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ACCOUNT_GL

Attribute	**Description**	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	**Description**	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	**Description**	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	**Description**	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	**Description**	
Name	SCHEDULE_NO	
Datatype	Number	
Description	It indicates Schedule Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	**Description**	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	It indicates Writeoff Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_WAIVED

Attribute	**Description**	
Name	AMOUNT_WAIVED	
Datatype	Number	
Description	It indicates Amount Waived	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	It indicates Amount Block Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	It indicates Secured Portion
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	Attribute: minOccurs; Description: 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	Attribute: maxOccurs; Description: unbounded Attribute: minOccurs; Description: 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	Attribute: minOccurs; Description: 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	Attribute: minOccurs; Description: 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	Attribute: maxOccurs; Description: unbounded Attribute: minOccurs; Description: 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE

Datatype	Number
Description	It indicates Property age
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	It indicates Value of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	It indicates offset margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 4 totalDigits / 7

TOP

VCCY

Attribute	Description
Name	VCCY

Datatype	String
Description	It indicates valuation currency of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	It indicates Advices details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

EVENT_CODE

Attribute	Description
Name	EVENT_CODE
Datatype	String
Description	It indicates Event Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	It indicates Document Control Number(DCN)
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	It indicates Suppress Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	It indicates Format
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GENERATION_TIME

Attribute	Description	
Name	GENERATION_TIME	
Datatype	String	
Description	It indicates Generation Time	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ADVSUPPRESS

Attribute	Description	
Name	ADVSUPPRESS	
Datatype		
Description	It indicates Suppress Advices details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MSGTYPE

Attribute	Description	
Name	MSGTYPE	
Datatype	String	
Description	It indicates Message Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MIS-MASTER

Attribute	Description	
Name	MIS-MASTER	
Datatype		
Description	It indicates MIS Master details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	It indicates Customer Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr></table>

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RELACC

Attribute	Description	
Name	RELACC	
Datatype	String	
Description	It indicates Related Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	Description	
Name	MISHD	
Datatype	String	
Description	It indicates MIS Head	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

POOLCD

Attribute	Description	
Name	POOLCD	
Datatype	String	
Description	It indicates Pool Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRT

Attribute	Description	
Name	REFRT	
Datatype	Number	
Description	It indicates Reference Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description
Name	FUNDMIS5
Datatype	String
Description	It indicates Fund MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6

Datatype	String
Description	It indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	It indicates Fund MIS 10

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description	It indicates Composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	Description	
Name	COMPMIS5	
Datatype	String	
Description	It indicates Composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	Description	
Name	COMPMIS6	
Datatype	String	
Description	It indicates Composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description	
Name	COMPMIS7	
Datatype	String	
Description	It indicates Composite MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP

Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	It indicates Transaction MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5

Datatype	String
Description	It indicates Transaction MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	It indicates Transaction MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	It indicates Transaction MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	It indicates Transaction MIS 9

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	**Description**	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	It indicates Fund MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	**Description**	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	It indicates Fund MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	It indicates Fund MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	It indicates Fund MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	It indicates Fund MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	Description	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	It indicates Fund MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	Description	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	It indicates Fund MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	It indicates Fund MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	It indicates Composite MIS 2 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	It indicates Composite MIS 3 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6

Datatype	String
Description	It indicates Composite MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	It indicates Composite MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	It indicates Composite MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	It indicates Composite MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	**Description**	
Name	TXNMIS1LBL1	
Datatype	String	
Description	It indicates Transaction MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	**Description**	
Name	TXNMIS2LBL2	
Datatype	String	
Description	It indicates Transaction MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	**Description**	
Name	TXNMIS3LBL3	
Datatype	String	
Description	It indicates Transaction MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	**Description**	
Name	TXNMIS4LBL4	
Datatype	String	
Description	It indicates Transaction MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description	
Name	TXNMIS9LBL9	
Datatype	String	
Description	It indicates Transaction MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	Description	
Name	TXNMIS10LBL10	
Datatype	String	
Description	It indicates Transaction MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description	It indicates Customer Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MISGRP

Attribute	Description

Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String

Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description

Name	FUNDMIS5
Datatype	String
Description	It indicates Fund MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	It indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	It indicates Fund MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description	It indicates Composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description	It indicates Composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	It indicates Composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	It indicates Composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5

Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG

Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	It indicates Transaction MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	**Description**	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	It indicates Fund MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6
Datatype	String
Description	It indicates Fund MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1

Datatype	String
Description	It indicates Composite MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	It indicates Composite MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	It indicates Composite MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	It indicates Composite MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	It indicates Composite MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	It indicates Transaction MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description	
Name	TXNMIS2LBL2	
Datatype	String	
Description	It indicates Transaction MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	Description	
Name	TXNMIS3LBL3	
Datatype	String	
Description	It indicates Transaction MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	Description	
Name	TXNMIS4LBL4	
Datatype	String	
Description	It indicates Transaction MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	Description	
Name	TXNMIS5LBL5	
Datatype	String	
Description	It indicates Transaction MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	Description	
Name	TXNMIS6LBL6	
Datatype	String	
Description	It indicates Transaction MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	Description	
Name	TXNMIS7LBL7	
Datatype	String	
Description	It indicates Transaction MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String

Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description	It indicates MIS Group of Transaction MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

REFRTCD

Attribute	Description	
Name	REFRTCD	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number

Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	It indicates Composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10

Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	**Description**	
Name	PROCFLG	
Datatype	String	
Description	It indicates Processed Flag Related Reference Number : R Related Account : A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description	It indicates Transaction MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	It indicates Transaction MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	It indicates Transaction MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	It indicates Transaction MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6

Datatype	String
Description	It indicates Fund MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	**Description**	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	**Description**	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	**Description**	
Name	COMPMIS3LBL3	
Datatype	String	
Description	It indicates Composite MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	It indicates Composite MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	Description	
Name	COMPMIS5LBL5	
Datatype	String	
Description	It indicates Composite MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	Description	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	Description	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	Description	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	Description	
Name	COMPMIS9LBL9	
Datatype	String	
Description	It indicates Composite MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	It indicates Composite MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	It indicates Transaction MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description	
Name	TXNMIS2LBL2	
Datatype	String	
Description	It indicates Transaction MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7

Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	It indicates the Commitment Details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMMIT_SEQ_NO

Attribute	**Description**	
Name	COMMIT_SEQ_NO	
Datatype	Number	
Description	It indicates Commit Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	5

TOP

COMMIT_EVENT

Attribute	**Description**	
Name	COMMIT_EVENT	
Datatype	String	
Description	It indicates Commitment Event	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LINK_BRN_CODE

Attribute	**Description**	
Name	LINK_BRN_CODE	
Datatype	String	
Description	It indicates Linkage Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINK_REF_NO

Attribute	**Description**	
Name	LINK_REF_NO	
Datatype	String	
Description	It indicates Linkage Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINK_DATE

Attribute	Description	
Name	LINK_DATE	
Datatype	Date	
Description	It indicates Linkage Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LINK_EVENT

Attribute	Description	
Name	LINK_EVENT	
Datatype	String	
Description	It indicates Linkage Event	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description	
Name	LINK_EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Linkage Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	5

TOP

LINK_CCY

Attribute	Description	
Name	LINK_CCY	
Datatype	String	
Description	It indicates Linkage Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	It indicates Linkage Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	It indicates Commit Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	It indicates Increase Decrease Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	It indicates Commit Balance
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-Save-Reassign-Account-Req

Attribute	Description
Name	MO-Save-Reassign-Account-Req
Datatype	
Description	Indicates MO Save Reassign Account Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description

Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account : A Liquidate : L Reversed : V Hold : H Inactive : I Uninitiated : Y Closed : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description	
Name	ORIGSTDT	
Datatype	Date	
Description	Indicates Original Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHEQBOOK

Attribute	Description	
Name	CHEQBOOK	
Datatype	String	
Description	Indicates Cheque Book Facility Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMENDPAST

Attribute	Description	
Name	AMENDPAST	
Datatype	String	
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ATMFACILITY

Attribute	Description	
Name	ATMFACILITY	
Datatype	String	
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	Indicates Bulk Payment Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Indicates Partial Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	Indicates Retries for auto Liquidation
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	Indicates Retries for advice days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Indicates Manual Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRTYPE

Attribute	**Description**	
Name	ROLLOVRTYPE	
Datatype	String	
Description	Indicates Rollover Type Special : S Custom : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALIQ_REVERSED_PMT

Attribute	**Description**	
Name	ALIQ_REVERSED_PMT	
Datatype	String	
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	**Description**	
Name	ALLOW_BACK_PERIOD_ENTRY	
Datatype	String	
Description	Indicates Back Period Entry Allowed Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMORTIZED

Attribute	**Description**
Name	AMORTIZED
Datatype	String

Description	Indicates Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	It indicates ARVN Applied
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Auto or Manual Roll over Auto : A Manual : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String

Description	Indicates Calculation Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Funded Status Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIQ_COMP_DATES_FLAG

Attribute	**Description**	
Name	LIQ_COMP_DATES_FLAG	
Datatype	String	
Description	Indicates Liquidate Component Dates Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MATURITY_TYPE

Attribute	**Description**	
Name	MATURITY_TYPE	
Datatype	String	
Description	Indicates Maturity Type Fixed : F Call : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PRIMARY_APPLICANT_ID

Attribute	**Description**	
Name	PRIMARY_APPLICANT_ID	
Datatype	String	
Description	Indicates Primary Applicant Identtification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	**Description**
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	**Description**	
Name	RATE_CODE_PREF	
Datatype	String	
Description	Indicates Rate Code Preference	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	**Description**	
Name	USER_DEFINED_STATUS	
Datatype	String	
Description	Indicates User Defined Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	**Description**	
Name	DERIVED_STATUS	
Datatype	String	
Description	Indicates Derived Status	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Auth status Authorised : A Unauthorized : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicates Amount Financed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

L_VALDAT

Attribute	**Description**	
Name	L_VALDAT	
Datatype	Date	
Description	Indicates Value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_MATDT

Attribute	**Description**	
Name	L_MATDT	
Datatype	Date	
Description	Indicates Maturity Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_CCY

Attribute	**Description**	
Name	L_CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

L_CUSTID

Attribute	**Description**	
Name	L_CUSTID	
Datatype	String	
Description	Indicates Customer Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates Maker ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Maker Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Auth Status Authorise : A UnAuthorise : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	Indicates Amount Available
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description	Indicates Loan Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description	Indicates User Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BILLREFNO

Attribute	**Description**	
Name	BILLREFNO	
Datatype	String	
Description	Indicates Bill Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description	Indicates loan to value.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	Indicates Subsidy Customer ID.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	Indicates Intermediary Initiated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	Indicates Intermediary Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Indicates Promotions details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String

Description	Indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT

Datatype	
Description	Indicates Other Applicants details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates UDE Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	**Description**	
Name	UDEID	
Datatype	String	
Description	Indicates User Data Elements Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	**Description**	
Name	UDEVAL	
Datatype	Number	
Description	Indicates User Data Elements Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	**Description**	
Name	RATECD	
Datatype	String	
Description	Indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	**Description**	
Name	CODEUSE	
Datatype	String	
Description	Indicates Code Usage Periodic : P Automatic : A	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description	Indicates Rate Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESOLVAL

Attribute	**Description**	
Name	RESOLVAL	
Datatype	Number	
Description	Indicates Resolved Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description	Indicates Effective Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description	Indicates User Data Elements Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description	Indicates User Data Elements Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	Description	
Name	RATECD	
Datatype	String	
Description	Indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	Description

Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Indicates Holiday Periods details

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Holiday Period
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Indicates Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	It indicates Version Flag value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	It indicates value of Tag Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	It indicates Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	It indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	It indicates Account Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	It indicates Currency Restriction
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description
Name	EX_RATE

Datatype	Number
Description	It indicates Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	It indicates Value_Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	It indicates Settlement Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	It indicates Payer/Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	It indicates Payment By
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE
Datatype	String
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	It Indicates Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	It indicates Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	It indicates Change Account
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description	It indicates Change Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	It indicates Party Information Allowed	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	It indicates Cover Required Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	**Description**	
Name	NETTING_INDICATOR	
Datatype	String	
Description	It indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	It indicates Our Correspondent
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	It indicates Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Indicates Field 1 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Indicates Field 2 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Indicates Field 3 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description	
Name	INT_REIM_INST4	
Datatype	String	
Description	Indicates Field 4 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description	
Name	RCVR_CORRESP1	
Datatype	String	
Description	Indicates Field 1 of Receiver Correspondence	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Indicates Field 2 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2

Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Field 3 of Intermediary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Field 4 of Intermediary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Field 1 of Account With Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2
Datatype	String
Description	Indicates Field 2 of Account With Institution

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Field 3 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Field 4 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Field 1 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	**Description**	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Field 2 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Field 3 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Field 4 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Field 1 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description	Indicates Field 2 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Field 4 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Field 5 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Field 6 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1

Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Field 2 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Field 3 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Field 4 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY1

Attribute	**Description**	
Name	ULT_BENEFICIARY1	
Datatype	String	
Description	Indicates Field 1 of Ultimate Beneficiary	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Field 2 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Field 3 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Field 4 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	It indicates Exchange Rate Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	It indicates ERI Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description	It indicates Field 5 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description

Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	It indicates Mininmum Event Sequence Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	It indicates Interpay Generated
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Field 5 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	It indicates Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	It indicates Generation Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	It indicates IBAN Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	It indicates Issuing Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	It indicates Payable Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO
Datatype	String
Description	It indicates Printed Stationary Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO

Datatype	String
Description	It indicates Routing Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2
Datatype	String
Description	It Indicates Other Details Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE6

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE6	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	It indicates Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description	
Name	OTHER_DETAILS4	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	Description	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description	It indicates the value of Netting Accross Modules	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	Description	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description	It indicates Netting Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	Description	
Name	COVER_BY	
Datatype	String	
Description	It indicates Cover By	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	It indicates External Product Category
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	It indicates External Station Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	It indicates External Source
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	It indicates the External Counterparty Account Prefix
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC

Datatype	String
Description	It indicates External Party BIC code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	It indicates External Party Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	It indicates External Party Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	It indicates Required 103
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P
Datatype	String
Description	It indicates Required 103P

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	It indicates Agreement Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	It indicates Post Accounting	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	It indicates Flexcube PC Contract Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EXT_PARTY_CLG_NTWK

Attribute	**Description**	
Name	EXT_PARTY_CLG_NTWK	
Datatype	String	
Description	It indicates the External Party Clearing Network	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	It indicates Customer Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	It indicates External Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	It indicates Spread Defintion
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	It indicates RTGS Payment
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	It indicates Banking Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_NETWORK

Attribute	Description
Name	RTGS_NETWORK
Datatype	String
Description	It indicates RTGS Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ROLLCOMP

Attribute	Description
Name	ROLLCOMP
Datatype	
Description	It indicates Rollover Component details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	Indicates the details of Check List
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	It indicates Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	It indicates Verified Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	

Description	It indicates Remarks details under Check List tab
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	It indicates Field 1 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK2

Attribute	Description	
Name	REMARK2	
Datatype	String	
Description	It indicates Field 2 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK3

Attribute	Description	
Name	REMARK3	
Datatype	String	
Description	It indicates Field 3 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK4

Attribute	Description	
Name	REMARK4	
Datatype	String	
Description	It indicates Field 4 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description	It indicates Field 5 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	It indicates Field 6 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	It indicates Field 7 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	It indicates Field 8 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	It indicates Field 9 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	It indicates Field 10 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates the Component Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String

Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String

Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN

Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	**Description**	
Name	CLGBKCR	
Datatype	String	
Description	Indicates Clearing Bank Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description	Indicates Product Category of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description	Indicates External Account Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR

Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String

Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDDR

Attribute	Description	
Name	GIROMDDR	
Datatype	String	
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	Description	
Name	GIROSERDR	
Datatype	String	
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	Description	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates GIRO Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String

Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String

Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT

Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_BANK

Attribute	**Description**	
Name	BEN_BANK	
Datatype	String	
Description	It indicates Beneficiary Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	**Description**	
Name	BEN_NAME	
Datatype	String	
Description	It indicates Beneficiary Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description	It indicates First Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number

Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	Description	
Name	ENDDT	
Datatype	Date	
Description	It indicates End Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	It indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	Description	
Name	PAYMENT_MODE	
Datatype	String	
Description	It indicates Payment Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	Description	
Name	PMNT_PROD_AC	
Datatype	String	
Description	It indicates Payment Product Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description

Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number

Description	It indicates Compounds Months
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number

Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	Description	
Name	PMNT_PROD_AC	
Datatype	String	
Description	It indicates Payment Product Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	Description	
Name	PAYMENT_DETAILS	
Datatype	String	
Description	It indicates Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_ACCOUNT

Attribute	Description	
Name	BEN_ACCOUNT	
Datatype	String	
Description	It indicates Beneficiary Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_BANK

Attribute	Description	
Name	BEN_BANK	
Datatype	String	
Description	It indicates Beneficiary Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	It indicates Disburse Scedules details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	It indicates Schedule Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description	It indicates Schedule Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description	It indicates Amount To Disburse	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**
Name	SCHEDULE_ST_DATE

Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description

Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	It indicates Revn Scedules details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE

Attribute	**Description**	
Name	SCHEDULE	
Datatype		
Description	It indicates Schedules Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	**Description**	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE

Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_SUSP_XRATE

Attribute	**Description**	
Name	LAST_SUSP_XRATE	
Datatype	Number	
Description	It indicates Last Suspense Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

READJ_SETTLED

Attribute	**Description**	
Name	READJ_SETTLED	
Datatype	Number	
Description	It indicates ReAdjustment Settled Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_READJ_XRATE

Attribute	**Description**	
Name	LAST_READJ_XRATE	
Datatype	Number	
Description	It indicates Last Readjustment Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_SETTLED

Attribute	**Description**
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHSTATUS

Attribute	**Description**	
Name	SCHSTATUS	
Datatype	String	
Description	It indicates Schedules Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ACCOUNT_GL

Attribute	**Description**	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	**Description**	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	**Description**	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	It indicates Schedule Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	It indicates Writeoff Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_WAIVED

Attribute	Description	
Name	AMOUNT_WAIVED	
Datatype	Number	
Description	It indicates Amount Waived	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

IRR_APPLICABLE

Attribute	**Description**	
Name	IRR_APPLICABLE	
Datatype	String	
Description	It indicates IRR Applicable Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIST_DAYS

Attribute	**Description**	
Name	LIST_DAYS	
Datatype	String	
Description	It indicates List Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	**Description**	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	**Description**	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCRAMT

Attribute	**Description**	
Name	ACCRAMT	
Datatype	Number	
Description	It indicates Accrued Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLEMENT_CCY

Attribute	**Description**	
Name	SETTLEMENT_CCY	
Datatype	String	
Description	It indicates Settlement Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	**Description**	
Name	AMTLCY	
Datatype	Number	
Description	It indicates Local Currency Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

DLY_AVG_AMT

Attribute	**Description**
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number

Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	It indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number

Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description	
Name	EXTACNOCR	
Datatype	String	
Description	Indicates External Account Number of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR

Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR

Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	It indicates Charges Schedule details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	**Description**	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	It indicates Schedule Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUEDATE

Attribute	**Description**	
Name	DUEDATE	
Datatype	Date	
Description	It indicates Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME

Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	It indicates Schedule Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description

Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	Attribute: minOccurs Description: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	It indicates Amount Block Number
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	It indicates Secured Portion
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description

Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAGE

Attribute	**Description**	
Name	PAGE	
Datatype	Number	
Description	It indicates Property age	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	2
	totalDigits	5

TOP

PVALUE

Attribute	**Description**	
Name	PVALUE	
Datatype	Number	
Description	It indicates Value of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

OMARGIN

Attribute	**Description**	
Name	OMARGIN	
Datatype	Number	
Description	It indicates offset margin of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

LMARGIN

Attribute	**Description**
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

VCCY

Attribute	**Description**	
Name	VCCY	
Datatype	String	
Description	It indicates valuation currency of the Property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EVENTADVICES

Attribute	**Description**	
Name	EVENTADVICES	
Datatype		
Description	It indicates Advices details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVENT_CODE

Attribute	**Description**	
Name	EVENT_CODE	
Datatype	String	
Description	It indicates Event Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	It indicates Message Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	It indicates Document Control Number(DCN)
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	It indicates Suppress Yes : Y No : N
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	It indicates Format
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	It indicates Generation Time
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	It indicates Suppress Advices details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	It indicates Message Type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	It indicates MIS Master details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String

Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description

Name	FUNDMIS5
Datatype	String
Description	It indicates Fund MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	It indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	It indicates Fund MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	**Description**	
Name	COMPMIS3	
Datatype	String	
Description	It indicates Composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	**Description**	
Name	COMPMIS4	
Datatype	String	
Description	It indicates Composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	**Description**	
Name	COMPMIS5	
Datatype	String	
Description	It indicates Composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	**Description**	
Name	COMPMIS6	
Datatype	String	
Description	It indicates Composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5

Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG

Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	It indicates Transaction MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	**Description**	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	It indicates Fund MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	It indicates Fund MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	It indicates Fund MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	It indicates Fund MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1

Datatype	String
Description	It indicates Composite MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	It indicates Composite MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	It indicates Composite MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	It indicates Composite MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String

Description	It indicates Customer Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description	It indicates MIS Group of Transaction MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

REFRTCD

Attribute	Description	
Name	REFRTCD	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number

Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	It indicates Composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10

Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5
Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	**Description**	
Name	PROCFLG	
Datatype	String	
Description	It indicates Processed Flag Related Reference Number : R Related Account : A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description	It indicates Transaction MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	It indicates Transaction MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5

Attribute	Description
Name	TXNMIS5
Datatype	String
Description	It indicates Transaction MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	It indicates Transaction MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6

Datatype	String
Description	It indicates Fund MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	**Description**	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	**Description**	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	**Description**	
Name	COMPMIS3LBL3	
Datatype	String	
Description	It indicates Composite MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	It indicates Composite MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	Description	
Name	COMPMIS5LBL5	
Datatype	String	
Description	It indicates Composite MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	Description	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	Description	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	Description	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	Description	
Name	COMPMIS9LBL9	
Datatype	String	
Description	It indicates Composite MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	It indicates Composite MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	It indicates Transaction MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description	
Name	TXNMIS2LBL2	
Datatype	String	
Description	It indicates Transaction MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7

Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description	It indicates Customer Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description	It indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

RELREF

Attribute	Description	
Name	RELREF	
Datatype	String	
Description	It indicates Related Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RELACC

Attribute	Description	
Name	RELACC	
Datatype	String	
Description	It indicates Related Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	Description	
Name	MISHD	
Datatype	String	
Description	It indicates MIS Head	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

POOLCD

Attribute	Description	
Name	POOLCD	
Datatype	String	
Description	It indicates Pool Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRT

Attribute	Description	
Name	REFRT	
Datatype	Number	
Description	It indicates Reference Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

REFRTTYPE

Attribute	Description	
Name	REFRTTYPE	
Datatype	String	
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	**Description**	
Name	REFRTSPRD	
Datatype	Number	
Description	It indicates Spread	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description	It indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description	It indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description	It indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description	It indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	It indicates Fund MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5

Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description	It indicates Composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description	It indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description	It indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description	It indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description	It indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	It indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	It indicates Link To Group Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	Description	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	It indicates Transaction MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	It indicates Transaction MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	It indicates Transaction MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1

Datatype	String
Description	It indicates Fund MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	It indicates Fund MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	It indicates Fund MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	**Description**	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	It indicates Fund MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	It indicates Fund MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description	
Name	COMPMIS3LBL3	
Datatype	String	
Description	It indicates Composite MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	It indicates Composite MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	It indicates Composite MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	It indicates Composite MIS 8 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	It indicates Composite MIS 9 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2

Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description	It indicates Transaction MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description	It indicates Transaction MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	**Description**	
Name	TXNMIS9LBL9	
Datatype	String	
Description	It indicates Transaction MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	**Description**	
Name	TXNMIS10LBL10	
Datatype	String	
Description	It indicates Transaction MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	It indicates the Commitment Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	It indicates Commit Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	It indicates Commitment Event
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	It indicates Linkage Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	It indicates Linkage Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	It indicates Linkage Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	It indicates Linkage Event
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	It indicates Linkage Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description

Name	LINK_CCY
Datatype	String
Description	It indicates Linkage Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	It indicates Linkage Currency Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	It indicates Commit Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 3; totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	It indicates Increase Decrease Flag
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number

Description	It indicates Commit Balance
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-Save-Reassign-Req-IO

Attribute	Description
Name	MO-Save-Reassign-Req-IO
Datatype	
Description	Indicates MO Save Reassign Request-IO type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date

Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account : A Liquidate : L Reversed : V Hold : H Inactive : I Uninitiated : Y Closed : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT

Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTARYAUTO

Attribute	**Description**	
Name	NOTARYAUTO	
Datatype	String	
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PASSBOOK

Attribute	**Description**	
Name	PASSBOOK	
Datatype	String	
Description	Indicates Passbook Facility Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIQDBACK

Attribute	**Description**	
Name	LIQDBACK	
Datatype	String	
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BULK_PAYMENT

Attribute	**Description**
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	Indicates Bulk Payment Allowed Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AUTOLIQ

Attribute	Description	
Name	AUTOLIQ	
Datatype	String	
Description	Indicates Auto Liquidation Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTLIQ

Attribute	Description	
Name	PARTLIQ	
Datatype	String	
Description	Indicates Partial Liquidation Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RETRIES

Attribute	Description	
Name	RETRIES	
Datatype	Number	
Description	Indicates Retries for auto Liquidation	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	Indicates Retries for advice days

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ

Datatype	String
Description	Indicates Manual Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description

Name	ROLLOVRMODE
Datatype	String
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover Type Special : S Custom : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	It indicates ARVN Applied
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Auto or Manual Roll over Auto : A Manual : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Funded Status Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Liquidate Component Dates Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type Fixed : F Call : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Identtification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description	
Name	PRIMARY_APPLICANT_NAME	
Datatype	String	
Description	Indicates Primary Applicant Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	Description	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	Description	
Name	RATE_CODE_PREF	
Datatype	String	
Description	Indicates Rate Code Preference	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	Description	
Name	USER_DEFINED_STATUS	
Datatype	String	
Description	Indicates User Defined Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	Indicates Derived Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Auth status Authorised : A Unauthorized : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicates Amount Financed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

L_CUSTID

Attribute	Description
Name	L_CUSTID
Datatype	String

Description	Indicates Customer Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates Maker ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Maker Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Auth Status Authorise : A UnAuthorise : U

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	3

TOP

AMT_AVAILABLE

Attribute	**Description**	
Name	AMT_AVAILABLE	
Datatype	Number	
Description	Indicates Amount Available	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

COMMITMENT_TYPE

Attribute	**Description**	
Name	COMMITMENT_TYPE	
Datatype	String	
Description	Indicates Commitment Type Revolving : R Non Revolving : N	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**
Name	ROLLOVER_ALLOWED
Datatype	String

Description	Indicates Allow Rollover Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LOAN_TYPE

Attribute	Description
Name	LOAN_TYPE
Datatype	String
Description	Indicates Loan Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_REF_NO

Attribute	Description
Name	USER_REF_NO
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

BILLREFNO

Attribute	Description
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LOANTOVALUE

Attribute	Description
Name	LOANTOVALUE
Datatype	Number
Description	Indicates loan to value.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	**Description**	
Name	RECALCANNUITY	
Datatype	String	
Description	Indicates recalculation of annuity on Disbursement	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MORTGAGEG

Attribute	**Description**	
Name	MORTGAGEG	
Datatype	String	
Description	Indicates mortgage group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	**Description**	
Name	SUBCUSTID	
Datatype	String	
Description	Indicates Subsidy Customer ID.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

INTERINIT

Attribute	**Description**	
Name	INTERINIT	
Datatype	String	
Description	Indicates Intermediary Initiated.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	Indicates Intermediary Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Indicates Promotions details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Indicates Other Applicants details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description

Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates UDE Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description

Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description	Indicates Rate Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESOLVAL

Attribute	**Description**	
Name	RESOLVAL	
Datatype	Number	
Description	Indicates Resolved Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description	Indicates Effective Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description	Indicates User Data Elements Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description	Indicates User Data Elements Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	Description

Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

HOLIDAYPRD

Attribute	Description

Name	HOLIDAYPRD
Datatype	
Description	Indicates Holiday Periods details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Holiday Period
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Indicates Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	It indicates Version Flag value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	It indicates value of Tag Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	It indicates Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	It indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	It indicates Account Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	It indicates Currency Restriction
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EX_RATE

Attribute	Description

Name	EX_RATE
Datatype	Number
Description	It indicates Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	It indicates Value_Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	It indicates Settlement Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	It indicates Payer/Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	It indicates Payment By

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	**Description**	
Name	TRANSFER_TYPE	
Datatype	String	
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	**Description**	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	It Indicates Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description	It indicates Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

CHANGE_AC

Attribute	**Description**
Name	CHANGE_AC
Datatype	String
Description	It indicates Change Account

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHANGE_RATE

Attribute	**Description**	
Name	CHANGE_RATE	
Datatype	String	
Description	It indicates Change Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PARTY_INFO_ALLOWED

Attribute	**Description**	
Name	PARTY_INFO_ALLOWED	
Datatype	String	
Description	It indicates Party Information Allowed	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COVER_REQUIRED

Attribute	**Description**	
Name	COVER_REQUIRED	
Datatype	String	
Description	It indicates Cover Required Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_INDICATOR

Attribute	**Description**	
Name	NETTING_INDICATOR	
Datatype	String	
Description	It indicates Netting Indicator	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CHARGES_DETAILS

Attribute	Description	
Name	CHARGES_DETAILS	
Datatype	String	
Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

OUR_CORRESPONDENT

Attribute	Description	
Name	OUR_CORRESPONDENT	
Datatype	String	
Description	It indicates Our Correspondent	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

RECEIVER

Attribute	Description	
Name	RECEIVER	
Datatype	String	
Description	It indicates Receiver	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Indicates Field 1 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Indicates Field 2 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST3

Attribute	Description
Name	INT_REIM_INST3
Datatype	String
Description	Indicates Field 3 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST4

Attribute	Description
Name	INT_REIM_INST4
Datatype	String
Description	Indicates Field 4 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Indicates Field 1 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Indicates Field 2 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Field 3 of Intermediary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Field 4 of Intermediary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Field 1 of Account With Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ACC_WITH_INSTN2

Attribute	Description
Name	ACC_WITH_INSTN2

Datatype	String
Description	Indicates Field 2 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Field 3 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Field 4 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Field 1 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Field 2 of Payment Details

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	**Description**	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Field 3 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	**Description**	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Field 4 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Field 1 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO2	
Datatype	String	
Description	Indicates Field 2 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Field 4 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Field 5 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Field 6 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1

Datatype	String
Description	Indicates Field 1 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Field 1 of Ultimate Beneficiary

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY2

Attribute	**Description**	
Name	ULT_BENEFICIARY2	
Datatype	String	
Description	Indicates Field 2 of Ultimate Beneficiary	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY3

Attribute	**Description**	
Name	ULT_BENEFICIARY3	
Datatype	String	
Description	Indicates Field 3 of Ultimate Beneficiary	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ULT_BENEFICIARY4

Attribute	**Description**	
Name	ULT_BENEFICIARY4	
Datatype	String	
Description	Indicates Field 4 of Ultimate Beneficiary	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EX_RATE_FLAG

Attribute	**Description**	
Name	EX_RATE_FLAG	
Datatype	String	
Description	It indicates Exchange Rate Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	**Description**	
Name	ERI_CCY	
Datatype	String	
Description	It indicates ERI Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	**Description**	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	**Description**	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	**Description**	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description	It indicates Field 5 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Beneficiary Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO

Datatype	Number
Description	It indicates Mininmum Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	It indicates Interpay Generated
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST4_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST4_FOR_COVER	
Datatype	String	
Description	Indicates Field 4 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST5_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST5_FOR_COVER	
Datatype	String	
Description	Indicates Field 5 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLEARING_NETWORK

Attribute	**Description**	
Name	CLEARING_NETWORK	
Datatype	String	
Description	It indicates Clearing Network	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

GENERATION_DATE

Attribute	**Description**	
Name	GENERATION_DATE	
Datatype	Date	
Description	It indicates Generation Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

IBAN_AC_NO

Attribute	Description	
Name	IBAN_AC_NO	
Datatype	String	
Description	It indicates IBAN Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	Description	
Name	ISSUING_BANK	
Datatype	String	
Description	It indicates Issuing Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	Description	
Name	PAYABLE_BRANCH	
Datatype	String	
Description	It indicates Payable Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	Description	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description	It indicates Printed Stationary Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	It indicates Routing Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description
Name	OTHER_DETAILS_TYPE2

Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	It Indicates Other Details Type

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	It indicates Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS4

Attribute	Description	
Name	OTHER_DETAILS4	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

NETTING_ACROSS_MODULES

Attribute	Description	
Name	NETTING_ACROSS_MODULES	
Datatype	String	
Description	It indicates the value of Netting Accross Modules	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NETTING_REFERENCE_NO

Attribute	Description	
Name	NETTING_REFERENCE_NO	
Datatype	String	
Description	It indicates Netting Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

COVER_BY

Attribute	Description	
Name	COVER_BY	
Datatype	String	
Description	It indicates Cover By	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	It indicates External Product Category
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	It indicates External Station Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	It indicates External Source
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX
Datatype	String
Description	It indicates the External Counterparty Account Prefix
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	It indicates External Party BIC code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	It indicates External Party Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	It indicates External Party Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	It indicates Required 103
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

REQD_103P

Attribute	Description
Name	REQD_103P

Datatype	String
Description	It indicates Required 103P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	It indicates Agreement Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	It indicates Post Accounting
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	It indicates Flexcube PC Contract Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	It indicates the External Party Clearing Network

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CUST_SPREAD

Attribute	**Description**	
Name	CUST_SPREAD	
Datatype	Number	
Description	It indicates Customer Spread	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

EXTERNAL_EX_RATE

Attribute	**Description**	
Name	EXTERNAL_EX_RATE	
Datatype	Number	
Description	It indicates External Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

SPREAD_DEFN

Attribute	**Description**	
Name	SPREAD_DEFN	
Datatype	String	
Description	It indicates Spread Defintion	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_PAYMENT

Attribute	**Description**
Name	RTGS_PAYMENT
Datatype	String
Description	It indicates RTGS Payment

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	**Description**	
Name	BANKING_PRIORITY	
Datatype	String	
Description	It indicates Banking Priority	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description	It indicates RTGS Network	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMP

Attribute	**Description**	
Name	ROLLCOMP	
Datatype		
Description	It indicates Rollover Component details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	It indicates Component Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHECKLIST

Attribute	Description	
Name	CHECKLIST	
Datatype		
Description	Indicates the details of Check List	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	It indicates Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	It indicates Verified Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK

Datatype	
Description	It indicates Remarks details under Check List tab
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	It indicates Field 1 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK2

Attribute	Description	
Name	REMARK2	
Datatype	String	
Description	It indicates Field 2 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK3

Attribute	Description	
Name	REMARK3	
Datatype	String	
Description	It indicates Field 3 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK4

Attribute	Description	
Name	REMARK4	
Datatype	String	
Description	It indicates Field 4 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description	It indicates Field 5 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	It indicates Field 6 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	It indicates Field 7 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	It indicates Field 8 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	It indicates Field 9 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	It indicates Field 10 of Remarks
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates the Component Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String

Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String

Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN

Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	**Description**	
Name	CLGBKCR	
Datatype	String	
Description	Indicates Clearing Bank Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description	Indicates Product Category of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description	Indicates External Account Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates Card Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNOCR

Attribute	Description	
Name	INSTNOCR	
Datatype	String	
Description	Indicates Instrument Number Credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGCR

Attribute	Description	
Name	ROUTINGCR	
Datatype	String	
Description	Indicates Routing Number to be credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTCR

Attribute	Description	
Name	ENDPTCR	
Datatype	String	
Description	Indicates End Point Credit	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR

Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String

Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROMDDR

Attribute	**Description**	
Name	GIROMDDR	
Datatype	String	
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIROSERDR

Attribute	**Description**	
Name	GIROSERDR	
Datatype	String	
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	**Description**	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates GIRO Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	**Description**
Name	PAYERACNODR
Datatype	String

Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String

Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	4

TOP

FREQ

Attribute	**Description**	
Name	FREQ	
Datatype	Number	
Description	It indicates the Frequency of the schedule	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	2

TOP

UNIT

Attribute	**Description**	
Name	UNIT	
Datatype	String	
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	**Description**	
Name	ENDDT	
Datatype	Date	
Description	It indicates End Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	**Description**
Name	AMOUNT

Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_BANK

Attribute	**Description**	
Name	BEN_BANK	
Datatype	String	
Description	It indicates Beneficiary Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_NAME

Attribute	**Description**	
Name	BEN_NAME	
Datatype	String	
Description	It indicates Beneficiary Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description	It indicates First Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number

Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ENDDT

Attribute	Description	
Name	ENDDT	
Datatype	Date	
Description	It indicates End Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	It indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	Description	
Name	PAYMENT_MODE	
Datatype	String	
Description	It indicates Payment Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	Description	
Name	PMNT_PROD_AC	
Datatype	String	
Description	It indicates Payment Product Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description

Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number

Description	It indicates Compounds Months
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number

Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	It indicates Disburse Scedules details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	It indicates Schedule Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description	It indicates Schedule Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description	It indicates Amount To Disburse	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**
Name	SCHEDULE_ST_DATE

Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description

Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	It indicates Revn Scedules details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE

Attribute	**Description**	
Name	SCHEDULE	
Datatype		
Description	It indicates Schedules Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	**Description**	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE

Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_SETTLED

Attribute	**Description**	
Name	SUSP_AMT_SETTLED	
Datatype	Number	
Description	It indicates Suspense Amount Settled	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_AMT_LCY

Attribute	**Description**	
Name	SUSP_AMT_LCY	
Datatype	Number	
Description	It indicates Suspense Amount Local Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_READ_AMT

Attribute	**Description**	
Name	SUSP_READ_AMT	
Datatype	Number	
Description	It indicates Suspense Readjusted Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SUSP_READ_SETTLED

Attribute	**Description**
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_SUSP_XRATE

Attribute	**Description**	
Name	LAST_SUSP_XRATE	
Datatype	Number	
Description	It indicates Last Suspense Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

READJ_SETTLED

Attribute	**Description**	
Name	READJ_SETTLED	
Datatype	Number	
Description	It indicates ReAdjustment Settled Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_READJ_XRATE

Attribute	**Description**	
Name	LAST_READJ_XRATE	
Datatype	Number	
Description	It indicates Last Readjustment Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_SETTLED

Attribute	**Description**
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHSTATUS

Attribute	**Description**	
Name	SCHSTATUS	
Datatype	String	
Description	It indicates Schedules Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ACCOUNT_GL

Attribute	**Description**	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	**Description**	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	**Description**	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number

Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	It indicates Charge Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number

Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	**Description**	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	**Description**	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	**Description**	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	**Description**	
Name	EXTACNOCR	
Datatype	String	
Description	Indicates External Account Number of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR

Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	Description	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Payer Account of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	Description	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Payer Bank Name of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	Description	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicates Payer Branch of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1DR

Attribute	Description	
Name	PAYERADD1DR	
Datatype	String	
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR

Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	It indicates Charges Schedule details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

FORMULA_NAME

Attribute	**Description**	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	**Description**	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	It indicates Schedule Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUEDATE

Attribute	**Description**	
Name	DUEDATE	
Datatype	Date	
Description	It indicates Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ISWAIVE

Attribute	Description	
Name	ISWAIVE	
Datatype	String	
Description	It indicates Waive Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EVENT_SEQ_NO

Attribute	Description	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	Description	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	Description	
Name	ISCAP	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME

Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	It indicates Schedule Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description	It indicates Effective Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FORMULA_NAME

Attribute	Description	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	Description

Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	It indicates Amount Readjusted	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description	
Name	MORA_INT	
Datatype	String	
Description	It indicates Moratorium Interest	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SCHEDULE_NO

Attribute	Description	
Name	SCHEDULE_NO	
Datatype	Number	
Description	It indicates Schedule Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	It indicates Writeoff Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	Attribute: minOccurs Description: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	It indicates Amount Block Number
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	It indicates Secured Portion
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description

Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAGE

Attribute	**Description**	
Name	PAGE	
Datatype	Number	
Description	It indicates Property age	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	2
	totalDigits	5

TOP

PVALUE

Attribute	**Description**	
Name	PVALUE	
Datatype	Number	
Description	It indicates Value of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

OMARGIN

Attribute	**Description**	
Name	OMARGIN	
Datatype	Number	
Description	It indicates offset margin of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

LMARGIN

Attribute	**Description**
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

VCCY

Attribute	**Description**	
Name	VCCY	
Datatype	String	
Description	It indicates valuation currency of the Property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EVENTADVICES

Attribute	**Description**	
Name	EVENTADVICES	
Datatype		
Description	It indicates Advices details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVENT_CODE

Attribute	**Description**	
Name	EVENT_CODE	
Datatype	String	
Description	It indicates Event Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	It indicates Document Control Number(DCN)
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	It indicates Suppress Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	It indicates Format
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	It indicates Generation Time
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	It indicates Suppress Advices details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	It indicates MIS Master details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

RELREF

Attribute	**Description**	
Name	RELREF	
Datatype	String	
Description	It indicates Related Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RELACC

Attribute	**Description**	
Name	RELACC	
Datatype	String	
Description	It indicates Related Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	**Description**	
Name	MISHD	
Datatype	String	
Description	It indicates MIS Head	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

POOLCD

Attribute	**Description**	
Name	POOLCD	
Datatype	String	
Description	It indicates Pool Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String

Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description

Name	FUNDMIS5
Datatype	String
Description	It indicates Fund MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	It indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	It indicates Fund MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5

Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG

Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	It indicates Transaction MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	**Description**	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	It indicates Fund MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	It indicates Fund MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	It indicates Fund MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	It indicates Fund MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: maxLength; Description: 9

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1

Datatype	String
Description	It indicates Composite MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	It indicates Composite MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	It indicates Composite MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	It indicates Composite MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7
Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String

Description	It indicates Customer Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description	It indicates MIS Group of Transaction MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

REFRTCD

Attribute	Description	
Name	REFRTCD	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number

Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	It indicates Composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description	
Name	COMPMIS2	
Datatype	String	
Description	It indicates Composite MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description	It indicates Composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description	It indicates Composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	Description	
Name	COMPMIS5	
Datatype	String	
Description	It indicates Composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10

Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	It indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	It indicates Link To Group Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	**Description**	
Name	PROCFLG	
Datatype	String	
Description	It indicates Processed Flag Related Reference Number : R Related Account : A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description	It indicates Transaction MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	It indicates Transaction MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6

Datatype	String
Description	It indicates Fund MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	**Description**	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	**Description**	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	**Description**	
Name	COMPMIS3LBL3	
Datatype	String	
Description	It indicates Composite MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	It indicates Composite MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	It indicates Composite MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	It indicates Composite MIS 7 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	It indicates Composite MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	It indicates Composite MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7

Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	**Description**	
Name	REFRTSPRD	
Datatype	Number	
Description	It indicates Spread	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description	It indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description	It indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description	It indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	Description	
Name	FUNDMIS4	
Datatype	String	
Description	It indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5

Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description	It indicates Composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description	It indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description	It indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description	It indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	**Description**	
Name	COSTCOD4	
Datatype	String	
Description	It indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	**Description**	
Name	COSTCOD5	
Datatype	String	
Description	It indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	**Description**	
Name	LINKGRP	
Datatype	String	
Description	It indicates Link To Group Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	**Description**	
Name	CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	Description	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	It indicates Transaction MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	It indicates Transaction MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	It indicates Transaction MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1

Datatype	String
Description	It indicates Fund MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	It indicates Fund MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	It indicates Fund MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	**Description**	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	It indicates Fund MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	It indicates Fund MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description	
Name	COMPMIS3LBL3	
Datatype	String	
Description	It indicates Composite MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	It indicates Composite MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	It indicates Composite MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	It indicates Composite MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	It indicates Composite MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2

Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description	It indicates Transaction MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description	It indicates Transaction MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	**Description**	
Name	TXNMIS9LBL9	
Datatype	String	
Description	It indicates Transaction MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	**Description**	
Name	TXNMIS10LBL10	
Datatype	String	
Description	It indicates Transaction MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	It indicates the Commitment Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	It indicates Commit Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	It indicates Commitment Event
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	It indicates Linkage Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	It indicates Linkage Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	It indicates Linkage Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	It indicates Linkage Event
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	It indicates Linkage Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description

Name	LINK_CCY
Datatype	String
Description	It indicates Linkage Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	It indicates Linkage Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	It indicates Commit Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	It indicates Increase Decrease Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number

Description	It indicates Commit Balance
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.71.4.MO-Save-reassign-Account-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Save-Reassign-Res-PK*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
    - *MO-Save-Reassign-Account-Req*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
      - *PRD*
      - *PRDCAT*
      - *CUSTID*
      - *CCY*
      - *AMOUNT*
      - *VALDT*
      - *BOOKDT*
      - *MATDT*

NO_OF_INST
ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
ARVN_APPLIED
AUTO_MAN_ROLLOVER
CALC_REQD
CR_ACC_BRN
DR_ACC_BRN
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE
PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS

DERIVED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP
  LIABPERCNT
  LIABAMT
  EFFDT
LIQUIDATIONORDER
  STAT

- COMP
- LIQORDER

UDEDET

- ACCNO
- BRN
- EFFDT
- UDEVALS
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL
  - ACCNO
  - BRN
  - EFFDT
  - UDEID
  - UDEVAL
  - RATECD
  - CODEUSE
  - RATETYP
  - RESOLVAL

HOLIDAYPRD

- ACCNO
- BRN
- PERIOD

SETTLDETAILS

- EVENT_SEQ_NO
- AMOUNT_TAG
- VERSION_FLAG
- TAG_CCY
- ACC_BRANCH
- ACCOUNT
- ACC_CCY
- CCY_RESTRICTION
- EX_RATE
- VALUE_DATE
- SETTLEMENT_AMT
- PAY_RECEIVE
- PAYMENT_BY
- TRANSFER_TYPE

INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3
ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4

BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2
OTHER_DETAILS_TYPE3
OTHER_DETAILS_TYPE4
OTHER_DETAILS_TYPE5
OTHER_DETAILS_TYPE6
STATUS

- *OTHER_DETAILS1*
- *OTHER_DETAILS2*
- *OTHER_DETAILS3*
- *OTHER_DETAILS4*
- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*
- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*

- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*
- *EXTACNMDR*
- *CLGBKDR*
- *CLGBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTNOCR*
- *ROUTINGCR*
- *ENDPTCR*
- *CLGPRODCR*
- *SECTORCR*
- *INSTNODR*
- *ROUTINGDR*
- *ENDPTDR*
- *CLGPRODDR*
- *SECTORDR*

VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*
- *PAYMENT_MODE*
- *PMNT_PROD_AC*
- *PAYMENT_DETAILS*
- *BEN_ACCOUNT*
- *BEN_BANK*

BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR

SCHEDULE_LINKAGE

REVNSCHEDULE

SCHEDULE_ST_DATE

SCHEDULE_DUE_DATE

APPLIED_FLAG

SCHEDULE_LINKAGE

SCHEDULE_ST_DATE

SCHEDULE_DUE_DATE

APPLIED_FLAG

SCHEDULE_LINKAGE

SCHEDULE

FORMULA_NAME

SCHEDULE_TYPE

SCHEDULE_ST_DATE

DUEDATE

GRACEDAYS

ORIG_AMOUNT_DUE

AMTDUE

ADJ_AMOUNT

AMTSETT

AMOUNT_OVERDUE

ACCRAMT

SETTLEMENT_CCY

AMTLCY

DLY_AVG_AMT

EMIAMT

SCHEDULE_FLAG

ISWAIVE

EVENT_SEQ_NO

SCHEDULE_LINKAGE

ISCAP

PROCESS_NO

AMTREADJUSTED

SUSP_AMT_DUE

SUSP_AMT_SETTLED

SUSP_AMT_LCY

SUSP_READ_AMT

SUSP_READ_SETTLED

LAST_SUSP_XRATE

READJ_SETTLED

LAST_READJ_XRATE

ADJ_SETTLED

SCHSTATUS

ACCOUNT_GL

LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE

RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET

COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR
ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR

ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*
- *AMTDUE*
- *ADJ_AMOUNT*
- *AMTSETT*
- *AMOUNT_OVERDUE*
- *ACCRAMT*

SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT

SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE

LINKAGES

LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT
AMT_BLOCK_NO
SECPORTION
CUSTID

UDERTPLAN

PERIOD_ST_DT

- *PERIOD_END_DT*
- *COMMPREF*
  - *LAST_DSBR_DT*
  - *MATURITY_DT*
- *PROPERTY*
  - *PNAME*
  - *PTYPE*
  - *PADDRESS1*
  - *PADDRESS2*
  - *PADDRESS3*
  - *PADDRESS4*
  - *COUNTRY*
  - *POWNER*
  - *PAGE*
  - *PVALUE*
  - *OMARGIN*
  - *LMARGIN*
  - *VCCY*
- *EVENTADVICES*
  - *EVENT_CODE*
  - *EVENT_SEQ_NO*
  - *MSG_TYPE*
  - *DCN*
  - *SUPPRESS*
  - *PRIORITY*
  - *FORMAT*
  - *GENERATION_TIME*
- *ADVSUPPRESS*
  - *MSGTYPE*
- *MIS-MASTER*
  - *MISDETAILS*
    - *BRANCH*
    - *CUSTNO*
    - *MISGRP*
    - *RELREF*
    - *RELACC*
    - *MISHD*
    - *POOLCD*
    - *REFRT*
    - *REFRTTYPE*
    - *REFXRT*
    - *CALCMETH*
    - *MISGRPTXN*
    - *REFRTCD*

REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3

FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3

FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7

FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
MO-Save-Reassign-Req-IO
SCODE
XREF
ACCNO
BRN
PRD
PRDCAT
CUSTID

CCY
AMOUNT
VALDT
BOOKDT
MATDT
NO_OF_INST
ALTACCNO
CONTSTAT
NETAMT
ORIGSTDT
CHEQBOOK
AMENDPAST
ATMFACILITY
NOTARYAUTO
PASSBOOK
LIQDBACK
ALLOW_BULK_PAYMENT
AUTOLIQ
PARTLIQ
RETRIES
RETRIES_ADVICE_DAYS
LOAN_STLMNT_NOTICEFLG
NOTICE_DATE
EXPECTED_CLOSURE_DATE
TRKRECIALIQ
TRKRECIMLIQ
UDEROLLBASIS
SPLAMT
SCHBASIS
ROLLOVRMODE
ROLLOVRTYPE
ALIQ_REVERSED_PMT
ALLOW_BACK_PERIOD_ENTRY
AMORTIZED
AMOUNT_DISBURSED
ARVN_APPLIED
AUTO_MAN_ROLLOVER
CALC_REQD
CR_ACC_BRN
DR_ACC_BRN
FUNDED_STATUS
INT_STMT
LIQ_COMP_DATES_FLAG
MATURITY_TYPE

PRIMARY_APPLICANT_ID
PRIMARY_APPLICANT_NAME
PROCESS_NO
RATE_CODE_PREF
USER_DEFINED_STATUS
DERIVED_STATUS
AUTHSTAT
VERNO
L_AMOUNT
L_NETAMT
L_VALDAT
L_MATDT
L_CCY
L_CUSTID
L_CUSTNM
MAKERID
MAKERSTAMP
AUTHSTAT1
ESN
AMT_AVAILABLE
COMMITMENT_TYPE
ROLLOVER_ALLOWED
LOAN_TYPE
USER_REF_NO
BILLREFNO
LOANTOVALUE
RECALCANNUITY
MORTGAGEG
SUBCUSTID
INTERINIT
INTERCODE
PROMOTIONS
  ACCNO
  BRN
  PRTYP
  PRID
  BENEFCIF
  PRIORITY
OTHAPPLCNT
  ACCNO
  BRN
  CUSTID
  CUSTNAME
  RESP

- *LIABPERCNT*
- *LIABAMT*
- *EFFDT*

LIQUIDATIONORDER

- *STAT*
- *COMP*
- *LIQORDER*

UDEDET

- *ACCNO*
- *BRN*
- *EFFDT*
- *UDEVALS*
  - *ACCNO*
  - *BRN*
  - *EFFDT*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*
  - *RESOLVAL*
  - *ACCNO*
  - *BRN*
  - *EFFDT*
  - *UDEID*
  - *UDEVAL*
  - *RATECD*
  - *CODEUSE*
  - *RATETYP*
  - *RESOLVAL*

HOLIDAYPRD

- *ACCNO*
- *BRN*
- *PERIOD*

SETTLDETAILS

- *EVENT_SEQ_NO*
- *AMOUNT_TAG*
- *VERSION_FLAG*
- *TAG_CCY*
- *ACC_BRANCH*
- *ACCOUNT*
- *ACC_CCY*
- *CCY_RESTRICTION*
- *EX_RATE*

VALUE_DATE
SETTLEMENT_AMT
PAY_RECEIVE
PAYMENT_BY
TRANSFER_TYPE
INSTRUMENT_TYPE
INSTRUMENT_NO
CHANGE_AC
CHANGE_RATE
PARTY_INFO_ALLOWED
COVER_REQUIRED
NETTING_INDICATOR
CHARGES_DETAILS
OUR_CORRESPONDENT
RECEIVER
INT_REIM_INST1
INT_REIM_INST2
INT_REIM_INST3
INT_REIM_INST4
RCVR_CORRESP1
RCVR_CORRESP2
RCVR_CORRESP3
RCVR_CORRESP4
INTERMEDIARY1
INTERMEDIARY2
INTERMEDIARY3
INTERMEDIARY4
ACC_WITH_INSTN1
ACC_WITH_INSTN2
ACC_WITH_INSTN3
ACC_WITH_INSTN4
PAYMENT_DETAILS1
PAYMENT_DETAILS2
PAYMENT_DETAILS3
PAYMENT_DETAILS4
SNDR_TO_RCVR_INFO1
SNDR_TO_RCVR_INFO2
SNDR_TO_RCVR_INFO3
SNDR_TO_RCVR_INFO4
SNDR_TO_RCVR_INFO5
SNDR_TO_RCVR_INFO6
ORDERING_INSTITUTION1
ORDERING_INSTITUTION2
ORDERING_INSTITUTION3

ORDERING_INSTITUTION4
ORDERING_CUSTOMER1
ORDERING_CUSTOMER2
ORDERING_CUSTOMER3
ORDERING_CUSTOMER4
BENEF_INSTITUTION1
BENEF_INSTITUTION2
BENEF_INSTITUTION3
BENEF_INSTITUTION4
ULT_BENEFICIARY1
ULT_BENEFICIARY2
ULT_BENEFICIARY3
ULT_BENEFICIARY4
EX_RATE_FLAG
ERI_CCY
ERI_AMOUNT
RATE_CODE_PREFERRED
ACC_WITH_INSTN5
BENEF_INSTITUTION5
INTERMEDIARY5
INT_REIM_INST5
ORDERING_CUSTOMER5
ORDERING_INSTITUTION5
RCVR_CORRESP5
ULT_BENEFICIARY5
SEND_MESG
MIN_EVENT_SEQ_NO
INTERPAY_GENERATED
BENEF_INST1_FOR_COVER
BENEF_INST2_FOR_COVER
BENEF_INST3_FOR_COVER
BENEF_INST4_FOR_COVER
BENEF_INST5_FOR_COVER
CLEARING_NETWORK
GENERATION_DATE
IBAN_AC_NO
ISSUING_BANK
PAYABLE_BRANCH
PRINTED_STATIONARY_NO
ROUTING_NO
OTHER_DETAILS5
OTHER_DETAILS6
OTHER_DETAILS_TYPE1
OTHER_DETAILS_TYPE2

- *OTHER_DETAILS_TYPE3*
- *OTHER_DETAILS_TYPE4*
- *OTHER_DETAILS_TYPE5*
- *OTHER_DETAILS_TYPE6*
- *STATUS*
- *OTHER_DETAILS1*
- *OTHER_DETAILS2*
- *OTHER_DETAILS3*
- *OTHER_DETAILS4*
- *NETTING_ACROSS_MODULES*
- *NETTING_REFERENCE_NO*
- *COVER_BY*
- *EXT_PROD_CATEGORY*
- *EXT_STATION_ID*
- *EXT_SOURCE*
- *EXT_CPTY_AC_PREFIX*
- *EXT_PARTY_BIC*
- *EXT_PARTY_ACCOUNT*
- *EXT_PARTY_NAME*
- *REQD_103*
- *REQD_103P*
- *AGREEMENT_ID*
- *POST_ACCOUNTING*
- *XREF_PC_CONTRACT_REF_NO*
- *EXT_PARTY_CLG_NTWK*
- *CUST_SPREAD*
- *EXTERNAL_EX_RATE*
- *SPREAD_DEFN*
- *RTGS_PAYMENT*
- *BANKING_PRIORITY*
- *RTGS_NETWORK*

ROLLCOMP

- *ACCNO*
- *BRN*
- *COMPNAME*

CHECKLIST

- *ACCNO*
- *BRN*
- *DESCRIPTION*
- *ESN*
- *CHECKED*

REMARK

- *ACCNO*
- *BRN*

- *ESN*
- *REMARK1*
- *REMARK2*
- *REMARK3*
- *REMARK4*
- *REMARK5*
- *REMARK6*
- *REMARK7*
- *REMARK8*
- *REMARK9*
- *REMARK10*

COMPDET

- *COMPNAME*
- *STTLMTCCY*
- *COMPTYPE*
- *MAINCOMPFLAG*
- *SPLINTFLAG*
- *SPLINTAMT*
- *PENALBASISCOMP*
- *CAPITALIZED*
- *DRPAYMTMODE*
- *CRPAYMTMODE*
- *DRPRDACC*
- *CRPRDACC*
- *DRACCBRN*
- *CRACCBRN*
- *SVCACC*
- *SVCACCBRN*
- *EXTACNOCR*
- *EXTACNMCR*
- *CLGBKCR*
- *CLGBRNCR*
- *PCCATCR*
- *EXTACNODR*
- *EXTACNMDR*
- *CLGBKDR*
- *CLGBRNDR*
- *PCCATDR*
- *CARDNO*
- *INSTNOCR*
- *ROUTINGCR*
- *ENDPTCR*
- *CLGPRODCR*
- *SECTORCR*

INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
COMPSCH
- *SCHTYPE*
- *SCHFLAG*
- *FORMULA*
- *SCHSTDT*
- *NOOFSCH*
- *FREQ*
- *UNIT*
- *ENDDT*
- *AMOUNT*

PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
SCHTYPE
SCHFLAG
FORMULA
SCHSTDT
NOOFSCH
FREQ
UNIT
ENDDT
AMOUNT
PAYMENT_MODE
PMNT_PROD_AC
PAYMENT_DETAILS
BEN_ACCOUNT
BEN_BANK
BEN_NAME
CAPITALIZED
FIRSTDUE
WAIVERFLAG
COMPOUND_DAYS
COMPOUND_MONTHS
COMPOUND_YEARS
EMIAMT
DUE_DATES_ON
DAYS_MTH
DAYS_YEAR
DSBRSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE

AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
AMOUNT_TO_DISBR
SCHEDULE_LINKAGE
REVNSCHEDULE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE_ST_DATE
SCHEDULE_DUE_DATE
APPLIED_FLAG
SCHEDULE_LINKAGE
SCHEDULE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE

READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE
AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED

LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC

CHARGEDET

COMPNAME
STTLMTCCY
COMPTYPE
MAINCOMPFLAG
SPLINTFLAG
SPLINTAMT
PENALBASISCOMP
CAPITALIZED
DRPAYMTMODE
CRPAYMTMODE
DRPRDACC
CRPRDACC
DRACCBRN
CRACCBRN
SVCACC
SVCACCBRN
EXTACNOCR
EXTACNMCR
CLGBKCR
CLGBRNCR
PCCATCR
EXTACNODR
EXTACNMDR
CLGBKDR
CLGBRNDR
PCCATDR
CARDNO
INSTNOCR
ROUTINGCR

ENDPTCR
CLGPRODCR
SECTORCR
INSTNODR
ROUTINGDR
ENDPTDR
CLGPRODDR
SECTORDR
VERIFYFUNDS
FUNDINT
FUNDROLL
COMPCCY
UPSOURCEDR
UPSOURCERCR
GIROMDDR
GIROSERDR
GIRONUMDR
PAYERACNODR
PAYERBKDR
PAYERBRNDR
PAYERADD1DR
PAYERADD2DR
PAYERADD3DR
PAYERADD4DR
GIROMDCR
GIROSERCR
GIRONUMCR
PAYERACNOCR
PAYERBKCR
PAYERBRNCR
PAYERADD1CR
PAYERADD2CR
PAYERADD3CR
PAYERADD4CR
IRRAPPL
COMPDESC
EFFDATE
CHARGESCHEDULE
- *FORMULA_NAME*
- *SCHEDULE_TYPE*
- *SCHEDULE_ST_DATE*
- *DUEDATE*
- *GRACEDAYS*
- *ORIG_AMOUNT_DUE*

AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
FORMULA_NAME
SCHEDULE_TYPE
SCHEDULE_ST_DATE
DUEDATE
GRACEDAYS
ORIG_AMOUNT_DUE

AMTDUE
ADJ_AMOUNT
AMTSETT
AMOUNT_OVERDUE
ACCRAMT
SETTLEMENT_CCY
AMTLCY
DLY_AVG_AMT
EMIAMT
SCHEDULE_FLAG
ISWAIVE
EVENT_SEQ_NO
SCHEDULE_LINKAGE
ISCAP
PROCESS_NO
AMTREADJUSTED
SUSP_AMT_DUE
SUSP_AMT_SETTLED
SUSP_AMT_LCY
SUSP_READ_AMT
SUSP_READ_SETTLED
LAST_SUSP_XRATE
READJ_SETTLED
LAST_READJ_XRATE
ADJ_SETTLED
SCHSTATUS
ACCOUNT_GL
LAST_PMNT_VALUE_DATE
RETRY_START_DATE
MORA_INT
SCHEDULE_NO
WRITEOFF_AMT
AMOUNT_WAIVED
IRR_APPLICABLE
LIST_DAYS
LIST_AVG_AMT
AMORT_PRINC
EFFDATE
LINKAGES
LINKAGE_SEQ_NO
LINKTYPE
LINKAGE_BRANCH
LINKREFNO
LINKAMT

- *AMT_BLOCK_NO*
- *SECPORTION*
- *CUSTID*

UDERTPLAN

- *PERIOD_ST_DT*
- *PERIOD_END_DT*

COMMPREF

- *LAST_DSBR_DT*
- *MATURITY_DT*

PROPERTY

- *PNAME*
- *PTYPE*
- *PADDRESS1*
- *PADDRESS2*
- *PADDRESS3*
- *PADDRESS4*
- *COUNTRY*
- *POWNER*
- *PAGE*
- *PVALUE*
- *OMARGIN*
- *LMARGIN*
- *VCCY*

EVENTADVICES

- *EVENT_CODE*
- *EVENT_SEQ_NO*
- *MSG_TYPE*
- *DCN*
- *SUPPRESS*
- *PRIORITY*
- *FORMAT*
- *GENERATION_TIME*

ADVSUPPRESS

- *MSGTYPE*

MIS-MASTER

- *MISDETAILS*
  - *BRANCH*
  - *CUSTNO*
  - *MISGRP*
  - *RELREF*
  - *RELACC*
  - *MISHD*
  - *POOLCD*
  - *REFRT*

REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN
REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8

TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2
FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
BRANCH
CUSTNO
MISGRP
RELREF
RELACC
MISHD
POOLCD
REFRT
REFRTTYPE
REFXRT
CALCMETH
MISGRPTXN

REFRTCD
REFRTSPRD
FUNDMIS1
FUNDMIS2
FUNDMIS3
FUNDMIS4
FUNDMIS5
FUNDMIS6
FUNDMIS7
FUNDMIS8
FUNDMIS9
FUNDMIS10
MISGRPCOMP
COMPMIS1
COMPMIS2
COMPMIS3
COMPMIS4
COMPMIS5
COMPMIS6
COMPMIS7
COMPMIS8
COMPMIS9
COMPMIS10
COSTCOD1
COSTCOD2
COSTCOD3
COSTCOD4
COSTCOD5
LINKGRP
CCY
RTFLAG
PROCFLG
TXNMIS1
TXNMIS2
TXNMIS3
TXNMIS4
TXNMIS5
TXNMIS6
TXNMIS7
TXNMIS8
TXNMIS9
TXNMIS10
FUNDMIS1LBL1
FUNDMIS2LBL2

FUNDMIS3LBL3
FUNDMIS4LBL4
FUNDMIS5LBL5
FUNDMIS6LBL6
FUNDMIS7LBL7
FUNDMIS8LBL8
FUNDMIS9LBL9
FUNDMIS10LBL10
COMPMIS1LBL1
COMPMIS2LBL2
COMPMIS3LBL3
COMPMIS4LBL4
COMPMIS5LBL5
COMPMIS6LBL6
COMPMIS7LBL7
COMPMIS8LBL8
COMPMIS9LBL9
COMPMIS10LBL10
TXNMIS1LBL1
TXNMIS2LBL2
TXNMIS3LBL3
TXNMIS4LBL4
TXNMIS5LBL5
TXNMIS6LBL6
TXNMIS7LBL7
TXNMIS8LBL8
TXNMIS9LBL9
TXNMIS10LBL10
COMMITUTILS
COMMIT_SEQ_NO
COMMIT_EVENT
LINK_BRN_CODE
LINK_REF_NO
LINK_DATE
LINK_EVENT
LINK_EVENT_SEQ_NO
LINK_CCY
LINK_CCY_AMOUNT
COMMIT_AMOUNT
INCR_DECR_FLAG
COMMIT_BAL
FCUBS_WARNING_RESP
WARNING
WCODE

WDESC

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	**Description**	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Save-Reassign-Res-PK

Attribute	Description
Name	Save-Reassign-Res-PK
Datatype	
Description	Indicates MO Save Reassign Response-PK type
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

MO-Save-Reassign-Account-Req

Attribute	Description
Name	MO-Save-Reassign-Account-Req
Datatype	
Description	Indicates MO Save Reassign Request type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUSTID

Attribute	Description

Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description
Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account : A Liquidate : L Reversed : V Hold : H Inactive : I Uninitiated : Y Closed : C
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description
Name	ORIGSTDT
Datatype	Date
Description	Indicates Original Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHEQBOOK

Attribute	Description
Name	CHEQBOOK
Datatype	String
Description	Indicates Cheque Book Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMENDPAST

Attribute	Description
Name	AMENDPAST
Datatype	String
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ATMFACILITY

Attribute	Description
Name	ATMFACILITY
Datatype	String
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	Indicates Bulk Payment Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Indicates Partial Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	Indicates Retries for auto Liquidation
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	Indicates Retries for advice days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Indicates Manual Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRMODE

Attribute	**Description**	
Name	ROLLOVRMODE	
Datatype	String	
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVRTYPE

Attribute	**Description**	
Name	ROLLOVRTYPE	
Datatype	String	
Description	Indicates Rollover Type Special : S Custom : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALIQ_REVERSED_PMT

Attribute	**Description**	
Name	ALIQ_REVERSED_PMT	
Datatype	String	
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String
Description	Indicates Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	It indicates ARVN Applied
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Auto or Manual Roll over Auto : A Manual : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String
Description	Indicates Calculation Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Funded Status Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQ_COMP_DATES_FLAG

Attribute	Description
Name	LIQ_COMP_DATES_FLAG
Datatype	String
Description	Indicates Liquidate Component Dates Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MATURITY_TYPE

Attribute	Description
Name	MATURITY_TYPE
Datatype	String
Description	Indicates Maturity Type Fixed : F Call : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PRIMARY_APPLICANT_ID

Attribute	Description
Name	PRIMARY_APPLICANT_ID
Datatype	String
Description	Indicates Primary Applicant Identtification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRIMARY_APPLICANT_NAME

Attribute	Description
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RATE_CODE_PREF

Attribute	Description
Name	RATE_CODE_PREF
Datatype	String
Description	Indicates Rate Code Preference
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

USER_DEFINED_STATUS

Attribute	Description
Name	USER_DEFINED_STATUS
Datatype	String
Description	Indicates User Defined Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

DERIVED_STATUS

Attribute	Description
Name	DERIVED_STATUS
Datatype	String
Description	Indicates Derived Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Auth status Authorised : A Unauthorized : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicates Amount Financed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_VALDAT

Attribute	Description
Name	L_VALDAT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_MATDT

Attribute	Description
Name	L_MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

L_CCY

Attribute	Description
Name	L_CCY
Datatype	String
Description	Indicates Currency

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

L_CUSTID

Attribute	**Description**	
Name	L_CUSTID	
Datatype	String	
Description	Indicates Customer Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

L_CUSTNM

Attribute	**Description**	
Name	L_CUSTNM	
Datatype	String	
Description	Indicates Customer Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates Maker ID	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	25

TOP

AUTHSTAT1

Attribute	Description	
Name	AUTHSTAT1	
Datatype	String	
Description	Indicates Auth Status Authorise : A UnAuthorise : U	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ESN

Attribute	Description	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	3

TOP

AMT_AVAILABLE

Attribute	Description	
Name	AMT_AVAILABLE	
Datatype	Number	
Description	Indicates Amount Available	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type Revolving : R Non Revolving : N

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ROLLOVER_ALLOWED

Attribute	**Description**	
Name	ROLLOVER_ALLOWED	
Datatype	String	
Description	Indicates Allow Rollover Yes : Y No : N	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description	Indicates Loan Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description	Indicates User Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BILLREFNO

Attribute	**Description**
Name	BILLREFNO
Datatype	String
Description	Indicates Bill Reference Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description	Indicates loan to value.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	**Description**	
Name	RECALCANNUITY	
Datatype	String	
Description	Indicates recalculation of annuity on Disbursement	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MORTGAGEG

Attribute	**Description**	
Name	MORTGAGEG	
Datatype	String	
Description	Indicates mortgage group.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SUBCUSTID

Attribute	**Description**	
Name	SUBCUSTID	
Datatype	String	
Description	Indicates Subsidy Customer ID.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	Indicates Intermediary Initiated.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	Indicates Intermediary Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Indicates Promotions details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String
Description	Indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT
Datatype	
Description	Indicates Other Applicants details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description

Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 4

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates UDE Details
Attributes	**Attribute** / **Description**: maxOccurs / unbounded; minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	**Description**
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	**Description**
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEVALS

Attribute	**Description**
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	**Description**
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD

Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCNO

Attribute	Description
Name	ACCNO

Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Indicates Holiday Periods details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Holiday Period
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Indicates Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	It indicates Version Flag value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description

Name	TAG_CCY
Datatype	String
Description	It indicates value of Tag Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	It indicates Account Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ACCOUNT

Attribute	Description
Name	ACCOUNT
Datatype	String
Description	It indicates Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACC_CCY

Attribute	Description
Name	ACC_CCY
Datatype	String
Description	It indicates Account Currency
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

CCY_RESTRICTION

Attribute	Description
Name	CCY_RESTRICTION
Datatype	String
Description	It indicates Currency Restriction

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	**Description**	
Name	EX_RATE	
Datatype	Number	
Description	It indicates Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	**Description**	
Name	VALUE_DATE	
Datatype	Date	
Description	It indicates Value_Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SETTLEMENT_AMT

Attribute	**Description**	
Name	SETTLEMENT_AMT	
Datatype	Number	
Description	It indicates Settlement Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

PAY_RECEIVE

Attribute	**Description**	
Name	PAY_RECEIVE	
Datatype	String	
Description	It indicates Payer/Receiver	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PAYMENT_BY

Attribute	Description	
Name	PAYMENT_BY	
Datatype	String	
Description	It indicates Payment By	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TRANSFER_TYPE

Attribute	Description	
Name	TRANSFER_TYPE	
Datatype	String	
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

INSTRUMENT_TYPE

Attribute	Description	
Name	INSTRUMENT_TYPE	
Datatype	String	
Description	It Indicates Instrument Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

INSTRUMENT_NO

Attribute	Description	
Name	INSTRUMENT_NO	
Datatype	String	
Description	It indicates Instrument Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	It indicates Change Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String
Description	It indicates Change Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	It indicates Party Information Allowed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	It indicates Cover Required Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	It indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String
Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	It indicates Our Correspondent
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	It indicates Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description	
Name	INT_REIM_INST1	
Datatype	String	
Description	Indicates Field 1 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST2

Attribute	Description	
Name	INT_REIM_INST2	
Datatype	String	
Description	Indicates Field 2 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	Description	
Name	INT_REIM_INST3	
Datatype	String	
Description	Indicates Field 3 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	Description	
Name	INT_REIM_INST4	
Datatype	String	
Description	Indicates Field 4 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	Description
Name	RCVR_CORRESP1
Datatype	String
Description	Indicates Field 1 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP2

Attribute	Description
Name	RCVR_CORRESP2
Datatype	String
Description	Indicates Field 2 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1

Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description
Name	INTERMEDIARY3
Datatype	String
Description	Indicates Field 3 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY4

Attribute	Description
Name	INTERMEDIARY4
Datatype	String
Description	Indicates Field 4 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ACC_WITH_INSTN1

Attribute	Description
Name	ACC_WITH_INSTN1
Datatype	String
Description	Indicates Field 1 of Account With Institution

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	**Description**	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Field 2 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	**Description**	
Name	ACC_WITH_INSTN3	
Datatype	String	
Description	Indicates Field 3 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN4

Attribute	**Description**	
Name	ACC_WITH_INSTN4	
Datatype	String	
Description	Indicates Field 4 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS1

Attribute	**Description**	
Name	PAYMENT_DETAILS1	
Datatype	String	
Description	Indicates Field 1 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS2

Attribute	Description	
Name	PAYMENT_DETAILS2	
Datatype	String	
Description	Indicates Field 2 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS3

Attribute	Description	
Name	PAYMENT_DETAILS3	
Datatype	String	
Description	Indicates Field 3 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS4

Attribute	Description	
Name	PAYMENT_DETAILS4	
Datatype	String	
Description	Indicates Field 4 of Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description	
Name	SNDR_TO_RCVR_INFO1	
Datatype	String	
Description	Indicates Field 1 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Field 2 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO4

Attribute	Description
Name	SNDR_TO_RCVR_INFO4
Datatype	String
Description	Indicates Field 4 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO5

Attribute	Description
Name	SNDR_TO_RCVR_INFO5
Datatype	String
Description	Indicates Field 5 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO6

Attribute	Description
Name	SNDR_TO_RCVR_INFO6
Datatype	String
Description	Indicates Field 6 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION1

Attribute	Description
Name	ORDERING_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4

Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION1

Attribute	**Description**	
Name	BENEF_INSTITUTION1	
Datatype	String	
Description	Indicates Field 1 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION2

Attribute	**Description**	
Name	BENEF_INSTITUTION2	
Datatype	String	
Description	Indicates Field 2 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION3

Attribute	**Description**	
Name	BENEF_INSTITUTION3	
Datatype	String	
Description	Indicates Field 3 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION4

Attribute	**Description**	
Name	BENEF_INSTITUTION4	
Datatype	String	
Description	Indicates Field 4 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Field 1 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2
Datatype	String
Description	Indicates Field 2 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Field 3 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Field 4 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description	
Name	EX_RATE_FLAG	
Datatype	String	
Description	It indicates Exchange Rate Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ERI_CCY

Attribute	Description	
Name	ERI_CCY	
Datatype	String	
Description	It indicates ERI Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	Description	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	Description	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	Description
Name	ACC_WITH_INSTN5
Datatype	String
Description	It indicates Field 5 of Account With Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION5

Attribute	Description
Name	BENEF_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description

Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MIN_EVENT_SEQ_NO

Attribute	**Description**	
Name	MIN_EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Mininmum Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

INTERPAY_GENERATED

Attribute	**Description**	
Name	INTERPAY_GENERATED	
Datatype	String	
Description	It indicates Interpay Generated	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BENEF_INST1_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST1_FOR_COVER	
Datatype	String	
Description	Indicates Field 1 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INST2_FOR_COVER

Attribute	**Description**	
Name	BENEF_INST2_FOR_COVER	
Datatype	String	
Description	Indicates Field 2 of Beneficiary Institution for Cover	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description
Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Field 5 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	It indicates Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	It indicates Generation Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	It indicates IBAN Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISSUING_BANK

Attribute	Description
Name	ISSUING_BANK
Datatype	String
Description	It indicates Issuing Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PAYABLE_BRANCH

Attribute	Description
Name	PAYABLE_BRANCH
Datatype	String
Description	It indicates Payable Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

PRINTED_STATIONARY_NO

Attribute	Description
Name	PRINTED_STATIONARY_NO

Datatype	String
Description	It indicates Printed Stationary Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	It indicates Routing Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

OTHER_DETAILS5

Attribute	Description
Name	OTHER_DETAILS5
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS6

Attribute	Description
Name	OTHER_DETAILS6
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description
Name	OTHER_DETAILS_TYPE1
Datatype	String
Description	It Indicates Other Details Type

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE3	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE4

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE4	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE5

Attribute	**Description**	
Name	OTHER_DETAILS_TYPE5	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS
Datatype	String
Description	It indicates Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	It indicates the value of Netting Accross Modules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	It indicates Netting Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	It indicates Cover By
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	It indicates External Product Category
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EXT_STATION_ID

Attribute	Description
Name	EXT_STATION_ID
Datatype	String
Description	It indicates External Station Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

EXT_SOURCE

Attribute	Description
Name	EXT_SOURCE
Datatype	String
Description	It indicates External Source
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description
Name	EXT_CPTY_AC_PREFIX

Datatype	String
Description	It indicates the External Counterparty Account Prefix
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 6

TOP

EXT_PARTY_BIC

Attribute	Description
Name	EXT_PARTY_BIC
Datatype	String
Description	It indicates External Party BIC code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description
Name	EXT_PARTY_ACCOUNT
Datatype	String
Description	It indicates External Party Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXT_PARTY_NAME

Attribute	Description
Name	EXT_PARTY_NAME
Datatype	String
Description	It indicates External Party Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REQD_103

Attribute	Description
Name	REQD_103
Datatype	String
Description	It indicates Required 103

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	**Description**	
Name	REQD_103P	
Datatype	String	
Description	It indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	**Description**	
Name	AGREEMENT_ID	
Datatype	String	
Description	It indicates Agreement Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

POST_ACCOUNTING

Attribute	**Description**	
Name	POST_ACCOUNTING	
Datatype	String	
Description	It indicates Post Accounting	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	**Description**	
Name	XREF_PC_CONTRACT_REF_NO	
Datatype	String	
Description	It indicates Flexcube PC Contract Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	It indicates the External Party Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD
Datatype	Number
Description	It indicates Customer Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	It indicates External Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	It indicates Spread Defintion
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_PAYMENT

Attribute	**Description**	
Name	RTGS_PAYMENT	
Datatype	String	
Description	It indicates RTGS Payment	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

BANKING_PRIORITY

Attribute	**Description**	
Name	BANKING_PRIORITY	
Datatype	String	
Description	It indicates Banking Priority	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description	It indicates RTGS Network	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMP

Attribute	**Description**	
Name	ROLLCOMP	
Datatype		
Description	It indicates Rollover Component details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CHECKLIST

Attribute	Description
Name	CHECKLIST
Datatype	
Description	Indicates the details of Check List
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO

Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

DESCRIPTION

Attribute	Description
Name	DESCRIPTION
Datatype	String
Description	It indicates Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String

Description	It indicates Verified Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	It indicates Remarks details under Check List tab
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 0 totalDigits: 3

TOP

REMARK1

Attribute	Description
Name	REMARK1
Datatype	String
Description	It indicates Field 1 of Remarks
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

REMARK2

Attribute	Description
Name	REMARK2
Datatype	String
Description	It indicates Field 2 of Remarks
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

REMARK3

Attribute	Description
Name	REMARK3
Datatype	String
Description	It indicates Field 3 of Remarks
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

REMARK4

Attribute	Description
Name	REMARK4
Datatype	String
Description	It indicates Field 4 of Remarks
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

REMARK5

Attribute	Description
Name	REMARK5
Datatype	String
Description	It indicates Field 5 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK6

Attribute	Description
Name	REMARK6
Datatype	String
Description	It indicates Field 6 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK7

Attribute	Description
Name	REMARK7
Datatype	String
Description	It indicates Field 7 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK8

Attribute	Description
Name	REMARK8
Datatype	String
Description	It indicates Field 8 of Remarks
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

REMARK9

Attribute	Description
Name	REMARK9
Datatype	String
Description	It indicates Field 9 of Remarks
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

REMARK10

Attribute	Description
Name	REMARK10
Datatype	String
Description	It indicates Field 10 of Remarks
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates the Component Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String

Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String

Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description
Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR

Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description	Indicates End Point Credit	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description	Indicates Clearing Product Code to be credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description	Indicates Sector Code to be credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description	Indicates Instrument Number Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	Description	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Routing Number Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description	Indicates End Point Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Clearing Product Code to be debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description	Indicates Sector Code to be debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description

Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String

Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC

Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

FIRSTDUE

Attribute	**Description**	
Name	FIRSTDUE	
Datatype	Date	
Description	It indicates First Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

WAIVERFLAG

Attribute	**Description**	
Name	WAIVERFLAG	
Datatype	String	
Description	Indicates Waive Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPOUND_DAYS

Attribute	**Description**	
Name	COMPOUND_DAYS	
Datatype	Number	
Description	It indicates Compounds Days	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String

Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT

Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	It indicates Disburse Scedules details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_ST_DATE

Attribute	**Description**	
Name	SCHEDULE_ST_DATE	
Datatype	Date	
Description	It indicates Schedule Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SCHEDULE_DUE_DATE

Attribute	**Description**	
Name	SCHEDULE_DUE_DATE	
Datatype	Date	
Description	It indicates Schedule Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT_TO_DISBR

Attribute	**Description**	
Name	AMOUNT_TO_DISBR	
Datatype	Number	
Description	It indicates Amount To Disburse	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

REVNSCHEDULE

Attribute	**Description**
Name	REVNSCHEDULE
Datatype	

Description	It indicates Revn Scedules details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE

Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	It indicates Schedules Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>27</td></tr></table>

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>1</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_OVERDUE

Attribute	**Description**	
Name	AMOUNT_OVERDUE	
Datatype	Number	
Description	It indicates Amount Overdue	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCRAMT

Attribute	**Description**	
Name	ACCRAMT	
Datatype	Number	
Description	It indicates Accrued Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLEMENT_CCY

Attribute	**Description**	
Name	SETTLEMENT_CCY	
Datatype	String	
Description	It indicates Settlement Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	**Description**
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String

Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description	
Name	WRITEOFF_AMT	
Datatype	Number	
Description	It indicates Writeoff Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_WAIVED

Attribute	Description	
Name	AMOUNT_WAIVED	
Datatype	Number	
Description	It indicates Amount Waived	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

IRR_APPLICABLE

Attribute	Description	
Name	IRR_APPLICABLE	
Datatype	String	
Description	It indicates IRR Applicable Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIST_DAYS

Attribute	Description	
Name	LIST_DAYS	
Datatype	String	
Description	It indicates List Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FORMULA_NAME

Attribute	Description	
Name	FORMULA_NAME	
Datatype	String	
Description	It indicates Formula Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

SCHEDULE_TYPE

Attribute	Description	
Name	SCHEDULE_TYPE	
Datatype	String	
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE

Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT

Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number

Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE

Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_SUSP_XRATE

Attribute	**Description**	
Name	LAST_SUSP_XRATE	
Datatype	Number	
Description	It indicates Last Suspense Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

READJ_SETTLED

Attribute	**Description**	
Name	READJ_SETTLED	
Datatype	Number	
Description	It indicates ReAdjustment Settled Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

LAST_READJ_XRATE

Attribute	**Description**	
Name	LAST_READJ_XRATE	
Datatype	Number	
Description	It indicates Last Readjustment Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_SETTLED

Attribute	**Description**
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SCHSTATUS

Attribute	**Description**	
Name	SCHSTATUS	
Datatype	String	
Description	It indicates Schedules Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ACCOUNT_GL

Attribute	**Description**	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	**Description**	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	**Description**	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

IRR_APPLICABLE

Attribute	**Description**	
Name	IRR_APPLICABLE	
Datatype	String	
Description	It indicates IRR Applicable Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIST_DAYS

Attribute	**Description**	
Name	LIST_DAYS	
Datatype	String	
Description	It indicates List Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	**Description**	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	**Description**	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

CHARGEDET

Attribute	Description
Name	CHARGEDET
Datatype	
Description	It indicates Charge Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MAINCOMPFLAG

Attribute	**Description**	
Name	MAINCOMPFLAG	
Datatype	String	
Description	Indicates Main Component Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTFLAG

Attribute	**Description**	
Name	SPLINTFLAG	
Datatype	String	
Description	Indicates Special Interest Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

SPLINTAMT

Attribute	**Description**	
Name	SPLINTAMT	
Datatype	Number	
Description	Indicates Special Interest Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PENALBASISCOMP

Attribute	**Description**
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CAPITALIZED

Attribute	**Description**	
Name	CAPITALIZED	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

DRPAYMTMODE

Attribute	**Description**	
Name	DRPAYMTMODE	
Datatype	String	
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CRPAYMTMODE

Attribute	**Description**	
Name	CRPAYMTMODE	
Datatype	String	
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description	
Name	EXTACNOCR	
Datatype	String	
Description	Indicates External Account Number of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMCR

Attribute	Description	
Name	EXTACNMCR	
Datatype	String	
Description	Indicates External Account Name of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR

Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR
Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR
Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description

Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String

Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	It indicates Charges Schedule details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description

Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE

Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description	It indicates Amount Due	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	Description	
Name	ADJ_AMOUNT	
Datatype	Number	
Description	It indicates Adjustment Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTSETT

Attribute	Description	
Name	AMTSETT	
Datatype	Number	
Description	It indicates Amount Settled	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_OVERDUE

Attribute	Description	
Name	AMOUNT_OVERDUE	
Datatype	Number	
Description	It indicates Amount Overdue	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

AMTREADJUSTED

Attribute	**Description**	
Name	AMTREADJUSTED	
Datatype	Number	
Description	It indicates Amount Readjusted	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGES

Attribute	Description
Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	Attribute: minOccurs Description: 0
Restrictions	Restrictions: maxLength Description: 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	Attribute: minOccurs Description: 0

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	It indicates Amount Block Number
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	It indicates Secured Portion
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
fractionDigits	12
totalDigits	50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
maxLength	35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PADDRESS2

Attribute	Description

Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PAGE

Attribute	**Description**	
Name	PAGE	
Datatype	Number	
Description	It indicates Property age	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	2
	totalDigits	5

TOP

PVALUE

Attribute	**Description**	
Name	PVALUE	
Datatype	Number	
Description	It indicates Value of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

OMARGIN

Attribute	**Description**	
Name	OMARGIN	
Datatype	Number	
Description	It indicates offset margin of the property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

LMARGIN

Attribute	**Description**
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	4
	totalDigits	7

TOP

VCCY

Attribute	**Description**	
Name	VCCY	
Datatype	String	
Description	It indicates valuation currency of the Property	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

EVENTADVICES

Attribute	**Description**	
Name	EVENTADVICES	
Datatype		
Description	It indicates Advices details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

EVENT_CODE

Attribute	**Description**	
Name	EVENT_CODE	
Datatype	String	
Description	It indicates Event Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

MSG_TYPE

Attribute	Description
Name	MSG_TYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

DCN

Attribute	Description
Name	DCN
Datatype	String
Description	It indicates Document Control Number(DCN)
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	It indicates Suppress Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	It indicates Format
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	It indicates Generation Time
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	It indicates Suppress Advices details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	It indicates MIS Master details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

RELREF

Attribute	**Description**	
Name	RELREF	
Datatype	String	
Description	It indicates Related Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RELACC

Attribute	**Description**	
Name	RELACC	
Datatype	String	
Description	It indicates Related Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	**Description**	
Name	MISHD	
Datatype	String	
Description	It indicates MIS Head	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

POOLCD

Attribute	**Description**	
Name	POOLCD	
Datatype	String	
Description	It indicates Pool Code	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

REFRT

Attribute	Description	
Name	REFRT	
Datatype	Number	
Description	It indicates Reference Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

REFRTTYPE

Attribute	Description	
Name	REFRTTYPE	
Datatype	String	
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REFXRT

Attribute	Description	
Name	REFXRT	
Datatype	String	
Description	It indicates Reference Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String

Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number
Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS5

Attribute	Description

Name	FUNDMIS5
Datatype	String
Description	It indicates Fund MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6

Attribute	Description
Name	FUNDMIS6
Datatype	String
Description	It indicates Fund MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7

Attribute	Description
Name	FUNDMIS7
Datatype	String
Description	It indicates Fund MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8

Attribute	Description
Name	FUNDMIS8
Datatype	String
Description	It indicates Fund MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9

Attribute	Description
Name	FUNDMIS9
Datatype	String
Description	It indicates Fund MIS 9

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS10

Attribute	Description
Name	FUNDMIS10
Datatype	String
Description	It indicates Fund MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3

Attribute	Description	
Name	COMPMIS3	
Datatype	String	
Description	It indicates Composite MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4

Attribute	Description	
Name	COMPMIS4	
Datatype	String	
Description	It indicates Composite MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5

Attribute	Description	
Name	COMPMIS5	
Datatype	String	
Description	It indicates Composite MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6

Attribute	Description	
Name	COMPMIS6	
Datatype	String	
Description	It indicates Composite MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10
Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD5

Attribute	Description
Name	COSTCOD5

Datatype	String
Description	It indicates Cost Code 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

LINKGRP

Attribute	Description
Name	LINKGRP
Datatype	String
Description	It indicates Link To Group Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG

Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description
Name	TXNMIS3
Datatype	String
Description	It indicates Transaction MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS4

Attribute	Description
Name	TXNMIS4
Datatype	String
Description	It indicates Transaction MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	**Description**	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	**Description**	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	**Description**	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	**Description**	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	**Description**	
Name	FUNDMIS2LBL2	
Datatype	String	
Description	It indicates Fund MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3LBL3

Attribute	Description	
Name	FUNDMIS3LBL3	
Datatype	String	
Description	It indicates Fund MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4LBL4

Attribute	Description	
Name	FUNDMIS4LBL4	
Datatype	String	
Description	It indicates Fund MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	Description	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	It indicates Fund MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	Description	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS1LBL1

Attribute	Description
Name	COMPMIS1LBL1

Datatype	String
Description	It indicates Composite MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2LBL2

Attribute	Description
Name	COMPMIS2LBL2
Datatype	String
Description	It indicates Composite MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	It indicates Composite MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	**Description**	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	**Description**	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	**Description**	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	**Description**	
Name	COMPMIS9LBL9	
Datatype	String	
Description	It indicates Composite MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10LBL10

Attribute	Description	
Name	COMPMIS10LBL10	
Datatype	String	
Description	It indicates Composite MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS1LBL1

Attribute	Description	
Name	TXNMIS1LBL1	
Datatype	String	
Description	It indicates Transaction MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2LBL2

Attribute	Description	
Name	TXNMIS2LBL2	
Datatype	String	
Description	It indicates Transaction MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3LBL3

Attribute	Description	
Name	TXNMIS3LBL3	
Datatype	String	
Description	It indicates Transaction MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4LBL4

Attribute	Description	
Name	TXNMIS4LBL4	
Datatype	String	
Description	It indicates Transaction MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5LBL5

Attribute	Description	
Name	TXNMIS5LBL5	
Datatype	String	
Description	It indicates Transaction MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	Description	
Name	TXNMIS6LBL6	
Datatype	String	
Description	It indicates Transaction MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	Description	
Name	TXNMIS7LBL7	
Datatype	String	
Description	It indicates Transaction MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String

Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CALCMETH

Attribute	Description	
Name	CALCMETH	
Datatype	String	
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MISGRPTXN

Attribute	Description	
Name	MISGRPTXN	
Datatype	String	
Description	It indicates MIS Group of Transaction MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

REFRTCD

Attribute	Description	
Name	REFRTCD	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	Description
Name	REFRTSPRD
Datatype	Number

Description	It indicates Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FUNDMIS1

Attribute	Description
Name	FUNDMIS1
Datatype	String
Description	It indicates Fund MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2

Attribute	Description
Name	FUNDMIS2
Datatype	String
Description	It indicates Fund MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3

Attribute	Description
Name	FUNDMIS3
Datatype	String
Description	It indicates Fund MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4

Attribute	Description
Name	FUNDMIS4
Datatype	String
Description	It indicates Fund MIS 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	Description	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	Description	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPMIS1

Attribute	Description	
Name	COMPMIS1	
Datatype	String	
Description	It indicates Composite MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10

Attribute	Description
Name	COMPMIS10

Datatype	String
Description	It indicates Composite MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD1

Attribute	Description
Name	COSTCOD1
Datatype	String
Description	It indicates Cost Code 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD2

Attribute	Description
Name	COSTCOD2
Datatype	String
Description	It indicates Cost Code 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD3

Attribute	Description
Name	COSTCOD3
Datatype	String
Description	It indicates Cost Code 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COSTCOD4

Attribute	Description
Name	COSTCOD4
Datatype	String
Description	It indicates Cost Code 4

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	It indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	It indicates Link To Group Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PROCFLG

Attribute	**Description**	
Name	PROCFLG	
Datatype	String	
Description	It indicates Processed Flag Related Reference Number : R Related Account : A	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

TXNMIS1

Attribute	**Description**	
Name	TXNMIS1	
Datatype	String	
Description	It indicates Transaction MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS2

Attribute	**Description**	
Name	TXNMIS2	
Datatype	String	
Description	It indicates Transaction MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	**Description**	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	**Description**	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	**Description**	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	**Description**	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	**Description**	
Name	TXNMIS7	
Datatype	String	
Description	It indicates Transaction MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8

Attribute	Description	
Name	TXNMIS8	
Datatype	String	
Description	It indicates Transaction MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9

Attribute	Description	
Name	TXNMIS9	
Datatype	String	
Description	It indicates Transaction MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10

Attribute	Description	
Name	TXNMIS10	
Datatype	String	
Description	It indicates Transaction MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS1LBL1

Attribute	Description	
Name	FUNDMIS1LBL1	
Datatype	String	
Description	It indicates Fund MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS6LBL6

Attribute	Description
Name	FUNDMIS6LBL6

Datatype	String
Description	It indicates Fund MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS7LBL7

Attribute	Description
Name	FUNDMIS7LBL7
Datatype	String
Description	It indicates Fund MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS8LBL8

Attribute	Description
Name	FUNDMIS8LBL8
Datatype	String
Description	It indicates Fund MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS9LBL9

Attribute	Description
Name	FUNDMIS9LBL9
Datatype	String
Description	It indicates Fund MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS10LBL10

Attribute	Description
Name	FUNDMIS10LBL10
Datatype	String
Description	It indicates Fund MIS 10 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	**Description**	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	**Description**	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	**Description**	
Name	COMPMIS3LBL3	
Datatype	String	
Description	It indicates Composite MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	**Description**	
Name	COMPMIS4LBL4	
Datatype	String	
Description	It indicates Composite MIS 4 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS5LBL5

Attribute	Description	
Name	COMPMIS5LBL5	
Datatype	String	
Description	It indicates Composite MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS6LBL6

Attribute	Description	
Name	COMPMIS6LBL6	
Datatype	String	
Description	It indicates Composite MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS7LBL7

Attribute	Description	
Name	COMPMIS7LBL7	
Datatype	String	
Description	It indicates Composite MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS8LBL8

Attribute	Description	
Name	COMPMIS8LBL8	
Datatype	String	
Description	It indicates Composite MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	It indicates Composite MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS7LBL7

Attribute	Description
Name	TXNMIS7LBL7

Datatype	String
Description	It indicates Transaction MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8LBL8

Attribute	Description
Name	TXNMIS8LBL8
Datatype	String
Description	It indicates Transaction MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9LBL9

Attribute	Description
Name	TXNMIS9LBL9
Datatype	String
Description	It indicates Transaction MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	It indicates the Commitment Details

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMMIT_SEQ_NO

Attribute	**Description**	
Name	COMMIT_SEQ_NO	
Datatype	Number	
Description	It indicates Commit Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	5

TOP

COMMIT_EVENT

Attribute	**Description**	
Name	COMMIT_EVENT	
Datatype	String	
Description	It indicates Commitment Event	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

LINK_BRN_CODE

Attribute	**Description**	
Name	LINK_BRN_CODE	
Datatype	String	
Description	It indicates Linkage Branch Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

LINK_REF_NO

Attribute	**Description**	
Name	LINK_REF_NO	
Datatype	String	
Description	It indicates Linkage Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	It indicates Linkage Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	It indicates Linkage Event
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO
Datatype	Number
Description	It indicates Linkage Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	It indicates Linkage Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	It indicates Linkage Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	It indicates Commit Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String
Description	It indicates Increase Decrease Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	It indicates Commit Balance
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

MO-Save-Reassign-Req-IO

Attribute	Description
Name	MO-Save-Reassign-Req-IO
Datatype	
Description	Indicates MO Save Reassign Request-IO type
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates User Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description

Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PRD

Attribute	Description
Name	PRD
Datatype	String
Description	Indicates Product Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates Product Category
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates Value Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates Book Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates Maturity Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NO_OF_INST

Attribute	Description

Name	NO_OF_INST
Datatype	Number
Description	Indicates No Of Installments
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates Alternate Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates Account Status Active Account : A Liquidate : L Reversed : V Hold : H Inactive : I Uninitiated : Y Closed : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

NETAMT

Attribute	Description
Name	NETAMT
Datatype	Number
Description	Indicates Net Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIGSTDT

Attribute	Description	
Name	ORIGSTDT	
Datatype	Date	
Description	Indicates Original Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

CHEQBOOK

Attribute	Description	
Name	CHEQBOOK	
Datatype	String	
Description	Indicates Cheque Book Facility Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AMENDPAST

Attribute	Description	
Name	AMENDPAST	
Datatype	String	
Description	Indicates Amend Past Paid Schedule Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ATMFACILITY

Attribute	Description	
Name	ATMFACILITY	
Datatype	String	
Description	Indicates Automatic Teller Machine Facility Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

NOTARYAUTO

Attribute	Description
Name	NOTARYAUTO
Datatype	String
Description	Indicates Pre Notary Confirmation. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PASSBOOK

Attribute	Description
Name	PASSBOOK
Datatype	String
Description	Indicates Passbook Facility Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIQDBACK

Attribute	Description
Name	LIQDBACK
Datatype	String
Description	Indicates Liquidate Back Valued Schedules Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BULK_PAYMENT

Attribute	Description
Name	ALLOW_BULK_PAYMENT
Datatype	String
Description	Indicates Bulk Payment Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTOLIQ

Attribute	Description
Name	AUTOLIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTLIQ

Attribute	Description
Name	PARTLIQ
Datatype	String
Description	Indicates Partial Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RETRIES

Attribute	Description
Name	RETRIES
Datatype	Number
Description	Indicates Retries for auto Liquidation
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

RETRIES_ADVICE_DAYS

Attribute	Description
Name	RETRIES_ADVICE_DAYS
Datatype	Number
Description	Indicates Retries for advice days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

LOAN_STLMNT_NOTICEFLG

Attribute	Description
Name	LOAN_STLMNT_NOTICEFLG
Datatype	String
Description	Indicates Loan Settlement Notice flag Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NOTICE_DATE

Attribute	Description
Name	NOTICE_DATE
Datatype	Date
Description	Indicates Notice Date

TOP

EXPECTED_CLOSURE_DATE

Attribute	Description
Name	EXPECTED_CLOSURE_DATE
Datatype	Date
Description	Indicates Expected Closure Date

TOP

TRKRECIALIQ

Attribute	Description
Name	TRKRECIALIQ
Datatype	String
Description	Indicates Auto Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRKRECIMLIQ

Attribute	Description
Name	TRKRECIMLIQ
Datatype	String
Description	Indicates Manual Liquidation Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

UDEROLLBASIS

Attribute	Description
Name	UDEROLLBASIS
Datatype	String
Description	Indicates UDE Rollover Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLAMT

Attribute	Description
Name	SPLAMT
Datatype	Number
Description	Indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHBASIS

Attribute	Description
Name	SCHBASIS
Datatype	String
Description	Indicates Schedule Basis Product : P Contract : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRMODE

Attribute	Description
Name	ROLLOVRMODE
Datatype	String
Description	Indicates Roll By Days : D Months : M Quarters : Q Semi Annual : S Years : Y

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVRTYPE

Attribute	Description
Name	ROLLOVRTYPE
Datatype	String
Description	Indicates Rollover Type Special : S Custom : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALIQ_REVERSED_PMT

Attribute	Description
Name	ALIQ_REVERSED_PMT
Datatype	String
Description	Indicates Auto Liquidated Reversed Payment Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ALLOW_BACK_PERIOD_ENTRY

Attribute	Description
Name	ALLOW_BACK_PERIOD_ENTRY
Datatype	String
Description	Indicates Back Period Entry Allowed Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMORTIZED

Attribute	Description
Name	AMORTIZED
Datatype	String

Description	Indicates Amortized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNT_DISBURSED

Attribute	Description
Name	AMOUNT_DISBURSED
Datatype	Number
Description	Indicates Amount Disbursed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

ARVN_APPLIED

Attribute	Description
Name	ARVN_APPLIED
Datatype	String
Description	It indicates ARVN Applied
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AUTO_MAN_ROLLOVER

Attribute	Description
Name	AUTO_MAN_ROLLOVER
Datatype	String
Description	Indicates Auto or Manual Roll over Auto : A Manual : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALC_REQD

Attribute	Description
Name	CALC_REQD
Datatype	String

Description	Indicates Calculation Required
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CR_ACC_BRN

Attribute	Description
Name	CR_ACC_BRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

DR_ACC_BRN

Attribute	Description
Name	DR_ACC_BRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 5

TOP

FUNDED_STATUS

Attribute	Description
Name	FUNDED_STATUS
Datatype	Number
Description	Indicates Funded Status Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INT_STMT

Attribute	Description
Name	INT_STMT
Datatype	String
Description	Indicates Interest Statement

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIQ_COMP_DATES_FLAG

Attribute	**Description**	
Name	LIQ_COMP_DATES_FLAG	
Datatype	String	
Description	Indicates Liquidate Component Dates Flag	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

MATURITY_TYPE

Attribute	**Description**	
Name	MATURITY_TYPE	
Datatype	String	
Description	Indicates Maturity Type Fixed : F Call : C	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

PRIMARY_APPLICANT_ID

Attribute	**Description**	
Name	PRIMARY_APPLICANT_ID	
Datatype	String	
Description	Indicates Primary Applicant Identtification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

PRIMARY_APPLICANT_NAME

Attribute	**Description**
Name	PRIMARY_APPLICANT_NAME
Datatype	String
Description	Indicates Primary Applicant Name

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PROCESS_NO

Attribute	**Description**	
Name	PROCESS_NO	
Datatype	Number	
Description	Indicates Process Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

RATE_CODE_PREF

Attribute	**Description**	
Name	RATE_CODE_PREF	
Datatype	String	
Description	Indicates Rate Code Preference	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_DEFINED_STATUS

Attribute	**Description**	
Name	USER_DEFINED_STATUS	
Datatype	String	
Description	Indicates User Defined Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

DERIVED_STATUS

Attribute	**Description**	
Name	DERIVED_STATUS	
Datatype	String	
Description	Indicates Derived Status	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates Auth status Authorised : A Unauthorized : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

VERNO

Attribute	Description
Name	VERNO
Datatype	Number
Description	Indicates Version Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

L_AMOUNT

Attribute	Description
Name	L_AMOUNT
Datatype	Number
Description	Indicates Amount Financed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

L_NETAMT

Attribute	Description
Name	L_NETAMT
Datatype	Number
Description	Indicates Net Principal

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	22

TOP

L_VALDAT

Attribute	**Description**	
Name	L_VALDAT	
Datatype	Date	
Description	Indicates Value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_MATDT

Attribute	**Description**	
Name	L_MATDT	
Datatype	Date	
Description	Indicates Maturity Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

L_CCY

Attribute	**Description**	
Name	L_CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

L_CUSTID

Attribute	**Description**	
Name	L_CUSTID	
Datatype	String	
Description	Indicates Customer Id	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

L_CUSTNM

Attribute	Description
Name	L_CUSTNM
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates Maker ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates Maker Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

AUTHSTAT1

Attribute	Description
Name	AUTHSTAT1
Datatype	String
Description	Indicates Auth Status Authorise : A UnAuthorise : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

AMT_AVAILABLE

Attribute	Description
Name	AMT_AVAILABLE
Datatype	Number
Description	Indicates Amount Available
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMITMENT_TYPE

Attribute	Description
Name	COMMITMENT_TYPE
Datatype	String
Description	Indicates Commitment Type Revolving : R Non Revolving : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ROLLOVER_ALLOWED

Attribute	Description
Name	ROLLOVER_ALLOWED
Datatype	String
Description	Indicates Allow Rollover Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LOAN_TYPE

Attribute	**Description**	
Name	LOAN_TYPE	
Datatype	String	
Description	Indicates Loan Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

USER_REF_NO

Attribute	**Description**	
Name	USER_REF_NO	
Datatype	String	
Description	Indicates User Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

BILLREFNO

Attribute	**Description**	
Name	BILLREFNO	
Datatype	String	
Description	Indicates Bill Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

LOANTOVALUE

Attribute	**Description**	
Name	LOANTOVALUE	
Datatype	Number	
Description	Indicates loan to value.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

RECALCANNUITY

Attribute	Description
Name	RECALCANNUITY
Datatype	String
Description	Indicates recalculation of annuity on Disbursement
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

MORTGAGEG

Attribute	Description
Name	MORTGAGEG
Datatype	String
Description	Indicates mortgage group.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

SUBCUSTID

Attribute	Description
Name	SUBCUSTID
Datatype	String
Description	Indicates Subsidy Customer ID.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

INTERINIT

Attribute	Description
Name	INTERINIT
Datatype	String
Description	Indicates Intermediary Initiated.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

INTERCODE

Attribute	Description
Name	INTERCODE
Datatype	String
Description	Indicates Intermediary Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROMOTIONS

Attribute	Description
Name	PROMOTIONS
Datatype	
Description	Indicates Promotions details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRTYP

Attribute	Description
Name	PRTYP
Datatype	String

Description	Indicates Promotion Type PROMOTION : P CONVENIOS : C CORFO : F FOGAPE : G
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PRID

Attribute	Description
Name	PRID
Datatype	String
Description	Indicates Promotion Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEFCIF

Attribute	Description
Name	BENEFCIF
Datatype	String
Description	Indicates Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

OTHAPPLCNT

Attribute	Description
Name	OTHAPPLCNT

Datatype	
Description	Indicates Other Applicants details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CUSTNAME

Attribute	Description
Name	CUSTNAME
Datatype	String
Description	Indicates Customer Name
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RESP

Attribute	Description
Name	RESP
Datatype	String
Description	Indicates Responsibility Authorised Signatory : AUS Customer Contact Person : CON Custodian : CUS Developer : DEV Guarantor : GUA Guardian : GUR Joint and First : JAF Joint and Other : JAO Joint or First : JOF Joint or Other : JOO Nominee : NOM Related for Enquiry : REL Solicitor : SOL Sole Owner : SOW Third Party : THR Trustee : TRU Valuer : VAL Cosigner : COS Borrower : BRW Auto Giro : ATG Reservation : RSV Pledger : PDG Loan Protection : LPT Advise Note Receiver : ANR Main Addresse : MAD
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIABPERCNT

Attribute	Description
Name	LIABPERCNT
Datatype	Number
Description	Indicates Liability Percentage
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LIABAMT

Attribute	Description
Name	LIABAMT
Datatype	Number
Description	Indicates Liability Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LIQUIDATIONORDER

Attribute	Description
Name	LIQUIDATIONORDER
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

STAT

Attribute	Description
Name	STAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

COMP

Attribute	Description
Name	COMP
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

LIQORDER

Attribute	Description
Name	LIQORDER
Datatype	Number
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

UDEDET

Attribute	Description
Name	UDEDET
Datatype	
Description	Indicates UDE Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

UDEVALS

Attribute	Description
Name	UDEVALS
Datatype	
Description	Indicates User Data Elements Values
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

UDEID

Attribute	Description
Name	UDEID
Datatype	String
Description	Indicates User Data Elements Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

UDEVAL

Attribute	Description
Name	UDEVAL
Datatype	Number
Description	Indicates User Data Elements Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

RATECD

Attribute	Description
Name	RATECD
Datatype	String
Description	Indicates Rate Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CODEUSE

Attribute	Description
Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RATETYP

Attribute	**Description**	
Name	RATETYP	
Datatype	String	
Description	Indicates Rate Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RESOLVAL

Attribute	**Description**	
Name	RESOLVAL	
Datatype	Number	
Description	Indicates Resolved Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EFFDT

Attribute	Description	
Name	EFFDT	
Datatype	Date	
Description	Indicates Effective Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

UDEID

Attribute	Description	
Name	UDEID	
Datatype	String	
Description	Indicates User Data Elements Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

UDEVAL

Attribute	Description	
Name	UDEVAL	
Datatype	Number	
Description	Indicates User Data Elements Value	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

RATECD

Attribute	Description	
Name	RATECD	
Datatype	String	
Description	Indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CODEUSE

Attribute	Description

Name	CODEUSE
Datatype	String
Description	Indicates Code Usage Periodic : P Automatic : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RATETYP

Attribute	Description
Name	RATETYP
Datatype	String
Description	Indicates Rate Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RESOLVAL

Attribute	Description
Name	RESOLVAL
Datatype	Number
Description	Indicates Resolved Value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

HOLIDAYPRD

Attribute	Description
Name	HOLIDAYPRD
Datatype	
Description	Indicates Holiday Periods details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String

Description	Indicates Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PERIOD

Attribute	Description
Name	PERIOD
Datatype	String
Description	Indicates Holiday Period
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLDETAILS

Attribute	Description
Name	SETTLDETAILS
Datatype	
Description	Indicates Settlement Details
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

AMOUNT_TAG

Attribute	Description
Name	AMOUNT_TAG
Datatype	String
Description	It indicates the value of Amount Tag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 25

TOP

VERSION_FLAG

Attribute	Description
Name	VERSION_FLAG
Datatype	String
Description	It indicates Version Flag value
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TAG_CCY

Attribute	Description
Name	TAG_CCY
Datatype	String
Description	It indicates value of Tag Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACC_BRANCH

Attribute	Description
Name	ACC_BRANCH
Datatype	String
Description	It indicates Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ACCOUNT

Attribute	Description	
Name	ACCOUNT	
Datatype	String	
Description	It indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

ACC_CCY

Attribute	Description	
Name	ACC_CCY	
Datatype	String	
Description	It indicates Account Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CCY_RESTRICTION

Attribute	Description	
Name	CCY_RESTRICTION	
Datatype	String	
Description	It indicates Currency Restriction	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EX_RATE

Attribute	Description	
Name	EX_RATE	
Datatype	Number	
Description	It indicates Exchange Rate	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

VALUE_DATE

Attribute	Description
Name	VALUE_DATE
Datatype	Date
Description	It indicates Value_Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SETTLEMENT_AMT

Attribute	Description
Name	SETTLEMENT_AMT
Datatype	Number
Description	It indicates Settlement Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

PAY_RECEIVE

Attribute	Description
Name	PAY_RECEIVE
Datatype	String
Description	It indicates Payer/Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PAYMENT_BY

Attribute	Description
Name	PAYMENT_BY
Datatype	String
Description	It indicates Payment By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TRANSFER_TYPE

Attribute	Description
Name	TRANSFER_TYPE

Datatype	String
Description	It Indicates Transfer Type Bank Transfer : B Customer Transfer : C
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

INSTRUMENT_TYPE

Attribute	Description
Name	INSTRUMENT_TYPE
Datatype	String
Description	It Indicates Instrument Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	It indicates Instrument Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CHANGE_AC

Attribute	Description
Name	CHANGE_AC
Datatype	String
Description	It indicates Change Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHANGE_RATE

Attribute	Description
Name	CHANGE_RATE
Datatype	String

Description	It indicates Change Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PARTY_INFO_ALLOWED

Attribute	Description
Name	PARTY_INFO_ALLOWED
Datatype	String
Description	It indicates Party Information Allowed
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COVER_REQUIRED

Attribute	Description
Name	COVER_REQUIRED
Datatype	String
Description	It indicates Cover Required Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_INDICATOR

Attribute	Description
Name	NETTING_INDICATOR
Datatype	String
Description	It indicates Netting Indicator
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CHARGES_DETAILS

Attribute	Description
Name	CHARGES_DETAILS
Datatype	String

Description	It indicates Charges Details Remitter - All Charges : O Beneficiary - All Charges : B Remitter - Our Charge : U
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

OUR_CORRESPONDENT

Attribute	Description
Name	OUR_CORRESPONDENT
Datatype	String
Description	It indicates Our Correspondent
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

RECEIVER

Attribute	Description
Name	RECEIVER
Datatype	String
Description	It indicates Receiver
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

INT_REIM_INST1

Attribute	Description
Name	INT_REIM_INST1
Datatype	String
Description	Indicates Field 1 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST2

Attribute	Description
Name	INT_REIM_INST2
Datatype	String
Description	Indicates Field 2 of Intermediary Reim Institution

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST3

Attribute	**Description**	
Name	INT_REIM_INST3	
Datatype	String	
Description	Indicates Field 3 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INT_REIM_INST4

Attribute	**Description**	
Name	INT_REIM_INST4	
Datatype	String	
Description	Indicates Field 4 of Intermediary Reim Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP1

Attribute	**Description**	
Name	RCVR_CORRESP1	
Datatype	String	
Description	Indicates Field 1 of Receiver Correspondence	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RCVR_CORRESP2

Attribute	**Description**	
Name	RCVR_CORRESP2	
Datatype	String	
Description	Indicates Field 2 of Receiver Correspondence	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP3

Attribute	Description
Name	RCVR_CORRESP3
Datatype	String
Description	Indicates Field 3 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP4

Attribute	Description
Name	RCVR_CORRESP4
Datatype	String
Description	Indicates Field 4 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY1

Attribute	Description
Name	INTERMEDIARY1
Datatype	String
Description	Indicates Field 1 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY2

Attribute	Description
Name	INTERMEDIARY2
Datatype	String
Description	Indicates Field 2 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY3

Attribute	Description	
Name	INTERMEDIARY3	
Datatype	String	
Description	Indicates Field 3 of Intermediary	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INTERMEDIARY4

Attribute	Description	
Name	INTERMEDIARY4	
Datatype	String	
Description	Indicates Field 4 of Intermediary	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN1

Attribute	Description	
Name	ACC_WITH_INSTN1	
Datatype	String	
Description	Indicates Field 1 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN2

Attribute	Description	
Name	ACC_WITH_INSTN2	
Datatype	String	
Description	Indicates Field 2 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ACC_WITH_INSTN3

Attribute	Description
Name	ACC_WITH_INSTN3
Datatype	String
Description	Indicates Field 3 of Account With Institution
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ACC_WITH_INSTN4

Attribute	Description
Name	ACC_WITH_INSTN4
Datatype	String
Description	Indicates Field 4 of Account With Institution
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS1

Attribute	Description
Name	PAYMENT_DETAILS1
Datatype	String
Description	Indicates Field 1 of Payment Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS2

Attribute	Description
Name	PAYMENT_DETAILS2
Datatype	String
Description	Indicates Field 2 of Payment Details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

PAYMENT_DETAILS3

Attribute	Description
Name	PAYMENT_DETAILS3

Datatype	String
Description	Indicates Field 3 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS4

Attribute	Description
Name	PAYMENT_DETAILS4
Datatype	String
Description	Indicates Field 4 of Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO1

Attribute	Description
Name	SNDR_TO_RCVR_INFO1
Datatype	String
Description	Indicates Field 1 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO2

Attribute	Description
Name	SNDR_TO_RCVR_INFO2
Datatype	String
Description	Indicates Field 2 of Sender To Receiver Information
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SNDR_TO_RCVR_INFO3

Attribute	Description
Name	SNDR_TO_RCVR_INFO3
Datatype	String
Description	Indicates Field 3 of Sender To Receiver Information

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO4

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO4	
Datatype	String	
Description	Indicates Field 4 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO5

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO5	
Datatype	String	
Description	Indicates Field 5 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SNDR_TO_RCVR_INFO6

Attribute	**Description**	
Name	SNDR_TO_RCVR_INFO6	
Datatype	String	
Description	Indicates Field 6 of Sender To Receiver Information	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ORDERING_INSTITUTION1

Attribute	**Description**	
Name	ORDERING_INSTITUTION1	
Datatype	String	
Description	Indicates Field 1 of Ordering Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION2

Attribute	Description
Name	ORDERING_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION3

Attribute	Description
Name	ORDERING_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION4

Attribute	Description
Name	ORDERING_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER1

Attribute	Description
Name	ORDERING_CUSTOMER1
Datatype	String
Description	Indicates Field 1 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER2

Attribute	Description
Name	ORDERING_CUSTOMER2
Datatype	String
Description	Indicates Field 2 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER3

Attribute	Description
Name	ORDERING_CUSTOMER3
Datatype	String
Description	Indicates Field 3 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER4

Attribute	Description
Name	ORDERING_CUSTOMER4
Datatype	String
Description	Indicates Field 4 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION1

Attribute	Description
Name	BENEF_INSTITUTION1
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION2

Attribute	Description
Name	BENEF_INSTITUTION2
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION3

Attribute	Description
Name	BENEF_INSTITUTION3
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INSTITUTION4

Attribute	Description
Name	BENEF_INSTITUTION4
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY1

Attribute	Description
Name	ULT_BENEFICIARY1
Datatype	String
Description	Indicates Field 1 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY2

Attribute	Description
Name	ULT_BENEFICIARY2

Datatype	String
Description	Indicates Field 2 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY3

Attribute	Description
Name	ULT_BENEFICIARY3
Datatype	String
Description	Indicates Field 3 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY4

Attribute	Description
Name	ULT_BENEFICIARY4
Datatype	String
Description	Indicates Field 4 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EX_RATE_FLAG

Attribute	Description
Name	EX_RATE_FLAG
Datatype	String
Description	It indicates Exchange Rate Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ERI_CCY

Attribute	Description
Name	ERI_CCY
Datatype	String
Description	It indicates ERI Currency

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

ERI_AMOUNT

Attribute	**Description**	
Name	ERI_AMOUNT	
Datatype	Number	
Description	It indicates ERI Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

RATE_CODE_PREFERRED

Attribute	**Description**	
Name	RATE_CODE_PREFERRED	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ACC_WITH_INSTN5

Attribute	**Description**	
Name	ACC_WITH_INSTN5	
Datatype	String	
Description	It indicates Field 5 of Account With Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BENEF_INSTITUTION5

Attribute	**Description**	
Name	BENEF_INSTITUTION5	
Datatype	String	
Description	It indicates Field 5 of Beneficiary Institution	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INTERMEDIARY5

Attribute	Description
Name	INTERMEDIARY5
Datatype	String
Description	It indicates Field 5 of Intermediary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INT_REIM_INST5

Attribute	Description
Name	INT_REIM_INST5
Datatype	String
Description	Indicates Field 5 of Intermediary Reim Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_CUSTOMER5

Attribute	Description
Name	ORDERING_CUSTOMER5
Datatype	String
Description	It indicates Field 5 of Ordering Customer
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ORDERING_INSTITUTION5

Attribute	Description
Name	ORDERING_INSTITUTION5
Datatype	String
Description	It indicates Field 5 of Ordering Institution
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RCVR_CORRESP5

Attribute	Description
Name	RCVR_CORRESP5
Datatype	String
Description	It indicates Field 5 of Receiver Correspondence
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ULT_BENEFICIARY5

Attribute	Description
Name	ULT_BENEFICIARY5
Datatype	String
Description	It indicates Field 5 of Ultimate Beneficiary
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SEND_MESG

Attribute	Description
Name	SEND_MESG
Datatype	String
Description	It indicates Send Message
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MIN_EVENT_SEQ_NO

Attribute	Description
Name	MIN_EVENT_SEQ_NO
Datatype	Number
Description	It indicates Mininmum Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INTERPAY_GENERATED

Attribute	Description
Name	INTERPAY_GENERATED
Datatype	String
Description	It indicates Interpay Generated
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BENEF_INST1_FOR_COVER

Attribute	Description
Name	BENEF_INST1_FOR_COVER
Datatype	String
Description	Indicates Field 1 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST2_FOR_COVER

Attribute	Description
Name	BENEF_INST2_FOR_COVER
Datatype	String
Description	Indicates Field 2 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST3_FOR_COVER

Attribute	Description
Name	BENEF_INST3_FOR_COVER
Datatype	String
Description	Indicates Field 3 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST4_FOR_COVER

Attribute	Description

Name	BENEF_INST4_FOR_COVER
Datatype	String
Description	Indicates Field 4 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BENEF_INST5_FOR_COVER

Attribute	Description
Name	BENEF_INST5_FOR_COVER
Datatype	String
Description	Indicates Field 5 of Beneficiary Institution for Cover
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLEARING_NETWORK

Attribute	Description
Name	CLEARING_NETWORK
Datatype	String
Description	It indicates Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

GENERATION_DATE

Attribute	Description
Name	GENERATION_DATE
Datatype	Date
Description	It indicates Generation Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

IBAN_AC_NO

Attribute	Description
Name	IBAN_AC_NO
Datatype	String
Description	It indicates IBAN Account Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ISSUING_BANK

Attribute	**Description**	
Name	ISSUING_BANK	
Datatype	String	
Description	It indicates Issuing Bank	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PAYABLE_BRANCH

Attribute	**Description**	
Name	PAYABLE_BRANCH	
Datatype	String	
Description	It indicates Payable Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

PRINTED_STATIONARY_NO

Attribute	**Description**	
Name	PRINTED_STATIONARY_NO	
Datatype	String	
Description	It indicates Printed Stationary Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

ROUTING_NO

Attribute	**Description**	
Name	ROUTING_NO	
Datatype	String	
Description	It indicates Routing Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

OTHER_DETAILS5

Attribute	Description	
Name	OTHER_DETAILS5	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS6

Attribute	Description	
Name	OTHER_DETAILS6	
Datatype	String	
Description	It indicates Other Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE1

Attribute	Description	
Name	OTHER_DETAILS_TYPE1	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE2

Attribute	Description	
Name	OTHER_DETAILS_TYPE2	
Datatype	String	
Description	It Indicates Other Details Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	65

TOP

OTHER_DETAILS_TYPE3

Attribute	Description
Name	OTHER_DETAILS_TYPE3
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE4

Attribute	Description
Name	OTHER_DETAILS_TYPE4
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE5

Attribute	Description
Name	OTHER_DETAILS_TYPE5
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS_TYPE6

Attribute	Description
Name	OTHER_DETAILS_TYPE6
Datatype	String
Description	It Indicates Other Details Type
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

STATUS

Attribute	Description
Name	STATUS

Datatype	String
Description	It indicates Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS1

Attribute	Description
Name	OTHER_DETAILS1
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS2

Attribute	Description
Name	OTHER_DETAILS2
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS3

Attribute	Description
Name	OTHER_DETAILS3
Datatype	String
Description	It indicates Other Details
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 65

TOP

OTHER_DETAILS4

Attribute	Description
Name	OTHER_DETAILS4
Datatype	String
Description	It indicates Other Details

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

NETTING_ACROSS_MODULES

Attribute	Description
Name	NETTING_ACROSS_MODULES
Datatype	String
Description	It indicates the value of Netting Accross Modules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

NETTING_REFERENCE_NO

Attribute	Description
Name	NETTING_REFERENCE_NO
Datatype	String
Description	It indicates Netting Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

COVER_BY

Attribute	Description
Name	COVER_BY
Datatype	String
Description	It indicates Cover By
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EXT_PROD_CATEGORY

Attribute	Description
Name	EXT_PROD_CATEGORY
Datatype	String
Description	It indicates External Product Category
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EXT_STATION_ID

Attribute	Description	
Name	EXT_STATION_ID	
Datatype	String	
Description	It indicates External Station Identification	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_SOURCE

Attribute	Description	
Name	EXT_SOURCE	
Datatype	String	
Description	It indicates External Source	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_CPTY_AC_PREFIX

Attribute	Description	
Name	EXT_CPTY_AC_PREFIX	
Datatype	String	
Description	It indicates the External Counterparty Account Prefix	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	6

TOP

EXT_PARTY_BIC

Attribute	Description	
Name	EXT_PARTY_BIC	
Datatype	String	
Description	It indicates External Party BIC code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

EXT_PARTY_ACCOUNT

Attribute	Description	
Name	EXT_PARTY_ACCOUNT	
Datatype	String	
Description	It indicates External Party Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXT_PARTY_NAME

Attribute	Description	
Name	EXT_PARTY_NAME	
Datatype	String	
Description	It indicates External Party Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REQD_103

Attribute	Description	
Name	REQD_103	
Datatype	String	
Description	It indicates Required 103	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

REQD_103P

Attribute	Description	
Name	REQD_103P	
Datatype	String	
Description	It indicates Required 103P	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

AGREEMENT_ID

Attribute	Description
Name	AGREEMENT_ID
Datatype	String
Description	It indicates Agreement Id
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

POST_ACCOUNTING

Attribute	Description
Name	POST_ACCOUNTING
Datatype	String
Description	It indicates Post Accounting
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

XREF_PC_CONTRACT_REF_NO

Attribute	Description
Name	XREF_PC_CONTRACT_REF_NO
Datatype	String
Description	It indicates Flexcube PC Contract Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EXT_PARTY_CLG_NTWK

Attribute	Description
Name	EXT_PARTY_CLG_NTWK
Datatype	String
Description	It indicates the External Party Clearing Network
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CUST_SPREAD

Attribute	Description
Name	CUST_SPREAD

Datatype	Number
Description	It indicates Customer Spread
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

EXTERNAL_EX_RATE

Attribute	Description
Name	EXTERNAL_EX_RATE
Datatype	Number
Description	It indicates External Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

SPREAD_DEFN

Attribute	Description
Name	SPREAD_DEFN
Datatype	String
Description	It indicates Spread Defintion
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

RTGS_PAYMENT

Attribute	Description
Name	RTGS_PAYMENT
Datatype	String
Description	It indicates RTGS Payment
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

BANKING_PRIORITY

Attribute	Description
Name	BANKING_PRIORITY
Datatype	String
Description	It indicates Banking Priority

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

RTGS_NETWORK

Attribute	**Description**	
Name	RTGS_NETWORK	
Datatype	String	
Description	It indicates RTGS Network	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

ROLLCOMP

Attribute	**Description**	
Name	ROLLCOMP	
Datatype		
Description	It indicates Rollover Component details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	**Description**	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	It indicates Component Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CHECKLIST

Attribute	Description	
Name	CHECKLIST	
Datatype		
Description	Indicates the details of Check List	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

ACCNO

Attribute	Description	
Name	ACCNO	
Datatype	String	
Description	Indicates Account Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

DESCRIPTION

Attribute	Description

Name	DESCRIPTION
Datatype	String
Description	It indicates Description
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 50

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 3

TOP

CHECKED

Attribute	Description
Name	CHECKED
Datatype	String
Description	It indicates Verified Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REMARK

Attribute	Description
Name	REMARK
Datatype	
Description	It indicates Remarks details under Check List tab
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	**Description**	
Name	BRN	
Datatype	String	
Description	Indicates Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

ESN

Attribute	**Description**	
Name	ESN	
Datatype	Number	
Description	Indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	0
	totalDigits	3

TOP

REMARK1

Attribute	**Description**	
Name	REMARK1	
Datatype	String	
Description	It indicates Field 1 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK2

Attribute	**Description**	
Name	REMARK2	
Datatype	String	
Description	It indicates Field 2 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK3

Attribute	Description	
Name	REMARK3	
Datatype	String	
Description	It indicates Field 3 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK4

Attribute	Description	
Name	REMARK4	
Datatype	String	
Description	It indicates Field 4 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK5

Attribute	Description	
Name	REMARK5	
Datatype	String	
Description	It indicates Field 5 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK6

Attribute	Description	
Name	REMARK6	
Datatype	String	
Description	It indicates Field 6 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK7

Attribute	Description	
Name	REMARK7	
Datatype	String	
Description	It indicates Field 7 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK8

Attribute	Description	
Name	REMARK8	
Datatype	String	
Description	It indicates Field 8 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK9

Attribute	Description	
Name	REMARK9	
Datatype	String	
Description	It indicates Field 9 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

REMARK10

Attribute	Description	
Name	REMARK10	
Datatype	String	
Description	It indicates Field 10 of Remarks	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

COMPDET

Attribute	Description
Name	COMPDET
Datatype	
Description	Indicates the Component Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	It indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String
Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRACCBRN

Attribute	Description
Name	DRACCBRN
Datatype	String
Description	Indicates Debit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CRACCBRN

Attribute	Description
Name	CRACCBRN
Datatype	String
Description	Indicates Credit Account Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SVCACC

Attribute	Description

Name	SVCACC
Datatype	String
Description	Indicates Service Account
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SVCACCBRN

Attribute	Description
Name	SVCACCBRN
Datatype	String
Description	Indicates Service Branch
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGBRNCR

Attribute	**Description**	
Name	CLGBRNCR	
Datatype	String	
Description	Indicates Clearing Branch Code of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PCCATCR

Attribute	**Description**	
Name	PCCATCR	
Datatype	String	
Description	Indicates Product Category of Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNODR

Attribute	**Description**	
Name	EXTACNODR	
Datatype	String	
Description	Indicates External Account Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNMDR

Attribute	**Description**	
Name	EXTACNMDR	
Datatype	String	
Description	Indicates External Account Name of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR
Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ENDPTCR

Attribute	Description
Name	ENDPTCR
Datatype	String
Description	Indicates End Point Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGPRODCR

Attribute	Description
Name	CLGPRODCR
Datatype	String
Description	Indicates Clearing Product Code to be credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORCR

Attribute	Description
Name	SECTORCR
Datatype	String
Description	Indicates Sector Code to be credited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

INSTNODR

Attribute	Description
Name	INSTNODR
Datatype	String
Description	Indicates Instrument Number Debited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ROUTINGDR

Attribute	Description
Name	ROUTINGDR
Datatype	String
Description	Indicates Routing Number Debited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

ENDPTDR

Attribute	Description
Name	ENDPTDR
Datatype	String
Description	Indicates End Point Debited
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>105</td></tr></table>

TOP

CLGPRODDR

Attribute	Description
Name	CLGPRODDR

Datatype	String
Description	Indicates Clearing Product Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SECTORDR

Attribute	Description
Name	SECTORDR
Datatype	String
Description	Indicates Sector Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String

Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String

Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMDR

Attribute	Description
Name	GIRONUMDR
Datatype	String
Description	Indicates GIRO Number of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNODR

Attribute	Description
Name	PAYERACNODR
Datatype	String
Description	Indicates Payer Account of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKDR

Attribute	Description
Name	PAYERBKDR

Datatype	String
Description	Indicates Payer Bank Name of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNDR

Attribute	Description
Name	PAYERBRNDR
Datatype	String
Description	Indicates Payer Branch of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNOCR

Attribute	**Description**	
Name	PAYERACNOCR	
Datatype	String	
Description	Indicates the Payer Account of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKCR

Attribute	**Description**	
Name	PAYERBKCR	
Datatype	String	
Description	Indicates the Payer Bank Name of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNCR

Attribute	**Description**	
Name	PAYERBRNCR	
Datatype	String	
Description	Indicates the Payer Branch of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERADD1CR

Attribute	**Description**	
Name	PAYERADD1CR	
Datatype	String	
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMPSCH

Attribute	Description
Name	COMPSCH
Datatype	
Description	Indicates Component Schedules
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description

Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT

Attribute	Description
Name	AMOUNT
Datatype	Number
Description	It indicates Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PAYMENT_MODE

Attribute	Description
Name	PAYMENT_MODE
Datatype	String
Description	It indicates Payment Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PMNT_PROD_AC

Attribute	Description
Name	PMNT_PROD_AC
Datatype	String
Description	It indicates Payment Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYMENT_DETAILS

Attribute	Description
Name	PAYMENT_DETAILS
Datatype	String
Description	It indicates Payment Details
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK

Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

COMPOUND_DAYS

Attribute	**Description**	
Name	COMPOUND_DAYS	
Datatype	Number	
Description	It indicates Compounds Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_MONTHS

Attribute	**Description**	
Name	COMPOUND_MONTHS	
Datatype	Number	
Description	It indicates Compounds Months	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

COMPOUND_YEARS

Attribute	**Description**	
Name	COMPOUND_YEARS	
Datatype	Number	
Description	It indicates Compounds Years	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EMIAMT

Attribute	**Description**
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHTYPE

Attribute	Description
Name	SCHTYPE
Datatype	String
Description	Indicates Type of Shedules Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHFLAG

Attribute	Description
Name	SCHFLAG
Datatype	String
Description	Indicates Schedules Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FORMULA

Attribute	Description
Name	FORMULA
Datatype	String
Description	It indicates Formula for the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHSTDT

Attribute	Description
Name	SCHSTDT
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

NOOFSCH

Attribute	Description
Name	NOOFSCH
Datatype	Number
Description	It indicates Number of schedules
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 4

TOP

FREQ

Attribute	Description
Name	FREQ
Datatype	Number
Description	It indicates the Frequency of the schedule
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 2

TOP

UNIT

Attribute	Description
Name	UNIT
Datatype	String
Description	It indicates the value of Unit Daily : D Weekly : W Monthly : M Quarterly : Q Half Yearly : H Yearly : Y Bullet : B
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ENDDT

Attribute	Description
Name	ENDDT
Datatype	Date
Description	It indicates End Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

AMOUNT

Attribute	**Description**	
Name	AMOUNT	
Datatype	Number	
Description	It indicates Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

PAYMENT_MODE

Attribute	**Description**	
Name	PAYMENT_MODE	
Datatype	String	
Description	It indicates Payment Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PMNT_PROD_AC

Attribute	**Description**	
Name	PMNT_PROD_AC	
Datatype	String	
Description	It indicates Payment Product Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYMENT_DETAILS

Attribute	**Description**	
Name	PAYMENT_DETAILS	
Datatype	String	
Description	It indicates Payment Details	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

BEN_ACCOUNT

Attribute	Description
Name	BEN_ACCOUNT
Datatype	String
Description	It indicates Beneficiary Account Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_BANK

Attribute	Description
Name	BEN_BANK
Datatype	String
Description	It indicates Beneficiary Bank
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

BEN_NAME

Attribute	Description
Name	BEN_NAME
Datatype	String
Description	It indicates Beneficiary Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FIRSTDUE

Attribute	Description
Name	FIRSTDUE
Datatype	Date
Description	It indicates First Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

WAIVERFLAG

Attribute	Description
Name	WAIVERFLAG
Datatype	String
Description	Indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPOUND_DAYS

Attribute	Description
Name	COMPOUND_DAYS
Datatype	Number
Description	It indicates Compounds Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_MONTHS

Attribute	Description
Name	COMPOUND_MONTHS
Datatype	Number
Description	It indicates Compounds Months
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

COMPOUND_YEARS

Attribute	Description
Name	COMPOUND_YEARS
Datatype	Number
Description	It indicates Compounds Years
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DUE_DATES_ON

Attribute	Description
Name	DUE_DATES_ON
Datatype	Number
Description	It indicates Due Date On
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DAYS_MTH

Attribute	Description
Name	DAYS_MTH
Datatype	Number
Description	It indicates Days Actual : 3 30 (Euro) : 1 30 (US) : 2
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DAYS_YEAR

Attribute	Description
Name	DAYS_YEAR
Datatype	Number
Description	It indicates Years null : 1 null : 2 Actual : 3
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

DSBRSCHEDULE

Attribute	Description
Name	DSBRSCHEDULE
Datatype	
Description	It indicates Disburse Scedules details
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

AMOUNT_TO_DISBR

Attribute	Description
Name	AMOUNT_TO_DISBR
Datatype	Number
Description	It indicates Amount To Disburse
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

REVNSCHEDULE

Attribute	Description
Name	REVNSCHEDULE
Datatype	
Description	It indicates Revn Scedules details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE_DUE_DATE

Attribute	Description
Name	SCHEDULE_DUE_DATE
Datatype	Date
Description	It indicates Schedule Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

APPLIED_FLAG

Attribute	Description
Name	APPLIED_FLAG
Datatype	String
Description	It indicates Applied Flag value Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_LINKAGE

Attribute	Description

Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SCHEDULE

Attribute	Description
Name	SCHEDULE
Datatype	
Description	It indicates Schedules Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description	
Name	SCHSTATUS	
Datatype	String	
Description	It indicates Schedules Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

ACCOUNT_GL

Attribute	Description	
Name	ACCOUNT_GL	
Datatype	String	
Description	It indicates Account GL	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description	
Name	LAST_PMNT_VALUE_DATE	
Datatype	String	
Description	It indicates Last Payment value Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

RETRY_START_DATE

Attribute	Description	
Name	RETRY_START_DATE	
Datatype	String	
Description	It indicates Retry Start Date	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

GRACEDAYS

Attribute	Description
Name	GRACEDAYS
Datatype	Number
Description	It indicates Grace Days

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ORIG_AMOUNT_DUE

Attribute	Description
Name	ORIG_AMOUNT_DUE
Datatype	Number
Description	It indicates Original Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	It indicates Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMOUNT_OVERDUE

Attribute	**Description**	
Name	AMOUNT_OVERDUE	
Datatype	Number	
Description	It indicates Amount Overdue	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ACCRAMT

Attribute	**Description**	
Name	ACCRAMT	
Datatype	Number	
Description	It indicates Accrued Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

SETTLEMENT_CCY

Attribute	**Description**	
Name	SETTLEMENT_CCY	
Datatype	String	
Description	It indicates Settlement Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTLCY

Attribute	**Description**
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String

Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

CHARGEDET

Attribute	Description	
Name	CHARGEDET	
Datatype		
Description	It indicates Charge Details	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	It indicates Component Name	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

STTLMTCCY

Attribute	Description
Name	STTLMTCCY
Datatype	String
Description	Indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPTYPE

Attribute	Description
Name	COMPTYPE
Datatype	String
Description	Indicates Component/Calculation Type Formula With Schedule : I Formula Without Schedule : H Penal Interest : P PrePayment Penality : M Discount : D Schedule Without Formula : L No Schedule No Formula : O Penalty Charge : F
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAINCOMPFLAG

Attribute	Description
Name	MAINCOMPFLAG
Datatype	String
Description	Indicates Main Component Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTFLAG

Attribute	Description
Name	SPLINTFLAG
Datatype	String
Description	Indicates Special Interest Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SPLINTAMT

Attribute	Description
Name	SPLINTAMT
Datatype	Number
Description	Indicates Special Interest Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

PENALBASISCOMP

Attribute	Description
Name	PENALBASISCOMP
Datatype	String
Description	Indicates Penal Basis Component
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CAPITALIZED

Attribute	Description
Name	CAPITALIZED
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

DRPAYMTMODE

Attribute	Description
Name	DRPAYMTMODE
Datatype	String

Description	It indicates Debit Payment Mode CASA : ACC Credit Card : CCD Clearing : CLG Debit Card : DCD External Account : EAC Electronic Pay Order : EPO GIRO : GIR Internal Cheque : ICK Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPAYMTMODE

Attribute	Description
Name	CRPAYMTMODE
Datatype	String
Description	It indicates Credit Payment Mode CASA : ACC Clearing : CLG External Account : EAC Instrument : INS Cash/Teller : TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

DRPRDACC

Attribute	Description
Name	DRPRDACC
Datatype	String
Description	It indicates Debit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CRPRDACC

Attribute	Description
Name	CRPRDACC
Datatype	String
Description	It indicates Credit Product Account
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

DRACCBRN

Attribute	Description	
Name	DRACCBRN	
Datatype	String	
Description	Indicates Debit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

CRACCBRN

Attribute	Description	
Name	CRACCBRN	
Datatype	String	
Description	Indicates Credit Account Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

SVCACC

Attribute	Description	
Name	SVCACC	
Datatype	String	
Description	Indicates Service Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SVCACCBRN

Attribute	Description	
Name	SVCACCBRN	
Datatype	String	
Description	Indicates Service Branch	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

EXTACNOCR

Attribute	Description
Name	EXTACNOCR
Datatype	String
Description	Indicates External Account Number of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

EXTACNMCR

Attribute	Description
Name	EXTACNMCR
Datatype	String
Description	Indicates External Account Name of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBKCR

Attribute	Description
Name	CLGBKCR
Datatype	String
Description	Indicates Clearing Bank Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CLGBRNCR

Attribute	Description
Name	CLGBRNCR
Datatype	String
Description	Indicates Clearing Branch Code of Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATCR

Attribute	Description
Name	PCCATCR
Datatype	String
Description	Indicates Product Category of Credit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNODR

Attribute	Description
Name	EXTACNODR
Datatype	String
Description	Indicates External Account Number of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

EXTACNMDR

Attribute	Description
Name	EXTACNMDR
Datatype	String
Description	Indicates External Account Name of Debit Settlement Mode
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBKDR

Attribute	Description
Name	CLGBKDR
Datatype	String
Description	Indicates Clearing Bank Code to be debited
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

CLGBRNDR

Attribute	Description
Name	CLGBRNDR

Datatype	String
Description	Indicates Clearing Branch Code to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PCCATDR

Attribute	Description
Name	PCCATDR
Datatype	String
Description	Indicates Product Category to be debited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

INSTNOCR

Attribute	Description
Name	INSTNOCR
Datatype	String
Description	Indicates Instrument Number Credited
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ROUTINGCR

Attribute	Description
Name	ROUTINGCR
Datatype	String
Description	Indicates Routing Number to be credited

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTCR

Attribute	**Description**	
Name	ENDPTCR	
Datatype	String	
Description	Indicates End Point Credit	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODCR

Attribute	**Description**	
Name	CLGPRODCR	
Datatype	String	
Description	Indicates Clearing Product Code to be credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORCR

Attribute	**Description**	
Name	SECTORCR	
Datatype	String	
Description	Indicates Sector Code to be credited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

INSTNODR

Attribute	**Description**	
Name	INSTNODR	
Datatype	String	
Description	Indicates Instrument Number Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ROUTINGDR

Attribute	Description	
Name	ROUTINGDR	
Datatype	String	
Description	Indicates Routing Number Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

ENDPTDR

Attribute	Description	
Name	ENDPTDR	
Datatype	String	
Description	Indicates End Point Debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

CLGPRODDR

Attribute	Description	
Name	CLGPRODDR	
Datatype	String	
Description	Indicates Clearing Product Code to be debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SECTORDR

Attribute	Description	
Name	SECTORDR	
Datatype	String	
Description	Indicates Sector Code to be debited	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

VERIFYFUNDS

Attribute	Description
Name	VERIFYFUNDS
Datatype	String
Description	Indicates Verify Fund Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDINT

Attribute	Description
Name	FUNDINT
Datatype	String
Description	Indicates Funded During INIT Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FUNDROLL

Attribute	Description
Name	FUNDROLL
Datatype	String
Description	Indicates Funded During Rollover Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPCCY

Attribute	Description
Name	COMPCCY
Datatype	String
Description	Indicates Component Currency
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

UPSOURCEDR

Attribute	Description
Name	UPSOURCEDR
Datatype	String
Description	Indicates Upload Source Debit of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

UPSOURCERCR

Attribute	Description
Name	UPSOURCERCR
Datatype	String
Description	Indicates Upload Source Credit
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDDR

Attribute	Description
Name	GIROMDDR
Datatype	String
Description	Indicates Giro Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERDR

Attribute	Description
Name	GIROSERDR
Datatype	String
Description	Indicates GIRO Service Bank GIRO : B Plus GIRO : P

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

GIRONUMDR

Attribute	**Description**	
Name	GIRONUMDR	
Datatype	String	
Description	Indicates GIRO Number of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERACNODR

Attribute	**Description**	
Name	PAYERACNODR	
Datatype	String	
Description	Indicates Payer Account of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBKDR

Attribute	**Description**	
Name	PAYERBKDR	
Datatype	String	
Description	Indicates Payer Bank Name of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

PAYERBRNDR

Attribute	**Description**	
Name	PAYERBRNDR	
Datatype	String	
Description	Indicates Payer Branch of Debit Settlement Mode	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1DR

Attribute	Description
Name	PAYERADD1DR
Datatype	String
Description	Indicates Payer Bank Address 1 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2DR

Attribute	Description
Name	PAYERADD2DR
Datatype	String
Description	Indicates Payer Bank Address 2 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3DR

Attribute	Description
Name	PAYERADD3DR
Datatype	String
Description	Indicates Payer Bank Address 3 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4DR

Attribute	Description
Name	PAYERADD4DR
Datatype	String
Description	Indicates Payer Bank Address 4 of Debit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROMDCR

Attribute	Description
Name	GIROMDCR
Datatype	String
Description	Indicates Giro Mode of Credit Settlement Mode Auto Giro : A Manual GIRO : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIROSERCR

Attribute	Description
Name	GIROSERCR
Datatype	String
Description	Indicates GIRO Service of Credit Settlement Mode Bank GIRO : B Plus GIRO : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GIRONUMCR

Attribute	Description
Name	GIRONUMCR
Datatype	String
Description	Indicates the GIRO Number of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERACNOCR

Attribute	Description
Name	PAYERACNOCR
Datatype	String
Description	Indicates the Payer Account of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBKCR

Attribute	Description
Name	PAYERBKCR
Datatype	String
Description	Indicates the Payer Bank Name of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERBRNCR

Attribute	Description
Name	PAYERBRNCR
Datatype	String
Description	Indicates the Payer Branch of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD1CR

Attribute	Description
Name	PAYERADD1CR
Datatype	String
Description	Indicates the Payer Bank Address 1 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD2CR

Attribute	Description
Name	PAYERADD2CR
Datatype	String
Description	Indicates the Payer Bank Address 2 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD3CR

Attribute	Description
Name	PAYERADD3CR
Datatype	String
Description	Indicates the Payer Bank Address 3 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PAYERADD4CR

Attribute	Description
Name	PAYERADD4CR
Datatype	String
Description	Indicates the Payer Bank Address 4 of the Credit Settlement Mode
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

IRRAPPL

Attribute	Description
Name	IRRAPPL
Datatype	String
Description	Indicates Internal Rate of Return Available Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMPDESC

Attribute	Description
Name	COMPDESC
Datatype	String
Description	It indicates Description field of Components tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 100

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

CHARGESCHEDULE

Attribute	Description
Name	CHARGESCHEDULE
Datatype	
Description	It indicates Charges Schedule details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DUEDATE

Attribute	**Description**	
Name	DUEDATE	
Datatype	Date	
Description	It indicates Due Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description	It indicates Grace Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIG_AMOUNT_DUE

Attribute	**Description**	
Name	ORIG_AMOUNT_DUE	
Datatype	Number	
Description	It indicates Original Amount Due	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description	It indicates Amount Due	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	Description
Name	ADJ_AMOUNT
Datatype	Number
Description	It indicates Adjustment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ISWAIVE

Attribute	Description
Name	ISWAIVE
Datatype	String
Description	It indicates Waive Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	It indicates Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SCHEDULE_LINKAGE

Attribute	Description
Name	SCHEDULE_LINKAGE
Datatype	Date
Description	It indicates Schedule Linkage
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ISCAP

Attribute	Description
Name	ISCAP
Datatype	String
Description	It indicates Capitalized Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 0; totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description
Name	LIST_DAYS
Datatype	String
Description	It indicates List Days
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LIST_AVG_AMT

Attribute	Description
Name	LIST_AVG_AMT
Datatype	String
Description	It indicates List Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

AMORT_PRINC

Attribute	Description
Name	AMORT_PRINC
Datatype	Number
Description	It indicates Amortized Principal
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EFFDATE

Attribute	Description
Name	EFFDATE
Datatype	Date
Description	It indicates Effective Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FORMULA_NAME

Attribute	Description
Name	FORMULA_NAME
Datatype	String
Description	It indicates Formula Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

SCHEDULE_TYPE

Attribute	Description
Name	SCHEDULE_TYPE
Datatype	String
Description	It indicates Schedule Type Revision : R Payment : P Disbursement : D
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

SCHEDULE_ST_DATE

Attribute	Description
Name	SCHEDULE_ST_DATE
Datatype	Date
Description	It indicates Schedule Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	Date
Description	It indicates Due Date

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

GRACEDAYS

Attribute	**Description**	
Name	GRACEDAYS	
Datatype	Number	
Description	It indicates Grace Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ORIG_AMOUNT_DUE

Attribute	**Description**	
Name	ORIG_AMOUNT_DUE	
Datatype	Number	
Description	It indicates Original Amount Due	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

AMTDUE

Attribute	**Description**	
Name	AMTDUE	
Datatype	Number	
Description	It indicates Amount Due	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

ADJ_AMOUNT

Attribute	**Description**	
Name	ADJ_AMOUNT	
Datatype	Number	
Description	It indicates Adjustment Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMTSETT

Attribute	Description
Name	AMTSETT
Datatype	Number
Description	It indicates Amount Settled
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

AMOUNT_OVERDUE

Attribute	Description
Name	AMOUNT_OVERDUE
Datatype	Number
Description	It indicates Amount Overdue
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ACCRAMT

Attribute	Description
Name	ACCRAMT
Datatype	Number
Description	It indicates Accrued Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SETTLEMENT_CCY

Attribute	Description
Name	SETTLEMENT_CCY
Datatype	String
Description	It indicates Settlement Currency
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTLCY

Attribute	Description
Name	AMTLCY
Datatype	Number
Description	It indicates Local Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

DLY_AVG_AMT

Attribute	Description
Name	DLY_AVG_AMT
Datatype	Number
Description	It indicates Daily Average Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

EMIAMT

Attribute	Description
Name	EMIAMT
Datatype	Number
Description	Indicates Equated Monthly Installment Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SCHEDULE_FLAG

Attribute	Description
Name	SCHEDULE_FLAG
Datatype	String
Description	It indicates Schedule Flag Normal : N Moratorium : M

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

ISWAIVE

Attribute	**Description**	
Name	ISWAIVE	
Datatype	String	
Description	It indicates Waive Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

SCHEDULE_LINKAGE

Attribute	**Description**	
Name	SCHEDULE_LINKAGE	
Datatype	Date	
Description	It indicates Schedule Linkage	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ISCAP

Attribute	**Description**	
Name	ISCAP	
Datatype	String	
Description	It indicates Capitalized Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCESS_NO

Attribute	Description
Name	PROCESS_NO
Datatype	Number
Description	Indicates Process Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

AMTREADJUSTED

Attribute	Description
Name	AMTREADJUSTED
Datatype	Number
Description	It indicates Amount Readjusted
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_DUE

Attribute	Description
Name	SUSP_AMT_DUE
Datatype	Number
Description	It indicates Suspense Amount Due
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

SUSP_AMT_SETTLED

Attribute	Description
Name	SUSP_AMT_SETTLED
Datatype	Number
Description	It indicates Suspense Amount Settled
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_AMT_LCY

Attribute	Description
Name	SUSP_AMT_LCY
Datatype	Number
Description	It indicates Suspense Amount Local Currency
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_AMT

Attribute	Description
Name	SUSP_READ_AMT
Datatype	Number
Description	It indicates Suspense Readjusted Amount
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

SUSP_READ_SETTLED

Attribute	Description
Name	SUSP_READ_SETTLED
Datatype	Number
Description	It indicates Suspense Readjusted Settled
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>12</td></tr><tr><td>totalDigits</td><td>50</td></tr></table>

TOP

LAST_SUSP_XRATE

Attribute	Description
Name	LAST_SUSP_XRATE
Datatype	Number
Description	It indicates Last Suspense Exchange Rate
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

READJ_SETTLED

Attribute	Description
Name	READJ_SETTLED
Datatype	Number
Description	It indicates ReAdjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

LAST_READJ_XRATE

Attribute	Description
Name	LAST_READJ_XRATE
Datatype	Number
Description	It indicates Last Readjustment Exchange Rate
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

ADJ_SETTLED

Attribute	Description
Name	ADJ_SETTLED
Datatype	Number
Description	It indicates Adjustment Settled Amount
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 12 totalDigits: 50

TOP

SCHSTATUS

Attribute	Description
Name	SCHSTATUS
Datatype	String
Description	It indicates Schedules Status
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

ACCOUNT_GL

Attribute	Description
Name	ACCOUNT_GL
Datatype	String
Description	It indicates Account GL
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

LAST_PMNT_VALUE_DATE

Attribute	Description
Name	LAST_PMNT_VALUE_DATE
Datatype	String
Description	It indicates Last Payment value Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

RETRY_START_DATE

Attribute	Description
Name	RETRY_START_DATE
Datatype	String
Description	It indicates Retry Start Date
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MORA_INT

Attribute	Description
Name	MORA_INT
Datatype	String
Description	It indicates Moratorium Interest
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

SCHEDULE_NO

Attribute	Description
Name	SCHEDULE_NO
Datatype	Number
Description	It indicates Schedule Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 22

TOP

WRITEOFF_AMT

Attribute	Description
Name	WRITEOFF_AMT
Datatype	Number
Description	It indicates Writeoff Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

AMOUNT_WAIVED

Attribute	Description
Name	AMOUNT_WAIVED
Datatype	Number
Description	It indicates Amount Waived
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

IRR_APPLICABLE

Attribute	Description
Name	IRR_APPLICABLE
Datatype	String
Description	It indicates IRR Applicable Y for Yes; N for No
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIST_DAYS

Attribute	Description	
Name	LIST_DAYS	
Datatype	String	
Description	It indicates List Days	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

LIST_AVG_AMT

Attribute	Description	
Name	LIST_AVG_AMT	
Datatype	String	
Description	It indicates List Average Amount	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

AMORT_PRINC

Attribute	Description	
Name	AMORT_PRINC	
Datatype	Number	
Description	It indicates Amortized Principal	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

EFFDATE

Attribute	Description	
Name	EFFDATE	
Datatype	Date	
Description	It indicates Effective Date	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

LINKAGES

Attribute	Description

Name	LINKAGES
Datatype	
Description	It indicates Linkage Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LINKAGE_SEQ_NO

Attribute	Description
Name	LINKAGE_SEQ_NO
Datatype	String
Description	It indicates Linkage Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

LINKTYPE

Attribute	Description
Name	LINKTYPE
Datatype	String
Description	It indicates Linkage Type Line : L Deposit : D Guarantee : G Collateral : T Amount Block : A CASA Account : C Collateral Pool : P Commitment : M
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LINKAGE_BRANCH

Attribute	Description
Name	LINKAGE_BRANCH
Datatype	String
Description	It indicates Linkage Branch
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINKREFNO

Attribute	Description
Name	LINKREFNO
Datatype	String
Description	It indicates Linked Reference Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

LINKAMT

Attribute	Description
Name	LINKAMT
Datatype	Number
Description	It indicates Linkage Amount
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

AMT_BLOCK_NO

Attribute	Description
Name	AMT_BLOCK_NO
Datatype	Number
Description	It indicates Amount Block Number
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

SECPORTION

Attribute	Description
Name	SECPORTION
Datatype	Number
Description	It indicates Secured Portion
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: fractionDigits / 12; totalDigits / 50

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates Customer Identification
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

UDERTPLAN

Attribute	Description
Name	UDERTPLAN
Datatype	
Description	Indicates UDE Rate Plan Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PERIOD_ST_DT

Attribute	Description
Name	PERIOD_ST_DT
Datatype	Date
Description	Indicates Period Start Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PERIOD_END_DT

Attribute	Description
Name	PERIOD_END_DT
Datatype	Date
Description	Indicates Period End Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

COMMPREF

Attribute	Description
Name	COMMPREF
Datatype	
Description	Indicates Commitment Preference Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

LAST_DSBR_DT

Attribute	Description
Name	LAST_DSBR_DT
Datatype	Date
Description	Indicates Commitment last disbursement date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MATURITY_DT

Attribute	Description
Name	MATURITY_DT
Datatype	Date
Description	Indicates Commitment Loan maturity date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PROPERTY

Attribute	Description
Name	PROPERTY
Datatype	
Description	Indicates Account property details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

PNAME

Attribute	Description
Name	PNAME
Datatype	String
Description	It indicates Name of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 65

TOP

PTYPE

Attribute	Description
Name	PTYPE
Datatype	String
Description	It indicates Collateral Type

Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 50

TOP

PADDRESS1

Attribute	Description
Name	PADDRESS1
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS2

Attribute	Description
Name	PADDRESS2
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS3

Attribute	Description
Name	PADDRESS3
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

PADDRESS4

Attribute	Description
Name	PADDRESS4
Datatype	String
Description	It indicates Address of the Property
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

COUNTRY

Attribute	Description
Name	COUNTRY
Datatype	String
Description	It indicates Country the Property belongs
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

POWNER

Attribute	Description
Name	POWNER
Datatype	String
Description	It indicates Owner of the Property
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

PAGE

Attribute	Description
Name	PAGE
Datatype	Number
Description	It indicates Property age
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 2 totalDigits / 5

TOP

PVALUE

Attribute	Description
Name	PVALUE
Datatype	Number
Description	It indicates Value of the property
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 22

TOP

OMARGIN

Attribute	Description
Name	OMARGIN
Datatype	Number
Description	It indicates offset margin of the property
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 4 totalDigits: 7

TOP

LMARGIN

Attribute	Description
Name	LMARGIN
Datatype	Number
Description	It indicates lendable margin of the property
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 4 totalDigits: 7

TOP

VCCY

Attribute	Description
Name	VCCY
Datatype	String
Description	It indicates valuation currency of the Property
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** maxLength: 3

TOP

EVENTADVICES

Attribute	Description
Name	EVENTADVICES
Datatype	
Description	It indicates Advices details
Attributes	**Attribute** / **Description** maxOccurs: unbounded minOccurs: 0

TOP

EVENT_CODE

Attribute	Description	
Name	EVENT_CODE	
Datatype	String	
Description	It indicates Event Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EVENT_SEQ_NO

Attribute	Description	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	It indicates Event Sequence Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	3
	totalDigits	38

TOP

MSG_TYPE

Attribute	Description	
Name	MSG_TYPE	
Datatype	String	
Description	It indicates Message Type	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

DCN

Attribute	Description	
Name	DCN	
Datatype	String	
Description	It indicates Document Control Number(DCN)	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

SUPPRESS

Attribute	Description
Name	SUPPRESS
Datatype	String
Description	It indicates Suppress Yes : Y No : N
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

PRIORITY

Attribute	Description
Name	PRIORITY
Datatype	Number
Description	Indicates Priority
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

FORMAT

Attribute	Description
Name	FORMAT
Datatype	String
Description	It indicates Format
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

GENERATION_TIME

Attribute	Description
Name	GENERATION_TIME
Datatype	String
Description	It indicates Generation Time
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

ADVSUPPRESS

Attribute	Description
Name	ADVSUPPRESS
Datatype	
Description	It indicates Suppress Advices details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MSGTYPE

Attribute	Description
Name	MSGTYPE
Datatype	String
Description	It indicates Message Type
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MIS-MASTER

Attribute	Description
Name	MIS-MASTER
Datatype	
Description	It indicates MIS Master details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

MISDETAILS

Attribute	Description
Name	MISDETAILS
Datatype	
Description	It indicates MIS details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description	
Name	CUSTNO	
Datatype	String	
Description	It indicates Customer Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	105

TOP

MISGRP

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description	It indicates MIS Group	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	12

TOP

RELREF

Attribute	Description	
Name	RELREF	
Datatype	String	
Description	It indicates Related Reference Number	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

RELACC

Attribute	Description	
Name	RELACC	
Datatype	String	
Description	It indicates Related Account	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

REFRTCD

Attribute	Description
Name	REFRTCD
Datatype	String
Description	It indicates Rate Code

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	**Description**	
Name	REFRTSPRD	
Datatype	Number	
Description	It indicates Spread	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description	It indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description	It indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description	It indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description	It indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	**Description**	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description	
Name	MISGRPCOMP	
Datatype	String	
Description	It indicates MIS Group of Composite MIS	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4
Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5

Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9

Attribute	Description
Name	COMPMIS9
Datatype	String
Description	It indicates Composite MIS 9

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description	It indicates Composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description	It indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description	It indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	**Description**	
Name	COSTCOD3	
Datatype	String	
Description	It indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description	It indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	It indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	It indicates Link To Group Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description
Name	TXNMIS2
Datatype	String
Description	It indicates Transaction MIS 2
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	Description	
Name	TXNMIS6	
Datatype	String	
Description	It indicates Transaction MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	It indicates Transaction MIS 8
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	It indicates Transaction MIS 9
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10
Datatype	String
Description	It indicates Transaction MIS 10
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1

Datatype	String
Description	It indicates Fund MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

FUNDMIS5LBL5

Attribute	Description
Name	FUNDMIS5LBL5
Datatype	String
Description	It indicates Fund MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	It indicates Fund MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	It indicates Fund MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	**Description**	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	It indicates Fund MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	It indicates Fund MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description	
Name	COMPMIS3LBL3	
Datatype	String	
Description	It indicates Composite MIS 3 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	It indicates Composite MIS 6 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	It indicates Composite MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	It indicates Composite MIS 8 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	It indicates Composite MIS 9 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1
Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>9</td></tr></table>

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2

Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS6LBL6

Attribute	Description
Name	TXNMIS6LBL6
Datatype	String
Description	It indicates Transaction MIS 6 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description	It indicates Transaction MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description	It indicates Transaction MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	**Description**	
Name	TXNMIS9LBL9	
Datatype	String	
Description	It indicates Transaction MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS10LBL10

Attribute	**Description**	
Name	TXNMIS10LBL10	
Datatype	String	
Description	It indicates Transaction MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

CUSTNO

Attribute	Description
Name	CUSTNO
Datatype	String
Description	It indicates Customer Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 105

TOP

MISGRP

Attribute	Description
Name	MISGRP
Datatype	String
Description	It indicates MIS Group
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 12

TOP

RELREF

Attribute	Description
Name	RELREF
Datatype	String
Description	It indicates Related Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

RELACC

Attribute	Description
Name	RELACC
Datatype	String
Description	It indicates Related Account
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MISHD

Attribute	Description
Name	MISHD
Datatype	String
Description	It indicates MIS Head
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

POOLCD

Attribute	Description
Name	POOLCD
Datatype	String
Description	It indicates Pool Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

REFRT

Attribute	Description
Name	REFRT
Datatype	Number
Description	It indicates Reference Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 12 totalDigits / 50

TOP

REFRTTYPE

Attribute	Description
Name	REFRTTYPE
Datatype	String
Description	It indicates Rate Type Fixed : X Floating Automatic : F Floating Periodic : P
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

REFXRT

Attribute	Description
Name	REFXRT
Datatype	String
Description	It indicates Reference Exchange Rate
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CALCMETH

Attribute	Description
Name	CALCMETH
Datatype	String
Description	It indicates Interest Method 30(Euro)/360 : 1 30(US)/360 : 2 Actual/360 : 3 30(Euro)/365 : 4 30(US)/365 : 5 Actual/365 : 6 30(Euro)/Actual : 7 30(US)/Actual : 8 Actual/Actual : 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MISGRPTXN

Attribute	Description
Name	MISGRPTXN
Datatype	String
Description	It indicates MIS Group of Transaction MIS

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

REFRTCD

Attribute	**Description**	
Name	REFRTCD	
Datatype	String	
Description	It indicates Rate Code	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

REFRTSPRD

Attribute	**Description**	
Name	REFRTSPRD	
Datatype	Number	
Description	It indicates Spread	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	fractionDigits	12
	totalDigits	50

TOP

FUNDMIS1

Attribute	**Description**	
Name	FUNDMIS1	
Datatype	String	
Description	It indicates Fund MIS 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS2

Attribute	**Description**	
Name	FUNDMIS2	
Datatype	String	
Description	It indicates Fund MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS3

Attribute	**Description**	
Name	FUNDMIS3	
Datatype	String	
Description	It indicates Fund MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS4

Attribute	**Description**	
Name	FUNDMIS4	
Datatype	String	
Description	It indicates Fund MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5

Attribute	**Description**	
Name	FUNDMIS5	
Datatype	String	
Description	It indicates Fund MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6

Attribute	**Description**	
Name	FUNDMIS6	
Datatype	String	
Description	It indicates Fund MIS 6	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7

Attribute	Description	
Name	FUNDMIS7	
Datatype	String	
Description	It indicates Fund MIS 7	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8

Attribute	Description	
Name	FUNDMIS8	
Datatype	String	
Description	It indicates Fund MIS 8	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9

Attribute	Description	
Name	FUNDMIS9	
Datatype	String	
Description	It indicates Fund MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10

Attribute	Description	
Name	FUNDMIS10	
Datatype	String	
Description	It indicates Fund MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

MISGRPCOMP

Attribute	Description
Name	MISGRPCOMP
Datatype	String
Description	It indicates MIS Group of Composite MIS
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

COMPMIS1

Attribute	Description
Name	COMPMIS1
Datatype	String
Description	It indicates Composite MIS 1
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS2

Attribute	Description
Name	COMPMIS2
Datatype	String
Description	It indicates Composite MIS 2
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS3

Attribute	Description
Name	COMPMIS3
Datatype	String
Description	It indicates Composite MIS 3
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS4

Attribute	Description
Name	COMPMIS4

Datatype	String
Description	It indicates Composite MIS 4
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS5

Attribute	Description
Name	COMPMIS5
Datatype	String
Description	It indicates Composite MIS 5
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS6

Attribute	Description
Name	COMPMIS6
Datatype	String
Description	It indicates Composite MIS 6
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS7

Attribute	Description
Name	COMPMIS7
Datatype	String
Description	It indicates Composite MIS 7
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8

Attribute	Description
Name	COMPMIS8
Datatype	String
Description	It indicates Composite MIS 8

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS9

Attribute	**Description**	
Name	COMPMIS9	
Datatype	String	
Description	It indicates Composite MIS 9	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS10

Attribute	**Description**	
Name	COMPMIS10	
Datatype	String	
Description	It indicates Composite MIS 10	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD1

Attribute	**Description**	
Name	COSTCOD1	
Datatype	String	
Description	It indicates Cost Code 1	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD2

Attribute	**Description**	
Name	COSTCOD2	
Datatype	String	
Description	It indicates Cost Code 2	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD3

Attribute	Description	
Name	COSTCOD3	
Datatype	String	
Description	It indicates Cost Code 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD4

Attribute	Description	
Name	COSTCOD4	
Datatype	String	
Description	It indicates Cost Code 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COSTCOD5

Attribute	Description	
Name	COSTCOD5	
Datatype	String	
Description	It indicates Cost Code 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

LINKGRP

Attribute	Description	
Name	LINKGRP	
Datatype	String	
Description	It indicates Link To Group Y for Yes; N for No	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

RTFLAG

Attribute	Description
Name	RTFLAG
Datatype	String
Description	It indicates Rate Flag Pool Code : P Contract Level : R
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

PROCFLG

Attribute	Description
Name	PROCFLG
Datatype	String
Description	It indicates Processed Flag Related Reference Number : R Related Account : A
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

TXNMIS1

Attribute	Description
Name	TXNMIS1
Datatype	String
Description	It indicates Transaction MIS 1
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS2

Attribute	Description	
Name	TXNMIS2	
Datatype	String	
Description	It indicates Transaction MIS 2	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS3

Attribute	Description	
Name	TXNMIS3	
Datatype	String	
Description	It indicates Transaction MIS 3	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS4

Attribute	Description	
Name	TXNMIS4	
Datatype	String	
Description	It indicates Transaction MIS 4	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS5

Attribute	Description	
Name	TXNMIS5	
Datatype	String	
Description	It indicates Transaction MIS 5	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6

Attribute	Description
Name	TXNMIS6
Datatype	String
Description	It indicates Transaction MIS 6
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS7

Attribute	Description
Name	TXNMIS7
Datatype	String
Description	It indicates Transaction MIS 7
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS8

Attribute	Description
Name	TXNMIS8
Datatype	String
Description	It indicates Transaction MIS 8
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS9

Attribute	Description
Name	TXNMIS9
Datatype	String
Description	It indicates Transaction MIS 9
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10

Attribute	Description
Name	TXNMIS10

Datatype	String
Description	It indicates Transaction MIS 10
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS1LBL1

Attribute	Description
Name	FUNDMIS1LBL1
Datatype	String
Description	It indicates Fund MIS 1 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS2LBL2

Attribute	Description
Name	FUNDMIS2LBL2
Datatype	String
Description	It indicates Fund MIS 2 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS3LBL3

Attribute	Description
Name	FUNDMIS3LBL3
Datatype	String
Description	It indicates Fund MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

FUNDMIS4LBL4

Attribute	Description
Name	FUNDMIS4LBL4
Datatype	String
Description	It indicates Fund MIS 4 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS5LBL5

Attribute	**Description**	
Name	FUNDMIS5LBL5	
Datatype	String	
Description	It indicates Fund MIS 5 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS6LBL6

Attribute	**Description**	
Name	FUNDMIS6LBL6	
Datatype	String	
Description	It indicates Fund MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS7LBL7

Attribute	**Description**	
Name	FUNDMIS7LBL7	
Datatype	String	
Description	It indicates Fund MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS8LBL8

Attribute	**Description**	
Name	FUNDMIS8LBL8	
Datatype	String	
Description	It indicates Fund MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS9LBL9

Attribute	Description	
Name	FUNDMIS9LBL9	
Datatype	String	
Description	It indicates Fund MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

FUNDMIS10LBL10

Attribute	Description	
Name	FUNDMIS10LBL10	
Datatype	String	
Description	It indicates Fund MIS 10 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS1LBL1

Attribute	Description	
Name	COMPMIS1LBL1	
Datatype	String	
Description	It indicates Composite MIS 1 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS2LBL2

Attribute	Description	
Name	COMPMIS2LBL2	
Datatype	String	
Description	It indicates Composite MIS 2 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

COMPMIS3LBL3

Attribute	Description
Name	COMPMIS3LBL3
Datatype	String
Description	It indicates Composite MIS 3 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS4LBL4

Attribute	Description
Name	COMPMIS4LBL4
Datatype	String
Description	It indicates Composite MIS 4 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS5LBL5

Attribute	Description
Name	COMPMIS5LBL5
Datatype	String
Description	It indicates Composite MIS 5 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS6LBL6

Attribute	Description
Name	COMPMIS6LBL6
Datatype	String
Description	It indicates Composite MIS 6 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMPMIS7LBL7

Attribute	Description
Name	COMPMIS7LBL7
Datatype	String
Description	It indicates Composite MIS 7 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS8LBL8

Attribute	Description
Name	COMPMIS8LBL8
Datatype	String
Description	It indicates Composite MIS 8 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS9LBL9

Attribute	Description
Name	COMPMIS9LBL9
Datatype	String
Description	It indicates Composite MIS 9 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

COMPMIS10LBL10

Attribute	Description
Name	COMPMIS10LBL10
Datatype	String
Description	It indicates Composite MIS 10 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS1LBL1

Attribute	Description
Name	TXNMIS1LBL1

Datatype	String
Description	It indicates Transaction MIS 1 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS2LBL2

Attribute	Description
Name	TXNMIS2LBL2
Datatype	String
Description	It indicates Transaction MIS 2 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS3LBL3

Attribute	Description
Name	TXNMIS3LBL3
Datatype	String
Description	It indicates Transaction MIS 3 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS4LBL4

Attribute	Description
Name	TXNMIS4LBL4
Datatype	String
Description	It indicates Transaction MIS 4 Label
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

TXNMIS5LBL5

Attribute	Description
Name	TXNMIS5LBL5
Datatype	String
Description	It indicates Transaction MIS 5 Label

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS6LBL6

Attribute	**Description**	
Name	TXNMIS6LBL6	
Datatype	String	
Description	It indicates Transaction MIS 6 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS7LBL7

Attribute	**Description**	
Name	TXNMIS7LBL7	
Datatype	String	
Description	It indicates Transaction MIS 7 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS8LBL8

Attribute	**Description**	
Name	TXNMIS8LBL8	
Datatype	String	
Description	It indicates Transaction MIS 8 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

TXNMIS9LBL9

Attribute	**Description**	
Name	TXNMIS9LBL9	
Datatype	String	
Description	It indicates Transaction MIS 9 Label	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

TXNMIS10LBL10

Attribute	Description
Name	TXNMIS10LBL10
Datatype	String
Description	It indicates Transaction MIS 10 Label
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

COMMITUTILS

Attribute	Description
Name	COMMITUTILS
Datatype	
Description	It indicates the Commitment Details
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMMIT_SEQ_NO

Attribute	Description
Name	COMMIT_SEQ_NO
Datatype	Number
Description	It indicates Commit Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

COMMIT_EVENT

Attribute	Description
Name	COMMIT_EVENT
Datatype	String
Description	It indicates Commitment Event
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_BRN_CODE

Attribute	Description
Name	LINK_BRN_CODE
Datatype	String
Description	It indicates Linkage Branch Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_REF_NO

Attribute	Description
Name	LINK_REF_NO
Datatype	String
Description	It indicates Linkage Reference Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

LINK_DATE

Attribute	Description
Name	LINK_DATE
Datatype	Date
Description	It indicates Linkage Date
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

LINK_EVENT

Attribute	Description
Name	LINK_EVENT
Datatype	String
Description	It indicates Linkage Event
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

LINK_EVENT_SEQ_NO

Attribute	Description
Name	LINK_EVENT_SEQ_NO

Datatype	Number
Description	It indicates Linkage Event Sequence Number
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 0 totalDigits / 5

TOP

LINK_CCY

Attribute	Description
Name	LINK_CCY
Datatype	String
Description	It indicates Linkage Currency
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

LINK_CCY_AMOUNT

Attribute	Description
Name	LINK_CCY_AMOUNT
Datatype	Number
Description	It indicates Linkage Currency Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

COMMIT_AMOUNT

Attribute	Description
Name	COMMIT_AMOUNT
Datatype	Number
Description	It indicates Commit Amount
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

INCR_DECR_FLAG

Attribute	Description
Name	INCR_DECR_FLAG
Datatype	String

Description	It indicates Increase Decrease Flag
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

COMMIT_BAL

Attribute	Description
Name	COMMIT_BAL
Datatype	Number
Description	It indicates Commit Balance
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 22

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description

Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.72.SaveReversal

SaveReversal

2.72.1.MO-Save-Reversal-Req-Full-Msg.xsd

FCUBS_HEADER
- *SOURCE*
- *UBSCOMP*
- *MSGID*
- *CORRELID*
- *USERID*
- *BRANCH*
- *MODULEID*
- *SERVICE*
- *OPERATION*
- *SOURCE_OPERATION*
- *SOURCE_USERID*
- *DESTINATION*
- *MULTITRIPID*
- *FUNCTIONID*
- *ACTION*
- *MSGSTAT*
- *PASSWORD*
- *ADDL*
  - *PARAM*
    - *NAME*
    - *VALUE*

FCUBS_BODY
- *MO-Save-Reversal-Req*
  - *SCODE*
  - *XREF*
  - *ACCNO*
  - *BRN*
  - *VERSIONNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String

Description	
Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	

Restrictions	Description
enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description

Name	PARAM
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Reversal

TOP

MO-Save-Reversal-Req

Attribute	Description
Name	MO-Save-Reversal-Req
Datatype	
Description	Indicates MO Save Reversal-Request type.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	

Restrictions	Description
maxLength	15

TOP

XREF

Attribute	Description

Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERSIONNO

Attribute	Description
Name	VERSIONNO
Datatype	String
Description	Indicates Version number of the contract.
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.72.2.MO-Save-Reversal-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-Reversal-Req*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *VERSIONNO*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Reversal

TOP

MO-Save-Reversal-Req

Attribute	Description
Name	MO-Save-Reversal-Req
Datatype	
Description	Indicates MO Save Reversal Request type.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERSIONNO

Attribute	Description
Name	VERSIONNO
Datatype	String
Description	Indicates Version number of the contract.
Attributes	**Attribute** / **Description** minOccurs / 1
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.72.3.MO-Save-Reversal-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Reverse-Account-Res-Full*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *VERSIONNO*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	**Description**	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Reversal

TOP

Reverse-Account-Res-Full

Attribute	Description
Name	Reverse-Account-Res-Full
Datatype	
Description	Indicates Reverse-Account Response PK type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE

Datatype	String
Description	Indicates the Source Code.
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

VERSIONNO

Attribute	Description
Name	VERSIONNO
Datatype	String
Description	Indicates Version number of the contract.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP

Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.72.4.MO-Save-Reversal-Res-full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Reverse-Account-Res-Full*
    - *XREF*
    - *ACCNO*
    - *BRN*
    - *VERSIONNO*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) Reversal

TOP

Reverse-Account-Res-Full

Attribute	Description
Name	Reverse-Account-Res-Full
Datatype	
Description	Indicates Reverse-Account Response Full type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF

Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

VERSIONNO

Attribute	Description
Name	VERSIONNO
Datatype	String
Description	Indicates Version number of the contract.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description

Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.73.SaveStatusChange

SaveStatusChange

2.73.1.MO-Save-StatusChange-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-StatusChange-Req-Full*
    - *SCODE*
    - *ACCNO*
    - *BRN*
    - *CURRSTAT*
    - *NEWSTAT*
    - *EFFDT*
    - *STATUSFLAG*
    - *ESN*
    - *ACC_STCH_CHARGES*
      - *ACCNO*
      - *BRN*
      - *CHARGE_COMP_NAME*
      - *SETTLE_MODE*
      - *SETTLE_CCY*
      - *SETTLE_AMOUNT*

EXCH_RATE
LOAN_CCY_EQUIV
SETTLE_BRN
SETTLE_ACC
SETTLE_PROD
INSTRUMENT_NO
EVENT_SEQ_NO
EXT_ACC_NAME
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
CARD_NO
SECTOR_CODE
ACC_EVENT_USERDEF
ACCNO
BRN
TXT_EVENT_CODE
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3

FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	length	3
	pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 8; pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION

Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) status change

TOP

MO-Save-StatusChange-Req-Full

Attribute	Description
Name	MO-Save-StatusChange-Req-Full
Datatype	
Description	Mortgages Save Status Change Request Full Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Status Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

STATUSFLAG

Attribute	Description
Name	STATUSFLAG
Datatype	String
Description	Indicates Status Flag.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ACC_STCH_CHARGES

Attribute	Description
Name	ACC_STCH_CHARGES
Datatype	
Description	Mortgages Account Status Change - Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_CCY

Attribute	Description
Name	SETTLE_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SETTLE_AMOUNT

Attribute	Description
Name	SETTLE_AMOUNT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

EXCH_RATE

Attribute	Description
Name	EXCH_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

LOAN_CCY_EQUIV

Attribute	Description
Name	LOAN_CCY_EQUIV
Datatype	Number

Description	Indicates Amount in Loan Currency Equivalent.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

SETTLE_BRN

Attribute	Description
Name	SETTLE_BRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLE_ACC

Attribute	Description
Name	SETTLE_ACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLE_PROD

Attribute	Description
Name	SETTLE_PROD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

END_POINT

Attribute	Description	
Name	END_POINT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CARD_NO

Attribute	Description
Name	CARD_NO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 23

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ACC_EVENT_USERDEF

Attribute	Description
Name	ACC_EVENT_USERDEF
Datatype	
Description	Mortgages Account Status Change - User Defined Evevnt Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

TXT_EVENT_CODE

Attribute	Description
Name	TXT_EVENT_CODE
Datatype	String
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7

Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	Indicates Field Character 11 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_12

Attribute	**Description**	
Name	FIELD_CHAR_12	
Datatype	String	
Description	Indicates Field Character 12 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_13

Attribute	**Description**	
Name	FIELD_CHAR_13	
Datatype	String	
Description	Indicates Field Character 13 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_14

Attribute	**Description**	
Name	FIELD_CHAR_14	
Datatype	String	
Description	Indicates Field Character 14 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_15

Attribute	**Description**	
Name	FIELD_CHAR_15	
Datatype	String	
Description	Indicates Field Character 15 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_16

Attribute	Description
Name	FIELD_CHAR_16
Datatype	String
Description	Indicates Field Character 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_17

Attribute	Description
Name	FIELD_CHAR_17
Datatype	String
Description	Indicates Field Character 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_18

Attribute	Description
Name	FIELD_CHAR_18
Datatype	String
Description	Indicates Field Character 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	Indicates Field Character 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date 4 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_5

Attribute	**Description**	
Name	FIELD_DATE_5	
Datatype	Date	
Description	Indicates Field Date 5 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_6

Attribute	**Description**	
Name	FIELD_DATE_6	
Datatype	Date	
Description	Indicates Field Date 6 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_7

Attribute	**Description**	
Name	FIELD_DATE_7	
Datatype	Date	
Description	Indicates Field Date 7 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_8

Attribute	**Description**	
Name	FIELD_DATE_8	
Datatype	Date	
Description	Indicates Field Date 8 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_9

Attribute	**Description**	
Name	FIELD_DATE_9	
Datatype	Date	
Description	Indicates Field Date 9 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

2.73.2.MO-Save-StatusChange-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Save-StatusChange-Req-IO*
    - *SCODE*
    - *ACCNO*
    - *BRN*
    - *CURRSTAT*
    - *NEWSTAT*
    - *EFFDT*
    - *STATUSFLAG*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) status change

TOP

MO-Save-StatusChange-Req-IO

Attribute	Description
Name	MO-Save-StatusChange-Req-IO
Datatype	
Description	Mortgages Save Status Change Request IO Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Status Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

BRN

Attribute	Description	
Name	BRN	
Datatype	String	
Description	Indicates Branch Code.	
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CURRSTAT

Attribute	Description	
Name	CURRSTAT	
Datatype	String	
Description	Indicates Current Status.	
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description	Indicates New Status.	
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

STATUSFLAG

Attribute	Description	
Name	STATUSFLAG	
Datatype	String	
Description	Indicates Status Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

2.73.3.MO-Save-StatusChange-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MOSTCHRESFULL*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *EFFDT*
    - *CURRSTAT*
    - *NEWSTAT*
    - *STATUSFLAG*
    - *ACCESN*
    - *ACC_STCH_CHARGES*
      - *ACCNO*
      - *BRN*
      - *CHARGE_COMP_NAME*
      - *SETTLE_MODE*
      - *SETTLE_CCY*
      - *SETTLE_AMOUNT*
      - *EXCH_RATE*
      - *LOAN_CCY_EQUIV*
      - *SETTLE_BRN*

SETTLE_ACC
SETTLE_PROD
INSTRUMENT_NO
EVENT_SEQ_NO
EXT_ACC_NAME
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
CARD_NO
SECTOR_CODE

ACC_EVENT_USERDEF

ACCNO
BRN
TXT_EVENT_CODE
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6

FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10

MO-Save-StatusChange-Req-Full

SCODE
ACCNO
BRN
CURRSTAT
NEWSTAT
EFFDT
STATUSFLAG
ESN
ACC_STCH_CHARGES
ACCNO
BRN
CHARGE_COMP_NAME
SETTLE_MODE
SETTLE_CCY
SETTLE_AMOUNT
EXCH_RATE
LOAN_CCY_EQUIV
SETTLE_BRN
SETTLE_ACC

SETTLE_PROD
INSTRUMENT_NO
EVENT_SEQ_NO
EXT_ACC_NAME
EXT_ACC_NUMBER
CLG_BANK_CODE
CLG_BRANCH_CODE
PC_CATEGORY
CLG_PROD_CODE
END_POINT
ROUTING_NO
CARD_NO
SECTOR_CODE

ACC_EVENT_USERDEF

ACCNO
BRN
TXT_EVENT_CODE
FIELD_CHAR_1
FIELD_CHAR_2
FIELD_CHAR_3
FIELD_CHAR_4
FIELD_CHAR_5
FIELD_CHAR_6
FIELD_CHAR_7
FIELD_CHAR_8
FIELD_CHAR_9
FIELD_CHAR_10
FIELD_CHAR_11
FIELD_CHAR_12
FIELD_CHAR_13
FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7

FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10
MO-Save-StatusChange-Req-IO
SCODE
ACCNO
BRN
CURRSTAT
NEWSTAT
EFFDT
STATUSFLAG
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** maxLength: 12 pattern: [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length: 3 pattern: [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable: true
Restrictions	**Restrictions** / **Description** pattern: [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	**Description**
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	**Description**
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	**Description**
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	**Description**
Name	ADDL
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to create a new MO(Mortgages) status change

TOP

MOSTCHRESFULL

Attribute	Description
Name	MOSTCHRESFULL
Datatype	
Description	Mortgages Save Status Change Response Full Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicataes Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Stauts.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.

Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

STATUSFLAG

Attribute	Description
Name	STATUSFLAG
Datatype	String
Description	Indicates Status Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ACCESN

Attribute	Description
Name	ACCESN
Datatype	Number
Description	Indicates Accrual Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

ACC_STCH_CHARGES

Attribute	Description
Name	ACC_STCH_CHARGES
Datatype	
Description	Mortgages Account Status Change Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicataes Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Component Name.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_CCY

Attribute	Description
Name	SETTLE_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SETTLE_AMOUNT

Attribute	Description
Name	SETTLE_AMOUNT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

EXCH_RATE

Attribute	Description
Name	EXCH_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

LOAN_CCY_EQUIV

Attribute	Description
Name	LOAN_CCY_EQUIV
Datatype	Number
Description	Indicates Amount in Loan Currency.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

SETTLE_BRN

Attribute	Description
Name	SETTLE_BRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLE_ACC

Attribute	Description
Name	SETTLE_ACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLE_PROD

Attribute	Description
Name	SETTLE_PROD
Datatype	String
Description	Indicates Settlement Product.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRUMENT_NO

Attribute	**Description**	
Name	INSTRUMENT_NO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

EVENT_SEQ_NO

Attribute	**Description**	
Name	EVENT_SEQ_NO	
Datatype	Number	
Description	Indicates Event Sequnce Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	38

TOP

EXT_ACC_NAME

Attribute	**Description**	
Name	EXT_ACC_NAME	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

EXT_ACC_NUMBER

Attribute	**Description**	
Name	EXT_ACC_NUMBER	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

CLG_BRANCH_CODE

Attribute	Description
Name	CLG_BRANCH_CODE
Datatype	String
Description	Indicates Clearing Branch Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

PC_CATEGORY

Attribute	Description
Name	PC_CATEGORY
Datatype	String
Description	Indicates Product Category.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

CLG_PROD_CODE

Attribute	Description
Name	CLG_PROD_CODE
Datatype	String
Description	Indicates Clearing Product Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

END_POINT

Attribute	Description	
Name	END_POINT	
Datatype	String	
Description	Indicates End point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ROUTING_NO

Attribute	Description	
Name	ROUTING_NO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

CARD_NO

Attribute	Description	
Name	CARD_NO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	23

TOP

SECTOR_CODE

Attribute	Description	
Name	SECTOR_CODE	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ACC_EVENT_USERDEF

Attribute	Description
Name	ACC_EVENT_USERDEF
Datatype	
Description	Mortgages Account Status Change - User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicataes Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

TXT_EVENT_CODE

Attribute	Description
Name	TXT_EVENT_CODE
Datatype	String
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10

Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11
Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	Indicates Field Character 14 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_15

Attribute	**Description**	
Name	FIELD_CHAR_15	
Datatype	String	
Description	Indicates Field Character 15 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description	Indicates Field Character 16 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description	Indicates Field Character 17 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description	Indicates Field Character 18 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_19

Attribute	Description
Name	FIELD_CHAR_19
Datatype	String
Description	Indicates Field Character 19 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4
Datatype	Date
Description	Indicates Field Date 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	Indicates Field Date 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	Indicates Field Date 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	Indicates Field Date 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	Indicates Field Date 8 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date 9 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

MO-Save-StatusChange-Req-Full

Attribute	Description
Name	MO-Save-StatusChange-Req-Full
Datatype	
Description	Mortgages Save Status Change Request Full Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Status Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicataes Account Number.
Restrictions	Restrictions: maxLength; Description: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	Restrictions: maxLength; Description: 35

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Stauts.
Restrictions	Restrictions: maxLength; Description: 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	Restrictions: maxLength; Description: 4

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

STATUSFLAG

Attribute	Description
Name	STATUSFLAG
Datatype	String
Description	Indicates Status Flag.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequnce Number.
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ACC_STCH_CHARGES

Attribute	Description
Name	ACC_STCH_CHARGES
Datatype	
Description	Mortgages Account Status Change Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicataes Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Component Name.

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_CCY

Attribute	Description
Name	SETTLE_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SETTLE_AMOUNT

Attribute	Description
Name	SETTLE_AMOUNT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

EXCH_RATE

Attribute	Description
Name	EXCH_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

LOAN_CCY_EQUIV

Attribute	Description
Name	LOAN_CCY_EQUIV
Datatype	Number
Description	Indicates Amount in Loan Currency.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

SETTLE_BRN

Attribute	Description
Name	SETTLE_BRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLE_ACC

Attribute	Description
Name	SETTLE_ACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLE_PROD

Attribute	Description
Name	SETTLE_PROD
Datatype	String
Description	Indicates Settlement Product.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String

Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

END_POINT

Attribute	Description	
Name	END_POINT	
Datatype	String	
Description	Indicates End point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ROUTING_NO

Attribute	Description	
Name	ROUTING_NO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	27

TOP

CARD_NO

Attribute	Description	
Name	CARD_NO	
Datatype	String	
Description	Indicates Card Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	23

TOP

SECTOR_CODE

Attribute	Description	
Name	SECTOR_CODE	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ACC_EVENT_USERDEF

Attribute	Description	
Name	ACC_EVENT_USERDEF	
Datatype		
Description	Mortgages Account Status Change - User Defined Event Details.	
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

ACCNO

Attribute	Description
Name	ACCNO

Datatype	String
Description	Indicataes Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TXT_EVENT_CODE

Attribute	Description
Name	TXT_EVENT_CODE
Datatype	String
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>255</td></tr></table>

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11

Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	Indicates Field Character 14 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description	Indicates Field Character 16 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description	Indicates Field Character 17 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description	Indicates Field Character 18 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	**Description**	
Name	FIELD_CHAR_19	
Datatype	String	
Description	Indicates Field Character 19 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4

Datatype	Date
Description	Indicates Field Date 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	Indicates Field Date 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	Indicates Field Date 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	Indicates Field Date 7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	Indicates Field Date 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date 9 of Fields tab

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MO-Save-StatusChange-Req-IO

Attribute	Description
Name	MO-Save-StatusChange-Req-IO
Datatype	
Description	Mortgages Save Status Change Request IO Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Status Code.
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicataes Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Stauts.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

STATUSFLAG

Attribute	Description
Name	STATUSFLAG
Datatype	String
Description	Indicates Status Flag.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.73.4.MO-Save-StatusChange-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *MOSTCHRESPK*
      - *ACCNO*
      - *BRN*
      - *ESN*
      - *ACC_STCH_CHARGES*
        - *ACCNO*
        - *BRN*
        - *ESN*
      - *ACC_EVENT_USERDEF*
        - *ACCNO*
        - *BRN*
        - *ESN*
    - *MO-Save-StatusChange-Req-Full*
      - *SCODE*
      - *ACCNO*
      - *BRN*
      - *CURRSTAT*
      - *NEWSTAT*

EFFDT

STATUSFLAG

ESN

ACC_STCH_CHARGES

- *ACCNO*
- *BRN*
- *CHARGE_COMP_NAME*
- *SETTLE_MODE*
- *SETTLE_CCY*
- *SETTLE_AMOUNT*
- *EXCH_RATE*
- *LOAN_CCY_EQUIV*
- *SETTLE_BRN*
- *SETTLE_ACC*
- *SETTLE_PROD*
- *INSTRUMENT_NO*
- *EVENT_SEQ_NO*
- *EXT_ACC_NAME*
- *EXT_ACC_NUMBER*
- *CLG_BANK_CODE*
- *CLG_BRANCH_CODE*
- *PC_CATEGORY*
- *CLG_PROD_CODE*
- *END_POINT*
- *ROUTING_NO*
- *CARD_NO*
- *SECTOR_CODE*

ACC_EVENT_USERDEF

- *ACCNO*
- *BRN*
- *TXT_EVENT_CODE*
- *FIELD_CHAR_1*
- *FIELD_CHAR_2*
- *FIELD_CHAR_3*
- *FIELD_CHAR_4*
- *FIELD_CHAR_5*
- *FIELD_CHAR_6*
- *FIELD_CHAR_7*
- *FIELD_CHAR_8*
- *FIELD_CHAR_9*
- *FIELD_CHAR_10*
- *FIELD_CHAR_11*
- *FIELD_CHAR_12*
- *FIELD_CHAR_13*

FIELD_CHAR_14
FIELD_CHAR_15
FIELD_CHAR_16
FIELD_CHAR_17
FIELD_CHAR_18
FIELD_CHAR_19
FIELD_CHAR_20
FIELD_NUMBER_1
FIELD_NUMBER_2
FIELD_NUMBER_3
FIELD_NUMBER_4
FIELD_NUMBER_5
FIELD_NUMBER_6
FIELD_NUMBER_7
FIELD_NUMBER_8
FIELD_NUMBER_9
FIELD_NUMBER_10
FIELD_NUMBER_11
FIELD_NUMBER_12
FIELD_NUMBER_13
FIELD_NUMBER_14
FIELD_NUMBER_15
FIELD_NUMBER_16
FIELD_NUMBER_17
FIELD_NUMBER_18
FIELD_NUMBER_19
FIELD_NUMBER_20
FIELD_DATE_1
FIELD_DATE_2
FIELD_DATE_3
FIELD_DATE_4
FIELD_DATE_5
FIELD_DATE_6
FIELD_DATE_7
FIELD_DATE_8
FIELD_DATE_9
FIELD_DATE_10

MO-Save-StatusChange-Req-IO

SCODE
ACCNO
BRN
CURRSTAT
NEWSTAT
EFFDT

STATUSFLAG

FCUBS_ERROR_RESP

ERROR

ECODE

EDESC

FCUBS_WARNING_RESP

WARNING

WCODE

WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: length / 3; pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description

Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	

Description	This XSD gives the message format for a request to create a new MO(Mortgages) status change

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

MOSTCHRESPK

Attribute	Description
Name	MOSTCHRESPK
Datatype	
Description	Mortgages Save Status Response PK Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

ACC_STCH_CHARGES

Attribute	Description
Name	ACC_STCH_CHARGES
Datatype	
Description	Mortgages Account Status Change Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ACC_EVENT_USERDEF

Attribute	Description
Name	ACC_EVENT_USERDEF
Datatype	
Description	Mortgages Account Status Change User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>4</td></tr></table>

TOP

MO-Save-StatusChange-Req-Full

Attribute	Description
Name	MO-Save-StatusChange-Req-Full
Datatype	
Description	Mortgages Save Status Request Full Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Status Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	Restrictions: maxLength; Description: 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	Restrictions: maxLength; Description: 35

TOP

CURRSTAT

Attribute	Description
Name	CURRSTAT
Datatype	String
Description	Indicates Current Status.
Restrictions	Restrictions: maxLength; Description: 4

TOP

NEWSTAT

Attribute	Description
Name	NEWSTAT
Datatype	String
Description	Indicates New Status.
Restrictions	Restrictions: maxLength; Description: 4

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

STATUSFLAG

Attribute	Description
Name	STATUSFLAG
Datatype	String
Description	Indicates Status Flag.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 4

TOP

ACC_STCH_CHARGES

Attribute	Description
Name	ACC_STCH_CHARGES
Datatype	
Description	Mortgages Account Status Change Charge Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CHARGE_COMP_NAME

Attribute	Description
Name	CHARGE_COMP_NAME
Datatype	String
Description	Indicates Charge Component Name.

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

SETTLE_MODE

Attribute	Description
Name	SETTLE_MODE
Datatype	String
Description	Indicates Settlement Mode. CASA ACC Cash/Teller TLR Clearing CLG Credit Card CCD Debit Card DCD External Account EAC
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

SETTLE_CCY

Attribute	Description
Name	SETTLE_CCY
Datatype	String
Description	Indicates Settlement Currency Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

SETTLE_AMOUNT

Attribute	Description
Name	SETTLE_AMOUNT
Datatype	Number
Description	Indicates Settlement Amount.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

EXCH_RATE

Attribute	Description
Name	EXCH_RATE
Datatype	Number
Description	Indicates Exchange Rate.
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

LOAN_CCY_EQUIV

Attribute	Description
Name	LOAN_CCY_EQUIV
Datatype	Number
Description	Indicates Amount in Loan Currency Equivalent.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

SETTLE_BRN

Attribute	Description
Name	SETTLE_BRN
Datatype	String
Description	Indicates Settlement Branch Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLE_ACC

Attribute	Description
Name	SETTLE_ACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

SETTLE_PROD

Attribute	Description
Name	SETTLE_PROD
Datatype	String
Description	Indicates Settlement Product.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>4</td></tr></table>

TOP

INSTRUMENT_NO

Attribute	Description
Name	INSTRUMENT_NO
Datatype	String

Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

EVENT_SEQ_NO

Attribute	Description
Name	EVENT_SEQ_NO
Datatype	Number
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 38

TOP

EXT_ACC_NAME

Attribute	Description
Name	EXT_ACC_NAME
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

EXT_ACC_NUMBER

Attribute	Description
Name	EXT_ACC_NUMBER
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLG_BANK_CODE

Attribute	Description
Name	CLG_BANK_CODE
Datatype	String
Description	Indicates Clearing Bank Code.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

CLG_BRANCH_CODE

Attribute	Description	
Name	CLG_BRANCH_CODE	
Datatype	String	
Description	Indicates Clearing Branch Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

PC_CATEGORY

Attribute	Description	
Name	PC_CATEGORY	
Datatype	String	
Description	Indicates Product Category.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

CLG_PROD_CODE

Attribute	Description	
Name	CLG_PROD_CODE	
Datatype	String	
Description	Indicates Clearing Product Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

END_POINT

Attribute	Description	
Name	END_POINT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

ROUTING_NO

Attribute	Description
Name	ROUTING_NO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 27

TOP

CARD_NO

Attribute	Description
Name	CARD_NO
Datatype	String
Description	Indicates Card Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 23

TOP

SECTOR_CODE

Attribute	Description
Name	SECTOR_CODE
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

ACC_EVENT_USERDEF

Attribute	Description
Name	ACC_EVENT_USERDEF
Datatype	
Description	Mortgages Account Status Change User Defined Event Details.
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO

Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

TXT_EVENT_CODE

Attribute	Description
Name	TXT_EVENT_CODE
Datatype	String
Description	Indicates Event Sequnce Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

FIELD_CHAR_1

Attribute	Description
Name	FIELD_CHAR_1
Datatype	String
Description	Indicates Field Character 1 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_2

Attribute	Description
Name	FIELD_CHAR_2
Datatype	String
Description	Indicates Field Character 2 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_3

Attribute	Description
Name	FIELD_CHAR_3
Datatype	String
Description	Indicates Field Character 3 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_4

Attribute	Description
Name	FIELD_CHAR_4
Datatype	String
Description	Indicates Field Character 4 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_5

Attribute	Description
Name	FIELD_CHAR_5
Datatype	String
Description	Indicates Field Character 5 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_6

Attribute	Description
Name	FIELD_CHAR_6
Datatype	String
Description	Indicates Field Character 6 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_7

Attribute	Description
Name	FIELD_CHAR_7
Datatype	String
Description	Indicates Field Character 7 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_8

Attribute	Description
Name	FIELD_CHAR_8
Datatype	String
Description	Indicates Field Character 8 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_9

Attribute	Description
Name	FIELD_CHAR_9
Datatype	String
Description	Indicates Field Character 9 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_10

Attribute	Description
Name	FIELD_CHAR_10
Datatype	String
Description	Indicates Field Character 10 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_11

Attribute	Description
Name	FIELD_CHAR_11

Datatype	String
Description	Indicates Field Character 11 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_12

Attribute	Description
Name	FIELD_CHAR_12
Datatype	String
Description	Indicates Field Character 12 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_13

Attribute	Description
Name	FIELD_CHAR_13
Datatype	String
Description	Indicates Field Character 13 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_14

Attribute	Description
Name	FIELD_CHAR_14
Datatype	String
Description	Indicates Field Character 14 of Fields tab
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 255

TOP

FIELD_CHAR_15

Attribute	Description
Name	FIELD_CHAR_15
Datatype	String
Description	Indicates Field Character 15 of Fields tab

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_16

Attribute	**Description**	
Name	FIELD_CHAR_16	
Datatype	String	
Description	Indicates Field Character 16 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_17

Attribute	**Description**	
Name	FIELD_CHAR_17	
Datatype	String	
Description	Indicates Field Character 17 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_18

Attribute	**Description**	
Name	FIELD_CHAR_18	
Datatype	String	
Description	Indicates Field Character 18 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	255

TOP

FIELD_CHAR_19

Attribute	**Description**	
Name	FIELD_CHAR_19	
Datatype	String	
Description	Indicates Field Character 19 of Fields tab	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_CHAR_20

Attribute	Description
Name	FIELD_CHAR_20
Datatype	String
Description	Indicates Field Character 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 255

TOP

FIELD_NUMBER_1

Attribute	Description
Name	FIELD_NUMBER_1
Datatype	Number
Description	Indicates Field number 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_2

Attribute	Description
Name	FIELD_NUMBER_2
Datatype	Number
Description	Indicates Field number 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_3

Attribute	Description
Name	FIELD_NUMBER_3
Datatype	Number
Description	Indicates Field number 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_4

Attribute	Description
Name	FIELD_NUMBER_4
Datatype	Number
Description	Indicates Field number 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_5

Attribute	Description
Name	FIELD_NUMBER_5
Datatype	Number
Description	Indicates Field number 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_6

Attribute	Description
Name	FIELD_NUMBER_6
Datatype	Number
Description	Indicates Field number 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_7

Attribute	Description
Name	FIELD_NUMBER_7
Datatype	Number
Description	Indicates Field number 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_8

Attribute	Description
Name	FIELD_NUMBER_8
Datatype	Number
Description	Indicates Field number 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_9

Attribute	Description
Name	FIELD_NUMBER_9
Datatype	Number
Description	Indicates Field number 9 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_10

Attribute	Description
Name	FIELD_NUMBER_10
Datatype	Number
Description	Indicates Field number 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 38

TOP

FIELD_NUMBER_11

Attribute	Description
Name	FIELD_NUMBER_11
Datatype	Number
Description	Indicates Field number 11 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_12

Attribute	Description
Name	FIELD_NUMBER_12
Datatype	Number
Description	Indicates Field number 12 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_13

Attribute	Description
Name	FIELD_NUMBER_13
Datatype	Number
Description	Indicates Field number 13 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_14

Attribute	Description
Name	FIELD_NUMBER_14
Datatype	Number
Description	Indicates Field number 14 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_15

Attribute	Description
Name	FIELD_NUMBER_15
Datatype	Number
Description	Indicates Field number 15 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_16

Attribute	Description
Name	FIELD_NUMBER_16
Datatype	Number
Description	Indicates Field number 16 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_17

Attribute	Description
Name	FIELD_NUMBER_17
Datatype	Number
Description	Indicates Field number 17 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_18

Attribute	Description
Name	FIELD_NUMBER_18
Datatype	Number
Description	Indicates Field number 18 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>fractionDigits</td><td>3</td></tr><tr><td>totalDigits</td><td>38</td></tr></table>

TOP

FIELD_NUMBER_19

Attribute	Description
Name	FIELD_NUMBER_19
Datatype	Number
Description	Indicates Field number 19 of Fields tab
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_NUMBER_20

Attribute	Description
Name	FIELD_NUMBER_20
Datatype	Number
Description	Indicates Field number 20 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0
Restrictions	**Restrictions** / **Description** fractionDigits: 3 totalDigits: 38

TOP

FIELD_DATE_1

Attribute	Description
Name	FIELD_DATE_1
Datatype	Date
Description	Indicates Field Date 1 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

FIELD_DATE_2

Attribute	Description
Name	FIELD_DATE_2
Datatype	Date
Description	Indicates Field Date 2 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

FIELD_DATE_3

Attribute	Description
Name	FIELD_DATE_3
Datatype	Date
Description	Indicates Field Date 3 of Fields tab
Attributes	**Attribute** / **Description** minOccurs: 0

TOP

FIELD_DATE_4

Attribute	Description
Name	FIELD_DATE_4

Datatype	Date
Description	Indicates Field Date 4 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_5

Attribute	Description
Name	FIELD_DATE_5
Datatype	Date
Description	Indicates Field Date 5 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_6

Attribute	Description
Name	FIELD_DATE_6
Datatype	Date
Description	Indicates Field Date 6 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_7

Attribute	Description
Name	FIELD_DATE_7
Datatype	Date
Description	Indicates Field Date 7 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_8

Attribute	Description
Name	FIELD_DATE_8
Datatype	Date
Description	Indicates Field Date 8 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_9

Attribute	Description
Name	FIELD_DATE_9
Datatype	Date
Description	Indicates Field Date 9 of Fields tab

Attributes	**Attribute** / **Description** minOccurs / 0

TOP

FIELD_DATE_10

Attribute	Description
Name	FIELD_DATE_10
Datatype	Date
Description	Indicates Field Date 10 of Fields tab
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

MO-Save-StatusChange-Req-IO

Attribute	Description
Name	MO-Save-StatusChange-Req-IO
Datatype	
Description	Mortgages Save Status Request IO Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Status Code.
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CURRSTAT

Attribute	Description	
Name	CURRSTAT	
Datatype	String	
Description	Indicates Current Status.	
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

NEWSTAT

Attribute	Description	
Name	NEWSTAT	
Datatype	String	
Description	Indicates New Status.	
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

EFFDT

Attribute	Description
Name	EFFDT
Datatype	Date
Description	Indicates Effective Date.

TOP

STATUSFLAG

Attribute	Description	
Name	STATUSFLAG	
Datatype	String	
Description	Indicates Status Flag.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

2.74.SimPayment

SimPayment

2.74.1.MO-Sim-Payment-Req-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Sim-Pmnt-Req*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *VALDT*
    - *EXECDT*
    - *PREPMNT_RECOMP_BASIS*
    - *PREPMNT_RECOMP_FROM*
    - *INSTALLMENT_PAYMENT*
    - *LIMIT_DATE*
    - *MAKERID*
    - *MAKERSTAMP*
    - *CHECKERID*
    - *CHECKERSTAMP*
    - *REVR_MAKERID*

REVR_CHECKERID
REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *CLPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
- *CLCOMPPMNT*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *COMPNAME*
  - *CCY*
  - *AMTDUE*
  - *ADJDUE*
  - *AMTOVDUE*
  - *AMTNOTDUE*

AMTWAIVED

AMTCAP

AMTPAID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	**Attribute** / **Description** nillable / true
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION

Datatype	String
Description	
Attributes	**Attribute** / **Description**: nillable / true
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to simulate a new MO(Mortgages) Payment

TOP

MO-Sim-Pmnt-Req

Attribute	Description
Name	MO-Sim-Pmnt-Req
Datatype	
Description	Input of Mortgages Payment Simulation Request Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates User id who has booked the contract
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	The User id who has authorized the booked contract
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>30</td></tr></table>

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

REVR_CHECKERID

Attribute	Description
Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>11</td></tr></table>

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP

Datatype	String
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates the Contract Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Mortgages Payment Simulation Payment Details.

Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 22

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates Paid Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLPMNTDET

Attribute	Description
Name	CLPMNTDET
Datatype	
Description	Mortgages Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT

Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card No.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	**Description**	
Name	UPLDSRC	
Datatype	String	
Description	Indicates Upload Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	**Description**	
Name	RTNGNO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	**Description**	
Name	SCTRCD	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description	Incdicates Amount in Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String

Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Mortgages Component Payment Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	String
Description	Indicates Event Sequence Number.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>22</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ADJDUE

Attribute	Description	
Name	ADJDUE	
Datatype	Number	
Description	Indicates Adjustment Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTOVDUE

Attribute	Description	
Name	AMTOVDUE	
Datatype	Number	
Description	Indicates Amount Overdue.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

2.74.2.MO-Sim-Payment-Req-IO-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Sim-Pmnt-Req-IO*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *VALDT*
    - *EXECDT*
    - *PREPMNT_RECOMP_BASIS*
    - *PREPMNT_RECOMP_FROM*
    - *INSTALLMENT_PAYMENT*
    - *LIMIT_DATE*
    - *PAIDDET*
      - *DUEDATE*
      - *ESN*
      - *PAIDDT*
      - *PAIDSTATUS*
      - *CLPMNTDET*
        - *SETTLEMENT_REF_NO*

REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
CLCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to simulate a new MO(Mortgages) payment

TOP

MO-Sim-Pmnt-Req-IO

Attribute	Description
Name	MO-Sim-Pmnt-Req-IO
Datatype	
Description	Input of Mortgages Payment Simulation IO Details.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

XrefType

Attribute	Description
Name	XrefType

Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

EXECDT

Attribute	Description	
Name	EXECDT	
Datatype	String	
Description	Indicates Execution Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description	
Name	PREPMNT_RECOMP_BASIS	
Datatype	String	
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description	
Name	PREPMNT_RECOMP_FROM	
Datatype	String	
Description	Indicates Recomputation Effective From. Next Installment "I" Value Date "V"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description	
Name	INSTALLMENT_PAYMENT	
Datatype	String	
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Mortgages Payment Simulation Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDT

Attribute	Description

Name	PAIDDT
Datatype	String
Description	Indicates Paid Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLPMNTDET

Attribute	Description
Name	CLPMNTDET
Datatype	
Description	Mortgages Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description	Indicates Amount Settled.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

EXCHRATE

Attribute	**Description**	
Name	EXCHRATE	
Datatype	Number	
Description	Indicates Exchange Rate.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLPRD

Attribute	**Description**	
Name	STTLPRD	
Datatype	String	
Description	Indicates Settlement Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	Description	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	Description	
Name	ENDPT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates Card No.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Incdicates Amount in Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN

Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Mortgages Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN

Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

2.74.3.MO-Sim-Payment-Res-Full-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Query-Payment-Res-Full*
    - *SCODE*
    - *XrefType*
    - *ACCNO*
    - *BRN*
    - *ESN*
    - *VALDT*
    - *EXECDT*
    - *PREPMNT_RECOMP_BASIS*
    - *PREPMNT_RECOMP_FROM*
    - *INSTALLMENT_PAYMENT*
    - *LIMIT_DATE*
    - *MAKERID*
    - *MAKERSTAMP*
    - *CHECKERID*
    - *CHECKERSTAMP*
    - *REVR_MAKERID*
    - *REVR_CHECKERID*
    - *REVR_MAKERSTAMP*

- *REVR_CHECKERSTAMP*
- *AUTHSTAT*
- *CONTSTAT*
- *CUSTOMER_NO*
- *MAIN_INT_RATE*
- *CLPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
- *CLCOMPPMNT*
  - *ACCNO*
  - *BRN*
  - *ESN*
  - *COMPNAME*
  - *CCY*
  - *AMTDUE*
  - *ADJDUE*
  - *AMTOVDUE*
  - *AMTNOTDUE*
  - *AMTWAIVED*
  - *AMTCAP*
  - *AMTPAID*

MO-Sim-Pmnt-Req

- *SCODE*

XrefType
ACCNO
BRN
VALDT
EXECDT
PREPMNT_RECOMP_BASIS
PREPMNT_RECOMP_FROM
INSTALLMENT_PAYMENT
LIMIT_DATE
MAKERID
MAKERSTAMP
CHECKERID
CHECKERSTAMP
REVR_MAKERID
REVR_CHECKERID
REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
PAIDDET
  DUEDATE
  ESN
  PAIDDT
  PAIDSTATUS
  CLPMNTDET
    SETTLEMENT_REF_NO
    REVERSED
    STTLCCY
    AMTSTTL
    EXCHRATE
    STTLPRD
    INSTRNO
    ENDPT
    CARDNO
    EXTACNO
    EXTACNM
    CLRBNK
    UPLDSRC
    RTNGNO
    SCTRCD
    AMTSTTLACY
    STTLBRN
    STTLACC
    CLRBRN

PMNTMODE
COMPPMNTDET
COMPNAME
AMTPAID
SETTLEMENT_REF_NO
REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
CLCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE

AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
MO-Sim-Pmnt-Req-IO
SCODE
XrefType
ACCNO
BRN
ESN
VALDT
EXECDT
PREPMNT_RECOMP_BASIS
PREPMNT_RECOMP_FROM
INSTALLMENT_PAYMENT
LIMIT_DATE
PAIDDET
DUEDATE
ESN
PAIDDT
PAIDSTATUS
CLPMNTDET
SETTLEMENT_REF_NO
REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
COMPPMNTDET

COMPNAME
AMTPAID
SETTLEMENT_REF_NO
REVERSED
STTLCCY
AMTSTTL
EXCHRATE
STTLPRD
INSTRNO
ENDPT
CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
CLCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE

AMTWAIVED
AMTCAP
AMTPAID
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** maxLength / 12 pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** length / 3 pattern / [a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to simulate a new MO(Mortgages) Payment

TOP

Query-Payment-Res-Full

Attribute	Description
Name	Query-Payment-Res-Full
Datatype	
Description	Mortgages Query Payment Full Response
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String

Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String

Description	Indicates User id who has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	The User id who has authorized the booked contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_CHECKERID

Attribute	Description
Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates the Contract Status.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

CUSTOMER_NO

Attribute	Description
Name	CUSTOMER_NO
Datatype	String
Description	Indicates Customer Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

MAIN_INT_RATE

Attribute	Description
Name	MAIN_INT_RATE
Datatype	String
Description	Indicate Main Interest Rate
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

CLPMNTDET

Attribute	Description
Name	CLPMNTDET
Datatype	
Description	Mortgages Payment Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO

Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLPRD

Attribute	**Description**	
Name	STTLPRD	
Datatype	String	
Description	Indicates Settlement Product.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	**Description**	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	**Description**	
Name	ENDPT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card No.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description	
Name	RTNGNO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	Description	
Name	SCTRCD	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description	Incdicates Amount in Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description	Indicates Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Mortgages Component Payment Details.
Attributes	**Attribute** / **Description**: maxOccurs / unbounded

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>22</td></tr></table>

TOP

AMTCAP

Attribute	Description
Name	AMTCAP

Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MO-Sim-Pmnt-Req

Attribute	Description
Name	MO-Sim-Pmnt-Req
Datatype	
Description	Mortgages Payment Simulation Request Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS

Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERID

Attribute	Description
Name	MAKERID

Datatype	String
Description	Indicates User id who has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

MAKERSTAMP

Attribute	Description
Name	MAKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has booked the contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

CHECKERID

Attribute	Description
Name	CHECKERID
Datatype	String
Description	The User id who has authorized the booked contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

REVR_CHECKERID

Attribute	**Description**	
Name	REVR_CHECKERID	
Datatype	String	
Description	Indicates the Checker id who has done the reversal of contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

REVR_MAKERSTAMP

Attribute	**Description**	
Name	REVR_MAKERSTAMP	
Datatype	String	
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

REVR_CHECKERSTAMP

Attribute	**Description**	
Name	REVR_CHECKERSTAMP	
Datatype	String	
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

AUTHSTAT

Attribute	**Description**	
Name	AUTHSTAT	
Datatype	String	
Description	Specifies whether the record is authorized or not.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates the Contract Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Mortgages Payment Simulation Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDT

Attribute	Description

Name	PAIDDT
Datatype	String
Description	Indicates Paid Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLPMNTDET

Attribute	Description
Name	CLPMNTDET
Datatype	
Description	Mortgages Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card No.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD

Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Incdicates Amount in Loan Currency Equivalent.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	**Description**	
Name	PMNTMODE	
Datatype	String	
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

COMPPMNTDET

Attribute	**Description**	
Name	COMPPMNTDET	
Datatype		
Description	Component Payment Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

COMPNAME

Attribute	**Description**	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

AMTPAID

Attribute	**Description**
Name	AMTPAID
Datatype	Number

Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	Description	
Name	CARDNO	
Datatype	String	
Description	Indicates Card No.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	Description	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACNM

Attribute	Description	
Name	EXTACNM	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	Description	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Incdicates Amount in Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Mortgages Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>24</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MO-Sim-Pmnt-Req-IO

Attribute	Description
Name	MO-Sim-Pmnt-Req-IO
Datatype	
Description	Mortgages Payment Simulation IO Request Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String

Description	Indicates Source Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

VALDT

Attribute	Description

Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT

Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Mortgages Payment Simulation Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDT

Attribute	Description	
Name	PAIDDT	
Datatype	String	
Description	Indicates Paid Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

PAIDSTATUS

Attribute	Description	
Name	PAIDSTATUS	
Datatype	String	
Description	Indicates Paid Status	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

CLPMNTDET

Attribute	Description	
Name	CLPMNTDET	
Datatype		
Description	Mortgages Payment Details.	
Attributes	**Attribute**	**Description**
	maxOccurs	unbounded

TOP

SETTLEMENT_REF_NO

Attribute	Description	
Name	SETTLEMENT_REF_NO	
Datatype	String	
Description	Indicates Settlement Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REVERSED

Attribute	Description
Name	REVERSED

Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	**Description**	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	**Description**	
Name	ENDPT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card No.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	**Description**	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Incdicates Amount in Loan Currency Equivalent.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description

Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card No.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	**Description**	
Name	UPLDSRC	
Datatype	String	
Description	Indicates Upload Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	**Description**	
Name	RTNGNO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	**Description**	
Name	SCTRCD	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	**Description**	
Name	AMTSTTLACY	
Datatype	Number	
Description	Incdicates Amount in Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description	Indicates Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description	
Name	STTLACC	
Datatype	String	
Description	Indicates Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBRN

Attribute	Description	
Name	CLRBRN	
Datatype	String	
Description	Indicates Clearing Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String

Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Mortgages Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

COMPNAME

Attribute	Description	
Name	COMPNAME	
Datatype	String	
Description	Indicates Component Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTDUE

Attribute	Description	
Name	AMTDUE	
Datatype	Number	
Description	Indicates Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ADJDUE

Attribute	Description	
Name	ADJDUE	
Datatype	Number	
Description	Indicates Adjustment Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID

Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account NUmber.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE

Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response.

Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response
Attributes	

Attribute	Description
maxOccurs	unbounded
minOccurs	0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	

Attribute	Description
maxOccurs	unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.74.4.MO-Sim-Payment-Res-PK-MSG.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Query-Payment-Res-PK*
      - *ACCNO*
      - *BRN*
      - *ESN*
    - *MO-Sim-Pmnt-Req*
      - *SCODE*
      - *XrefType*
      - *ACCNO*
      - *BRN*
      - *VALDT*
      - *EXECDT*
      - *PREPMNT_RECOMP_BASIS*
      - *PREPMNT_RECOMP_FROM*
      - *INSTALLMENT_PAYMENT*
      - *LIMIT_DATE*
      - *MAKERID*
      - *MAKERSTAMP*
      - *CHECKERID*

CHECKERSTAMP
REVR_MAKERID
REVR_CHECKERID
REVR_MAKERSTAMP
REVR_CHECKERSTAMP
AUTHSTAT
CONTSTAT
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *CLPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*

CARDNO
EXTACNO
EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
CLCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
MO-Sim-Pmnt-Req-IO
SCODE
XrefType
ACCNO
BRN
ESN
VALDT

EXECDT
PREPMNT_RECOMP_BASIS
PREPMNT_RECOMP_FROM
INSTALLMENT_PAYMENT
LIMIT_DATE
PAIDDET
- *DUEDATE*
- *ESN*
- *PAIDDT*
- *PAIDSTATUS*
- *CLPMNTDET*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*
  - *EXTACNM*
  - *CLRBNK*
  - *UPLDSRC*
  - *RTNGNO*
  - *SCTRCD*
  - *AMTSTTLACY*
  - *STTLBRN*
  - *STTLACC*
  - *CLRBRN*
  - *PMNTMODE*
  - *COMPPMNTDET*
    - *COMPNAME*
    - *AMTPAID*
  - *SETTLEMENT_REF_NO*
  - *REVERSED*
  - *STTLCCY*
  - *AMTSTTL*
  - *EXCHRATE*
  - *STTLPRD*
  - *INSTRNO*
  - *ENDPT*
  - *CARDNO*
  - *EXTACNO*

EXTACNM
CLRBNK
UPLDSRC
RTNGNO
SCTRCD
AMTSTTLACY
STTLBRN
STTLACC
CLRBRN
PMNTMODE
CLCOMPPMNT
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
ACCNO
BRN
ESN
COMPNAME
CCY
AMTDUE
ADJDUE
AMTOVDUE
AMTNOTDUE
AMTWAIVED
AMTCAP
AMTPAID
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description** enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	

Restrictions	Description
maxLength	12
pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	

Attribute	Description
nillable	true

Restrictions	

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	**Description**	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	128
	pattern	[a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to simulate a new MO(Mortgages) Payment

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Query-Payment-Res-PK

Attribute	Description
Name	Query-Payment-Res-PK
Datatype	
Description	Mortgages Payment Simulation Response PK Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

MO-Sim-Pmnt-Req

Attribute	Description
Name	MO-Sim-Pmnt-Req
Datatype	
Description	Mortgages Payment Simulation Request Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

EXECDT

Attribute	Description	
Name	EXECDT	
Datatype	String	
Description	Indicates Execution Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description	
Name	PREPMNT_RECOMP_BASIS	
Datatype	String	
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description	
Name	PREPMNT_RECOMP_FROM	
Datatype	String	
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

LIMIT_DATE

Attribute	**Description**	
Name	LIMIT_DATE	
Datatype	String	
Description	Indicates Limit Date.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

MAKERID

Attribute	**Description**	
Name	MAKERID	
Datatype	String	
Description	Indicates User id who has booked the contract	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	11

TOP

MAKERSTAMP

Attribute	**Description**	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates date and stamp when the user has booked the contract	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

CHECKERID

Attribute	**Description**	
Name	CHECKERID	
Datatype	String	
Description	The User id who has authorized the booked contract	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CHECKERSTAMP

Attribute	Description
Name	CHECKERSTAMP
Datatype	String
Description	Indicates date and stamp when the user has authorized the booked contract
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_MAKERID

Attribute	Description
Name	REVR_MAKERID
Datatype	String
Description	Indicates the Maker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_CHECKERID

Attribute	Description
Name	REVR_CHECKERID
Datatype	String
Description	Indicates the Checker id who has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

REVR_MAKERSTAMP

Attribute	Description
Name	REVR_MAKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the maker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

REVR_CHECKERSTAMP

Attribute	Description
Name	REVR_CHECKERSTAMP
Datatype	String
Description	Indicates the Date and stamp, when the Checker id has done the reversal of contract.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Specifies whether the record is authorized or not
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

CONTSTAT

Attribute	Description
Name	CONTSTAT
Datatype	String
Description	Indicates the Contract Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Mortgages Payment Simulation Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates Paid Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String
Description	Indicates Paid Status
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 1

TOP

CLPMNTDET

Attribute	Description
Name	CLPMNTDET
Datatype	
Description	Mortgages Payment Details.

Attributes	**Attribute**	**Description**
	maxOccurs	unbounded
	minOccurs	0

TOP

SETTLEMENT_REF_NO

Attribute	**Description**	
Name	SETTLEMENT_REF_NO	
Datatype	String	
Description	Indicates Settlement Reference Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

REVERSED

Attribute	**Description**	
Name	REVERSED	
Datatype	String	
Description	Indicates Reversed. Yes "Y"; No "N".	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	1

TOP

STTLCCY

Attribute	**Description**	
Name	STTLCCY	
Datatype	String	
Description	Indicates Settlement Currency.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	3

TOP

AMTSTTL

Attribute	**Description**	
Name	AMTSTTL	
Datatype	Number	
Description	Indicates Amount Settled.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card No.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Incdicates Amount in Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN

Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description

Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

INSTRNO

Attribute	**Description**	
Name	INSTRNO	
Datatype	String	
Description	Indicates Instrument Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	16

TOP

ENDPT

Attribute	**Description**	
Name	ENDPT	
Datatype	String	
Description	Indicates End Point.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	10

TOP

CARDNO

Attribute	**Description**	
Name	CARDNO	
Datatype	String	
Description	Indicates Card No.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	**Description**	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACNM

Attribute	Description	
Name	EXTACNM	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	Description	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	Description	
Name	UPLDSRC	
Datatype	String	
Description	Indicates Upload Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	Description	
Name	RTNGNO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY
Datatype	Number
Description	Incdicates Amount in Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Mortgages Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

ADJDUE

Attribute	**Description**	
Name	ADJDUE	
Datatype	Number	
Description	Indicates Adjustment Amount Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTOVDUE

Attribute	**Description**	
Name	AMTOVDUE	
Datatype	Number	
Description	Indicates Amount Overdue.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTNOTDUE

Attribute	**Description**	
Name	AMTNOTDUE	
Datatype	Number	
Description	Indicates Amount Not Due.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

AMTWAIVED

Attribute	**Description**	
Name	AMTWAIVED	
Datatype	Number	
Description	Indicates Amount Waived.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN

Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

MO-Sim-Pmnt-Req-IO

Attribute	Description
Name	MO-Sim-Pmnt-Req-IO
Datatype	
Description	Mortgages Payment Simulation Request IO Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates Source Code
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

XrefType

Attribute	Description
Name	XrefType
Datatype	String
Description	Indicates the reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

ACCNO

Attribute	Description

Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description**: totalDigits / 24

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	String
Description	Indicates Value Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

EXECDT

Attribute	Description
Name	EXECDT
Datatype	String
Description	Indicates Execution Date.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 11

TOP

PREPMNT_RECOMP_BASIS

Attribute	Description
Name	PREPMNT_RECOMP_BASIS
Datatype	String
Description	Indicates Recomputation Basis. Change EMI "E" Reduce Tenor "T"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / E,T

TOP

PREPMNT_RECOMP_FROM

Attribute	Description
Name	PREPMNT_RECOMP_FROM
Datatype	String
Description	Indicates Recomputation Effective From Next Installment "I" Value Date "V".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / I,V

TOP

INSTALLMENT_PAYMENT

Attribute	Description
Name	INSTALLMENT_PAYMENT
Datatype	String
Description	Indicates Installment(s) Payments. Yes "Y"; No "N"
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

LIMIT_DATE

Attribute	Description
Name	LIMIT_DATE
Datatype	String
Description	Indicates Limit Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDDET

Attribute	Description
Name	PAIDDET
Datatype	
Description	Mortgages Payment Simulation Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

DUEDATE

Attribute	Description
Name	DUEDATE
Datatype	String
Description	Indicates Due Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	**Restrictions** / **Description** totalDigits / 24

TOP

PAIDDT

Attribute	Description
Name	PAIDDT
Datatype	String
Description	Indicates Paid Date.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 11

TOP

PAIDSTATUS

Attribute	Description
Name	PAIDSTATUS
Datatype	String

Description	Indicates Paid Status
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

CLPMNTDET

Attribute	Description
Name	CLPMNTDET
Datatype	
Description	Mortgages Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0

Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description
Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card No.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 30

TOP

EXTACNO

Attribute	Description
Name	EXTACNO
Datatype	String
Description	Indicates External Account Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

EXTACNM

Attribute	Description
Name	EXTACNM
Datatype	String
Description	Indicates External Account Name.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

CLRBNK

Attribute	Description
Name	CLRBNK
Datatype	String
Description	Indicates Clearing Bank.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

UPLDSRC

Attribute	Description
Name	UPLDSRC
Datatype	String
Description	Indicates Upload Source.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

RTNGNO

Attribute	Description
Name	RTNGNO
Datatype	String
Description	Indicates Routing Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 30

TOP

SCTRCD

Attribute	Description
Name	SCTRCD
Datatype	String
Description	Indicates Sector Code.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 9

TOP

AMTSTTLACY

Attribute	Description
Name	AMTSTTLACY

Datatype	Number
Description	Incdicates Amount in Loan Currency Equivalent.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

STTLBRN

Attribute	Description
Name	STTLBRN
Datatype	String
Description	Indicates Settlement Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

STTLACC

Attribute	Description
Name	STTLACC
Datatype	String
Description	Indicates Settlement Account.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

CLRBRN

Attribute	Description
Name	CLRBRN
Datatype	String
Description	Indicates Clearing Branch.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 4

TOP

PMNTMODE

Attribute	Description
Name	PMNTMODE
Datatype	String

Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

COMPPMNTDET

Attribute	Description
Name	COMPPMNTDET
Datatype	
Description	Component Payment Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

SETTLEMENT_REF_NO

Attribute	Description
Name	SETTLEMENT_REF_NO
Datatype	String
Description	Indicates Settlement Reference Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

REVERSED

Attribute	Description
Name	REVERSED
Datatype	String
Description	Indicates Reversed. Yes "Y"; No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

STTLCCY

Attribute	Description
Name	STTLCCY
Datatype	String
Description	Indicates Settlement Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

AMTSTTL

Attribute	Description
Name	AMTSTTL
Datatype	Number
Description	Indicates Amount Settled.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

EXCHRATE

Attribute	Description

Name	EXCHRATE
Datatype	Number
Description	Indicates Exchange Rate.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

STTLPRD

Attribute	Description
Name	STTLPRD
Datatype	String
Description	Indicates Settlement Product.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

INSTRNO

Attribute	Description
Name	INSTRNO
Datatype	String
Description	Indicates Instrument Number.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 16

TOP

ENDPT

Attribute	Description
Name	ENDPT
Datatype	String
Description	Indicates End Point.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 10

TOP

CARDNO

Attribute	Description
Name	CARDNO
Datatype	String
Description	Indicates Card No.

Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

EXTACNO

Attribute	**Description**	
Name	EXTACNO	
Datatype	String	
Description	Indicates External Account Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	20

TOP

EXTACNM

Attribute	**Description**	
Name	EXTACNM	
Datatype	String	
Description	Indicates External Account Name.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBNK

Attribute	**Description**	
Name	CLRBNK	
Datatype	String	
Description	Indicates Clearing Bank.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

UPLDSRC

Attribute	**Description**	
Name	UPLDSRC	
Datatype	String	
Description	Indicates Upload Source.	
Attributes	**Attribute**	**Description**
	minOccurs	0

Restrictions	**Restrictions**	**Description**
	maxLength	15

TOP

RTNGNO

Attribute	Description	
Name	RTNGNO	
Datatype	String	
Description	Indicates Routing Number.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	30

TOP

SCTRCD

Attribute	Description	
Name	SCTRCD	
Datatype	String	
Description	Indicates Sector Code.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	9

TOP

AMTSTTLACY

Attribute	Description	
Name	AMTSTTLACY	
Datatype	Number	
Description	Incdicates Amount in Loan Currency Equivalent.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	totalDigits	22

TOP

STTLBRN

Attribute	Description	
Name	STTLBRN	
Datatype	String	
Description	Indicates Settlement Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

STTLACC

Attribute	Description	
Name	STTLACC	
Datatype	String	
Description	Indicates Settlement Account.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	35

TOP

CLRBRN

Attribute	Description	
Name	CLRBRN	
Datatype	String	
Description	Indicates Clearing Branch.	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	4

TOP

PMNTMODE

Attribute	Description	
Name	PMNTMODE	
Datatype	String	
Description	Indicates Payment Mode. CASA ACC Credit Card CCD Clearing CLG Debit Card DCD External Account EAC Electronic Pay Order EPO GIRO GIR Internal Cheque ICK Instrument INS Cash/Teller TLR	
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	ACC,TLR,CLG,INS,EPO,CCD,DCD,EAC,ICK

TOP

CLCOMPPMNT

Attribute	Description
Name	CLCOMPPMNT
Datatype	
Description	Mortgages Component Payment Details.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>24</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String

Description	Indicates Currency Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 3

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description**: minOccurs / 0

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates Branch Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

ESN

Attribute	Description
Name	ESN
Datatype	Number
Description	Indicates Event Sequence Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>totalDigits</td><td>24</td></tr></table>

TOP

COMPNAME

Attribute	Description
Name	COMPNAME
Datatype	String
Description	Indicates Component Name
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>20</td></tr></table>

TOP

CCY

Attribute	Description
Name	CCY
Datatype	String
Description	Indicates Currency Code.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>3</td></tr></table>

TOP

AMTDUE

Attribute	Description
Name	AMTDUE
Datatype	Number
Description	Indicates Amount Due.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

ADJDUE

Attribute	Description
Name	ADJDUE
Datatype	Number
Description	Indicates Adjustment Amount Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTOVDUE

Attribute	Description
Name	AMTOVDUE
Datatype	Number
Description	Indicates Amount Overdue.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTNOTDUE

Attribute	Description
Name	AMTNOTDUE
Datatype	Number
Description	Indicates Amount Not Due.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTWAIVED

Attribute	Description
Name	AMTWAIVED
Datatype	Number
Description	Indicates Amount Waived.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTCAP

Attribute	Description
Name	AMTCAP
Datatype	Number
Description	Indicates Amount Capitalized.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

AMTPAID

Attribute	Description
Name	AMTPAID
Datatype	Number
Description	Indicates Amount Paid.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** totalDigits / 22

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	Warning Response Details.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String

Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	Error Response Details.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.75.SaveAccountActivate

SaveAccountActivate

2.75.1.MO-Upload-Activate-Req-Full-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Upload-Activate-Req-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	enumeration	FCUBS,FCIS

TOP

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	**Restrictions**	**Description**
	maxLength	12
	pattern	[A-Z_0-9]*

TOP

BRANCH

Attribute	Description

Name	BRANCH
Datatype	String
Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 128 pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to activate MO account

TOP

MO-Upload-Activate-Req-IO

Attribute	Description
Name	MO-Upload-Activate-Req-IO
Datatype	
Description	Indicates MO-Upload Activate Request-IO type.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.75.2.MO-Upload-Activate-Req-IO-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *MO-Upload-Activate-Req-IO*
    - *SCODE*
    - *XREF*
    - *ACCNO*
    - *BRN*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: enumeration / FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	**Restrictions** / **Description**: maxLength / 12; pattern / [A-Z_0-9]*

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description	
Restrictions	

Restrictions	Description
length	3
pattern	[a-zA-Z_0-9]{3}

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	

Attribute	Description
minOccurs	0

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
nillable	true

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	
Attributes	
Restrictions	

Attribute	Description
minOccurs	0

Restrictions	Description
pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0

TOP

DESTINATION

Attribute	Description
Name	DESTINATION
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description
Name	MULTITRIPID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 8 pattern / [A-Z_0-9]*

TOP

ACTION

Attribute	Description

Name	ACTION
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: pattern / [a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: enumeration / SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 128; pattern / [a-zA-Z_0-9=+/]*

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	**Attribute** / **Description**: minOccurs / 0

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to activate MO account

TOP

MO-Upload-Activate-Req-IO

Attribute	Description
Name	MO-Upload-Activate-Req-IO
Datatype	
Description	Indicates MO-Upload Activate Request-IO type.

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.

Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

2.75.3.MO-Upload-Activate-Res-FS-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *Upload-Activate-Res-FS*
    - *ACCNO*
    - *BRN*
    - *ISAVAIL*
    - *CURR*
    - *APPNUM*
    - *CUSTID*
    - *AMOUNTFIN*
    - *PRDCODE*
    - *PRDCAT*
    - *BOOKDT*
    - *VALDT*
    - *MATDT*
    - *ALTACCNO*
    - *AUTHSTAT*
    - *AMOUNTDIS*
    - *STOPACC*
    - *MAKERID*
  - *MO-Upload-Activate-Req-IO*

SCODE
XREF
ACCNO
BRN
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></table>

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	

Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

OPERATION

Attribute	**Description**	
Name	OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	nillable	true
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	**Description**	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	**Description**	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	**Description**	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	maxLength	8
	pattern	[A-Z_0-9]*

TOP

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	enumeration	SUCCESS,WARNING,FAILURE

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to activate MO account

TOP

Upload-Activate-Res-FS

Attribute	Description
Name	Upload-Activate-Res-FS
Datatype	
Description	Indicates MO-Upload Activate Response-FS type.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates Rollover Status. Yes "Y";No "N".
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[AIYHLV]</td></tr></table>

TOP

CURR

Attribute	Description
Name	CURR
Datatype	String
Description	Indicates the Currency.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 3

TOP

APPNUM

Attribute	Description
Name	APPNUM
Datatype	String
Description	Indicates the Application Number.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

CUSTID

Attribute	Description
Name	CUSTID
Datatype	String
Description	Indicates the Customer Identification.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

AMOUNTFIN

Attribute	Description
Name	AMOUNTFIN
Datatype	Number
Description	Indicates the Amount Financed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 20

TOP

PRDCODE

Attribute	Description

Name	PRDCODE
Datatype	String
Description	Indicates the Product Code.
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 4

TOP

PRDCAT

Attribute	Description
Name	PRDCAT
Datatype	String
Description	Indicates the Product Category
Attributes	**Attribute** / **Description**: minOccurs / 0
Restrictions	**Restrictions** / **Description**: maxLength / 20

TOP

BOOKDT

Attribute	Description
Name	BOOKDT
Datatype	Date
Description	Indicates the Book Date

TOP

VALDT

Attribute	Description
Name	VALDT
Datatype	Date
Description	Indicates the Value Date

TOP

MATDT

Attribute	Description
Name	MATDT
Datatype	Date
Description	Indicates the Maturity Date

TOP

ALTACCNO

Attribute	Description
Name	ALTACCNO
Datatype	String
Description	Indicates the Alternate Account Number
Restrictions	**Restrictions** / **Description**: maxLength / 35

TOP

AUTHSTAT

Attribute	Description
Name	AUTHSTAT
Datatype	String
Description	Indicates the Authorization Status.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

AMOUNTDIS

Attribute	Description
Name	AMOUNTDIS
Datatype	Number
Description	Indicates the Amount Disbursed.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** fractionDigits / 3 totalDigits / 20

TOP

STOPACC

Attribute	Description
Name	STOPACC
Datatype	String
Description	Indicates Stop Accrual.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 1

TOP

MAKERID

Attribute	Description
Name	MAKERID
Datatype	String
Description	Indicates the Maker ID
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 20

TOP

MO-Upload-Activate-Req-IO

Attribute	Description
Name	MO-Upload-Activate-Req-IO
Datatype	
Description	Indicates MO-Upload Activate Request-IO type.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	**Restrictions** / **Description** maxLength / 15

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** maxLength / 16

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	
Description	It indicates Flexcube Warning Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

ERROR

Attribute	Description

Name	ERROR
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr></table>

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

2.75.4.MO-Upload-Activate-Res-PK-Msg.xsd

- *FCUBS_HEADER*
  - *SOURCE*
  - *UBSCOMP*
  - *MSGID*
  - *CORRELID*
  - *USERID*
  - *BRANCH*
  - *MODULEID*
  - *SERVICE*
  - *OPERATION*
  - *SOURCE_OPERATION*
  - *SOURCE_USERID*
  - *DESTINATION*
  - *MULTITRIPID*
  - *FUNCTIONID*
  - *ACTION*
  - *MSGSTAT*
  - *PASSWORD*
  - *ADDL*
    - *PARAM*
      - *NAME*
      - *VALUE*
- *FCUBS_BODY*
  - *CHOICE*
    - *Upload-Activate-Res-PK*
      - *ACCNO*
      - *BRN*
      - *ISAVAIL*
    - *MO-Upload-Activate-Req-IO*
      - *SCODE*
      - *XREF*
      - *ACCNO*
      - *BRN*
  - *FCUBS_WARNING_RESP*
    - *WARNING*
      - *WCODE*
      - *WDESC*
  - *FCUBS_ERROR_RESP*
    - *ERROR*
      - *ECODE*
      - *EDESC*

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

TOP

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	
Restrictions	Restrictions: enumeration; Description: FCUBS,FCIS

TOP

MSGID

Attribute	Description
Name	MSGID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	
Attributes	Attribute: minOccurs; Description: 0
Restrictions	Restrictions: pattern; Description: [a-zA-Z_0-9]*

TOP

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>12</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String
Description	
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></table>

TOP

MODULEID

Attribute	Description
Name	MODULEID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>nillable</td><td>true</td></tr></table>

Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0

TOP

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	**Attribute**	**Description**
	minOccurs	0
Restrictions	**Restrictions**	**Description**
	pattern	[a-zA-Z_0-9]*

TOP

FUNCTIONID

Attribute	Description
Name	FUNCTIONID
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>8</td></tr><tr><td>pattern</td><td>[A-Z_0-9]*</td></tr></table>

TOP

ACTION

Attribute	Description
Name	ACTION
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></table>

TOP

MSGSTAT

Attribute	Description
Name	MSGSTAT
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>enumeration</td><td>SUCCESS,WARNING,FAILURE</td></tr></table>

TOP

PASSWORD

Attribute	Description
Name	PASSWORD
Datatype	String
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>128</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9=+/]*</td></tr></table>

TOP

ADDL

Attribute	Description
Name	ADDL
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

PARAM

Attribute	Description
Name	PARAM
Datatype	
Description	
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

TOP

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

TOP

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD gives the message format for a request to activate MO account

TOP

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

TOP

Upload-Activate-Res-PK

Attribute	Description
Name	Upload-Activate-Res-PK
Datatype	
Description	Indicates MO-Upload Activate Response-PK type.
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	**Restrictions** / **Description** maxLength / 35

TOP

ISAVAIL

Attribute	Description
Name	ISAVAIL
Datatype	String
Description	Indicates Rollover Status. Yes "Y";No "N".
Attributes	**Attribute** / **Description** minOccurs / 0
Restrictions	**Restrictions** / **Description** pattern / [AIYHLV]

TOP

MO-Upload-Activate-Req-IO

Attribute	Description
Name	MO-Upload-Activate-Req-IO
Datatype	
Description	Indicates MO-Upload Activate Request-IO type.

Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></table>

TOP

SCODE

Attribute	Description
Name	SCODE
Datatype	String
Description	Indicates the Source Code.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>15</td></tr></table>

TOP

XREF

Attribute	Description
Name	XREF
Datatype	String
Description	Indicates the Reference number of the external system.
Attributes	<table><tr><th>Attribute</th><th>Description</th></tr><tr><td>minOccurs</td><td>0</td></tr></table>
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>16</td></tr></table>

TOP

ACCNO

Attribute	Description
Name	ACCNO
Datatype	String
Description	Indicates the Account Number.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

BRN

Attribute	Description
Name	BRN
Datatype	String
Description	Indicates the Branch.
Restrictions	<table><tr><th>Restrictions</th><th>Description</th></tr><tr><td>maxLength</td><td>35</td></tr></table>

TOP

FCUBS_WARNING_RESP

Attribute	Description
Name	FCUBS_WARNING_RESP
Datatype	

Description	It indicates Flexcube Warning Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

TOP

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

TOP

FCUBS_ERROR_RESP

Attribute	Description
Name	FCUBS_ERROR_RESP
Datatype	
Description	It indicates Flexcube Error Response Message
Attributes	**Attribute** / **Description** maxOccurs / unbounded minOccurs / 0

TOP

ERROR

Attribute	Description
Name	ERROR
Datatype	
Description	
Attributes	**Attribute** / **Description** maxOccurs / unbounded

TOP

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

TOP

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

TOP

Mortgage Service
[August] [2014]

Oracle Financial Services software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2014], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of
this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any

kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.